


DRESSING DOOR

D2 · 2 FT 6 · THE CARVED HEAD



NOTES

REVISION 8

The lining is 2 in on the face. The moulding lays 4 in outside it, all round — so the jambs are 6 in wide, and over the opening the moulding head sits 6 in ABOVE the leaf, not on top of it.

The jambs are needed. Across the head the moulding is STEPPED, not needed — the reference has no reeding there.

A plinth block takes each jamb down over the marble skirting.

RELIEF

DATUM 0 = FACE OF THE PLASTER · LINING AND MOULDING ARE COMMON TO ALL THREE DOORS · THE REST IS THE DRESSING DOOR'S CARVED HEAD

Lining, 2 in on the face

0 1/4" OUT

Moulding, 4 in, needed

1 1/2" OUT

Reed grooves in the moulding face

3 IN

Corner block, flush with the moulding

1 1/2" OUT

Its sunk panel, two steps

0 1/4" AND 0 1/4" IN

Above the moulding, and only above it: a course of scallops, two small mouldings, and a crown that mitres back at each end.

A 4 in square block at each corner, with a small sunk moulding inside it, ties head to jamb; the scallops run in three runs so a joint lands on each block edge. The crown lands at 6'-7 1/2".

The carved head is the DRESSING door's alone. Main and bathroom take the same lining and moulding, run straight across and stopped.

Scallops course

1 1/4" OUT

Scallops, cut back from its face

5 IN

Small mouldings, over the scallops

2" AND 2 1/2" OUT

Crown, the widest member


4 1/2" OUT

Plinth block, so the moulding dies on it

1 1/4" OUT


MAIN AND BATHROOM

D1 3 FT · D3 2 FT 6 · PLAIN CASING




1 · THE HEAD

DRESSING DOOR · LEFT END · LINING, MOULDING, SCALLOPS, CROWN



2 · SECTION

THROUGH THE HEAD




3 · JAMB

SECTION · 6 IN ON THE FACE



4 · PLINTH

AT THE FOOT



A STUDY IN TEAK

Particulars of the room

DOOR CASINGS

Carved head — dressing only · Plain elsewhere · Sections

SCALE

AS NOTED @ A3

REV

8 — carved head: dressing door only

DATE

19.09.2026


DWG

AST-DR-011

DRESSING DOOR


D2 · 2 FT 6 · THE CARVED HEAD

A
—
D



MAIN AND BATHROOM

D1 3 FT · D3 2 FT 6 · PLAIN CASING



Above the moulding, and only above it: a course of scallops, two small mouldings, and a crown that mitres back at each end.

A 4 in square block at each corner, with a small sunk moulding inside it, ties head to jamb; the scallops run in three runs so a joint lands on each block edge. The crown lands at 8'-7 1/4".


The carved head is the DRESSING door's alone. Main and bathroom take the same lining and moulding, run straight across and stopped.

E DOORS · THE REST IS THE DRESSING DOOR'S CARVED HEAD

1/4" OUT	Scalloped course	1 1/4" OUT
1/4" OUT	Scallops, cut back from its face	5 IN
3 IN	Small mouldings, over the scallops	2" AND 2 1/4" OUT
1/4" OUT	Crown, the widest member	4 1/4" OUT
0 1/4" IN	Plinth block, so the moulding dies on it	1 1/4" OUT


1 · THE HEAD

DRESSING DOOR · LEFT END · LINING, MOULDING, SCALLOPS, CROWN




2 · SECTION

THROUGH THE HEAD



3 · JAMB

SECTION · 6 IN ON THE FACE



NOTES

REVISION 8


The lining is 2 in on the face. The moulding lays 4 in outside it, all round — so the jambs are 6 in wide, and over the opening the moulding head sits 6 in ABOVE the leaf, not on top of it.

The jambs are reeded. Across the head the moulding is STEPPED, not reeded — the reference has no reeding there.

A plinth block takes each jamb down over the marble skirting.

4 · PLINTH

AT THE FOOT



RELIEF

take the same lining and moulding, run straight across and s

DATUM 0 = FACE OF THE PLASTER · LINING AND MOULDING ARE COMMON TO ALL THREE DOORS · THE REST IS THE DRESSING DOOR'S CARVED HEAD

Lining, 2 in on the face	0¼" OUT	Scallop course
Moulding, 4 in, reeded	1⅞" OUT	Scallops, cut back from its face
Reed grooves in the moulding face	3 IN	Small mouldings, over the scallops
Corner block, flush with the moulding	1⅞" OUT	Crown, the widest member
Its sunk panel, two steps	0¼" AND 0⅜" IN	Plinth block, so the moulding dies on it