






**DETAIL A — PANEL HEAD**

FOOT OF PANEL IS THE MIRROR



# KEY

## PARTS OF THE LEAF

- 1 Stile
- 2 Top rail
- 3 Upper panel — shaped bead, 4 roundels
- 4 Lock rail
- 5 Lower panel — same pattern
- 6 Bottom rail
- 7 Knob Ø2<sup>1</sup>/<sub>8</sub>"
- 8 Keyhole escutcheon
- 9 Meeting bead (pair only)
- 0<sup>3</sup>/<sub>8</sub>" Architrave — to design

# NOTES

## READ BEFORE MAKING

Dimensions in feet and inches. Do not scale.

Proportions taken from a film-still reference;

leaf size, opening and thickness are ASSUMED.

Knob centre lands 3'-1<sup>3</sup>/<sub>4</sub>" above the floor — normal height.

D1 — MAIN DOOR, 7 ft 7 in × 3 ft.

Set out on the panel square. The 2 ft 6 leaf gives a

1'-10<sup>1</sup>/<sub>8</sub>" panel; the upper panel is two of those squares

(3'-8<sup>1</sup>/<sub>4</sub>" ), the lower is one (1'-10<sup>1</sup>/<sub>8</sub>" ). Rails follow: top 3<sup>7</sup>/<sub>8</sub>" ,

lock 9" , bottom 11<sup>5</sup>/<sub>8</sub>" . Knob centre 3'-2<sup>1</sup>/<sub>4</sub>" above the floor.

Both widths take the identical rails and mouldings, so

only the panel width changes — here 10<sup>1</sup>/<sub>8</sub>" per panel.


Solid teak frame. Veneer and polish per

Materials; polish to match the teak desk.

Casing: 2 in lining plus 4 in moulding over it, so the


~~moulding head sits 6" above the leaf.~~

~~See AST-DR-011 (option A) and AST-DR-012 (option B).~~



SECTION B–B

HORIZONTAL THROUGH UPPER PANELS







|                                         |                          |
|-----------------------------------------|--------------------------|
| Stiles and rails, 1¾" thick             | DATUM 0                  |
| Ovolo sticking, 0¾" wide                | WORKED ON THE FRAME EDGE |
| Panel, 0¾" thick, loose in a 0½" groove | —                        |
| Panel field                             | 0½" IN                   |
| Shaped bead line round the field        | 2.5 IN                   |
| Roundel boss Ø1", four per panel        | 0⅛" OUT                  |
| Mitres at the sticking corners          | CUT, NOT SCRIBED         |
| Knob Ø2⅛" and escutcheon Ø1⅜"           | SURFACE                  |

