

Experiment - 5.1.1. Leap Year Checker


1. Aim

To design and implement a Python program that prompts the user to enter a year and determines whether the given year is a leap year or not, printing the appropriate message.

2. Pseudocode

1. **START**
2. **READ** the input value from the user and convert it to an integer.
3. **STORE** this value in the variable `y`.
4. **CHECK** if the year `y` is divisible by 400 ($y \% 400 == 0$).
 - **OR** check if the year `y` is divisible by 4 AND not divisible by 100 ($y \% 4 == 0$ and $y \% 100 != 0$).
5. **IF** the condition in step 4 is True, **PRINT** "Leap year".
6. **ELSE, PRINT** "Not a leap year".
7. **END**

3. Flowchart



4. Python Program

```
y = int(input())
```

```
if (y % 400 == 0) or (y % 4 == 0 and y % 100 != 0):  
    print("Leap year")  
else:  
    print("Not a leap year")
```

5. Experiment Screenshot

CODETANTRA Home saksham.wadhankar.batch2025@sitnagpur.siu.edu.in Support Logout

5.1.1. Leap Year Checker 0.003 s

Write a Python program that prompts the user to enter a year. The program should determine if the year is a leap year or not and print the appropriate message.

Input Format:

- A single line contains an integer representing the year.

Output Format:

- Print "Leap year" if it is a leap year. Otherwise, print "Not a leap year".

Sample Test Cases +

```
1 y = int(input())  
2  
3 if (y % 400 == 0) or (y % 4 == 0 and y % 100 != 0):  
4     print("Leap year")  
5 else:  
6     print("Not a leap year")  
7  
8
```

Average time: 0.003 s, Maximum time: 0.004 s, 3.00 ms, 4.00 ms

2 out of 2 shown test case(s) passed
2 out of 2 hidden test case(s) passed

Test case 1 4 ms Debug Test cases

Expected output: 2024
Leap year
Actual output: 2024
Leap year

Terminal Test cases

< Prev Reset Submit Next >