



Question1-





Physical Config Desktop Programming Attributes

IP Configuration

X

Interface FastEthernet0

IP Configuration

☐ DHCP

☒ Static

IP Address 192.168.10.1

Subnet Mask 255.255.255.0

Default Gateway 0.0.0.0

DNS Server 0.0.0.0

IPv6 Configuration

☐ DHCP

☐ Auto Config

☒ Static

IPv6 Address /

Link Local Address FE80::290:21FF:FE6B:9040

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

IP Configuration

X

Interface

FastEthernet0



IP Configuration

☐ DHCP

☒ Static

IP Address

192.168.10.2

Subnet Mask

255.255.255.0

Default Gateway

0.0.0.0

DNS Server

0.0.0.0

IPv6 Configuration

☐ DHCP

☐ Auto Config

☒ Static

IPv6 Address

Link Local Address

FE80::201:96FF:FEE2:9961

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication

MD5



Username

Password

☐ Top

Physical Config Desktop Programming Attributes

Command Prompt

X

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.1

Pinging 192.168.10.1 with 32 bytes of data:

Reply from 192.168.10.1: bytes=32 time<1ms TTL=128
Reply from 192.168.10.1: bytes=32 time<1ms TTL=128
Reply from 192.168.10.1: bytes=32 time<1ms TTL=128
Reply from 192.168.10.1: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```

☐ Top




Logical

Physical

x: 253, y: 129

[Root]



Port	Link	IP Address	IPv6 Address	MAC Address
FastEthernet0	Up	192.168.10.1/24	<not set>	0090.216B.9040
Bluetooth	Down	<not set>	<not set>	0003.E41A.3B1A

Gateway: <not set>
DNS Server: <not set>
Line Number: <not set>

Physical Location: Intercity, Home City, Corporate Office

Time: 03:33:56

