

ec2-user@ip-172-31-30-166:~

ec2-user@ip-172-31-30-166 ~]\$ sudo sh -c 'head -n 5 /etc/group > /file2.txt'

ec2-user@ip-172-31-30-166 ~]\$ cat /file2.txt

root:x:0:

bin:x:1:

daemon:x:2:

sys:x:3:

adm:x:4:ec2-user

ec2-user@ip-172-31-30-166 ~]\$

ec2-user@ip-172-31-30-166:~

```
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c 'head -n 10 /root/anaconda-ks.cfg > /anaconda.txt'
```

```
head: cannot open '/root/anaconda-ks.cfg' for reading: No such file or directory
```

```
ec2-user@ip-172-31-30-166 ~]$ cat /anaconda.txt
```

```
ec2-user@ip-172-31-30-166 ~]$
```

```
ec2-user@ip-172-31-30-166:~  
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c 'head -n 32 /etc/passwd > /file3.txt'  
ec2-user@ip-172-31-30-166 ~]$ sudo cat /file3.txt  
root:x:0:0:root:/root:/bin/bash  
bin:x:1:1:bin:/bin:/sbin/nologin  
daemon:x:2:2:daemon:/sbin:/sbin/nologin  
adm:x:3:4:adm:/var/adm:/sbin/nologin  
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin  
sync:x:5:0:sync:/sbin:/bin/sync  
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown  
halt:x:7:0:halt:/sbin:/sbin/halt  
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin  
operator:x:11:0:operator:/root:/sbin/nologin  
games:x:12:100:games:/usr/games:/sbin/nologin  
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin  
nobody:x:65534:65534:Kernel Overflow User:/:/sbin/nologin  
dbus:x:81:81:System message bus:/:/sbin/nologin  
systemd-network:x:192:192:systemd Network Management:/:usr/sbin/nologin  
systemd-oom:x:999:999:systemd Userspace OOM Killer:/:usr/sbin/nologin  
systemd-resolve:x:193:193:systemd Resolver:/:usr/sbin/nologin  
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin  
libstoragemgmt:x:998:998:daemon account for libstoragemgmt:/:usr/sbin/nologin  
systemd-coredump:x:997:997:systemd Core Dumper:/:usr/sbin/nologin  
systemd-timesync:x:996:996:systemd Time Synchronization:/:usr/sbin/nologin  
sshd:x:74:74:Privilege-separated SSH:/usr/share/empty.sshd:/usr/sbin/nologin  
chrony:x:995:995:chrony system user:/var/lib/chrony:/sbin/nologin  
ec2-instance-connect:x:994:994:/:home/ec2-instance-connect:/sbin/nologin  
staprunpriv:x:159:159:systemtap unprivileged user:/var/lib/staprunpriv:/sbin/nologin  
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin  
cpdump:x:72:72:/:/sbin/nologin  
ec2-user:x:1000:1000:EC2 Default User:/home/ec2-user:/bin/bash  
nginx:x:993:993:Nginx web server:/var/lib/nginx:/sbin/nologin  
apache:x:48:48:Apache:/usr/share/httpd:/sbin/nologin  
mysql:x:27:27:MySQL Server:/var/lib/mysql:/sbin/nologin  
ec2-user@ip-172-31-30-166 ~]$
```

ec2-user@ip-172-31-30-166:~

ec2-user@ip-172-31-30-166 ~]\$ sudo wc -l /file4.txt

0 /file4.txt

ec2-user@ip-172-31-30-166 ~]\$

ec2-user@ip-172-31-30-166:~

ec2-user@ip-172-31-30-166 ~]\$ sudo sh -c 'head -n 15 /etc/passwd >/file5.txt'

ec2-user@ip-172-31-30-166 ~]\$ sudo wc -l /file5.txt

5 /file5.txt

ec2-user@ip-172-31-30-166 ~]\$

ec2-user@ip-172-31-30-166:~

```
c2-user@ip-172-31-30-166 ~]$ sudo sh -c "grep 'bash$' /etc/passwd | wc -l > /bash.txt"
```

```
c2-user@ip-172-31-30-166 ~]$ sudo cat /bash.txt
```

```
c2-user@ip-172-31-30-166 ~]$ █
```

c2-user@ip-172-31-30-166:~

```
c2-user@ip-172-31-30-166 ~]$ sudo sh -c "grep 'bash$' /etc/passwd | wc -l > /bash.txt"
```

```
c2-user@ip-172-31-30-166 ~]$ sudo cat /bash.txt
```

```
c2-user@ip-172-31-30-166 ~]$
```

\$ ec2-user@ip-172-31-30-166:~

ec2-user@ip-172-31-30-166 ~]\$

ec2-user@ip-172-31-30-166 ~]\$ sudo sh -c "grep 'nologin' /etc/passwd | wc -l > /word.txt"

ec2-user@ip-172-31-30-166 ~]\$ sudo cat /word.txt

6

ec2-user@ip-172-31-30-166 ~]\$

ec2-user@ip-172-31-30-166:~

```
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c "grep 'systemd' /etc/passwd /etc/group > /passgroup.txt"
```

```
ec2-user@ip-172-31-30-166 ~]$ sudo cat /passgroup.txt
```

```
etc/passwd:systemd-network:x:192:192:systemd Network Management:/:/usr/sbin/nologin
```

```
etc/passwd:systemd-oom:x:999:999:systemd Userspace OOM Killer:/:/usr/sbin/nologin
```

```
etc/passwd:systemd-resolve:x:193:193:systemd Resolver:/:/usr/sbin/nologin
```

```
etc/passwd:systemd-coredump:x:997:997:systemd Core Dumper:/:/usr/sbin/nologin
```

```
etc/passwd:systemd-timesync:x:996:996:systemd Time Synchronization:/:/usr/sbin/nologin
```

```
etc/group:systemd-journal:x:190:ec2-user
```

```
etc/group:systemd-network:x:192:
```

```
etc/group:systemd-oom:x:999:
```

```
etc/group:systemd-resolve:x:193:
```

```
etc/group:systemd-coredump:x:997:
```

```
etc/group:systemd-timesync:x:996:
```

```
ec2-user@ip-172-31-30-166 ~]$
```

ec2-user@ip-172-31-30-166:~

```
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c "grep -E 'root|rhel|systemd' /etc/passwd > /search.txt"
```

```
ec2-user@ip-172-31-30-166 ~]$ sudo cat /search.txt
```

```
root:x:0:0:root:/root:/bin/bash
```

```
operator:x:11:0:operator:/root:/sbin/nologin
```

```
systemd-network:x:192:192:systemd Network Management:/:/usr/sbin/nologin
```

```
systemd-oom:x:999:999:systemd Userspace OOM Killer:/:/usr/sbin/nologin
```

```
systemd-resolve:x:193:193:systemd Resolver:/:/usr/sbin/nologin
```

```
systemd-coredump:x:997:997:systemd Core Dumper:/:/usr/sbin/nologin
```

```
systemd-timesync:x:996:996:systemd Time Synchronization:/:/usr/sbin/nologin
```

```
ec2-user@ip-172-31-30-166 ~]$
```

ec2-user@ip-172-31-30-166:~

```
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c "awk -F: '{print \$5}' /etc/passwd > /file1.txt"
```

```
ec2-user@ip-172-31-30-166 ~]$ sudo cat /file1.txt
```

```
root
bin
daemon
dm
p
sync
shutdown
halt
mail
operator
games
TP User
Kernel Overflow User
system message bus
systemd Network Management
systemd Userspace OOM Killer
systemd Resolver
pcbind Daemon
daemon account for libstoragemgmt
systemd Core Dumper
systemd Time Synchronization
privilege-separated SSH
chrony system user

systemtap unprivileged user
PC Service User

C2 Default User
nginx web server
apache
MySQL Server
ec2-user@ip-172-31-30-166 ~]$
```

```
ec2-user@ip-172-31-30-166:~  
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c "awk -F: '{print \$1,\$2,\$3,\$4} ' /etc/passwd > /file2.txt"  
ec2-user@ip-172-31-30-166 ~]$ sudo cat /file2.txt  
root x 0 0  
bin x 1 1  
daemon x 2 2  
adm x 3 4  
lp x 4 7  
sync x 5 0  
shutdown x 6 0  
alt x 7 0  
mail x 8 12  
operator x 11 0  
games x 12 100  
ftp x 14 50  
nobody x 65534 65534  
bus x 81 81  
systemd-network x 192 192  
systemd-oom x 999 999  
systemd-resolve x 193 193  
pc x 32 32  
libstoragemgmt x 998 998  
systemd-coredump x 997 997  
systemd-timesync x 996 996  
sshd x 74 74  
anrny x 995 995  
ec2-instance-connect x 994 994  
capunpriv x 159 159  
ocuser x 29 29  
cpdump x 72 72  
ec2-user x 1000 1000  
linx x 993 993  
cache x 48 48  
sql x 27 27  
ec2-user@ip-172-31-30-166 ~]$
```

```
c2-user@ip-172-31-30-166 ~]$ sudo sh -c "awk -F: '{print \$1,\$7} ' /etc/passwd > /file3.txt"
c2-user@ip-172-31-30-166 ~]$ sudo cat /file3.txt
ot /bin/bash
n /sbin/nologin
emon /sbin/nologin
tm /sbin/nologin
 /sbin/nologin
nc /bin/sync
utdown /sbin/shutdown
alt /sbin/halt
ail /sbin/nologin
erator /sbin/nologin
ames /sbin/nologin
cp /sbin/nologin
body /sbin/nologin
ous /sbin/nologin
systemd-network /usr/sbin/nologin
systemd-oom /usr/sbin/nologin
systemd-resolve /usr/sbin/nologin
pc /sbin/nologin
ibstorgemgmt /usr/sbin/nologin
systemd-coredump /usr/sbin/nologin
systemd-timesync /usr/sbin/nologin
shd /usr/sbin/nologin
hrony /sbin/nologin
c2-instance-connect /sbin/nologin
tapunpriv /sbin/nologin
pcuser /sbin/nologin
cpdump /sbin/nologin
c2-user /bin/bash
ginx /sbin/nologin
pache /sbin/nologin
ysql /sbin/nologin
ec2-user@ip-172-31-30-166 ~]$
```

ec2-user@ip-172-31-30-166:~

```
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c "awk -F: '{print \$1}' /etc/passwd | sort > /file4.txt"
```

```
ec2-user@ip-172-31-30-166 ~]$ sudo cat /file4.txt
```

dm

pache

in

hrony

laemon

bus

c2-instance-connect

c2-user

tp

ames

alt

ibstoragemgmt

p

ail

ysql

ginx

obody

perator

oot

pc

pcuser

hutdown

shd

tapunpriv

ync

systemd-coredump

systemd-network

systemd-oom

systemd-resolve

systemd-timesync

cpdump

```
ec2-user@ip-172-31-30-166 ~]$
```

ec2-user@ip-172-31-30-166:~

ec2-user@ip-172-31-30-166 ~]\$ sudo sh -c "awk -F: '{print \\$3}' /etc/passwd > /userid.txt"

ec2-user@ip-172-31-30-166 ~]\$ sudo cat /userid.txt

1
2
4
5534

1
92
99
93
2
98
97
96
4
95
94
59
9
2
000
93
8
7

ec2-user@ip-172-31-30-166 ~]\$

```
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c "awk -F: '{print \$1,\$7}' /etc/passwd > /awkfile.txt"
ec2-user@ip-172-31-30-166 ~]$ sudo cat /awkfile.txt
root /bin/bash
bin /sbin/nologin
daemon /sbin/nologin
dmcc /sbin/nologin
lp /sbin/nologin
sync /bin/sync
shutdown /sbin/shutdown
halt /sbin/halt
mail /sbin/nologin
operator /sbin/nologin
ames /sbin/nologin
ftp /sbin/nologin
nobody /sbin/nologin
bus /sbin/nologin
systemd-network /usr/sbin/nologin
systemd-oom /usr/sbin/nologin
systemd-resolve /usr/sbin/nologin
pc /sbin/nologin
libstoragemgmt /usr/sbin/nologin
systemd-coredump /usr/sbin/nologin
systemd-timesync /usr/sbin/nologin
shd /usr/sbin/nologin
chrony /sbin/nologin
c2-instance-connect /sbin/nologin
tapunpriv /sbin/nologin
pcuser /sbin/nologin
cpdump /sbin/nologin
c2-user /bin/bash
ginx /sbin/nologin
pache /sbin/nologin
ysql /sbin/nologin
ec2-user@ip-172-31-30-166 ~]$
```

ec2-user@ip-172-31-30-166:~

```
ec2-user@ip-172-31-30-166 ~]$ sudo sh -c "awk -F: '{print \$1 \"-\" \$2 \"-\" \$3}' /etc/passwd > /awkfile2.txt"
```

```
ec2-user@ip-172-31-30-166 ~]$ sudo cat /awkfile2.txt
```

```
root-x-0
bin-x-1
daemon-x-2
dm-x-3
lp-x-4
sync-x-5
shutdown-x-6
alt-x-7
mail-x-8
operator-x-11
ames-x-12
tp-x-14
obody-x-65534
bus-x-81
systemd-network-x-192
systemd-oom-x-999
systemd-resolve-x-193
pc-x-32
ibstoragemgmt-x-998
systemd-coredump-x-997
systemd-timesync-x-996
shd-x-74
chrony-x-995
c2-instance-connect-x-994
tapunpriv-x-159
pcuser-x-29
cpdump-x-72
c2-user-x-1000
ginx-x-993
pache-x-48
mysql-x-27
ec2-user@ip-172-31-30-166 ~]$
```

ec2-user@ip-172-31-30-166:~

ec2-user@ip-172-31-30-166 ~]\$ sudo sh -c "awk -F: '{print \$1}' /etc/passwd > /awkfile3.txt"

ec2-user@ip-172-31-30-166 ~]\$ sudo cat /awkfile3.txt

root

bin

daemon

dm

p

sync

shutdown

halt

mail

operator

games

ftp

nobody

bus

systemd-network

systemd-oom

systemd-resolve

pc

libstoragemgmt

systemd-coredump

systemd-timesync

sshd

chrony

c2-instance-connect

tapunpriv

pcuser

cpdump

c2-user

ginx

pache

mysql

ec2-user@ip-172-31-30-166 ~]\$