
AWS S3 VPC Endpoint – Secure Private Access Using Terraform

Prepared by: Sakshi Somvanshi

Project Overview

This project focuses on building a secure, zero-internet AWS architecture using Terraform. An EC2 instance runs in a private subnet without a public IP address and accesses Amazon S3 through an S3 Gateway VPC Endpoint. Least-privilege IAM permissions and an endpoint policy restrict access to authorized resources. AWS Systems Manager Session Manager enables secure instance access, while downloading a test file from S3 verifies that private connectivity works without internet access.

Architecture Diagram




1. VPC Module Deployment Using Terraform.

The VPC module was deployed successfully using Terraform (tf apply). The created infrastructure is verified below in the AWS Console.


- **VPC Infrastructure Deployment**


The AWS VPC Console shows the successfully created **dev-vpc** with CIDR block **10.0.0.0/16** and status **Available**.



- **Public and Private Subnets**


The AWS VPC Console shows **six subnets** successfully created inside the dev-vpc VPC.
Public Subnets: dev-public-1, dev-public-2, and dev-public-3
Private Subnets: dev-private-1, dev-private-2, and dev-private-3







- **Public and Private Route Tables**


The AWS Console shows two custom route tables configured for dev-vpc:
dev-public-rt — Associated with 3 public subnets.









dev-private-rt — Associated with 3 private subnets.





[Alt+S]
Asia Pacific (Mumbai)
Sakshi (800759855693)
projectuser01
Name
Route table ID
Explicit subnet associ...
Edge associations
Main
VPC
– rtb-09c59b405642afe0d – – Yes vpc-03594172d435f48a8 | de
dev-public-rt rtb-0e6c64e3eeae1e7d5 3 subnets – No vpc-03594172d435f48a8 | de
dev-private-rt rtb-068e21a6948db0f63 3 subnets – No vpc-03594172d435f48a8 | de
rtb-068e21a6948db0f63 / dev-private-rt
Details
Routes
Subnet associations
Edge associations
Route propagation
Tags
Related resources
Routes (2)
Both
Edit routes
Filter routes
1
Destination
Target
Status
Propagated
Route Origin
pl-78a54011 vpce-005c5b4a485014851 Active No Create Route
10.0.0.0/16 local Active No Create Route Table


[Alt+S]
Asia Pacific (Mumbai)
Sakshi (800759855693)
projectuser01
Route tables (1/3) Info
Last updated 4 minutes ago
Actions
Create route table
Find route tables by attribute or tag
VPC : vpc-03594172d435f48a8
Clear filters
1
Name
Route table ID
Explicit subnet associ...
Edge associations
Main
VPC
– rtb-09c59b405642afe0d – – Yes vpc-03594172d435f48a8 | de
dev-public-rt rtb-0e6c64e3eeae1e7d5 3 subnets – No vpc-03594172d435f48a8 | de
dev-private-rt rtb-068e21a6948db0f63 3 subnets – No vpc-03594172d435f48a8 | de
rtb-068e21a6948db0f63 / dev-private-rt
Explicit subnet associations (3)
Edit subnet associations
Find subnet association
1
Name
Subnet ID
IPv4 CIDR
IPv6 CIDR
dev-private-2 subnet-05e2b31d27624a44b 10.0.12.0/24 –
dev-private-3 subnet-02882de1c8632e420 10.0.13.0/24 –
dev-private-1 subnet-085aee224e781d8fa 10.0.11.0/24 –


- **Internet Gateway Creation and Attachment**

The Internet Gateway **dev-igw** was created and attached to the dev-vpc VPC.



- **Security Group Configuration**

The AWS Console displays two custom security groups created in the dev-vpc VPC:
dev-private-ec2-sg – Controls network traffic for private EC2 instances.
dev-endpoint-sg – Controls traffic for VPC interface endpoints.




- **VPC Endpoint Configuration**

The AWS Console shows **six VPC endpoints** successfully created, all with **Available** status.

S3 Gateway Endpoint: dev-s3-endpoint provides private access to Amazon S3.


SSM Interface Endpoints: Support secure EC2 management through AWS Systems Manager Session Manager.

Additional Endpoints: EC2, EC2 Messages, and STS endpoints support required AWS service communication.




2. Private EC2 and S3 Infrastructure Deployment

The infrastructure was successfully provisioned using Terraform for testing private EC2 access to Amazon S3.



- **Amazon S3 Bucket Verification**

The AWS S3 Console confirms the successful creation of the bucket **sakshi-private-ssm-demo-bucket-123** in the Mumbai region (ap-south-1).




3. Upload Test File to Amazon S3 Using Terraform

The Terraform S3 module defines the test.txt object with sample content and uploads it to the private S3 bucket.

- **Verify test.txt in the S3 Bucket**

  The AWS S3 Console displays the test.txt object inside the private S3 bucket, confirming that the file was uploaded successfully using Terraform.



- **Private EC2 Instance Verification**


  The EC2 **dev-private-ec2** instance is running in a private network without a public IP address, supporting secure access through AWS Systems Manager Session Manager.

  Instance Type: t3.micro

  Private IP: 10.0.11.181


  Public IP: None

  Availability Zone: ap-south-1a




- **Connecting to Private EC2 Using AWS SSM**

  The private EC2 instance (dev-private-ec2) is running with private IP 10.0.11.181 and has passed all status checks. AWS Systems Manager Session Manager shows **Online** and **Connected**, enabling secure browser-based access without a public IP address or SSH keys.



- **Verify S3 Access from Private EC2**

  Using AWS Systems Manager Session Manager, the private EC2 instance downloads **test.txt** from the S3 bucket through the VPC Endpoint. The **cat test.txt** command confirms the file content was retrieved successfully without requiring a public IP address.



Conclusion

The project successfully demonstrates how to securely access Amazon S3 from a private EC2 instance without requiring internet connectivity. Terraform automates infrastructure deployment, while IAM permissions and the VPC Endpoint policy strengthen access control. The successful retrieval of a test file from S3 validates private connectivity and demonstrates a secure approach to AWS resource access.