strategy | consulting | digital | technology | operations



Module 6 Objectives

- Upon completing this module, the learner will be able to:
 - Understand Boostrap Grid System
 - Understand Bootstrap Styling class for:
 - Text Transformation
 - List
 - Heading
 - Form
 - Table



Module 6 Agenda

Topic Name	Duration
Introduction to Bootstrap	20 min
Getting started with Bootstrap	20 mins
Bootstrap Grid System	30 mins
Bootstrap Typographs	20 min
Bootstrap Table	20 mins
Bootstrap Form	20 mins



Introduction to Bootstrap

- Bootstrap is a powerful front-end development framework
- Bootstrap makes web development faster and easier with the template it has for:









- Bootstrap gives ability to create responsive layouts with less efforts.
- It is compatible with all modern browsers and it is completely free.







Module 6 Agenda

Topic Name	Duration
Introduction to Bootstrap	20 min
Getting started with Bootstrap	20 mins
Bootstrap Grid System	30 mins
Bootstrap Typographs	20 min
Bootstrap Table	20 mins
Bootstrap Form	20 mins



Getting started with Bootstrap

- To start with Bootstrap first download it and include it in document.
- There are two ways to embedded Bootstrap in document:
 - Download Bootstrap from getbootstrap.com
 - Include Bootstrap from CDN



Getting started with Bootstrap

- Download Bootstrap from getbootstrap.com
 - There are two version available : Compiled and Bootstrap Source File.
 - For our training we would use Compiled Bootstrap which contains of the minifies version.
 - Once downloaded , unzip the compressed folder and include bootstrap.min.js in the document.

<script src="bootstrap.min.js"></script>



Getting started with Bootstrap

Include Bootstrap from CDN

```
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com</pre>
/bootstrap/3.3.7/css/bootstrap.min.css">
<!-- ¡Query library -->
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.</pre>
1/jquery.min.js"></script>
<!-- Latest compiled JavaScript -->
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.</pre>
7/is/bootstrap.min.js"></script>
```



Agenda

Topic Name	Duration
Introduction to Bootstrap	20 min
Getting started with Bootstrap	20 mins
Bootstrap Grid System	30 mins
Bootstrap Typographs	20 min
Bootstrap Table	20 mins
Bootstrap Form	20 mins



Containers

- Container is used to wrap the site contents. There are two container classes.
 - container class provides a responsive fixed width container.
 - .container-fluid class provides a full width container, spanning the entire width of the viewport.
- they contains row elements and the row elements are the container of columns (known as grid system).



Bootstrap Grid System

- Bootstrap grid system provides the quick and easy way to create responsive website layouts.
- Bootstrap 3 introduces the responsive mobile first fluid grid system that appropriately scales up to 12 columns as the device or viewport size increases.
- Bootstrap has defined style classes that makes grid layout responsive for different devices like :
 - col-xs-* for extra small device (mobile phones)
 - .col-sm-* for small devices(tablets)
 - .col-md-* for medium size devices(desktop)
 - col-lg-* for large screen desktops




Bootstrap Grid System

	Extra small devices Phones (<768px)	Small devices Tablets (≥768px)	Medium devices Desktops (≥992px)	Large devices Desktops (≥1200px)
Grid behavior	Horizontal at all times	Collapsed to start, horizontal above breakpoints		
Container width	None (auto)	750px	970px	1170px
Class prefix	.col-xs-	.col-sm-	.col-md-	.col-lg-
# of columns	12			
Column width	Auto ~62px ~81px ~97px			
Gutter width	30px (15px on each side of a column)			
Nestable	Yes			
Offsets	Yes			
Column ordering	Yes			



Bootstrap Grid System



Demonstration


Row with 12 columns

```
<div class="container">
    <div class="row">
    <div class="col-md-1">Column1</div>
    <div class="col-md-1">Column2</div>
    <div class="col-md-1">Column3</div>
    <div class="col-md-1">Column4</div>
    <div class="col-md-1">Column5</div>
    <div class="col-md-1">Column6</div>
    <div class="col-md-1">Column7</div>
    <div class="col-md-1">Column8</div>
    <div class="col-md-1">Column9</div>
    <div class="col-md-1">Column10</div>
    <div class="col-md-1">Column11</div>
   <div class="col-md-1">Column12</div>
   </div>
</div>
                              Column2
                                                   Column4
                                                                        Column6
                                                                                            Column8
                                                                                                      Column9
```



Activity

Create a container with a row divided into 3 equal columns for mediums size desktop.





Agenda

Topic Name	Duration
Introduction to Bootstrap	20 min
Getting started with Bootstrap	20 mins
Bootstrap Grid System	20 mins
Bootstrap Typographs	20 min
Bootstrap Table	20 mins
Bootstrap Form	20 mins



 Heading Styles: Class .h1 to .h6 can applied to other elements for the same heading styling.

```
<div class="h1">h1.Bootstrap heading</div>
<div class="h2">h2. Bootstrap heading</div>
<div class="h3">h3. Bootstrap heading</div>
<div class="h4">h4. Bootstrap heading</div>
<div class="h5">h5. Bootstrap heading</div>
<div class="h6">h6. Bootstrap heading</div></div</pre>
```

h1.Bootstrap heading

h2. Bootstrap heading

h3. Bootstrap heading

h4. Bootstrap heading

h5. Bootstrap heading

h6. Bootstrap heading



 Text Transformation Classes: text-lowercase,text-uppercase,text-capitalize can be applied for text transformation.

```
LOWER CASE
upper case
capitalize text
```

lower case

UPPER CASE

Capitalize Text



• Text Transformation Classes: text-lowercase, text-uppercase, text-capitalize can be applied for text transformation.

```
LOWER CASE
upper case
capitalize text
```

lower case

UPPER CASE

Capitalize Text



Unstyled List: To remove default list styling of or using class list-unstyled.

```
| 1
| 1
| 1
| 1
| 2
| 1
| 1
| 1
| 2
| 1
| 2
| 3
| 3
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
| 4
```

```
Example of Unstyled List

Item 1
Item 2
Item 3
Item 4
```



• Inline List: To create a horizontal or list apply class "list-inline".

```
li>ltem 1
ltem 2
ltem 3
ltem 3
ltem 4
```

Example of Inline List

Item 1 Item 2 Item 3 Item 4



Agenda

Topic Name	Duration
Introduction to Bootstrap	20 min
Getting started with Bootstrap	20 mins
Bootstrap Grid System	20 mins
Bootstrap Typographs	20 min
Bootstrap Table	20 mins
Bootstrap Form	20 mins



• Table with basic styling: with horizontal divider and small cell padding.

Basic Table			
Emp ld	First Name	Last Name	Email
1	John	Jacob	johnjacob@mail.com
2	Rose	Peter	rosepeter@mail.com
3	Tom	Jerry	tomjerry@mail.com



• Striped Table: Create a table with alternate rows with background color.

Striped Table			
Emp ld	First Name	Last Name	Email
1	John	Jacob	johnjacob@mail.com
2	Rose	Peter	rosepeter@mail.com
3	Tom	Jerry	tomjerry@mail.com



All Side Border Table

Bordered Table			
Emp ld	First Name	Last Name	Email
1	John	Jacob	johnjacob@mail.com
2	Rose	Peter	rosepeter@mail.com
3	Tom	Jerry	tomjerry@mail.com



Hover State on Table Row

Hover Row Table			
Emp Id	First Name	Last Name	Email
1	John	Jacob	johnjacob@mail.com
2	Rose	Peter	rosepeter@mail.com
3	Tom	Jerry	tomjerry@mail.com



Agenda

Topic Name	Duration
Introduction to Bootstrap	20 min
Getting started with Bootstrap	20 mins
Bootstrap Grid System	20 mins
Bootstrap Typographs	20 min
Bootstrap Table	20 mins
Bootstrap Form	20 mins



Bootstrap Forms

- Bootstrap simplifies the traditional form controls like labels, input fields, select boxes, etc. with new set of classes for alignment and styling.
- Bootstrap provides 3 different types of form layouts:
 - Vertical
 - Horizontal
 - Inline


Note: For our learning we would take Vertical and Horizontal.

Bootstrap Forms - Vertical

• This is the default form layout in Bootstrap.

• Put all form controls in <div> with below styling:

 Apply below style to all form(input, textarea, select) controls:




<input type="text" class="form-control"/>

Bootstrap Forms - Horizontal

- Below are the additional style for horizontal form.
- Form should have below style class applied:

 All label controls should be applied control-label class along with grid style :

All form controls should applied grid style:





Module Summary

- Upon completing this module, you should now be able to:
 - Create a document with Bootstrap Grid System
 - Apply following Bootstrap Styling class to document:
 - Text Transformation
 - List
 - Heading
 - Form
 - Table



