

4. L1 JEE FS Angular&React QB MCQ 386

MCQ

Description

```
public class LocalDateDemo {  
    public static void main(String[] args) {  
        DateTimeFormatter format = DateTimeFormatter.ofPattern("dd-MM-yy");  
        String input = "22/09/2017";  
        LocalDate date = LocalDate.parse(input, format);  
        System.out.println(date);}  
}
```

Which of the given statement is true about above code?

Answer

Please choose a correct answer.

 UNSOLVED

12

Given statement is true about above code?

Answer

Please choose a correct answer.

• UNSOLVED

- 7 It will print date as given below 22-09-17
- 8 It will print date as given below 22/09/17
- 9
- 10 It will generate DateTimeParseException as format and input are not matching
- 11 none of the above

12 REPORT AN ISSUE

5. L1 JEE FS Angular&React QB MCQ 739

MCQ

Description

```
class X2
{
    public X2 x;
    public static void main(String [] args)
    {
        X2 x2 = new X2(); /* Line 6 */
        X2 x3 = new X2(); /* Line 7 */
        x2.x = x3;
        x3.x = x2;
        x2 = new X2(); /* Line 10 */
        x3 = x2; /* Line 11 */
    }
}
```

- 11 After Line 10 runs, how many objects are eligible for garbage collection?

UNSOVED

5

6

7

8

9

10

11

12

13

14

15

REPORT AN ISSUE

6. L1 JEE FS Angular&React QE

≡ MCQ

Description

Which of the following statements are true

6. L1 JEE FS Angular&React QB MCQ 424

MCQ

Description

Which of the following statements are true regarding static block and instance block?

- 1) Static methods can invoke static blocks
- 2) Static blocks can call static methods
- 3) Instance block can invoke current objects constructor
- 4) Constructor can invoke instance blocks
- 5) Static blocks are executed only once in the class life cycle

6

Answer

Please choose a correct answer.

 UNSOLVED

Answer

8

Please choose a correct answer.

 UNSOLVED

9

10

2,5

11

1,2

12

2,3

13

3,4

14

15

REPORT AN ISSUE

7. L1 JEE PEGA- MCQ 9

Description

Which collection class allows you to grow or shrink its size and provides indexed access to its elements, but whose methods are not synchronized?

7

Answer

Please choose a correct answer.

UNSOLVED

- java.util.Vector
java.util.LinkedHashSet

Answer

Please choose a correct answer.

UNANSWERED

`java.util.Vector`

7

`java.util.LinkedHashSet`

8

`java.util.List`

9

`java.util.ArrayList`

10

11

12

REPORT AN ISSUE

13

9. LT JEE - Core Java- MCQ 31

MCQ

Description

In a Java application Tanishi stored class room numbers in TreeSet. She wants to write a code to print the class room numbers. Suggest the correct option to achieve this.

Answer

Please choose a correct answer.

UNSOVED

- 8
- 9
- 10 Use iterator
- 11 Use enhanced for loop
- 12 Can use either iterator or enhanced for loop
- 13
- 14 TreeSet cannot be iterated

10 - LT JEE FS Angular & React QB MCQ 749
00:40:02

Description

Which of the following is not a method of Iterator interface?

Answer

Please choose a correct answer.

UNSOLVED

remove()

next()

previous()

10

11

hasNext()

12

[REPORT AN ISSUE](#)

13

11. L1 JEE - Core Java- MCQ 7

 MCQ**Description**

Match the following:

TreeSet

ii. HashSet

iii. HashMap

iv. Hashtable

- 6
7
8
9
10
11
12
- a. Unordered, unsorted, unique collection of objects.
 - b. Sorted and unique collection of objects.
 - c. Synchronized collection of key value pair, where keys are unique, unsorted and unordered.
 - d. Collection of key value pair, where keys are unique, unsorted and unordered.

One null key is allowed

Answer

Please choose a correct answer.

 UNSOLVED

i-b

ii-a

select

E2E_L1_JEE30_22VOB_J

01H:23M

i-b

ii-a

iii-d

iv-c



i-a

ii-b

iii-d

iv-c

7

8

9

10

11

12

i-b

ii-d

10
iii-c

iv-d

11
i-b

12
ii-d

13
iii-a

4
iv-c

REPORT AN ISSUE



12. L1 JEE Cloud- MCQ 13

MCQ

Description

```
8 import java.util.Arrays;
9 import java.util.List;
10 public class Qn {public static void main(String[] args) {
11     List<Integer> numList = Arrays.asList(34, 10, 60, 60, 3, 12, 65, 1, 8);
12     numList.stream().filter((n) -> n <= 60 && n > 10).sorted()
13     .forEach(System.out::println);
14 }
```

What will be the output of above code snippet?

12

Answer

Please choose a correct answer.

13

 UNSOLVED

14

12

1		12
2		34
3		60
4		60
5		10
6		12
7		34
8		60
9		60
10		10
11		60
12		60
13		10
14		12
		34
		60

13. L1 JEE - Core Java- MCQ 115

QUESTION

Description

Which of the below functional interface definition is correct?

Answer

Please choose a correct answer.

UNSOLVED

7

@FunctionalInterface

8

interface A{
 public default void m20

9

}

10

@FunctionalInterface

11

interface A{

12

 public void m10;

 public default void m20

13

}

```
1      @FunctionalInterface  
2      interface A{  
3          public default void m20  
4      }  
  
5      @FunctionalInterface  
6      interface A{  
7          public void m1();  
8          public default void m20  
9      }  
10     @FunctionalInterface  
11     interface A{  
12         public void m1();  
13         public void m20;  
14         public static void m30  
15     }
```

All

14. L1 JEE - Core Java- MCQ 90

2 MCQ

3 Description

```
1  
2 class Trial{  
3     public static void main(String[] args){  
4         try{  
5             System.out.print("One");  
6             int y = 2 / 0;  
7             System.out.print(" Two");  
8         }  
9         catch(RuntimeException ex){  
10             System.out.print(" Catch");  
11         }  
12         finally{  
13             System.out.print(" Finally");  
14         }  
15     }  
16 }
```

11 Answer

12 Please choose a correct answer.

13 UNSOLVED

14

One Two Catch Finally

15

One Catch

```
4     System.out.print(" Finally");  
5 }  
5 }  
5 }
```

6 Answer

Please choose a correct answer.

7 UNSOLVED

- 8 One Two Catch Finally
9 One Catch
10 One Catch Finally
11 One Two Catch

13 REPORT AN ISSUE

14

15

All

15. L1 JEE FS Angular&React QB MCQ 803

1  MCQ

2 Description

3 what is the output of the below code snippet?

```
4    int k=0;  
5    try {  
6       int i = 5/k;  
7       } catch (ArithmaticException e) {  
8           System.out.println("1");  
9       } catch (RuntimeException e) {  
10           System.out.println("2");  
11           return;  
12       } catch (Exception e) {  
13           System.out.println("3");  
14       } finally {  
15           System.out.println("4");  
16       }  
17       System.out.println("5");  
18 }
```

12 Answer

Please choose a correct answer.

13  UNSOLVED

14



5

```
1     System.out.println("5");  
2 }  
3  
4 Answer
```

Please choose a correct answer.

4 **UNSOVED**

5 5

6 1

7 4

8 1

9 4

5

10

1

11


2

12

4

13 REPORT AN ISSUE

14



L1 JEE Abridged- MCQ 16

Description

5 _____ Exception helps to identify a situation in which one exception causes another Exception in an application.

6

7

Answer

8 Please choose a correct answer.

 UNSOLVED

Chained

unhandled

Answer

Please choose a correct answer:

UNSOLVED

Chained

unhandled

checked

unchecked



REPORT AN ISSUE

11 JEE FS Angular & React QB MCQ 50

Description

Which type of thread pool will use previously constructed thread if available, otherwise creates a new thread and adds to the pool. Also, if thread remains idle for 60 seconds, is terminated?

Answer

Please choose a correct answer.

UNSOLVED

The newSingleThreadExecutor()



5

Answer

6 Please choose a correct answer.

UNSOLVED

7

8

The newSingleThreadExecutor()

9

The newFixedThreadPool()

10

The newCachedThreadPool()

11

The newScheduledThreadPool()

12

13

14 REPORT AN ISSUE

15

All

1

18. L1 JEE FS Angular&React QB MCQ 460

2

MCQ

3

Description

4

```
public class Sample {
```

5

```
@Test
```

6

```
private void test()
```

```
{
```

```
System.out.println("Not yet implemented");
```

```
}
```

```
}
```

What will be the output of the above testcase?

8

Answer

9

Please choose a correct answer.

UNSOLVED

10

Test case successfully runs and prints Not yet imple

11

Test case compilation fails as method cannot be pr

12

Test case compiles successfully. But throws java.lan

13

Test case compiles and runs successfully, but prints

14

Test case compiles and runs successfully, but prints

15

What will be the output of the above testcase?

Answer

Please choose a correct answer.

1 UNSOLVED

7

8

- Test case successfully runs and prints Not yet implemented in console

9

- Test case compilation fails as method cannot be private method

10

- Test case compiles successfully. But throws java.lang.Exception: Method test() should be public

11

- Test case compiles and runs successfully, but prints nothing in console

12

13

REPORT AN ISSUE

14

What will be the output of the above testcase?

Answer

Please choose a correct answer.

1 UNSOLVED

7

8

- Test case successfully runs and prints Not yet implemented in console

9

- Test case compilation fails as method cannot be private method

10

- Test case compiles successfully. But throws java.lang.Exception: Method test() should be public

11

- Test case compiles and runs successfully, but prints nothing in console

12

13

REPORT AN ISSUE

14

19. L1 JEE - Core Java- MCQ 123

MCQ

Description

Consider the following set of statements, and evaluate the final output.

Table available : DEPT (DEPTNO, DNAME, LOC)

1 INSERT INTO dept VALUES (70, 'HR', 'PUNE') ;
2 SAVEPOINT A ;
3 INSERT INTO dept VALUES (80, 'MARKETING', 'BOMBAY') ;
4 SAVEPOINT B ;
5 ROLLBACK TO A ;
6 COMMIT

Answer

Please choose a correct answer.

 UNSOLVED

Table dept updated with first and second insert command

Answer

Please choose a correct answer.

UNSOLVED

8

- Table dept updated with first and second insert command

9

- Table dept updated with first insert command only

10

- Table will not get updated with any of the insert command

11

- You cannot execute commit immediately after rollback

12

13

REPORT AN ISSUE

4

20. L1 JEE - Core Java- MCQ 129

MCQ

Description

7 Which of the given query is right to insert into Employee table using substitution variables?

Note : Employee has three columns empld,empName and empSal

8

Answer

9 Please choose a correct answer.

UNSOLVED

10

11

INSERT INTO Employee

VALUES (1,'Ram',9000);

12

13

INSERT INTO Employee

_____ o column

Answer

Please choose a correct answer.

UNSOLVED

7
8 `INSERT INTO Employee
VALUES (1,'Ram',9000);`

9
10 `INSERT INTO Employee
VALUES (&id,&name,&salary);`

11 `INSERT INTO Employee(empld,empName,empSal)
VALUES (&id,&name,&salary);`

12
13 Both 2 and 3

select

E2E_L1_JEE30_22VOB..J

21. I.I. JEE_Mulesoft- MCQ 36

Description

Which layer is responsible to implement business rules and policies?

Answer

Please choose a correct answer.

 UNSOLVED

- 16 Presentation Layer
- 17 Data Access Layer
- 18 Service Layer
- 19 DTO
- 20

22. L1 JEE FS Angular&React QB MCQ 379

MCQ

Description

Consider table "Student" with following columns stud_code(number), stud_name(Varchar) and age(number).
Prepared statement is created as follows:

```
16   PreparedStatement pst=con.prepareStatement  
17     ("insert into Student values(?, ?, ?));  
18     _____ // (Which code is required here)  
19     int rowsupdated=pst.executeUpdate();
```

Which of the following is appropriate code that we can insert in blanks?

Answer

Please choose a correct answer.

 UNSOLVED

22

`pst.setString(1, 123)`

`pst.setString(2, "Vidya");`

Answer

Please choose a correct answer.

11

UNSOLVED

12

pst.setString(1, 123)

13

pst.setString(2, "Vidya");

pst.setString(3, 23);

14

15

pst.setInt(1, 123);

16

pst.setString(2, "Vidya");

pst.setInt(3, 23);

17

18

pst.setInt(1, 123)

pst.setString(2, "Vidya");

pst.setDate(3, 23-Jan-1990);

19

20

pst.setInt(1, 123)

21

pst.setInt(2, "Vidya");

pst.setInt(3, 23);

22

REPORT AN ISSUE

23

23. L1 JEE FS Angular&React QB MCQ 485

≡ MCQ

16

Description

17

Which of the following statement is appropriate to be implemented in line No3?

Assume that id property is unique in Book class.

18

```
String qStr = "SELECT book FROM Book book WHERE book.id='B13455' "; // Line 1  
TypedQuery<Book> query = entityManager.createQuery(qStr , Book.class); // Line 2  
----- // Line 3
```

19

20

Answer

Please choose a correct answer.

 UNSOLVED

22



Book book = query.getSingleResult();

23

// Line 3

Answer

Please choose a correct answer.

17 UNSOLVED

18 Book book = query.getSingleResult();

19 Listbook bookList = query.getResultList();

20 Listbook bookList = query.executeUpdate()

21 Listbook = query.executeUpdate()

22

23 REPORT AN ISSUE



24. L1 JEE FS Angular&React QB MCQ 495

MCQ

16

Description

17

Which method of the jpa entity manager would you use to force synchronizing the database with the entities or the persistent state?

18

19

Answer

20

Please choose a correct answer.

UNSOVED

synchronize()

flush()

14

15

Answer

16

Please choose a correct answer.

17
18
19
20
21
22
23

UNSOLVED

synchronize()

flush()

refresh()

persist()

REPORT AN ISSUE

25. L1 JEE FS Angular&React QB MCQ 99

MCQ

Description

what is the output for the below code snippet?

HelloWorld.java

```
16 public class HelloWorld {  
17     private String message;  
18     public String getMessage() { return message; }  
19     public void setMessage(String message) { this.message = message; }  
20 }
```

Main.java

```
21 public class Main {  
22     public static void main(String[] args) {  
23         ClassPathXmlApplicationContext context = new ClassPathXmlApplicationContext("beans.xml");  
24         HelloWorld helloWorld = context.getBean(HelloWorld.class);  
25         helloWorld.setMessage("hello spring");  
26         System.out.println(helloWorld.getMessage());  
27     }  
28     HelloWorld helloWorld1 = context.getBean(HelloWorld.class);  
29     System.out.println(helloWorld1.getMessage());  
30 }
```

what is the output for the below code snippet?

```
11      HelloWorld.java
12      public class HelloWorld {
13          private String message;
14          public String getMessage() { return message; }
15          public void setMessage(String message) { this.message = message; }
16
17      Main.java
18      public class Main {
19          public static void main(String[] args) {
20              ClassPathXmlApplicationContext context = new ClassPathXmlApplicationContext("beans.xml");
21              HelloWorld helloWorld = context.getBean(HelloWorld.class);
22              helloWorld.setMessage("hello spring");
23              System.out.println(helloWorld.getMessage());
24
25      beans.xml
26      <bean name="helloworld" class="com.cg.spring.HelloWorld" scope="singleton" > </bean>
```

Answer

Please choose a correct answer.

 UNSOLVED

23



hello spring

Answer

Please choose a correct answer.

12 1 UNSOLVED

13 hello spring

14 null

15 null

16 null

17 hello spring

18 hello spring

19 compile time error

20 REPORT AN ISSUE

21

22

23

26. L1 JEE FS Angular&React QB MCQ 79

MCQ

Description

Which of the following is correct way of creating spring global exception handler class?

Answer.

Please choose a correct answer.

UNSOLVED

```
16 @ControllerAdvice  
17   public class GlobalException{  
18     @ResponseBody  
19     @ExceptionHandler(value=Exception.class)  
20     public void handleException(){  
21   }
```

```
19   @ExceptionHandler.  
20   public class GlobalException{  
21     public void handleException()  
22   }
```

```
16     @ExceptionHandler(value=Exception.class)
17     public void handleException(){
18     }
19
20
21     @ControllerAdvice
22     public class GlobalException{
23         @ResponseBody
24         public void handleException(){
25     }
26
27     @ControllerAdvice
28     public class GlobalException{
29         public void handleException(){
30     }
31 }
```

REPORT AN ISSUE

27. L1 JEE FS Angular&React QB MCQ 945

MCQ

Description

Which of the following annotation(s) is/are used to handle exceptions at application level in a Spring Boot application?

16

Answer

Please choose a correct answer.

17 UNSOLVED

18

@ControllerAdvice

19

@ExceptionHandler

21

Only 1

22

Both 1 and 2

23



Description

```
16 public class Vehicle {  
17     @GeneratedValue(strategy = GenerationType.AUTO)  
18     private long vehicleId;  
19     private String name;  
20     private String model;  
21  
22     //setters, getters and constructors  
23 }
```

Created a repository named `VehicleRepository` and need to create custom repository methods to find the vehicles based on name and model.

Find the correct code snippet that can be used to meet the above scenarios:

Answer

Please choose a correct answer.

 UNSOLVED

List<Vehicle> findName(String name);
 List<Vehicle> findModel(String model);

Answer

Please choose a correct answer.

• UNSOLVED

14

15

16

17

18

19

20

21

22

23

List<Vehicle> findName(String name);

List<Vehicle> findModel(String model);

List<Vehicle> findByName(String name);

List<Vehicle> findByModel(String model);

List<Vehicle> ByName(String name);

List<Vehicle> ByModel(String model);

List<Vehicle> findBasename(String name);

List<Vehicle> findBymodel(String model);

REPORT AN ISSUE

29. L1 JEE FS Angular&React QB MCQ 943

QUESTION

Description

For an entity class Employee(id, name, salary) which of these methods is not automatically provided in JpaRepository?

27

28

Answer

Please choose a correct answer.

29

UNSOLVED

30

findById

31

findByName

32

ANSWER

26

Answer

27

Please choose a correct answer.

1 UNSOLVED

28

29

findById

30

findByName

31

findBySalary

32

33

findByEmployeeName

34

✓

30. L1 JEE Cloud- MCQ 38

MCQ

Description

Priyanka wants to avoid the usage of XML configuration in her spring application. Also she doesn't want to use any explicit server for deployment of an application. Which component she should use in development environment to achieve this task?

29.

Answer

30

Please choose a correct answer.

1 UNSOLVED

31

32



Spring Framework

33



Spring Cloud

34

Please choose a correct answer.

• UNSOLVED

27

Spring Framework

28

Spring Cloud

29

Spring Boot

30

Spring XD

31

REPORT AN ISSUE

32



31-L1 JEE FS Angular&React QB MCQ 873

scription

annotation enables Spring Boot to identify the required beans based on its classpath and automatically configure them.

Answer

Please choose a correct answer.

1 UNSOLVED



25 @EnableAutoConfiguration

26 @ComponentScan

27 @Autowired

28 @Configure

23
24 Answer

Please choose a correct answer.

25  UNSOLVED

26 @EnableAutoConfiguration

27 @ComponentScan

28 @Autowire

29 @Configure

30
31

32
33 REPORT AN ISSUE

34

32. L1 JEE - Core Java- MCQ 169

MCQ

28

Description

29

Which of the following annotation enable the Springboot app to work as an Eureka server?

30

31

Answer

Please choose a correct answer.

32

UNSOLVED

33

@EnableEurekaServer

34

@EurekaClient

Please choose a correct answer.

25 UNSOLVED

- 26 @EnableEurekaServer 
- 27 @EurekaClient
- 28 @EnableDiscoveryClient
- 29 @SpringbootApplication

30

31

32

REPORT AN ISSUE

33

34

33. L1 JEE - Core Java- MCQ 170

27 MCQ

28 Description

29 Which of the Actuator-Endpoints shows and modifies the configuration of loggers in the application?

30

31 Answer

Please choose a correct answer.

32

UNSOVED

33



loggers

34



info

Which of the Actuator-Endpoints shows and

25

26

Answer

27

Please choose a correct answer.

28

 UNSOLVED

29



loggers



30



info

31



health

32



env

33

34

34. L1 JEE GCP DevOps MCQ 11

■ MOD

27
28 Description

Which of the following Git command help you to switch different branches?

29
30 Answer

31 Please choose a correct answer.

32 UNSOLVED

33 git config

34 git checkout

Answer

Please choose a correct answer.

27 UNSOLVED

28 git config

29 git checkout



30 git init

31 git add

32

33

34

REPORT AN ISSUE

35. L1 JEE GCP DevOps MCQ 5

27

MCQ

28

Description

29

The git ____ command performs a git fetch and git merge.

30

Answer

31

Please choose a correct answer.

32

 UNSOLVED

33

push

34

pull

27

Answer

28

Please choose a correct answer.

 UNSOLVED

29

30

push

31

pull



32

clone

33

34

branch

36. L1 JEE GCP DevOps MCQ 13

MCQ

28

Description

29

Which of the following command helps to obtain a repository from an existing URL?

30

31

Answer

32

Please choose a correct answer.

• UNSOLVED

33



git config

34

26

Answer

27

Please choose a correct answer.

28

1 UNSOLVED

29

git config

30

git clone

31

git add

32

git status

33

34



L1 JEE GCP DevOps MCQ 1

MCQ

Description

In Dockerfile, which of the following instruction is used for to set the base image for the instructions and it is very important to mention this in the first line of Dockerfile.

Answer

Please choose a correct answer.

UNSOVED

Maintainer

Expose

26

Answer

27

Please choose a correct answer.

 UNSOLVED

28

29

Maintainer

30

Expose

31


FROM

32

ENV

33

34



26
27 38. L1 JEE GCP DevOps MCQ 6

28 MCQ

29 Description

30 Which Cloud model provides runtime environment for applications, development & deployment tools, etc?

31 Answer

32 Please choose a correct answer.

33 UNSOLVED

34 IaaS

26

Answer

27

Please choose a correct answer.

 UNSOLVED

28

IaaS

29

SaaS

30

PaaS

31

BaaS

32

33

34



39. L1 JEE GCP DevOps MCQ 3

MCQ

27

Description

Which of the following service is not a part of GCP?

28

29

Answer

30

Please choose a correct answer.

31

 UNSOLVED

32



EC2

33



Cloud SQL

25

 UNSOLVED

26



EC2

27



Cloud SQL

28



AppEngine

29



Cloud Storage

30

31

32

33

REPORT AN ISSUE

34

L1 JEE GCP DevOps MCQ 8

Description

Which Compute instance is a fully managed, serverless platform for developing and hosting web applications at scale?

Answer

Please choose a correct answer.

UNSOLVED

App Engine

Cloud function

Compute Engine

23

24

40. L1 JEE GCP DevOps MCQ 8

25 MCQ

Description

26 Which Compute instance is a fully managed, serv

27

Answer

28 Please choose a correct answer.

29  UNSOLVED

30 App Engine

31 Cloud function

32 Compute Engine

33 GKE

34 REPORT AN ISSUE

34. L1 JEE GCP DevOps MCQ 4

Description

Which of the following service abstracts underlying Hardware and provides control surface for Infrastructure components?

Answer

34

Please choose a correct answer.

35

UNSOVED

36

Cloud Functions

37

App Engine

8

Compute Engine

ANSWER
34

Please choose a correct answer.

35

 UNSOLVED

36

Cloud Functions

37

App Engine

38

Compute Engine

40

GKE

41

42

REPORT AN ISSUE

43

44

36
42. L1 JEE GCP DevOps MCQ 7

37
MCQ

38
Description

39
Which of the following belongs to GCP storage type?

40
Answer

41

Please choose a correct answer.

42
 UNSOLVED

43
 Persistent Disks

35 Which of the following belongs to GCP storage?

36

37

Answer

38

Please choose a correct answer.

 UNSOLVED

39

40

Persistent Disks

41

Filestore

42

Cloud storage

43

All of the above

44



38
43. L1 JEE GCP DevOps MCQ 22

39 MCQ

40 Description

41 John wants to store the object in Cloud Storage which will be optimized for performance and for highly frequent access.
Which of the following Storage class should be suggested here?

42

43 Answer

Please choose a correct answer.

44

 UNSOLVED



36

Answer

37

Please choose a correct answer.

1 UNSOLVED

38



Standard



39



Nearline

40



Coldline

41



Archive

42

43

44

44. L1 JEE GCP DevOps MCQ 12

37 MCQ

38 Description

39 Which are the RDBMS instances supported by Cloud SQL?

40

41 Answer

42 Please choose a correct answer.

43 **UNSOLVED**

44



MySQL

Please choose a correct answer.

35

UNRESOLVED

36

MySQL

37

SQL Server

38

39

PostgreSQL

40

All of the above

41

42

43

REPORT AN ISSUE

44



37
38
39
40
41
42
43

45. L1 JEE GCP DevOps MCQ 10

≡ MCQ

Description

Which of the following options represent the Micro service features?

Answer

Please choose a correct answer.

 UNSOLVED

- Better testability

38

Please choose a correct answer.

• UNSOLVED

39

40

41

42

3

- Better testability
- Better deploy ability
- Each team can develop, deploy and scale their services independently of all of the other teams
- All of the above

46. L1 JEE GCP DevOps MCQ 9

MCQ

38

Description

Which of the following IAM Role provides more fine-grained access to a particular Service in a project?

39

40

41

Answer

Please choose a correct answer.

 UNSOLVED

43

- IAM Primitive Role

35

Answer

36

Please choose a correct answer.

37

 UNSOLVED

38

IAM Primitive Role

39

IAM Predefined Role 

40

IAM Custom Role

41

Non of the above

42

43

44

[REPORT AN ISSUE](#)

38
39
0

47. L1 JEE GCP DevOps MCQ 23

≡ MCQ

Description

Which of the following command helps to create an App Engine app within the current Google Cloud Project?

Answer

Please choose a correct answer.

 UNSOLVED

- gcloud app browse

Which of the following command helps

35

36

37

Answer

Please choose a correct answer.

38

 UNSOLVED

39

gcloud app browse

40

41

gcloud app deploy



42

gcloud app create

43

gcloud init

44

37

48. L1 JEE GCP DevOps MCQ 24

38 ■ MCQ

Description

39 Which of the following command help to describe the compute instance "myInstance"?

40

Answer

41 42 Please choose a correct answer.

43 44  UNSOLVED

- 45 gcloud config set

Please choose a correct answer.

3 - UNSOLVED

37

gcloud config set

38

gcloud compute instances describe myInstance

40

gcloud init

41

gcloud app deploy

42

3

49. L1 JEE GCP DevOps MCQ 14

MCQ

37

Description

38

Which of the following is not the container orchestration tool?

39

40

Answer

Please choose a correct answer.

41

 UNSOLVED

42



Docker Swarm

43

36

Answer

37

Please choose a correct answer.

38

 UNSOLVED

39

Docker Swarm

40

Openshift

41

Kubernetes

42

GIT

44

50. L1 JEE - Core Java- MCQ 165

MCQ

36

Description

37

The _____ manages the worker nodes and the Pods in the cluster.

38

Answer

39

Please choose a correct answer.

 UNSOLVED

40



Node

41



control plane

5
Answer

6
Please choose a correct answer.

7
UNSOLVED

8
 Node

9
 control plane 

10
 etcd

11
 kubelet

REPORT AN ISSUE

CONTINUE TO NEXT QUESTIONS

51. L1 JEE - Core Java- MCQ 166

MCQ

Description

Which of the following command help to get list of pods?

33

Answer

Please choose a correct answer.

UNSOVED

Kubectl get pods



Kubectl find pod

38

Answer

Please choose a correct answer.

 UNSOLVED

Kubectl get pods



Kubectl find pod

Kubectl fetch pods

Kubectl fetch pod

REPORT AN ISSUE

52. L1 JEE GCP DevOps MCQ 17

≡ MCQ

37

Description

38

Fill in the blank to get the details of service with service name:

39

40

Answer

41

Please choose a correct answer.

 UNSOLVED

42



Kubectl find service <<service name>>

43



Kubectl fetch svc <<service name>>

44

Answer

Please choose a correct answer:

• UNSOLVED

38

39

40

41

42

43

44

Kubectl find service <<service name>>

Kubectl fetch svc <<service name>>

Kubectl fetch service <<service name>>

Kubectl get svc <<service name>>



53. L1 JEE GCP DevOps MCQ 18

MCQ

Description

Which command introspect the services with name "cg-service"?

Answer

Please choose a correct answer.

1 UNSOLVED

- `kubectl describe service cg-service`