

Experiment 9

Student Name: Sakshi Chib

Branch: BE CSE

Semester: 6th

Subject Name: Full Stack Development

UID: 23BCS11642

Section/Group: KRG 3A

Date of Performance: 20/04/26

Subject Code: 23CSH-309

Aim:

To design and implement a secure, scalable full-stack application using Spring Boot by integrating Spring Security, OAuth, Role-Based Access Control (RBAC), and JPA-based database performance optimization.

Objective:

1. Implement backend security using Spring Security and filter chains.
2. Enable authentication using OAuth (Google Login).
3. Apply Role-Based Access Control (RBAC) for endpoint protection.
4. Optimize database interactions using JPA and performance techniques.
5. Integrate a secure backend with a React frontend using CORS.

Implementation/Code:

AdminPollController.java

```
package com.ecotrack.livepoll.controller;
```

```
import com.ecotrack.livepoll.auth.AppUserPrincipal;  
import com.ecotrack.livepoll.dto.PollDtos;  
import com.ecotrack.livepoll.service.PollService;  
import jakarta.validation.Valid;  
import org.springframework.http.HttpStatus;  
import org.springframework.http.ResponseEntity;  
import org.springframework.security.access.prepost.PreAuthorize;  
import org.springframework.security.core.annotation.AuthenticationPrincipal;  
import org.springframework.web.bind.annotation.DeleteMapping;  
import org.springframework.web.bind.annotation.PathVariable;  
import org.springframework.web.bind.annotation.PostMapping;
```

```
import org.springframework.web.bind.annotation.RequestBody;
import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RestController;
```

```
@RestController
```

```
@RequestMapping("/api/admin/polls")
```

```
@PreAuthorize("hasRole('ADMIN')")
```

```
public class AdminPollController {
```

```
    private final PollService pollService;
```

```
    public AdminPollController(PollService pollService) {
```

```
        this.pollService = pollService;
```

```
    }
```

```
    @PostMapping
```

```
    public ResponseEntity<PollDtos.PollResponse> createPoll(@Valid @RequestBody
    PollDtos.CreatePollRequest request,
```

```
                    @AuthenticationPrincipal AppUserPrincipal
```

```
principal) {
```

```
        return ResponseEntity.status(HttpStatus.CREATED)
```

```
            .body(pollService.createPoll(request, principal.getUsername()));
```

```
    }
```

```
    @PostMapping("/{id}/close")
```

```
    public ResponseEntity<PollDtos.PollResponse> closePoll(@PathVariable Long id) {
```

```
        return ResponseEntity.ok(pollService.closePoll(id));
```

```
    }
```

```
    @DeleteMapping("/{id}")
```

```
    public ResponseEntity<Void> deletePoll(@PathVariable Long id) {
```


```
        pollService.deletePoll(id);
```

```
        return ResponseEntity.noContent().build();
```

```
    }
```

```
}
```

Output:



Learning Outcome:

- Learned how Spring Security secures backend APIs
- Understood authentication vs authorization clearly
- Implemented OAuth 2.0 login using Google
- Gained experience with role-based access control (RBAC)
- Learned how to integrate React frontend with secured backend
- Understood complete request flow with security filters
- Improved debugging and analysis of secured applications