```
import numpy as np
import pandas as pd
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import StandardScaler
from sklearn.neighbors import KNeighborsClassifier
from sklearn.metrics import accuracy_score, classification_report
from sklearn.datasets import load_iris
```

df = pd.read_csv("/content/IRIS.csv", encoding = 'latin-1')
df.head()


\Rightarrow		sepal_length	sepal_width	petal_length	petal_width	species
	0	5.1	3.5	1.4	0.2	Iris-setosa
	1	4.9	3.0	1.4	0.2	Iris-setosa
	2	4.7	3.2	1.3	0.2	Iris-setosa
	3	4.6	3.1	1.5	0.2	Iris-setosa
	4	5.0	3.6	1.4	0.2	Iris-setosa

df.info()

<class 'pandas.core.frame.DataFrame'> RangeIndex: 150 entries, 0 to 149 Data columns (total 5 columns): Non-Null Count Dtype # Column --------0 sepal_length 150 non-null float64 sepal_width 150 non-null float64 1 2 petal_length 150 non-null float64 150 non-null float64 petal_width 150 non-null species object dtypes: float64(4), object(1)

df.hist()

memory usage: 6.0+ KB



import seaborn as sns
sns.heatmap(df.corr())

```
<ipython-input-16-534f4f3c80b7>:2: FutureWarning: The default value of numeric_only in D
       sns.heatmap(df.corr())
     <Axes: >
                                                                       - 1.0
      petal_width petal_length sepal_width sepal_length
                                                                       - 0.8
                                                                       - 0.6
                                                                        0.4
                                                                        0.2
                                                                        0.0
                                                                        -0.2
                                                                         -0.4
           sepal_length sepal_width petal_length petal_width
iris = load_iris()
data = pd.DataFrame(data= np.c_[iris['data'], iris['target']], columns= iris['feature_names'] + ['target'])
X = data.drop('target', axis=1)
y = data['target']
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)
scaler = StandardScaler()
X_train_scaled = scaler.fit_transform(X_train)
X_test_scaled = scaler.transform(X_test)
knn_classifier = KNeighborsClassifier(n_neighbors=k)
knn_classifier.fit(X_train_scaled, y_train)
              KNeighborsClassifier
      KNeighborsClassifier(n_neighbors=3)
                 <>
                       ⊕
                            ÞΞ
                                       <u>}</u>
                                             ≣
                                                              (3)
                                                                   ----
y_pred = knn_classifier.predict(X_test_scaled)
accuracy = accuracy_score(y_test, y_pred)
report = classification_report(y_test, y_pred)
print(f"Accuracy: {accuracy}")
print("Classification Report:\n", report)
     Accuracy: 1.0
     Classification Report:
                     precision
                                   recall f1-score
                                                       support
               0.0
                                              1.00
                                                           10
                                   1.00
                         1.00
                                              1.00
               1.0
                                                            9
               2.0
                         1.00
                                    1.00
                                              1.00
                                                           11
```

accuracy			1.00	36
macro avg	1.00	1.00	1.00	36
weighted avg	1 00	1 00	1 00	30