

SNS (Simple Notification Service)

Amazon SNS is a **messaging service** that sends notifications **instantly** to many receivers at the same time.

Why SNS is used

- Send **alerts & notifications**
- Inform **multiple systems/users at once**
- Decouple applications (no tight dependency)
- Trigger **automation** (Lambda, SQS)

1. Topic

A **topic** is the central place where messages are sent.

Think of it as a **broadcast channel**

Messages are published **to a topic**, not directly to users

The screenshot shows the AWS Management Console interface for creating a new SNS topic. The breadcrumb navigation at the top reads 'Amazon SNS > Topics > Create topic'. The main section is titled 'Create topic' and contains a 'Details' panel. Within 'Details', the 'Type' is set to 'Standard' (selected with a blue radio button), while 'FIFO (first-in, first-out)' is unselected. The 'Name' field contains 'demo-topic'. Below it, the 'Display name - optional' field contains 'My Topic'. A note at the bottom states 'Encryption - optional' with a sub-note: 'Amazon SNS provides in-transit encryption by default. Enabling server-side encryption adds at-rest encryption to your topic.'

2. Subscription

A **subscription** is the **connection** between a topic and a subscriber.

- Each subscriber must **confirm** the subscription (email/HTTP)
- After confirmation, messages start flowing

You will get an email

aws

Search

[Alt+S]

Europe (Stockholm)

Account ID: 0950-7410-7161

Sakshi Jain

Amazon SNS > Subscriptions > Create subscription

Create subscription

Details

Topic ARN

Protocol
The type of endpoint to subscribe


Endpoint
An email address that can receive notifications from Amazon SNS.

After your subscription is created, you must confirm it. [Info](#)

Subscription filter policy - optional [Info](#)
This policy filters the messages that a subscriber receives.

Redrive policy (dead-letter queue) - optional [Info](#)

Confirm Subscription



Simple Notification Service

Subscription confirmed!

You have successfully subscribed.

Your subscription's ID is:

arn:aws:sns:eu-north-1:095074107161:demo-topic:c3828aed-5c85-42be-941e-3f88e992e4ae

If it was not your intention to subscribe, [click here to unsubscribe](#).

Amazon SNS > Topics > demo-topic > Subscription: c3828aed-5c85-42be-941e-3f88e992e4ae

Amazon SNS

- Dashboard
- Topics
- Subscriptions
- ▼ Mobile
 - Push notifications
 - Text messaging (SMS)

Subscription: c3828aed-5c85-42be-941e-3f88e992e4ae [Edit](#) [Delete](#)

Details

ARN
arn:aws:sns:eu-north-1:095074107161:demo-topic:c3828aed-5c85-42be-941e-3f88e992e4ae

Status
Confirmed

Endpoint
sakshimiss0@gmail.com

Protocol
EMAIL

Topic
[demo-topic](#)

Subscription Principal
arn:aws:iam::095074107161:root

Subscription filter policy [info](#) [Edit](#) [Redrive policy \(dead-letter queue\)](#)

Subscription filter policy [info](#)
This policy filters the messages that a subscriber receives.

No filter policy configured for this subscription.
To apply a filter policy, edit this subscription.

3. Create Bucket for testing

aws Search [Alt+S]

Europe (Stockholm) Account ID: 0950-7410-7161 Sakshi Jain

Amazon S3 > Buckets > Create bucket

Create bucket [info](#)
Buckets are containers for data stored in S3.

General configuration

AWS Region
Europe (Stockholm) eu-north-1

Bucket type [info](#)

☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name [info](#)
demo-sns-bucket01

Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

[Choose bucket](#)

Format: s3://bucket/prefix

Object Ownership [info](#)
Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

Bucket -> properties -> Event Notification

aws

Search

[Alt+S]

Europe (Stockholm)

Account ID: 0950-7410-7161

Sakshi Jain

Amazon S3

Buckets

demo-sns-bucket01

server access logging

Disabled

AWS CloudTrail data events

You can view and configure CloudTrail data events for Amazon S3 bucket object-level operations in the AWS CloudTrail console.

AWS CloudTrail

Event notifications (0)

Edit

Delete

Create event notification

Send a notification when specific events occur in your bucket. [Learn more](#)

Name

Event types

Filters

Destination type

Destination

No event notifications

Choose Create event notification to be notified when a specific event occurs.

Create event notification

Amazon EventBridge

For additional capabilities, use Amazon EventBridge to build event-driven applications at scale using S3 event notifications. [Learn more](#) or [see EventBridge pricing](#)

Send notifications to Amazon EventBridge for all events in this bucket

Off

Edit

aws

Search

[Alt+S]

Europe (Stockholm)

Account ID: 0950-7410-7161

Sakshi Jain

Amazon S3

Buckets

demo-sns-bucket01

Create event notification

Create event notification [Info](#)

To enable notifications, you must first add a notification configuration that identifies the events you want Amazon S3 to publish and the destinations where you want Amazon S3 to send the notifications.

General configuration

Event name

demo

Event name can contain up to 255 characters.

Prefix - optional

Limit the notifications to objects with key starting with specified characters.

images/

Suffix - optional

Limit the notifications to objects with key ending with specified characters.

.jpg

Event types

Specify at least one event for which you want to receive notifications. For each group, you can choose an event type for all events, or you can choose one or more individual events.

Object creation

All object create events

Put

Amazon S3

Buckets

demo-sns-bucket01

Create event notification

Event types

Specify at least one event for which you want to receive notifications. For each group, you can choose an event type for all events, or you can choose one or more individual events.

Object creation

☒ All object create events

☐ Put

☐ Post

☐ Copy

☐ Multipart upload completed

Object removal

☐ All object removal events

☐ Permanently deleted

☐ Delete marker created

Amazon S3 > Buckets > demo-sns-bucket01 > Create event notification

Destination

Before Amazon S3 can publish messages to a destination, you must grant the Amazon S3 principal the necessary permissions to call the relevant API to publish messages to an SNS topic, an SQS queue, or a Lambda function. [Learn more](#)

Destination

Choose a destination to publish the event. [Learn more](#)

☐ Lambda function

Run a Lambda function script based on S3 events.

☒ SNS topic

Fanout messages to systems for parallel processing or directly to people.

☐ SQS queue

Send notifications to an SQS queue to be read by a server.

Specify SNS topic

☒ Choose from your SNS topics

☐ Enter SNS topic ARN

SNS topic

demo-topic

Cancel

Save changes

Event notifications (1)

Edit

Delete

Create event notification

Send a notification when specific events occur in your bucket. [Learn more](#)

☐ Name

demo

☐ Event types

All object create events

☐ Filters

-

☐ Destination type

SNS topic

☐ Destination

[demo-topic](#)

Amazon EventBridge

Edit

For additional capabilities, use Amazon EventBridge to build event-driven applications at scale using S3 event notifications. [Learn more](#) or [see EventBridge pricing](#)

Send notifications to Amazon EventBridge for all events in this bucket

Off

You will get Email

Amazon S3 Notification > Inbox x

AWS Notifications

to me

10:11 PM (1 minute ago) ☆ 😊 ↶ ⋮

{ "Service": "Amazon S3", "Event": "s3:TestEvent", "Time": "2025-12-16T16:41:05.503Z", "Bucket": "demo-sns-bucket01", "RequestId": "JJ92PGQ9VY3RV2BR", "HostId": "5cAf7rw4ra/MYdERiJK8IEMXdm4bQBYZtEIiTtyKVbaEugVftq7tufbtkeiYfJK27ilunoLz34vGLZE80Ph7BTsU4fslQf5if" }

--

If you wish to stop receiving notifications from this topic, please click or visit the link below to unsubscribe:
<https://sns.eu-north-1.amazonaws.com/unsubscribe.html?SubscriptionArn=arn:aws:sns:eu-north-1:095074107161:demo-topic:c3828aed-5c85-42be-941e-3f88e992e4ae&Endpoint=sakshimiss0@gmail.com>

Please do not reply directly to this email. If you have any questions or comments regarding this email, please contact us at <https://aws.amazon.com/support>

Upload Files in Bucket

Amazon S3 > Buckets > demo-sns-bucket01

demo-sns-bucket01

Info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Objects (2)

Copy S3 URI

Copy URL

Download

Open

Delete

Actions

Create folder

Upload

Find objects by prefix

< 1 >

☐

Name

☐

Application Load Balancer.pdf

☐

Auto Scaling Group.pdf

Type

pdf

pdf

Last modified

December 16, 2025, 22:14:44 (UTC+05:30)

December 16, 2025, 22:14:48 (UTC+05:30)

Size

2.7 MB

1.7 MB

Storage class

Standard

Standard

You will get an email every time whenever you will upload data in bucket

1 of 4,533

Amazon S3 Notification

Inbox x

AWS Notifications

10:11 PM (5 minutes ago)

{ "Service": "Amazon S3", "Event": "s3:TestEvent", "Time": "2025-12-16T16:41:05.503Z", "Bucket": "demo-sns-bucket01", "RequestId": "JJ92PGQ9VY3RV..." }

AWS Notifications

10:14 PM (1 minute ago)

to me

{ "Records": [{ "eventVersion": "2.1", "eventSource": "aws:s3", "awsRegion": "eu-north-1", "eventTime": "2025-12-16T16:44:43.400Z", "eventName": "ObjectCreated:Put", "userIdentity": { "principalId": "A1RCKZ8624X3VM"}, "requestParameters": { "sourceIPAddress": "106.215.180.27", "responseElements": { "x-amz-request-id": "6CJWG8G1AH9YFHJA", "x-amz-id-2": "14W8AZ79MNLB+XGRHf4+PvElvrWucWsJIE+Du2mMuPl1hzdUZLM+3wvm3R2/m+rXeUnlbCwP+P1hgFsNqf02KFzFOSiMRJY8"}, "s3": { "s3SchemaVersion": "1.0", "configurationId": "demo", "bucket": { "name": "demo-sns-bucket01", "ownerIdentity": { "principalId": "A1RCKZ8624X3VM"}, "arn": "arn:aws:s3:::demo-sns-bucket01"}, "object": { "key": "Application+Load+Balancer.pdf", "size": 2879298, "eTag": "d5d26c77ad4d91c9b2a83925d94a860f", "sequencer": "0069418C7B5845BAC9"} } } }] }

AWS Notifications

10:14 PM (1 minute ago)

to me

{ "Records": [{ "eventVersion": "2.1", "eventSource": "aws:s3", "awsRegion": "eu-north-1", "eventTime": "2025-12-16T16:44:47.988Z", "eventName": "ObjectCreated:Put", "userIdentity": { "principalId": "A1RCKZ8624X3VM"}, "requestParameters": { "sourceIPAddress": "106.215.180.27", "responseElements": { "x-amz-request-id": "6CJWG8G1AH9YFHJA", "x-amz-id-2": "14W8AZ79MNLB+XGRHf4+PvElvrWucWsJIE+Du2mMuPl1hzdUZLM+3wvm3R2/m+rXeUnlbCwP+P1hgFsNqf02KFzFOSiMRJY8"}, "s3": { "s3SchemaVersion": "1.0", "configurationId": "demo", "bucket": { "name": "demo-sns-bucket01", "ownerIdentity": { "principalId": "A1RCKZ8624X3VM"}, "arn": "arn:aws:s3:::demo-sns-bucket01"}, "object": { "key": "Application+Load+Balancer.pdf", "size": 2879298, "eTag": "d5d26c77ad4d91c9b2a83925d94a860f", "sequencer": "0069418C7B5845BAC9"} } } }] }