MySQL 8.0 Command Line Cli

```
Enter password: *************
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show tables;
ERROR 1046 (3D000): No database selected
mysql> use Employee;
Database changed
mysql> show tables;
+--------------------+
| Tables_in_employee |
+--------------------+
| department         |
| emp                |
| mumbai_salespeople |
| salesperson        |
+--------------------+
4 rows in set (0.03 sec)

mysql> describe Emp;
+-------------+---------------+------+-----+---------+-------+
| Field       | Type          | Null | Key | Default | Extra |
+-------------+---------------+------+-----+---------+-------+
| EmpID       | int           | NO   | PRI | NULL    |       |
| EmpName     | varchar(50)   | NO   |     | NULL    |       |
| Salary      | decimal(10,2) | YES  |     | NULL    |       |
| DeptID      | int           | YES  | MUL | NULL    |       |
| JoiningDate | date          | YES  |     | NULL    |       |
+-------------+---------------+------+-----+---------+-------+
5 rows in set (0.01 sec)

mysql> describe department;
+-----------+-------------+------+-----+---------+-------+
| Field     | Type        | Null | Key | Default | Extra |
+-----------+-------------+------+-----+---------+-------+
| DeptID    | int         | NO   | PRI | NULL    |       |
| Dept_Name | varchar(50) | NO   |     | NULL    |       |
+-----------+-------------+------+-----+---------+-------+
```

MySQL 8.0 Command Line Cli

```
+-----------+-------------+------+-----+---------+-------+
2 rows in set (0.00 sec)

mysql> select sum(salary) as TotalSalary from Emp;
+-------------+
| TotalSalary |
+-------------+
|   474300.00 |
+-------------+
1 row in set (0.02 sec)

mysql> select DeptID , avg(salary) as AverageSalary from Emp group by DeptID;
+--------+---------------+
| DeptID | AverageSalary |
+--------+---------------+
|     10 |  78100.000000 |
|     20 |  52500.000000 |
|     30 |  67500.000000 |
+--------+---------------+
3 rows in set (0.00 sec)

mysql> select DeptID , count(*) as TotalEmployees from Emp group by DeptID;
+--------+----------------+
| DeptID | TotalEmployees |
+--------+----------------+
|     10 |              3 |
|     20 |              2 |
|     30 |              2 |
+--------+----------------+
3 rows in set (0.00 sec)

mysql> select DeptID , count(*) as TotalEmployees from Emp group by DeptID having count(*) > 5;
Empty set (0.00 sec)

mysql> select distinct Location from Dept;
ERROR 1146 (42S02): Table 'employee.dept' doesn't exist
mysql> SELECT DISTINCT Location
    -> FROM Department;
ERROR 1054 (42S22): Unknown column 'Location' in 'field list'
mysql> select distinct location from Dept_Name;
ERROR 1146 (42S02): Table 'employee.dept_name' doesn't exist
mysql> describe  department;
+-----------+-------------+------+-----+---------+-------+
| Field     | Type        | Null | Key | Default | Extra |
+-----------+-------------+------+-----+---------+-------+
| DeptID    | int         | NO   | PRI | NULL    |       |
| Dept_Name | varchar(50) | NO   |     | NULL    |       |
```

MySQL 8.0 Command Line Cli

```
mysql> alter table Department add location varchar(50);
Query OK, 0 rows affected (0.04 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> desc Department;
+-----------+-------------+------+-----+---------+-------+
| Field     | Type        | Null | Key | Default | Extra |
+-----------+-------------+------+-----+---------+-------+
| DeptID    | int         | NO   | PRI | NULL    |       |
| Dept_Name | varchar(50) | NO   |     | NULL    |       |
| location  | varchar(50) | YES  |     | NULL    |       |
+-----------+-------------+------+-----+---------+-------+
3 rows in set (0.00 sec)

mysql> UPDATE Department
    -> SET Location = 'Mumbai'
    -> WHERE DeptID = 10;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql>
mysql> UPDATE Department
    -> SET Location = 'Pune'
    -> WHERE DeptID = 20;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql>
mysql> UPDATE Department
    -> SET Location = 'Mumbai'
    -> WHERE DeptID = 30;
Query OK, 1 row affected (0.00 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql>
mysql> UPDATE Department
    -> SET Location = 'Delhi'
    -> WHERE DeptID = 40;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select * from Department;
+--------+-----------+----------+
| DeptID | Dept_Name | location |
+--------+-----------+----------+
|     10 | IT        | Mumbai   |
```

MySQL 8.0 Command Line Cli

```
mysql> select * from Department;
+--------+-----------+----------+
| DeptID | Dept_Name | location |
+--------+-----------+----------+
|     10 | IT        | Mumbai   |
|     20 | HR        | Pune     |
|     30 | Sales     | Mumbai   |
|     40 | Finance   | Delhi    |
+--------+-----------+----------+
4 rows in set (0.00 sec)

mysql> select distinct location from Department;
+----------+
| location |
+----------+
| Mumbai   |
| Pune     |
| Delhi    |
+----------+
3 rows in set (0.00 sec)

mysql> select max(salary) as HighestSalary from Emp;
+---------------+
| HighestSalary |
+---------------+
|      88000.00 |
+---------------+
1 row in set (0.00 sec)

mysql> select count (*) as TotalEmployees from Emp;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '*
) as TotalEmployees from Emp' at line 1
mysql> select count(*) as TotalEmployees from Emp;
+----------------+
| TotalEmployees |
+----------------+
|              7 |
+----------------+
1 row in set (0.00 sec)

mysql> select * from Emp where EmpName like 'A%';
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   112 | Arjun   | 63800.00 |     10 | 2025-06-13  |
+-------+---------+----------+--------+-------------+
1 row in set (0.00 sec)
```

MySQL 8.0 Command Line Cli

```
mysql> select * from Emp where EmpName like '%n';
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   112 | Arjun   | 63800.00 |     10 | 2025-06-13  |
+-------+---------+----------+--------+-------------+
1 row in set (0.00 sec)

mysql> select * from Emp where EmpName like '%ra%';
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   104 | Pranav  | 82500.00 |     10 | 2025-11-14  |
+-------+---------+----------+--------+-------------+
1 row in set (0.00 sec)

mysql> select * from Emp order by salary DESC;
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   101 | Sakshi  | 88000.00 |     10 | 2023-01-25  |
|   104 | Pranav  | 82500.00 |     10 | 2025-11-14  |
|   103 | Sumit   | 70000.00 |     30 | 2022-10-21  |
|   106 | Malhar  | 65000.00 |     30 | 2022-09-09  |
|   112 | Arjun   | 63800.00 |     10 | 2025-06-13  |
|   102 | Shruti  | 55000.00 |     20 | 2023-11-12  |
|   105 | Om      | 50000.00 |     20 | 2020-10-11  |
+-------+---------+----------+--------+-------------+
7 rows in set (0.00 sec)

mysql> select * from Emp order by DeptID ASC, salary DESC;
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   101 | Sakshi  | 88000.00 |     10 | 2023-01-25  |
|   104 | Pranav  | 82500.00 |     10 | 2025-11-14  |
|   112 | Arjun   | 63800.00 |     10 | 2025-06-13  |
|   102 | Shruti  | 55000.00 |     20 | 2023-11-12  |
|   105 | Om      | 50000.00 |     20 | 2020-10-11  |
|   103 | Sumit   | 70000.00 |     30 | 2022-10-21  |
|   106 | Malhar  | 65000.00 |     30 | 2022-09-09  |
+-------+---------+----------+--------+-------------+
7 rows in set (0.00 sec)

mysql> select * from Emp where salary between 30000 and 60000;
+-------+---------+----------+--------+-------------+
```

MySQL 8.0 Command Line Cli

```
mysql> select * from Emp where salary between 30000 and 60000;
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   102 | Shruti  | 55000.00 |     20 | 2023-11-12  |
|   105 | Om      | 50000.00 |     20 | 2020-10-11  |
+-------+---------+----------+--------+-------------+
2 rows in set (0.00 sec)

mysql> select * from Emp where DeptID in (10,20,30);
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   101 | Sakshi  | 88000.00 |     10 | 2023-01-25  |
|   102 | Shruti  | 55000.00 |     20 | 2023-11-12  |
|   103 | Sumit   | 70000.00 |     30 | 2022-10-21  |
|   104 | Pranav  | 82500.00 |     10 | 2025-11-14  |
|   105 | Om      | 50000.00 |     20 | 2020-10-11  |
|   106 | Malhar  | 65000.00 |     30 | 2022-09-09  |
|   112 | Arjun   | 63800.00 |     10 | 2025-06-13  |
+-------+---------+----------+--------+-------------+
7 rows in set (0.00 sec)

mysql> select min(salary
    -> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near ''
 at line 1
mysql> select min(salary) as minimmumsalary from Emp;
+----------------+
| minimmumsalary |
+----------------+
|       50000.00 |
+----------------+
1 row in set (0.00 sec)

mysql> select * from Emp where JoiningDate between '2020-01-01' and '2021-12-31';
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   105 | Om      | 50000.00 |     20 | 2020-10-11  |
+-------+---------+----------+--------+-------------+
1 row in set (0.00 sec)

mysql> select * from Emp  where salary is null;
Empty set (0.00 sec)

mysql> select * from Emp where salary is not null;
```

MySQL 8.0 Command Line Cli

```
mysql> select * from Emp where salary is not null;
+-------+---------+----------+--------+-------------+
| EmpID | EmpName | Salary   | DeptID | JoiningDate |
+-------+---------+----------+--------+-------------+
|   101 | Sakshi  | 88000.00 |     10 | 2023-01-25  |
|   102 | Shruti  | 55000.00 |     20 | 2023-11-12  |
|   103 | Sumit   | 70000.00 |     30 | 2022-10-21  |
|   104 | Pranav  | 82500.00 |     10 | 2025-11-14  |
|   105 | Om      | 50000.00 |     20 | 2020-10-11  |
|   106 | Malhar  | 65000.00 |     30 | 2022-09-09  |
|   112 | Arjun   | 63800.00 |     10 | 2025-06-13  |
+-------+---------+----------+--------+-------------+
7 rows in set (0.00 sec)

mysql> select DeptID, sum(salary) as TotalSalary from Emp group by DeptID having sum(salary) > 100000;
+--------+-------------+
| DeptID | TotalSalary |
+--------+-------------+
|     10 |   234300.00 |
|     20 |   105000.00 |
|     30 |   135000.00 |
+--------+-------------+
3 rows in set (0.00 sec)

mysql> select distinct EmpName from Emp;
+---------+
| EmpName |
+---------+
| Sakshi  |
| Shruti  |
| Sumit   |
| Pranav  |
| Om      |
| Malhar  |
| Arjun   |
+---------+
7 rows in set (0.00 sec)

mysql> select location, count(*) as TotalDepartments from Department group by location having count(*) > 1;
+----------+-----------------+
| location | TotalDepartments |
+----------+-----------------+
| Mumbai   |               2 |
+----------+-----------------+
1 row in set (0.00 sec)

mysql>
```