

```
1 import java.util.Scanner;
2
3 public class Sumoftwonumbers {
4
5     static int Sumoftwonumbers(int a, int b) { 1 usage
6         return a + b;
7     }
8
9     public static void main(String[] args) {
10
11         Scanner sc = new Scanner(System.in);
12
13         System.out.print("Enter first number: ");
14         int num1 = sc.nextInt();
15
16         System.out.print("Enter second number: ");
17         int num2 = sc.nextInt();
18
19         int sum = Sumoftwonumbers(num1, num2);
20
21         System.out.println("The sum of " + num1 + " and " + num2 + " is " + sum + ".");
22     }
23 }
```

Run

Sumoftwonumbers

C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin\j

Enter first number: 40

Enter second number: 50

The sum of 40 and 50 is 90.

Process finished with exit code 0

```
1  import java.util.Scanner;
2  public class Agechecker {
3      static void checkAgeCategory(int Age){
4          if (Age < 18){
5              System.out.println("You are a Minor");
6          }
7          else if (Age < 60){
8              System.out.println("You are an adult");
9          }
10         else {
11             System.out.println("You are senior citizen");
12         }
13     }
14 }
15
16 public static void main(String[] args){
17     Scanner sc = new Scanner(System.in);
18
19     System.out.println("Enter age: ");
20     int age = sc.nextInt();
21
22     checkAgeCategory(age);
23
24 }
25
26 }
```

C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin\

Enter age:

50

You are an adult

Process finished with exit code 0

```
1 public class evennumber {
2
3     static void printevennumber() { 1 usage
4
5         int i = 1;
6
7         while (i <= 50)
8
9             if (i % 2 == 0) {
10                 System.out.print(i + " ");
11             }
12
13             i++;
14
15     }
16
17 public static void main(String[] args) {
18
19     printevennumber();
20 }
21 }
```

```
C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin\java.exe "-javaagent:C:\Program
```

```
2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50
```

```
Process finished with exit code 0
```

```
1 import java.util.Scanner;
2 public class PositiveNumbers {
3     static void askForPositiveNumber(){ 1 usage
4         Scanner sc = new Scanner(System.in);
5         int number;
6         do{
7             System.out.println("Enter a positive number: ");
8             number = sc.nextInt();
9         }while(number <= 0);
10        System.out.println("you entered a positive number: " + number);
11    }
12    public static void main(String[] args){
13        askForPositiveNumber();
14    }
15 }
16
```

Run

PositiveNumbers x



C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin\

Enter a positive number:

-9

Enter a positive number:

-50

Enter a positive number:

0

Enter a positive number:

8

you entered a positive number: 8

Process finished with exit code 0

|

```
1 import java.util.Scanner;
2 public class MultiplicationTable {
3     static void printMultiplicationTable(int number){ 1 usage
4         for(int i = 1; i <= 10; i++){
5             System.out.println(number + "x" + i + " = " + (number * i));
6         }
7     }
8     public static void main(String[] args){
9         Scanner sc = new Scanner(System.in);
10        System.out.println("Enter a Number: ");
11        int number = sc.nextInt();
12        printMultiplicationTable(number);
13    }
14 }
15
```

Run

MultiplicationTable x



C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin\java.exe "

Enter a Number:

8

8x1 = 8

8x2 = 16

8x3 = 24

8x4 = 32

8x5 = 40

8x6 = 48

8x7 = 56

8x8 = 64

8x9 = 72

8x10 = 80

Process finished with exit code 0

|

```
1  import java.util.Scanner;
2
3  public class SumNumbers
4
5      // Method to calculate sum
6      static int calculateSum(int n) { 1 usage
7
8          int sum = 0;
9
10         for (int i = 1; i <= n; i++) {
11             sum = sum + i;
12         }
13
14         return sum;
15     }
16
17     public static void main(String[] args) {
18
19         Scanner sc = new Scanner(System.in);
20
21         System.out.print("Enter a number: ");
22         int n = sc.nextInt();
23
24         int result = calculateSum(n);
25
26         System.out.println("The sum of numbers from 1 to " + n + " is: " + result);
27     }
28
```

Run

SumNumbers x

C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin\java

Enter a number: 8

The sum of numbers from 1 to 8 is: 36

Process finished with exit code 0

|

```
import java.util.Scanner;

public class MenuDrivenProgram {

    public static void main(String[] args) {

        Scanner sc = new Scanner(System.in);

        int choice;

        do {

            System.out.println("\n----- MENU -----");
            System.out.println("1. Grade Evaluation System");
            System.out.println("2. Leap Year Check");
            System.out.println("3. Day of the Week");
            System.out.println("4. Identify Default Values of Variables");
            System.out.println("5. Exit");

            System.out.print("Enter your choice: ");
            choice = sc.nextInt();

            switch (choice) {

                case 1:

                    // Problem 1: Grade Evaluation System
                    System.out.print("Enter marks: ");
                    int marks = sc.nextInt();

                    if (marks >= 90) {

                        System.out.println("Grade A");
                    } else if (marks >= 75) {

                        System.out.println("Grade B");
                    } else if (marks >= 60) {

                        System.out.println("Grade C");
                    }
                }
            }
        } while (choice != 5);
    }
}
```

```
3 public class MenuDrivenProgram {
```

```
5     public static void main(String[] args) {
```

```
33         } else if (marks >= 60) {
```

```
34             System.out.println("Grade C");
```

```
35         } else if (marks >= 40) {
```

```
36             System.out.println("Grade D");
```

```
37         } else {
```

```
38             System.out.println("Fail");
```

```
39         }
```

```
40         break;
```

```
42         case 2:
```

```
43             // Problem 2: Leap Year Check
```

```
44             System.out.print("Enter year: ");
```

```
45             int year = sc.nextInt();
```

```
47             if (year % 400 == 0 || (year % 4 == 0 && year % 100 != 0)) {
```

```
48                 System.out.println("It is a leap year.");
```

```
49             } else {
```

```
50                 System.out.println("It is not a leap year.");
```

```
51             }
```

```
52             break;
```

```
54         case 3:
```

```
55             // Problem 3: Day of the Week
```

```
56             System.out.print("Enter day number (1-7): ");
```

```
57             int day = sc.nextInt();
```

```
59             switch (day) {
```

```
60                 case 1:
```

```
61                     System.out.println("Monday");
```

```
62                     break;
```

```
63                 case 2:
```

```
64                     System.out.println("Tuesday");
```

```

3 public class MenuDrivenProgram {
5     public static void main(String[] args) {
66         case 3:
67             System.out.println("Wednesday");
68             break;
69         case 4:
70             System.out.println("Thursday");
71             break;
72         case 5:
73             System.out.println("Friday");
74             break;
75         case 6:
76             System.out.println("Saturday");
77             break;
78         case 7:
79             System.out.println("Sunday");
80             break;
81         default:
82             System.out.println("Invalid day number.");
83     }
84     break;
85
86     case 4:
87         // Problem 4: Default Values of Variables
88         int a = 0;
89         double b = 0.0;
90         char c = '\u0000';
91         boolean d = false;
92
93         System.out.println("Default value of int: " + a);
94         System.out.println("Default value of double: " + b);
95         System.out.println("Default value of char: " + c);
96         System.out.println("Default value of boolean: " + d);
97         break;

```

```

3 public class MenuDrivenProgram {
5     public static void main(String[] args) {
6
7         // Problem 4: Default Values of Variables
8         int a = 0;
9         double b = 0.0;
10        char c = '\u0000';
11        boolean d = false;
12
13        System.out.println("Default value of int: " + a);
14        System.out.println("Default value of double: " + b);
15        System.out.println("Default value of char: " + c);
16        System.out.println("Default value of boolean: " + d);
17        break;
18
19        case 5:
20            // Exit
21            System.out.println("Program exited.");
22            break;
23
24        default:
25            System.out.println("Invalid choice. Please try again.");
26        }
27
28    } while (choice != 5);
29
30    sc.close();
31
32 }

```

C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin

----- MENU -----

1. Grade Evaluation System
2. Leap Year Check
3. Day of the Week
4. Identify Default Values of Variables
5. Exit

Enter your choice: 2

Enter year: 2022

It is not a leap year.

----- MENU -----

1. Grade Evaluation System
2. Leap Year Check
3. Day of the Week
4. Identify Default Values of Variables
5. Exit

Enter your choice: 1

Enter marks: 81

Grade B

----- MENU -----

1. Grade Evaluation System
2. Leap Year Check
3. Day of the Week
4. Identify Default Values of Variables
5. Exit

Enter your choice: 3

Enter day number (1-7): 5

Friday

----- MENU -----

1. Grade Evaluation System
2. Leap Year Check
3. Day of the Week
4. Identify Default Values of Variables
5. Exit

Enter your choice: 4

Default value of int: 0

Default value of double: 0.0

Default value of char: 0

- 
- 
2. Leap Year Check
 3. Day of the Week
 4. Identify Default Values of Variables
 5. Exit

Enter your choice: 4

Default value of int: 0

Default value of double: 0.0

Default value of char:  

Default value of boolean: false

----- MENU -----

1. Grade Evaluation System
2. Leap Year Check
3. Day of the Week
4. Identify Default Values of Variables
5. Exit

Enter your choice: 5

Program exited.

Process finished with exit code 0