


Q1.

Code:

```
class Q1 {  
    public static void main(String[] args) {  
        for(int i = 1; i <= 1000; i++) {  
            if(i % 2 != 0) {  
                System.out.println(i);  
            }  
        }  
    }  
}
```

OUTPUT:



A screenshot of a terminal window showing the output of a Java program. The terminal title bar indicates the path 'C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin'. The output consists of a vertical list of odd numbers starting from 1 and ending at 31, with each number on a new line. The numbers are: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, and 31.

```
963
965
967
969
971
973
975
977
979
981
983
985
987
989
991
993
995
997
999
```

Q2.

CODE:

```
class Q1 {
    public static void main(String[] args) {
        for(int i = 1; i <= 500; i++) {
            if(i % 2 == 0) {
                System.out.println(i);
            }
        }
    }
}
```

OUTPUT:

```
C:\Users\Sakshi\.jdk\openjdk-2
2
4
6
8
10
12
14
16
18
20
22
24
26
28
30
```

```
478
480
482
484
486
488
490
492
494
496
498
500
```

Q3.

```
Code:public class Q3 {
    public static void main(String[] args) {
        for(int i = 7; i <= 200; i = i + 7) {
```

```
        System.out.println(i);
    }
}
```

OUTPUT:

```
7
14
21
28
35
42
49
56
63
70
77
84
91
98
105
112
119
126
133
140
147
154
161
168
175
```

```
154
161
168
175
182
189
196
```

Q4.

CODE:

```
public class Q4 {
    public static void main(String[] args) {
        for(int i = 1; i <= 5; i++) {
            for(int j = 1; j <= i; j++) {
                System.out.print("*");
            }
            System.out.println();
        }
    }
}
```

OUTPUT:

```
C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin
*
**
***
****
*****


Process finished with exit code 0
```

Q5.

CODE:

```
public class Q5 {  
    public static void main(String[] args) {  
        for(int i = 5; i >= 1; i--) {  
            for(int j = 1; j <= i; j++) {  
                System.out.print("*");  
            }  
            System.out.println();  
        }  
    }  
}
```

OUTPUT:



```
C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin\  
*****  
****  
***  
**  
*  
  
Process finished with exit code 0
```

Q6.

CODE:


```
public class Q6 {  
    public static void main(String[] args) {
```

```

int num = 1;
for(int i = 1; i <= 4; i++) {
    for(int j = 1; j <= i; j++) {
        System.out.print(num + " ");
        num++;
    }
    System.out.println();
}
}
}

```

OUTPUT:



```

Run  Q6 x
C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin
1
2 3
4 5 6
7 8 9 10
Process finished with exit code 0

```

Q7.

CODE:

```

public class Q7 {
    public static void main(String[] args) {
        for(int i = 1; i <= 6; i++) {
            for(int j = 1; j <= i; j++) {


```

```

        System.out.print(j + " ");
    }
    System.out.println();
}
}
}

```

OUTPUT:



```

Run Q7 x
C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
1 2 3 4 5 6

Process finished with exit code 0

```

Q8.

CODE:


```

public class Q8 {
    public static void main(String[] args) {
        for(int i = 6; i >= 1; i--) {
            for(int j = 1; j <= i; j++) {
                System.out.print(j + " ");
            }
            System.out.println();
        }
    }
}

```

```
}  
}
```

OUTPUT:



The screenshot shows an IDE's Run console window. The title bar says "Run" and "Q8". The console output shows a recursive sequence of numbers: 1 2 3 4 5 6, 1 2 3 4 5, 1 2 3 4, 1 2 3, 1 2, and 1. The sequence is printed on separate lines, with each line containing a sequence of numbers. The numbers are printed in a light blue color. The console also shows the path "C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin" and the message "Process finished with exit code 0".

```
C:\Users\Sakshi\.jdk\openjdk-26.0.2\bin  
1 2 3 4 5 6  
1 2 3 4 5  
1 2 3 4  
1 2 3  
1 2  
1  
  
Process finished with exit code 0
```