

ECOCIDE

Kakhovka Dam destruction: satellite vegetation and flood evidence

Maps and Plots — Complete Figure Set

Figure 1 — Study area

Figure 2 — Lower Dnipro before the breach (April-May 2023)

Figure 3 — Lower Dnipro after the breach (July 2023)

Figure 4 — UNOSAT flood-extent layers

Figure 5 — UNOSAT flood-extent observations by sensor

Figure 6 — Monthly NDVI, Kherson vs Tulcea

Figure 7 — Quarterly event study


Figure 8 — Primary and narrowed-baseline estimates with placebos

Figure 9 — Kherson against each control and pooled

Figure 10 — Placebo in space

Figure 1 — Study area

Study area: Kherson Oblast (Ukraine) and four Romanian control counties




Boundaries: GADM v4.1. Tulcea borders Ukraine's Odesa Oblast along the Danube.

Treatment zone (Kherson Oblast, Ukraine) and the four Romanian control counties (Tulcea, Galati, Braila, Constanta) in their true geographic positions. Boundaries: GADM v4.1.

Figure 2 — Lower Dnipro before the breach (April-May 2023)


BEFORE (MAY 2023)



Sentinel-2 L2A true-colour mosaic, 1 April - 31 May 2023, least-cloud mosaicking, bbox 32.0-33.6E, 46.3-46.9N. The frame covers the downstream floodplain and only the south-western tip of the reservoir.

Figure 3 — Lower Dnipro after the breach (July 2023)

AFTER (JULY 2023)



0


30

60 km



Same bbox and processing, July 2023. The drained reservoir tip near Nova Kakhovka is visible at top right. Context only; not used as statistical evidence.

Figure 4 — UNOSAT flood-extent layers




Source: UNOSAT FL20230606UKR (preliminary, not field-validated). Layers come from different sensors and analysis extents.

UNOSAT FL20230606UKR layers for 6 June (Sentinel-3), 9 June (Sentinel-3) and 21 June (Sentinel-1).

Preliminary, not field-validated; layers differ in sensor and analysis extent.


Figure 5 — UNOSAT flood-extent observations by sensor



Each point is a separate UNOSAT layer with its own sensor, resolution and analysis extent; values are not directly comparable across sensors.
Source: UNOSAT FL20230606UKR (preliminary, not field-validated).


Mapped flood area in each UNOSAT layer, labelled by sensor. Separate observations, not a continuous series; see [outputs/flood_extent_table.csv](#).

Figure 6 — Monthly NDVI, Kherson vs Tulcea



Sentinel-2 L2A via Sentinel Hub Statistical API; GADM polygons; cloud, shadow, cirrus, snow and water masked; per-pixel monthly median on a 0.002° grid. Descriptive only.
Monthly mean NDVI (Sentinel-2, GADM polygons, SCL masking), January 2022 - November 2024. Descriptive.


Figure 7 — Quarterly event study



† survives Bonferroni correction across 11 quarters ($p < 0.00455$). 95% CIs, Newey-West HAC (maxlags=3).


Kherson minus Tulcea NDVI gap by quarter relative to June 2023 (reference Mar-May 2023), Newey-West HAC
95% CIs; dagger marks quarters surviving Bonferroni correction.

Figure 8 — Primary and narrowed-baseline estimates with placebos




Classical and Newey-West HAC 95% CIs. Values from outputs/model_results.json.

Figure 9 — Kherson against each control and pooled



DiD estimates against each Romanian control county and their mean, Newey-West HAC 95% CIs.

Figure 10 — Placebo in space



Each of the five units assigned 'treated' in turn against the other four; exact randomization p-values from Kherson's rank.