

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

"JnanaSangama", Belgaum -590014, Karnataka.



LAB REPORT

on

BIG DATA ANALYTICS (20CS6PEBDA)

Submitted by

**SAKSHI P KHANDOBA
(1BM19CS139)**

in partial fulfillment for the award of the degree of

BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING

(Autonomous Institution under VTU)

BENGALURU-560019

May-2022 to July-2022

B. M. S. College of Engineering,

Bull Temple Road, Bangalore 560019

(Affiliated To Visvesvaraya Technological University, Belgaum)

Department of Computer Science and Engineering



CERTIFICATE

This is to certify that the Lab work entitled "**BIG DATA ANALYTICS**" was carried out by **SAKSHI P KHANDOBA(1BM19CS139)**, who is bonafide student of **B. M. S. College of Engineering**. It is in partial fulfilment for the award of **Bachelor of Engineering in Computer Science and Engineering** of the Visvesvaraya Technological University, Belgaum during the year 2022. The Lab report has been approved as it satisfies the academic requirements in respect of the course **BIG DATA ANALYTICS (20CS6PEBDA)** work prescribed for the said degree.

Name of Lab-In charge
Designation
Department of CSE
BMSCE, Bengaluru

ANTARA ROY CHOUDHURY
Assistant Professor
Department of CSE
BMSCE, Bengaluru

Index Sheet

Sl. No.	Experiment Title	Page No.
1	Cassandra Lab Program 1: - Student Database	5
2	Cassandra Lab Program 2: - Library Database	7
3	MongoDB- CRUD Demonstration	12
4	Hadoop Installation	28
5	Hadoop Commands	29
6	Hadoop Programs: Word Count	31
7	Hadoop Programs: Top N	39
8	Hadoop Programs: Average Temperature	46
9	Hadoop Programs: Join	52
10	Scala Programs: Word Count	56
11	Scala Programs: Word Count greater than 4	58


Course Outcome

CO1	Apply the concept of NoSQL, Hadoop or Spark for a given task
CO2	Analyze the Big Data and obtain insight using data analytics mechanisms.
CO3	Design and implement Big data applications by applying NoSQL, Hadoop or Spark

Cassandra Lab Program 1: -

Perform the following DB operations using Cassandra.

1. Create a key space by name Employee



```
Command Prompt - cqlsh
Microsoft Windows [Version 10.0.22000.675]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>cd c:\apache-cassandra-3.11.13\bin
c:\apache-cassandra-3.11.13\bin>cqlsh


WARNING: console codepage must be set to cp65001 to support utf-8 encoding on Windows platforms.
If you experience encoding problems, change your console codepage with 'chcp 65001' before starting cqlsh.

Connected to Test Cluster at 127.0.0.1:9042.
[cqlsh 5.0.1 | Cassandra 3.11.13 | CQL spec 3.4.4 | Native protocol v4]
Use HELP for help.
cqlsh> CREATE KEYSPACE employee WITH REPLICATION = {'class':'SimpleStrategy','replication_factor':1};
cqlsh> DESCRIBE KEYSPACES;

system_schema  system  system_distributed  system_traces
system_auth     samples  employee

cqlsh>
```

2. Create a column family by name Employee-Info with attributes Emp_Id Primary Key, Emp_Name, Designation, Date_of_Joining, Salary, Dept_Name



```
Command Prompt - cqlsh
cqlsh:employee> CREATE TABLE EMPLOYEEINFO( EMPIID INT, EMPNAME TEXT, DESIGNATION TEXT, DATEOFJOINING TIMESTAMP, SALARY DOUBLE, DEPTNAME TEXT, PRIMARY KEY(EMPIID,SALARY));
cqlsh:employee>

cqlsh:employee> SELECT * FROM EMPLOYEEINFO;
      empid | salary | dateofjoining | deptname | designation | empname
-----+-----+-----+-----+-----+-----+
      (0 rows)
cqlsh:employee>
```

3. Insert the values into the table in batch

```

cqlsh:employee> BEGIN BATCH
... INSERT INTO EMPLOYEEINFO (EMPID, EMPNAME, DESIGNATION, DATEOFJOINING, SALARY, DEPTNAME)
... VALUES(1,'LOKESH','ASSISTANT MANAGER', '2005-04-6', 50000, 'MARKETING')
... INSERT INTO EMPLOYEEINFO (EMPID, EMPNAME, DESIGNATION, DATEOFJOINING, SALARY, DEPTNAME)
... VALUES(2,'DHEERAJ','ASSISTANT MANAGER', '2013-11-10', 30000, 'LOGISTICS')
... INSERT INTO EMPLOYEEINFO (EMPID, EMPNAME, DESIGNATION, DATEOFJOINING, SALARY, DEPTNAME)
... VALUES(3,'CHIRAG','ASSISTANT MANAGER', '2011-07-1', 115000, 'SALES')
... INSERT INTO EMPLOYEEINFO (EMPID, EMPNAME, DESIGNATION, DATEOFJOINING, SALARY, DEPTNAME)
... VALUES(4,'DHANUSH','ASSISTANT MANAGER', '2010-04-26', 75000, 'MARKETING')
... INSERT INTO EMPLOYEEINFO (EMPID, EMPNAME, DESIGNATION, DATEOFJOINING, SALARY, DEPTNAME)
... VALUES(5,'ESHA','ASSISTANT MANAGER', '2010-04-26', 85000, 'TECHNICAL')
... INSERT INTO EMPLOYEEINFO (EMPID, EMPNAME, DESIGNATION, DATEOFJOINING, SALARY, DEPTNAME)
... VALUES(6,'FARHAN','MANAGER', '2010-04-26', 95000, 'TECHNICAL')
... INSERT INTO EMPLOYEEINFO (EMPID, EMPNAME, DESIGNATION, DATEOFJOINING, SALARY, DEPTNAME)
... VALUES(7,'JIMMY','MANAGER', '2010-04-26', 95000, 'PR')
... INSERT INTO EMPLOYEEINFO (EMPID, EMPNAME, DESIGNATION, DATEOFJOINING, SALARY, DEPTNAME)
... VALUES(121,'HARRY','REGIONAL MANAGER', '2010-04-26', 99000, 'MANAGEMENT')
... APPLY BATCH;

cqlsh:employee> SELECT * FROM EMPLOYEEINFO;
+-----+-----+-----+-----+-----+-----+
| empid | salary | dateofjoining | deptname | designation | empname |
+-----+-----+-----+-----+-----+-----+
| 5 | 85000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | ASSISTANT MANAGER | ESHA |
| 1 | 50000 | 2005-04-05 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | LOKESH |
| 2 | 30000 | 2013-11-09 18:30:00.000000+0000 | LOGISTICS | ASSISTANT MANAGER | DHEERAJ |
| 4 | 75000 | 2010-04-25 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | DHANUSH |
| 121 | 99000 | 2010-04-25 18:30:00.000000+0000 | MANAGEMENT | REGIONAL MANAGER | HARRY |
| 7 | 95000 | 2010-04-25 18:30:00.000000+0000 | PR | MANAGER | JIMMY |
| 6 | 95000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | MANAGER | FARHAN |
| 3 | 1.15e+05 | 2011-06-30 18:30:00.000000+0000 | SALES | ASSISTANT MANAGER | CHIRAG |
+-----+-----+-----+-----+-----+-----+
(8 rows)
cqlsh:employee>

```

4. Update Employee name and Department of Emp-Id 121

```

cqlsh:employee> UPDATE EMPLOYEEINFO SET EMPNAME='HARRY', DEPTNAME='MANAGEMENT' WHERE EMPID=121 AND SALARY=99000;
cqlsh:employee> SELECT * FROM EMPLOYEEINFO;
+-----+-----+-----+-----+-----+-----+
| empid | salary | dateofjoining | deptname | designation | empname |
+-----+-----+-----+-----+-----+-----+
| 5 | 85000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | ASSISTANT MANAGER | ESHA |
| 1 | 50000 | 2005-04-05 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | LOKESH |
| 2 | 30000 | 2013-11-09 18:30:00.000000+0000 | LOGISTICS | ASSISTANT MANAGER | DHEERAJ |
| 4 | 75000 | 2010-04-25 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | DHANUSH |
| 121 | 99000 | 2010-04-25 18:30:00.000000+0000 | MANAGEMENT | REGIONAL MANAGER | HARRY |
| 7 | 95000 | 2010-04-25 18:30:00.000000+0000 | PR | MANAGER | JIMMY |
| 6 | 95000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | MANAGER | FARHAN |
| 3 | 1.15e+05 | 2011-06-30 18:30:00.000000+0000 | SALES | ASSISTANT MANAGER | CHIRAG |
+-----+-----+-----+-----+-----+-----+
(8 rows)
cqlsh:employee>

```

5. Sort the details of Employee records based on salary (Note:- cql>PAGING OFF)

```
cqlsh:employee> select * from EMPLOYEEINFO where empid IN(1,2,3,4,5,6,7) ORDER BY salary DESC allow filtering;
+-----+-----+-----+-----+-----+-----+-----+
| empid | salary | dateofjoining | deptname | designation | empname |
+-----+-----+-----+-----+-----+-----+
| 3 | 1.15e+05 | 2011-06-30 18:30:00.000000+0000 | SALES | ASSISTANT MANAGER | CHIRAG |
| 6 | 95000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | MANAGER | FARHAN |
| 7 | 95000 | 2010-04-25 18:30:00.000000+0000 | PR | MANAGER | JIMMY |
| 5 | 85000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | ASSISTANT MANAGER | ESHA |
| 4 | 75000 | 2010-04-25 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | DHANUSH |
| 1 | 50000 | 2005-04-05 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | LOKESH |
| 2 | 30000 | 2013-11-09 18:30:00.000000+0000 | LOGISTICS | ASSISTANT MANAGER | DHEERAJ |
+-----+-----+-----+-----+-----+-----+
(7 rows)
cqlsh:employee>
```

6. Alter the schema of the table Employee_Info to add a column Projects which stores a set of Projects done by the corresponding Employee.

```
(7 rows)
cqlsh:employee> ALTER TABLE EMPLOYEEINFO ADD PROJECTS LIST<TEXT>;
cqlsh:employee> SELECT * FROM EMPLOYEEINFO;
+-----+-----+-----+-----+-----+-----+-----+-----+
| empid | salary | dateofjoining | deptname | designation | empname | projects |
+-----+-----+-----+-----+-----+-----+-----+
| 5 | 85000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | ASSISTANT MANAGER | ESHA | null |
| 1 | 50000 | 2005-04-05 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | LOKESH | null |
| 2 | 30000 | 2013-11-09 18:30:00.000000+0000 | LOGISTICS | ASSISTANT MANAGER | DHEERAJ | null |
| 4 | 75000 | 2010-04-25 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | DHANUSH | null |
| 121 | 99000 | 2010-04-25 18:30:00.000000+0000 | MANAGEMENT | REGIONAL MANAGER | HARRY | null |
| 7 | 95000 | 2010-04-25 18:30:00.000000+0000 | PR | MANAGER | JIMMY | null |
| 6 | 95000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | MANAGER | FARHAN | null |
| 3 | 1.15e+05 | 2011-06-30 18:30:00.000000+0000 | SALES | ASSISTANT MANAGER | CHIRAG | null |
+-----+-----+-----+-----+-----+-----+-----+
(8 rows)
cqlsh:employee>
```

7. Update the altered table to add project names.

```
cqlsh:employee> UPDATE EMPLOYEEINFO SET PROJECTS=['FACEBOOK', 'SNAPCHAT'] WHERE EMPID=1 AND SALARY=50000;
cqlsh:employee> UPDATE EMPLOYEEINFO SET PROJECTS=['FACEBOOK', 'SNAPCHAT'] WHERE EMPID=7 AND SALARY=95000;
cqlsh:employee> UPDATE EMPLOYEEINFO SET PROJECTS=['PINTEREST', 'INSTAGRAM'] WHERE EMPID=121 AND SALARY=99000;
cqlsh:employee> UPDATE EMPLOYEEINFO SET PROJECTS=['PINTEREST', 'INSTAGRAM'] WHERE EMPID=4 AND SALARY=75000;
cqlsh:employee> UPDATE EMPLOYEEINFO SET PROJECTS=['YOUTUBE', 'SPOTIFY'] WHERE EMPID=2 AND SALARY=30000;
cqlsh:employee> UPDATE EMPLOYEEINFO SET PROJECTS=['YOUTUBE', 'SPOTIFY'] WHERE EMPID=3 AND SALARY=115000;
cqlsh:employee> UPDATE EMPLOYEEINFO SET PROJECTS=['YOUTUBE', 'SPOTIFY'] WHERE EMPID=6 AND SALARY=95000;
cqlsh:employee> UPDATE EMPLOYEEINFO SET PROJECTS=['YOUTUBE', 'SPOTIFY'] WHERE EMPID=5 AND SALARY=85000;
cqlsh:employee> SELECT * FROM EMPLOYEEINFO;

empid | salary | dateofjoining | deptname | designation | empname | projects
-----+-----+-----+-----+-----+-----+-----+
 5 | 85000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | ASSISTANT MANAGER | ESHA | ['YOUTUBE', 'SPOTIFY']
 1 | 50000 | 2005-04-05 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | LOKESH | ['FACEBOOK', 'SNAPCHAT']
 2 | 30000 | 2013-11-09 18:30:00.000000+0000 | LOGISTICS | ASSISTANT MANAGER | DHEERAJ | ['YOUTUBE', 'SPOTIFY']
 4 | 75000 | 2010-04-25 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | DHANUSH | ['PINTEREST', 'INSTAGRAM']
121 | 99000 | 2010-04-25 18:30:00.000000+0000 | MANAGEMENT | REGIONAL MANAGER | HARRY | ['PINTEREST', 'INSTAGRAM']
 7 | 95000 | 2010-04-25 18:30:00.000000+0000 | PR | MANAGER | JIMMY | ['FACEBOOK', 'SNAPCHAT']
 6 | 95000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | MANAGER | FARHAN | ['YOUTUBE', 'SPOTIFY']
 3 | 1.15e+05 | 2011-06-30 18:30:00.000000+0000 | SALES | ASSISTANT MANAGER | CHIRAG | ['YOUTUBE', 'SPOTIFY']

(8 rows)
cqlsh:employee>
```

8. Create a TTL of 15 seconds to display the values of Employees.

//BEFORE 15 seconds

```
cqlsh:employee> update EMPLOYEEINFO USING TTL 15 SET EMPNAME='LOKESH' where empid=1 AND salary=50000;
cqlsh:employee> SELECT * FROM EMPLOYEEINFO;

empid | salary | dateofjoining | deptname | designation | empname | projects
-----+-----+-----+-----+-----+-----+-----+
 5 | 85000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | ASSISTANT MANAGER | ESHA | ['YOUTUBE', 'SPOTIFY']
 1 | 50000 | 2005-04-05 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | LOKESH | ['FACEBOOK', 'SNAPCHAT']
 2 | 30000 | 2013-11-09 18:30:00.000000+0000 | LOGISTICS | ASSISTANT MANAGER | DHEERAJ | ['YOUTUBE', 'SPOTIFY']
 4 | 75000 | 2010-04-25 18:30:00.000000+0000 | MARKETING | ASSISTANT MANAGER | DHANUSH | ['PINTEREST', 'INSTAGRAM']
121 | 99000 | 2010-04-25 18:30:00.000000+0000 | MANAGEMENT | REGIONAL MANAGER | HARRY | ['PINTEREST', 'INSTAGRAM']
 7 | 95000 | 2010-04-25 18:30:00.000000+0000 | PR | MANAGER | JIMMY | ['FACEBOOK', 'SNAPCHAT']
 6 | 95000 | 2010-04-25 18:30:00.000000+0000 | TECHNICAL | MANAGER | FARHAN | ['YOUTUBE', 'SPOTIFY']
 3 | 1.15e+05 | 2011-06-30 18:30:00.000000+0000 | SALES | ASSISTANT MANAGER | CHIRAG | ['YOUTUBE', 'SPOTIFY']

(8 rows)
cqlsh:employee>
```

Cassandra Lab Program 2: -

Perform the following DB operations using Cassandra.

1.Create a key space by name Library

```
Command Prompt - CQLSH
cqlsh> create keyspace library with replication = {
    ... 'class':'SimpleStrategy', 'replication_factor':1
    ... };
cqlsh> describe keyspaces

system_schema  system   samples          employee
system_auth     library  system_distributed system_traces

cqlsh> USE library;
cqlsh:library> _
```

2. Create a column family by name Library-Info with attributes Stud_Id Primary Key,

Counter_value of type Counter,

Stud_Name, Book-Name, Book-Id, Date_of_issue

```
cqlsh> USE library;
cqlsh:library> CREATE TABLE LIBRARY_INFO( STUDID INT PRIMARY KEY, STUDNAME TEXT, BOOKNAME TEXT, DATEOFTIMESTAMP,
COUNTER_VALUE COUNTER);
InvalidRequest: Error from server: code=2200 [Invalid query] message="Cannot mix counter and non counter columns in the same table"
cqlsh:library> CREATE TABLE LIBRARY_INFO( STUDID INT, STUDNAME TEXT, BOOKNAME TEXT, BOOKID INT, DATEOFTIMESTAMP,
COUNTER_VALUE COUNTER, PRIMARY KEY(STUDID, STUDNAME, BOOKNAME, BOOKID, DATEOFTIME));
cqlsh:library> SELECT * FROM LIBRARYINFO;
InvalidRequest: Error from server: code=2200 [Invalid query] message="unconfigured table libraryinfo"
cqlsh:library> SELECT * FROM LIBRARY_INFO;

studid | studname | bookname | bookid | dateoftime | counter_value
-----+-----+-----+-----+
(0 rows)
cqlsh:library>
```

3. Insert the values into the table in batch

```
Command Prompt - CQLSH
cqlsh:library> update library_info set counter_value = counter_value + 1 where studid = 1 and studname = 'MAHESH' and bookname = 'Harry Potter' and bookid = 1 and dateofissuse = '2022-01-02';
cqlsh:library> SELECT * FROM LIBRARY_INFO;
studid | studname | bookname      | bookid | dateofissuse           | counter_value
-----+-----+-----+-----+-----+-----+
  1 | MAHESH | Harry Potter |     1 | 2022-01-01 18:30:00.000000+0000 |           1
(1 rows)
cqlsh:library>
```

```
cqlsh:library> update library_info set counter_value = counter_value + 1 where studid = 2 and studname = 'Ramesh' and bookname = 'Wings of Fire' and bookid = 2 and dateofissuse = '2022-01-02';
cqlsh:library> SELECT * FROM LIBRARY_INFO;
studid | studname | bookname      | bookid | dateofissuse           | counter_value
-----+-----+-----+-----+-----+-----+
  1 | MAHESH | Harry Potter |     1 | 2022-01-01 18:30:00.000000+0000 |           1
  2 | Ramesh  | Wings of Fire |     2 | 2022-01-01 18:30:00.000000+0000 |           1
(2 rows)
cqlsh:library>
```

4. Display the details of the table created and increase the value of the counter

```
cqlsh:library> update library_info set counter_value = counter_value + 1 where studid = 112 and studname = 'Rajesh' and bookname = 'BDA' and bookid = 3 and dateofissuse = '2022-01-02';
cqlsh:library> SELECT * FROM LIBRARY_INFO;
studid | studname | bookname      | bookid | dateofissuse           | counter_value
-----+-----+-----+-----+-----+-----+
  1 | MAHESH | Harry Potter |     1 | 2022-01-01 18:30:00.000000+0000 |           1
  2 | Ramesh  | Wings of Fire |     2 | 2022-01-01 18:30:00.000000+0000 |           1
  112 | Rajesh  | BDA          |     3 | 2022-01-01 18:30:00.000000+0000 |           1
(3 rows)
cqlsh:library>

(3 rows)
cqlsh:library> update library_info set counter_value = counter_value + 1 where studid = 112 and studname = 'Rajesh' and bookname = 'BDA' and bookid = 3 and dateofissuse = '2022-01-02';
cqlsh:library> SELECT * FROM LIBRARY_INFO;
studid | studname | bookname      | bookid | dateofissuse           | counter_value
-----+-----+-----+-----+-----+-----+
  1 | MAHESH | Harry Potter |     1 | 2022-01-01 18:30:00.000000+0000 |           1
  2 | Ramesh  | Wings of Fire |     2 | 2022-01-01 18:30:00.000000+0000 |           1
  112 | Rajesh  | BDA          |     3 | 2022-01-01 18:30:00.000000+0000 |           2
(3 rows)
cqlsh:library>
```

studid	studname	bookname	bookid	dateofissuse	counter_value
113	Ranjith	rpa	4	2022-01-01 18:30:00.000000+0000	1
1	MAHESH	Harry Potter	1	2022-01-01 18:30:00.000000+0000	1
2	Ramesh	Wings of Fire	2	2022-01-01 18:30:00.000000+0000	1
112	Rajesh	BDA	3	2022-01-01 18:30:00.000000+0000	3

5. Write a query to show that a student with id 112 has taken a book "BDA" 3 times.

```
Command Prompt - CQLSH
cqlsh:library> select * from library_info where studid = 112;
studid | studname | bookname | bookid | dateofissue | counter_value
-----+-----+-----+-----+-----+
  112 |    Rajesh |      BDA |      3 | 2022-01-01 18:30:00.000000+0000 |          3
(1 rows)
cqlsh:library>
```

6. Export the created column to a csv file

```
cqlsh:library> copy library_info (studid, studname, bookname, bookid, dateofissuse, counter_value) to 'C:\Users\Admin\OneDrive\Desktop\BDA Lab\data.csv';
Using 7 child processes.

Starting copy of library.library_info with columns [studid, studname, bookname, bookid, dateofissuse, counter_value].
Processed: 4 rows; Rate:      2 rows/s; Avg. rate:      1 rows/s
4 rows exported to 1 files in 3.004 seconds.
cqlsh:library>
```

7. Import a given csv dataset from local file system into Cassandra column family

```
File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 335, in close
File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 335, in create_timer
    File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 373, in close
    self_connection.close()
File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 335, in create_timer
    self_connection.close()
    AsyncoreConnection.create_timer(0, partial(asyncore.dispatcher.close, self))
File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 373, in close
    cls._loop.add_timer(timer)
File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 373, in close
    AsyncoreConnection.create_timer(0, partial(asyncore.dispatcher.close, self))
AA     AsyncoreConnection.create_timer(0, partial(asyncore.dispatcher.close, self))
ttributeError: 'NoneType' object has no attribute 'add_timer'
File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 335, in create_timer
ttributeError: 'NoneType' object has no attribute 'add_timer'
File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 335, in create_timer
File "c:\apache-cassandra-3.11.13\bin\..\\lib\cassandra-driver-internal-only-3.11.0-bb96859b.zip\cassandra-driver-3.11.0-bb96859b\cassandra\io\asyncorereactor.py", line 335, in create_timer
    AsyncoreConnection.create_timer(0, partial(asyncore.dispatcher.close, self))
        cls._loop.add_timer(timer)
    cls._loop.add_timer(timer)
A     cls._loop.add_timer(timer)
ttributeError: 'NoneType' object has no attribute 'add_timer'
AAttributeError: 'NoneType' object has no attribute 'add_timer'
ttributeError: 'NoneType' object has no attribute 'add_timer'
Processed: 4 rows; Rate:      1 rows/s; Avg. rate:      2 rows/s
4 rows imported from 1 files in 2.356 seconds (0 skipped).
cqsh:library>
```

MongoDB Lab Program 1 (CRUD Demonstration): -

Execute the queries and upload a document with output.

I. CREATE DATABASE IN MONGODB. use myDB; db;

(Confirm the existence of your database) show dbs; (To list all databases)

```
Command Prompt - mongo
Microsoft Windows [Version 10.0.22000.675]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Admin>mongo
MongoDB shell version v5.0.9
connecting to: mongodb://127.0.0.1:27017/?compressors=disabled&gssapiServiceName=mongodb
Implicit session: session { "id" : UUID("484a3dd6-af99-4170-a440-b1c0987ab04e") }
MongoDB server version: 5.0.9
=====
Warning: the "mongo" shell has been superseded by "mongosh",
which delivers improved usability and compatibility. The "mongo" shell has been deprecated and will be removed in
an upcoming release.
For installation instructions, see
https://docs.mongodb.com/mongodb-shell/install/
=====
Welcome to the MongoDB shell.
For interactive help, type "help".
For more comprehensive documentation, see
    https://docs.mongodb.com/
Questions? Try the MongoDB Developer Community Forums
    https://community.mongodb.com
---
The server generated these startup warnings when booting:
    2022-06-03T06:17:24.092+05:30: Access control is not enabled for the database. Read and write access to data a
nd configuration is unrestricted
---
---
Enable MongoDB's free cloud-based monitoring service, which will then receive and display
metrics about your deployment (disk utilization, CPU, operation statistics, etc).

The monitoring data will be available on a MongoDB website with a unique URL accessible to you
and anyone you share the URL with. MongoDB may use this information to make product
improvements and to suggest MongoDB products and deployment options to you.

To enable free monitoring, run the following command: db.enableFreeMonitoring()
To permanently disable this reminder, run the following command: db.disableFreeMonitoring()
---
> show dbs
admin 0.000GB
config 0.000GB
local 0.000GB
> use myDB;
switched to db myDB
> db;
myDB
> show dbs;
admin 0.000GB
config 0.000GB
local 0.000GB
> -
```

II.CRUD (CREATE, READ, UPDATE, DELETE) OPERATIONS

1. To create a collection by the name “Student”. Let us take a look at the collection list prior to the creation of the new collection “Student”.

```
db.createCollection("Student"); => sql equivalent CREATE TABLE STUDENT(...);
```

2. To drop a collection by the name “Student”.

```
db.Student.drop();
```

3. Create a collection by the name “Students” and store the following data in it.

```
db.Student.insert({_id:1,StudName:"MichelleJacintha",Grade:"VII",Hobbies:"InternetSurfing"});
```

4. Insert the document for “AryanDavid” in to the Students collection only if it does not already exist in the collection. However, if it is already present in the collection, then update the document with new values. (Update his Hobbies from “Skating” to “Chess”).) Use “Update else insert” (if there is an existing document, it will attempt to update it, if there is no existing document then it will insert it).

```
db.Student.update({_id:3,StudName:"AryanDavid",Grade:"VII"},{$set:{Hobbies:"Skatin"},{upsert:true}});
```

```
local 0.000GB
> db.createCollection("Student");
{ "ok" : 1 }
> db.Student.drop();
true
> db.createCollection("Student");
{ "ok" : 1 }
> db.Student.insert({_id:1, StudName:"MichelleJacintha", Grade:"VII", Hobbies:"InternetSurfing"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:1, StudName:"MichelleJacintha", Grade:"VII", Hobbies:"InternetSurfing"});
WriteResult({
    "nInserted" : 0,
    "writeError" : {
        "code" : 11000,
        "errmsg" : "E11000 duplicate key error collection: myDB.Student index: _id_ dup key: { _id: 1.0 }"
    }
})
> db.Student.updateElseInsert({_id:3, StudName:"AryanDavid", Grade:"VII"},{$set:{Hobbies:"Skating"}},{upsert:true});
uncaught exception: TypeError: db.Student.updateElseInsert is not a function :
@(shell):1:1
> db.Student.update({_id:3, StudName:"AryanDavid", Grade:"VII"},{$set:{Hobbies:"Skating"}},{upsert:true});
WriteResult({ "nMatched" : 0, "nUpserted" : 1, "nModified" : 0, "_id" : 3 })
```

```
Command Prompt - mongo
> show collections
Student
> db.Student.find();
{ "_id" : 1, "StudName" : "MichelleJacintha", "Grade" : "VII", "Hobbies" : "InternetSurfing" }
{ "_id" : 3, "Grade" : "VII", "StudName" : "AryanDavid", "Hobbies" : "Skating" }
>
```

5. FIND METHOD

- A. To search for documents from the “Students” collection based on certain search criteria.

```
db.Student.find({StudName:"Aryan David"});
```

```
({cond..},{columns.. column:1, columnname:0} )
```

```
> db.Student.find({StudName:"AryanDavid"});
{ "_id" : 3, "Grade" : "VII", "StudName" : "AryanDavid", "Hobbies" : "Skating" }
>
```

- B. To display only the StudName and Grade from all the documents of the Students collection. The identifier_id should be suppressed and NOT displayed.

```
db.Student.find({}, {StudName:1,Grade:1,_id:0});
```

```
Command Prompt - mongo
> db.Student.find({}, {StudName:1,Grade:1,_id:0});
{ "StudName" : "MichelleJacintha", "Grade" : "VII" }
{ "Grade" : "VII", "StudName" : "AryanDavid" }
>
```

- C. To find those documents where the Grade is set to ‘VII’

```
db.Student.find({Grade:{$eq:'VII'}}).pretty();
```

```
Command Prompt - mongo
> db.Student.find({Grade:{$eq:'VII'}}).pretty();
{
    "_id" : 1,
    "StudName" : "MichelleJacintha",
    "Grade" : "VII",
    "Hobbies" : "InternetSurfing"
}
{
    "_id" : 3,
    "Grade" : "VII",
    "StudName" : "AryanDavid",
    "Hobbies" : "Skating"
}
> -
```

- D. To find those documents from the Students collection where the Hobbies is set to either ‘Chess’ or is set to ‘Skating’.


```
db.Student.find({Hobbies :{ $in: ['Chess','Skating']} }).pretty();
```

```
Command Prompt - mongo
> db.Student.find({Hobbies:{$in: ['Chess','Skating']} }).pretty();
{
    "_id" : 3,
    "Grade" : "VII",
    "StudName" : "AryanDavid",
    "Hobbies" : "Skating"
}
> -
```

- E. To find documents from the Students collection where the StudName begins with “M”. db.Student.find({StudName:/^M/}).pretty();


```
Command Prompt - mongo
> db.Student.find({StudName:/^M/}).pretty();
{
    "_id" : 1,
    "StudName" : "MichelleJacintha",
    "Grade" : "VII",
    "Hobbies" : "InternetSurfing"
}
```

F. To find documents from the Students collection where the StudName has an “e” in any position. db.Student.find({StudName:/e/}).pretty();



```
Command Prompt - mongo
> db.Student.find({StudName:/e/}).pretty();
{
    "_id" : 1,
    "StudName" : "MichelleJacintha",
    "Grade" : "VII",
    "Hobbies" : "InternetSurfing"
}
>
```


G. To find the number of documents in the Students collection. db.Student.count();



```
Command Prompt - mongo
> db.Student.count();
2
>
```

H. To sort the documents from the Students collection in the descending order of StudName.

db.Student.find().sort({StudName:-1}).pretty();




```
Command Prompt - mongo
> db.Student.find().sort({StudName:-1}).pretty();
{
    "_id" : 1,
    "StudName" : "MichelleJacintha",
    "Grade" : "VII",
    "Hobbies" : "InternetSurfing"
}
{
    "_id" : 3,
    "Grade" : "VII",
    "StudName" : "AryanDavid",
    "Hobbies" : "Skating"
}
>
```

III. Import data from a CSV file

Given a CSV file “sample.txt” in the D:drive, import the file into the MongoDB collection, “SampleJSON”. The collection is in the database “test”.

```
mongoimport --db Student --collection airlines --type csv --headerline --file  
/home/hduser/Desktop/airline.csv
```




The screenshot shows a Windows Command Prompt window titled "Command Prompt". The command entered is "mongoimport --db Student --collection airlines --type csv --headerline --file \"C:\Program Files\MongoDB\Server\5.0\bin\airline.csv\"". The output shows the connection to localhost and the successful import of 6 documents. The command prompt then returns to the bin directory.

```
C:\Program Files\MongoDB\Server\5.0\bin>mongoimport --db Student --collection airlines --type csv --headerline  
2022-06-03T08:24:18.366+0530    connected to: mongodb://localhost/  
2022-06-03T08:24:18.395+0530    6 document(s) imported successfully. 0 document(s) failed to import.  
C:\Program Files\MongoDB\Server\5.0\bin>
```

IV. Export data to a CSV file

This command used at the command prompt exports MongoDB JSON documents from “Customers” collection in the “test” database into a CSV file “Output.txt” in the D:drive.

```
mongoexport --host localhost --db Student --collection airlines --csv --out  
/home/hduser/Desktop/output.txt --fields "Year", "Quarter"
```



The screenshot shows a Windows Command Prompt window titled "Command Prompt". The command entered is "mongoexport --host localhost --db Student --collection airlines --csv --out \"C:\home\hduser\Desktop\output.txt\" --fields \"Year\", \"Quarter\"". The output shows the export of 6 records. The command prompt then returns to the bin directory.

```
C:\Program Files\MongoDB\Server\5.0\bin>mongoexport --host localhost --db Student --collection airlines  
--csv --out "C:\home\hduser\Desktop\output.txt" --fields "Year", "Quarter"  
2022-06-03T08:28:58.325+0530    csv flag is deprecated; please use --type=csv instead  
2022-06-03T08:28:58.946+0530    connected to: mongodb://localhost/  
2022-06-03T08:28:58.972+0530    exported 6 records  
C:\Program Files\MongoDB\Server\5.0\bin>
```

V. Save Method :

Save() method will insert a new document, if the document with the _id does not exist.

If it exists it will replace the existing document.

```
db.Students.save({StudName:"Vamsi", Grade:"VI"})
```

```
switched to db Student
> db.Students.save({StudName:"Vamsi",Grade:"VII"})
WriteResult({ "nInserted" : 1 })
> -
```

VI. Add a new field to existing Document:

```
db.Students.update({_id:4},{$set:{Location:"Network"})
```

```
> db.Students.update({_id:4},{$set:{Location:"Network"})}
WriteResult({ "nMatched" : 0, "nUpserted" : 0, "nModified" : 0 })
> -
```

VII. Remove the field in an existing Document

```
db.Students.update({_id:4},{$unset:{Location:"Network"})
```

```
Command Prompt - mongo
> db.Students.update({_id:4},{$unset:{Location:"Network"})}
WriteResult({ "nMatched" : 0, "nUpserted" : 0, "nModified" : 0 })
>
```

VIII. Finding Document based on search criteria suppressing few fields

```
db.Student.find({_id:1},{StudName:1,Grade:1,_id:0}); To find those documents
```

where the Grade is not set to 'VII'

```
db.Student.find({Grade:$ne:'VII'}).pretty();
```

To find documents from the Students collection where the StudName ends with s.

```
db.Student.find({StudName:/s$/}).pretty();
```

```
> db.Student.find({_id:1},{StudName:1,Grade:1,_id:0});
>
```

```
Command Prompt - mongo
> db.Student.find({Grade:$ne:'VII'}).pretty();
> db.Student.find({StudName:/s$/}).pretty();
> -
```

IX. to set a particular field value to NULL

```
> db.Students.update({_id:3},{$set:{Location:null}})  
WriteResult({ "nMatched" : 0, "nUpserted" : 0, "nModified" : 0 })  
>
```

X Count the number of documents in Student Collections

```
> db.Student.count()  
0  
>
```

XI. Count the number of documents in Student Collections with grade :VII

db.Students.count({Grade:"VII"}) retrieve first 3 documents

db.Students.find({Grade:"VII"}).limit(3).pretty(); Sort the document

in Ascending order db.Students.find().sort({StudName:1}).pretty();

Note: for desending order : db.Students.find().sort({StudName:-

1}).pretty(); to Skip the 1 st two documents from the Students

Collections db.Students.find().skip(2).pretty()

```
> db.Students.find().sort({StudName:1}).pretty();  
{  
    "_id" : ObjectId("629979944de3211e43081306"),  
    "StudName" : "Vamsi",  
    "Grade" : "VII"  
}  
>
```

XII. Create a collection by name “food” and add to each document add a “fruits” array

db.food.insert({ _id:1,

fruits:['grapes';'mango';'apple'] }) db.food.insert({

_id:2, fruits:['grapes';'mango';'cherry'] })

db.food.insert({ _id:3, fruits:['banana';'mango'] })

```
c:\] Command Prompt - mongo
> db.food.insert({_id:1,fruits:['grapes','mango','apple']})
WriteResult({ "nInserted" : 1 })
> db.food.insert({_id:2,fruits:['grapes','mango','cherry']})
WriteResult({ "nInserted" : 1 })
> db.food.insert({_id:3,fruits:['banana','mango']})
WriteResult({ "nInserted" : 1 })
>
```

To find those documents from the “food” collection which has the “fruits array” constitute of “grapes”, “mango” and “apple”.

```
db.food.find ( {fruits: ['grapes','mango','apple']} ).pretty().
```

```
> db.food.find({fruits:['grapes','mango','apple']}).pretty()
{ "_id" : 1, "fruits" : [ "grapes", "mango", "apple" ] }
>
```

To find in “fruits” array having “mango” in the first index position.

```
db.food.find ( {fruits.1:'grapes'} )
> db.food.find({'fruits.1':'grapes'})
```

To find those documents from the “food” collection where the size of the array is two.

```
db.food.find ( {"fruits": {$size:2}} )
```

```
> db.food.find ( {"fruits": {$size:2}} )
{ "_id" : 3, "fruits" : [ "banana", "mango" ] }
> -
```

To find the document with a particular id and display the first two elements from the array “fruits”

```
db.food.find({_id:1}, {"fruits":{$slice:2}})
```

```
> db.food.find({_id:1}, {"fruits":{$slice:2}})
{ "_id" : 1, "fruits" : [ "grapes", "mango" ] }
> -
```

To find all the documents from the food collection which have elements mango and grapes in the array “fruits”

```
db.food.find({fruits:{$all:["mango","grapes"]}})
```

```
> db.food.find({fruits:{$all:["mango","grapes"]}})
{ "_id" : 1, "fruits" : [ "grapes", "mango", "apple" ] }
{ "_id" : 2, "fruits" : [ "grapes", "mango", "cherry" ] }
>
```

update on Array: using particular id replace the element present in the 1 st index position of the fruits array with apple

```
db.food.update({_id:3},{$set:{'fruits.1':'apple'}}) insert new key value pairs in the fruits array
```

```
db.food.update({_id:2},{$push:{price:{grapes:80,mango:200,cherry:100}}})
```

```
> db.food.update({_id:3},{$set:{'fruits.1':'apple'}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.food.update({_id:2},{$push:{price:{grapes:80,mango:200,cherry:100}}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> -
```

Note: perform query operations using - pop, addToSet, pullAll and pull

XII. Aggregate Function :

Create a collection Customers with fields custID, AcctBal, AcctType.

Now group on “custID” and compute the sum of “AccBal”. db.Customers.aggregate (

```
{$group : { _id : "$custID",TotAccBal : {$sum:"$AccBal"} } } ); match on AcctType:"S"
```

then group on “CustID” and compute the sum of “AccBal”. db.Customers.aggregate (

```
{$match:{AcctType:"S"}},{$group : { _id : "$custID",TotAccBal :
```

```
{$sum:"$AccBal"} } } ); match on AcctType:"S" then group on “CustID” and
```

compute the sum of “AccBal” and total balance greater than 1200.

```
db.Customers.aggregate ( {$match:{AcctType:"S"}},{$group : { _id : "$custID",TotAccBal :
```

```
{$sum:"$AccBal"} } }, {$match:{TotAccBal:{$gt:1200}}});
```

```
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.Customers.aggregate ( {$group : { _id : "$custID",TotAccBal : {$sum:"$AccBal"} } } );
> db.Customers.aggregate ( {$match:{AcctType:"S"}},{$group : { _id : "$custID",TotAccBal :
... {$sum:"$AccBal"} } } );
uncaught exception: SyntaxError: illegal character :
@(shell):1:43
> db.Customers.aggregate ( {$match:{AcctType:"S"}},{$group : { _id :"$custID",TotAccBal :{$sum:"$AccBal
"} } } );
> db.Customers.aggregate ( {$match:{AcctType:"S"}},{$group : { _id : "$custID",TotAccBal :{$sum:"$AccBa
l"} } }, {$match:{TotAccBal:{$gt:1200}}});
>
```

MongoDB Lab Program 2 (CRUD Demonstration): -

1) Using MongoDB

- i) Create a database for Students and Create a Student Collection (_id,Name, USN, Semester, Dept_Name, CGPA, Hobbies(Set)). ii) Insert required documents to the collection.
- iii) First Filter on “Dept_Name:CSE” and then group it on “Semester” and compute the Average CGPA for that semester and filter those documents where the “Avg_CGPA” is greater than 7.5.
- iv) Command used to export MongoDB JSON documents from “Student” Collection into the “Students” database into a CSV file “Output.txt”.

```
> db.createCollection("Student");
{ "ok" : 1 }
```

```
> db.Student.insert({_id:1,name:"ananya",USN:"1BM19CS095",Sem:6,Dept_Name:"CSE",CGPA:"8.1",Hobbies:"Badminton"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:2,name:"bharath",USN:"1BM19CS002",Sem:6,Dept_Name:"CSE",CGPA:"8.3",Hobbies:"Swimming"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:3,name:"chandana",USN:"1BM19CS006",Sem:6,Dept_Name:"CSE",CGPA:"7.1",Hobbies:"Cycling"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:4,name:"hrithik",USN:"1BM19CS010",Sem:6,Dept_Name:"CSE",CGPA:"8.6",Hobbies:"Reading"});
WriteResult({ "nInserted" : 1 })
> db.Student.insert({_id:5,name:"kanika",USN:"1BM19CS090",Sem:6,Dept_Name:"CSE",CGPA:"9.2",Hobbies:"Cycling"});
WriteResult({ "nInserted" : 1 })
```

```
> db.Student.update({_id:1},{$set:{CGPA:9.0}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.Student.update({_id:2},{$set:{CGPA:9.1}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.Student.update({_id:3},{$set:{CGPA:8.1}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.Student.update({_id:4},{$set:{CGPA:6.5}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.Student.update({_id:5},{$set:{CGPA:8.6}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.students.aggregate({$match:{Dept_Name:"CSE"}},{$group:{_id:"$Sem",AvgCGPA:{$avg:"$CGPA"}},{$match:{AvgCGPA:{$gt:7.5}}}});
> db.Student.aggregate({$match:{Dept_Name:"CSE"}},{$group:{_id:"$Sem",AvgCGPA:{$avg:"$CGPA"}},{$match:{AvgCGPA:{$gt:7.5}}}});
{ "_id" : 6, "AvgCGPA" : 8.26 }
```

```
bmsce@bmsce-Precision-T1700:~$ mongoexport --host localhost --db nayana_db --collection Student --csv --out /home/bmsce/Desktop/output.txt
--fields "_id","Name","USN","Sem","Dept_Name","CGPA","Hobbies"
2022-04-20T15:13:53.933+0530      csv flag is deprecated; please use --type=csv instead
2022-04-20T15:13:53.935+0530      connected to: localhost
2022-04-20T15:13:53.935+0530      exported 5 records
```

```

1 | _id,Name,USN,Sem,Dept_Name,CGPA,Hobbies
2 | 1,,1BM19CS095,6,CSE,9,Badminton
3 | 2,,1BM19CS002,6,CSE,9.1,Swimming
4 | 3,,1BM19CS006,6,CSE,8.1,Cycling
5 | 4,,1BM19CS010,6,CSE,6.5,Reading
6 | 5,,1BM19CS090,6,CSE,8.6,Cycling

```

2) Create a mongodb collection Bank. Demonstrate the following by choosing fields of your choice.

1. Insert three documents
2. Use Arrays(Use Pull and Pop operation)
3. Use Index
4. Use Cursors
5. Updation

```

> db.createCollection("Bank");
{ "ok" : 1 }
> db.insert({CustID:1, Name:"Trivikram Hegde", Type:"Savings", Contact:["9945678231", "080-22364587"]});
uncaught exception: TypeError: db.insert is not a function
@shell>:1:
> db.Bank.insert({CustID:1, Name:"Trivikram Hegde", Type:"Savings", Contact:["9945678231", "080-22364587"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.insert({CustID:2, Name:"Vishvesh Bhat", Type:"Savings", Contact:["6325985615", "080-23651452"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.insert({CustID:3, Name:"Vaishak Bhat", Type:"Savings", Contact:["8971456321", "080-33529458"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.insert({CustID:4, Name:"Pramod P Parande", Type:"Current", Contact:["9745236589", "080-56324587"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.insert({CustID:4, Name:"Shreyas R S", Type:"Current", Contact:["9445678321", "044-65611729", "080-25639856"]});
WriteResult({ "nInserted" : 1 })
> db.Bank.find();
[{"_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231", "080-22364587" ] },
 {"_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-23651452" ] },
 {"_id" : ObjectId("625d77e69329139694f188a4"), "CustID" : 3, "Name" : "Vaishak Bhat", "Type" : "Savings", "Contact" : [ "8971456321", "080-33529458" ] },
 {"_id" : ObjectId("625d78229329139694f188a5"), "CustID" : 4, "Name" : "Pramod P Parande", "Type" : "Current", "Contact" : [ "9745236589", "080-56324587" ] },
 {"_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-65611729", "080-25639856" ] }
> db.Bank.updateMany({CustID:1},{$pop:{Contact:1}});
{ "acknowledged" : true, "matchedCount" : 1, "modifiedCount" : 1 }
> db.Bank.find();
[{"_id" : ObjectId("625d77809329139694f188a2"), "CustID" : 1, "Name" : "Trivikram Hegde", "Type" : "Savings", "Contact" : [ "9945678231" ] },
 {"_id" : ObjectId("625d77bd9329139694f188a3"), "CustID" : 2, "Name" : "Vishvesh Bhat", "Type" : "Savings", "Contact" : [ "6325985615", "080-23651452" ] },
 {"_id" : ObjectId("625d77e69329139694f188a4"), "CustID" : 3, "Name" : "Vaishak Bhat", "Type" : "Savings", "Contact" : [ "8971456321", "080-33529458" ] },
 {"_id" : ObjectId("625d78229329139694f188a5"), "CustID" : 4, "Name" : "Pramod P Parande", "Type" : "Current", "Contact" : [ "9745236589", "080-56324587" ] },
 {"_id" : ObjectId("625d78659329139694f188a6"), "CustID" : 4, "Name" : "Shreyas R S", "Type" : "Current", "Contact" : [ "9445678321", "044-65611729", "080-25639856" ] }

```

```

{
  "_id" : ObjectId("625d78659329139694f188a6"),
  "CustID" : 4,
  "Name" : "Shreyas R S",
  "Type" : "Current",
  "Contact" : [
    "9445678321",
    "044-65611729",
    "080-25639856"
  ]
}
> db.Bank.updateMany({}, {$pull:{Contact:"080-25639856"}});
{
  "acknowledged" : true,
  "matchedCount" : 5,
  "modifiedCount" : 1
}
> db.Bank.find({});
{
  "_id" : ObjectId("625d77809329139694f188a2"),
  "CustID" : 1,
  "Name" : "Trivikram Hegde",
  "Type" : "Savings",
  "Contact" : [
    "9945678231"
  ]
}
{
  "_id" : ObjectId("625d77bd9329139694f188a3"),
  "CustID" : 2,
  "Name" : "Vishvesh Bhat",
  "Type" : "Savings",
  "Contact" : [
    "6325985615",
    "080-23651452"
  ]
}
{
  "_id" : ObjectId("625d77e69329139694f188a4"),
  "CustID" : 3,
  "Name" : "Vaishak Bhat",
  "Type" : "Savings",
  "Contact" : [
    "8971456321",
    "080-33529458"
  ]
}
{
  "_id" : ObjectId("625d78229329139694f188a5"),
  "CustID" : 4,
  "Name" : "Pramod P Parande",
  "Type" : "Current",
  "Contact" : [
    "9745236589",
    "080-56324587"
  ]
}
{
  "_id" : ObjectId("625d78659329139694f188a6"),
  "CustID" : 4,
  "Name" : "Shreyas R S",
  "Type" : "Current",
  "Contact" : [
    "9445678321",
    "044-65611729"
  ]
}
> db.Bank.createIndex({Name:1, Type:1},{name:"Find current account holders"});
{
  "createdCollectionAutomatically" : false,
  "numIndexesBefore" : 1,
  "numIndexesAfter" : 2,
  "ok" : 1
}
> db.Bank.find({});
{
  "_id" : ObjectId("625d77809329139694f188a2"),
  "CustID" : 1,
  "Name" : "Trivikram Hegde",
  "Type" : "Savings",
  "Contact" : [
    "9945678231"
  ]
}
{
  "_id" : ObjectId("625d77bd9329139694f188a3"),
  "CustID" : 2,
  "Name" : "Vishvesh Bhat",
  "Type" : "Savings",
  "Contact" : [
    "6325985615",
    "080-23651452"
  ]
}
{
  "_id" : ObjectId("625d77e69329139694f188a4"),
  "CustID" : 3,
  "Name" : "Vaishak Bhat",
  "Type" : "Savings",
  "Contact" : [
    "8971456321",
    "080-33529458"
  ]
}
{
  "_id" : ObjectId("625d78229329139694f188a5"),
  "CustID" : 4,
  "Name" : "Pramod P Parande",
  "Type" : "Current",
  "Contact" : [
    "9745236589",
    "080-56324587"
  ]
}
{
  "_id" : ObjectId("625d78659329139694f188a6"),
  "CustID" : 4,
  "Name" : "Shreyas R S",
  "Type" : "Current",
  "Contact" : [
    "9445678321",
    "044-65611729"
  ]
}
> db.Bank.getIndexes()
[
  {
    "v" : 2,
    "key": ...
  }
]

```

```

@{shell}:1:20
> db.Bank.update({_id:625d78659329139694f188a6}, {$set: {CustID:5}},{upsert:true});
uncaught exception: SyntaxError: identifier starts immediately after numeric literal :
@{shell}:1:20
> db.Bank.update({_id:"625d78659329139694f188a6"}, {$set: {CustID:5}},{upsert:true});
WriteResult({
  "nMatched" : 0,
  "nUpserted" : 1,
  "nModified" : 0,
  "_id" : "625d78659329139694f188a6"
})
> db.Bank.find({});
{
  "_id" : ObjectId("625d77809329139694f188a2"),
  "CustID" : 1,
  "Name" : "Trivikram Hegde",
  "Type" : "Savings",
  "Contact" : [
    "9945678231"
  ]
}
{
  "_id" : ObjectId("625d77bd9329139694f188a3"),
  "CustID" : 2,
  "Name" : "Vishvesh Bhat",
  "Type" : "Savings",
  "Contact" : [
    "6325985615",
    "080-23651452"
  ]
}
{
  "_id" : ObjectId("625d77e69329139694f188a4"),
  "CustID" : 3,
  "Name" : "Vaishak Bhat",
  "Type" : "Savings",
  "Contact" : [
    "8971456321",
    "080-33529458"
  ]
}
{
  "_id" : ObjectId("625d78229329139694f188a5"),
  "CustID" : 4,
  "Name" : "Pramod P Parande",
  "Type" : "Current",
  "Contact" : [
    "9745236589",
    "080-56324587"
  ]
}
{
  "_id" : ObjectId("625d78659329139694f188a6"),
  "CustID" : 4,
  "Name" : "Shreyas R S",
  "Type" : "Current",
  "Contact" : [
    "9445678321",
    "044-65611729"
  ]
}
{
  "_id" : "625d78659329139694f188a6",
  "CustID" : 5
}
> db.Bank.update({_id:"625d78659329139694f188a6", CustID:5}, {$set: {Name:"Sumantha K S", Type:"Savings", Contact:["9856321478", "011-65897458"]}}, {upsert:true});
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.Bank.find({});
{
  "_id" : ObjectId("625d77809329139694f188a2"),
  "CustID" : 1,
  "Name" : "Trivikram Hegde",
  "Type" : "Savings",
  "Contact" : [
    "9945678231"
  ]
}
{
  "_id" : ObjectId("625d77bd9329139694f188a3"),
  "CustID" : 2,
  "Name" : "Vishvesh Bhat",
  "Type" : "Savings",
  "Contact" : [
    "6325985615",
    "080-23651452"
  ]
}
{
  "_id" : ObjectId("625d77e69329139694f188a4"),
  "CustID" : 3,
  "Name" : "Vaishak Bhat",
  "Type" : "Savings",
  "Contact" : [
    "8971456321",
    "080-33529458"
  ]
}
{
  "_id" : ObjectId("625d78229329139694f188a5"),
  "CustID" : 4,
  "Name" : "Pramod P Parande",
  "Type" : "Current",
  "Contact" : [
    "9745236589",
    "080-56324587"
  ]
}
{
  "_id" : ObjectId("625d78659329139694f188a6"),
  "CustID" : 4,
  "Name" : "Shreyas R S",
  "Type" : "Current",
  "Contact" : [
    "9445678321",
    "044-65611729"
  ]
}
{
  "_id" : "625d78659329139694f188a6",
  "CustID" : 5,
  "Contact" : [
    "9856321478",
    "011-65897458"
  ],
  "Name" : "Sumantha K S",
  "Type" : "Savings"
}
> 

```

1) Using MongoDB,

- Create a database for Faculty and Create a Faculty Collection(Faculty_id, Name, Designation, Department, Age, Salary, Specialization(Set)). ii) Insert required documents to the collection.
- First Filter on “Dept_Name:MECH” and then group it on “Designation” and compute the Average Salary for that Designation and filter those

documents where the “Avg_Sal” is greater than 650000. iv) Demonstrate usage of import and export commands

Write MongoDB queries for the following: 1) To display only the product name from all the documents of the product collection.

- 2) To display only the Product ID, ExpiryDate as well as the quantity from the document of the product collection where the _id column is 1.
- 3) To find those documents where the price is not set to 15000.
- 4) To find those documents from the Product collection where the quantity is set to 9 and the product name is set to ‘monitor’. 5) To find documents from the Product collection where the Product name ends in ‘d’.

```
> db.createCollection("faculty");
{ "ok" : 1 }
> db.faculty.insert({_id:1,name:"Dr. Balaraman Ravindran",designation:"Professor",department:"CSE",age:45,salary:100000,specialization:['python','mysql','sklearn','tensorflow']});
WriteResult({ "nInserted" : 1 })
> db.faculty.insert({_id:2,name:"Dr. Mahadev Ghorkhi",designation:"Assistant Professor",department:"CSE",age:35,salary:80000,specialization:['python','numpy','sklearn','tensorflow','java']});
WriteResult({ "nInserted" : 1 })
> db.faculty.insert({_id:3,name:"Dr. Praveen Borade",designation:"Associate Professor",department:"ME",age:40,salary:75000,specialization:['autocad','aerodynamics','thermal physics']});
WriteResult({ "nInserted" : 1 })
> db.faculty.insert({_id:4,name:"Dr. Madhav Nayak",designation:"Assistant Professor",department:"ME",age:37,salary:95000,specialization:['autocad','flight-dynamics','Finite Element Analysis']});
WriteResult({ "nInserted" : 1 })
> db.faculty.aggregate ( { $match:{department:"ME"}}, { $group : {_id : "$designation", AverageSal :{$avg:"$salary"} } }, { $match:{AverageSal:{$gt:50000}} });
[ { "_id" : "Associate Professor", "AverageSal" : 75000 },
{ "_id" : "Assistant Professor", "AverageSal" : 95000 }
> db.createCollection("product");
{ "ok" : 1 }
> db.product.insert({_id:1, pname:"keyboard", mdate:2001, price:1800, quantity:2});
WriteResult({ "nInserted" : 1 })
> db.product.insert({_id:2, pname:"mouse", mdate:2005, price:1500, quantity:5});
WriteResult({ "nInserted" : 1 })
> db.product.insert({_id:3, pname:"monitor", mdate:2015, price:10000, quantity:9});
WriteResult({ "nInserted" : 1 })
> db.product.insert({_id:4, pname:"motherboard", mdate:2021, price:15000, quantity:4});
WriteResult({ "nInserted" : 1 })
> db.product.find({}, {pname:1, _id:0})
[ { "pname" : "keyboard" },
{ "pname" : "mouse" },
{ "pname" : "monitor" },
{ "pname" : "motherboard" }
> db.product.find({_id:1}, {pid:1, _id:0, mdate:1, quantity:1});
{ "pid" : 1, "mdate" : 2001, "quantity" : 2 }
> db.product.find({price:{$ne:15000}}, {pname:1, _id:0});
[ { "pname" : "keyboard" },
{ "pname" : "mouse" } ]
```

- 3) Create a mongodb collection Hospital. Demonstrate the following by choosing fields of choice.

- 1 Insert three documents
- 2 Use Arrays(Use Pull and Pop operation)
- 3 Use Index
- 4 Use Cursors
- 5 Updation

```
{ "pname" : "motherboard" }
> db.product.find({pid:1},{pid:1,_id:0,mdate:1,quantity:1});
{ "_id" : 1, "mdate" : 2001, "quantity" : 2 }
> db.product.find({price:{$ne:15000}},{pname:1,_id:0});
{ "pname" : "keyboard" }
{ "pname" : "mouse" }
{ "pname" : "monitor" }
> db.product.find({$and:[{quantity:{$eq:9}}, {pname:"monitor"}]}),{pname:1,_id:0})
{ "pname" : "monitor" }
> db.product.find({pname:/d$/},{pname:1,quantity:1,_id:0})
{ "pname" : "keyboard", "quantity" : 2 }
{ "pname" : "motherboard", "quantity" : 4 }
> db.createCollection("hospital");
{ "ok" : 1 }
> db.hospital.insert({_id:1, Name: "Anshuman Agarwal", age:23, diseases:["fever", "diarrhoea", "wheezing", "gastritis"]});
WriteResult({ "nInserted" : 1 })
> db.hospital.insert({_id:2, Name: "Pinky Chaubey", age:35, diseases:["fever", "nausea", "food infection", "indigestion", "kidney stones"]});
WriteResult({ "nInserted" : 1 })
> db.hospital.insert({_id:3, Name: "Amresh Chowpati", age:63, diseases:["hyperglycemia", "diabetes mellitus", "food poisoning", "cold"]});
WriteResult({ "nInserted" : 1 })
> db.hospital.updateMany({},{$pull:{diseases:"fever"}});
{ "acknowledged" : true, "matchedCount" : 3, "modifiedCount" : 2 }
> db.hospital.updateOne({_id:1},{$pop:{diseases:-1}});
{ "acknowledged" : true, "matchedCount" : 1, "modifiedCount" : 1 }
> db.hospital.find({"diseases.2":"nausea"});
> db.hospital.find({"diseases.1":"nausea"});
> d.hospital.find();
uncaught exception: ReferenceError: d is not defined :
@(shell):1:1
> db.hospital.find();
{ "_id" : 1, "Name" : "Anshuman Agarwal", "age" : 23, "diseases" : [ "wheezing", "gastritis" ] }
{ "_id" : 2, "Name" : "Pinky Chaubey", "age" : 35, "diseases" : [ "nausea", "food infection", "indigestion", "kidney stones" ] }
{ "_id" : 3, "Name" : "Amresh Chowpati", "age" : 63, "diseases" : [ "hyperglycemia", "diabetes mellitus", "food poisoning", "cold" ] }
> db.hospital.find({"diseases.0":"nausea"});
{ "_id" : 2, "Name" : "Pinky Chaubey", "age" : 35, "diseases" : [ "nausea", "food infection", "indigestion", "kidney stones" ] }
> db.hospital.update({_id:3},{$set:{'diseases.1':'sarscov'}});
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> 
```

Hadoop Commands

```
hdusersbmsce-OptiPlus-3000:~$ sudo su hduser [sudo] password
for hduser:

hdusersbmsce-OptiPlus-3000: ~$ start-all.sh
This script is Deprecated. Instead use start-dfs.sh and start-yarn.sh
22/06/06 14:43:45 WARN util.NativeCodeLoader: Unable to load native-hadoop
Library for your platform... using builtin-java classes where applicable Starting
namenodes on [localhost] localhost: nanenade running as process 3396. Stop it
first. localhost: datanode running as process 3564, Stop it first.
starting secondary namenodes [0.0.0.0)
0.0.0.0: secondarynamenode running as process 3773. Stop it first. 022/06/06
14:43:47 WARN uttt.NativeCodeLoader: Unable to load native-hadoop library for your
starting yarn daemons resource process 3932. Stop it first.
Localhost: running as process 4255. stop it first.
6003 Jps
3932 ResourceManager
3773 SecondaryNameNode 4255
NodeManager
hdusersbmsce-OptiPlus-3060:~$ hdfs dfs -mkdir /khushil
hdusersbmsce-OptiPlus-3060:~$ hdfs dfs -ls /
22/06/06 14:45:30 WARN util.NativeCodeLoader: Unable to load native-hadoop library
for your platform... using builtin-java classes where applicable Found 19 itens
drwxr-xr-x hduser supergroup 02022-06-06
11:44 /AAA drwxr-xr-x -hduser supergroup
2022-06-03 12:17 /Army drwxr-xr-x hduser
supergroup 02022-06-06 11:40 /Avnit
drwxr-xr-x -hduser supergroup 02022-05-31
10:44 /88 drwxr-xr-x -hduser supergroup
02022-06-01 15:03 /Cath drwxr-xr-x -
hduser supergroup drwxr-xr-x hduser
supergroup drwxr-xr-x -hduser supergroup
drwxr-xr-x -hduser supergroup drwxr-xr-x
-hduser supergroup drwxr-xr-x -hduser
supergroup drwxr-xr-x -hduser supergroup
drwxr-xr-x -hduser supergroup drwxr-xr-x
-hduser supergroup drwxr-xr-x - hduser
supergroup drwxr-xr-x -hduser supergroup
82022-06-04 10:06 /FFF
02022-06-06 14:40 /Kmrv
02022-06-06 14:44 /Khushil
02022-06-01 15:03 /Neha
02022-06-04 09:54 /WC.txt
0 2022-06-04 09:54 /welcone.txt
0 2022-06-06 11:36 /abc
62022-06-03 12:13 /akash
0 2022-06-03 15:12 /darshan
```

0 2022-06-04 09:31 /ghh 8 2022-06-06

```
11:45 /hello drwxr-xr-x -hduser
supergroup 62022-06-04 09:35 /rahul
drwxr-xr-x -hduser supergroup 02022-
06-03 12:11 /shre drwxr-xr-x .hduser
supergroup 02022-06-03 12:41
/shreshtha
hdusersbmsce-OptiPlus-3060:-$ hdfs dfs put /home/hduser/Desktop/6b.txt
/Khushil/WC.txt
22/05/06 14:46:40 WARN util.NativeCodeLoader: Unable to load native-hadoop library
for your platform... using builtin-java classes where applicable hduserabesce-
OptiPlex-3060:-$ hdfs dfs cat /Khushil/WC.txt
22/06/06 14:47:00 WARN util.NativeCodeLoader: Unable to load native-hadoop library
for your platform... using builtin-java classes where applicable hello fron of
hdusersbmsce-OptiPlus-3040:-$ hdfs dfs-get /Khushil/WC.txt
/home/hduser/Downloads/newic.txt
22/05/06 14:51:43 WARN util.NativeCodeLoader: Unable to load nattve-hadoop library
for your platform... using builtin-java classes where applicable hdusersbmsce-
OptiPlus-3066:-$ cd Downloads hdusersbmsce-OptiPlus-3060:/Downloads$ cat
newwMC.Ext hello from 6E
hdusersbmsce-OptiPlus-3060:-$ hdfs dfs -ls /Khushil/
22/06/06 14:54:04 WARN util.NativeCodeLoader: Unable to load native-hadoop
Library for your platform... using builtin java classes where applicable
Found 2 itens
-rw-r--r-- 1 hduser supergroup
23 2822-06-06 14:46 /Khushil/MC.txt
1 hduser supergroup
23 2022-06-06 14:58 /Khushil/newwc.txt
hdusersbmsce-OptiPlus-3060:-5 hdfs drs -getmerge /Khushil/wc.txt
/Khushil/newwc.txt /bone/hduser/Desktop/newmerge.txt
22/06/06 14:55:18 NARN util.NativeCodeLoader: Unable to load nattve-hadoop library
for your platform... using butitin-Java classes where applicable hduserabesce-
OptiPlex-3060:~$ cd Desktop hduser@besce-OptiPlex-3060:/Desktops cat newmerge.txt
hello from 68
D B
hello from 68
D B
hdusersbmsce-OptiPlus-3060:/Desktops hadoop fs getfacl /Khushil/ 22/06/06 14:56:24
WARN util.NativeCodeLoader: Unable to load native hadoop library for your platform...
using builtin java classes where applicable
# file: /Khushil
# owner: hduser # group:
supergroup user::rwx
group::r-x other::r-x
hdusersbmsce-OptiPlus-3060:/Desktop5 hdfs dfs copyToLocal /Khushil/HC.txt
/home/hduser/Desktop
```

```
22/05/06 14:58:09 WARN util.NativeCodeLoader: Unable to load native-hadoop Library  
for your platform... using builtin-java classes where applicable hdusersbmsce-  
OptiPlus-3000:-/Desktop5 cat MC.txt hello from 68
```

hdusersbmsce-OptiPlus-3060:-/Desktops hdfs dfs -cat /Khushil/MC.txt 22/06/06

```
14:58:59 WARN util.NativeCodeLoader: Unable to load native-hadoop Library for your
platform... using builtin-Java classes where applicable hello from GB B
hdusersbmsce-OptiPlus-3060:-/Desktop5 hadoop fs - /Khushil /FFF 22/06/06 14:59:46 WARN
util.NativeCodeLoader: Unable to load native-hadoop Library for your platform... using
builtin-java classes where applicable hduseransce- OptiPlex-3060:-/Desktops hadoop fs-Ls
/FFF 22/05/06 15:00:00 WARN util.NativeCodeLoader: Unable to load native-hadoop library
for your platform... using builtin-java classes where applicable Found 2 items drwxr-xr-
x -hduser supergroup TWEE 1 hduser supergroup 02022-05-06 14:50
/FFF/Khushil 17 2022-05-04 10:06 /FFF/MC.txt
hdusersbmsce-OptiPlus-3060:-/Desktops hadoop fs cp /FFF/ /LLL
22/06/06 15:09:34 WARN util.NativeCodeLoader: Unable to load native hadoop library
for your platform... using builtin-java classes where applicable hdusersbmsce-
OptiPlus-3060:-/Desktops hadoop fs -Ls /LLL
22/06/06 15:10:07 WARN util.NativeCodeLoader: Unable to load native-hadoop library
for your platform... using builtin-java classes where applicable Found 2 items
drwxr-xr-x -hduser supergroup hdusersbmsce-OptiPlus-3000:-/Desktops
02022-06-06 15:09 /LLL/KHUSHIL
17 2022-00-00 15:09 /LLL/MC.txt
```

Hadoop Programs

1) Word Count

WCMapper Java Class file.

```
// Importing libraries import
java.io.IOException; import
org.apache.hadoop.io.IntWritable; import
org.apache.hadoop.io.LongWritable; import
org.apache.hadoop.io.Text;
import org.apache.hadoop.mapred.MapReduceBase;
import org.apache.hadoop.mapred.Mapper; import
org.apache.hadoop.mapred.OutputCollector; import
org.apache.hadoop.mapred.Reporter;

public class WCMapper extends MapReduceBase implements
Mapper<LongWritable,
Text, Text, IntWritable> {

// Map function
    public void map(LongWritable key, Text value, OutputCollector<Text,
IntWritable> output, Reporter rep) throws IOException
{
    String line = value.toString();

// Splitting the line on spaces for (String
word : line.split(" "))
{ if (word.length() > 0)
{ output.collect(new Text(word), new IntWritable(1));
} } } }
```

Reducer Code

```
// Importing libraries import java.io.IOException;
import         java.util.Iterator;           import
org.apache.hadoop.io.IntWritable;       import
org.apache.hadoop.io.Text;             import
org.apache.hadoop.mapred.MapReduceBase; import
org.apache.hadoop.mapred.OutputCollector; import
org.apache.hadoop.mapred.Reducer;      import
org.apache.hadoop.mapred.Reporter;

public class WCReducer extends MapReduceBase implements Reducer<Text,
                           IntWritable, Text, IntWritable> {

    // Reduce function
    public void reduce(Text key, Iterator<IntWritable> value,
                       OutputCollector<Text, IntWritable> output,
                           Reporter rep) throws IOException
    { int count = 0;

        // Counting the frequency of each words while
        (value.hasNext())
        {
            IntWritable i = value.next(); count += i.get();
        }

        output.collect(key, new IntWritable(count)); }
    }
```

Driver Code:

```
// Importing libraries import java.io.IOException; import
org.apache.hadoop.conf.Configured; import
org.apache.hadoop.fs.Path; import
org.apache.hadoop.io.IntWritable; import
org.apache.hadoop.io.Text; import
org.apache.hadoop.mapred.FileInputFormat; import
org.apache.hadoop.mapred.FileOutputFormat; import
org.apache.hadoop.mapred.JobClient; import
org.apache.hadoop.mapred.JobConf; import
org.apache.hadoop.util.Tool; import
org.apache.hadoop.util.ToolRunner;

public class WCDriver extends Configured implements Tool {

public int run(String args[]) throws IOException
{ if (args.length < 2)
{
System.out.println("Please give valid inputs"); return -1;
}
```

```
JobConf conf = new JobConf(WCDriver.class);
FileInputFormat.setInputPaths(conf, new Path(args[0]));
FileOutputFormat.setOutputPath(conf, new Path(args[1]));
conf.setMapperClass(WCMapper.class); conf.setReducerClass(WCReducer.class);
conf.setMapOutputKeyClass(Text.class);
conf.setMapOutputValueClass(IntWritable.class);
conf.setOutputKeyClass(Text.class); conf.setOutputValueClass(IntWritable.class);
JobClient.runJob(conf); return 0;
```

```

hduser@bmse-Precision-T1700:~$ su hduser\
> ^C
hduser@bmse-Precision-T1700:~$ ^C
hduser@bmse-Precision-T1700:~$ su hduser
Password:
hduser@bmse-Precision-T1700:~$ start-all.sh
This script is Deprecated. Instead use start-dfs.sh and start-yarn.sh
Starting namenodes on [localhost]
hduser@localhost's password:
localhost: starting namenode, logging to /usr/local/hadoop/logs/hadoop-hduser-namenode-bmse-
Precision-T1700.out
hduser@localhost's password:
localhost: starting datanode, logging to /usr/local/hadoop/logs/hadoop-hduser-datanode-bmse-
Precision-T1700.out
Starting secondary namenodes [0.0.0.0]
hduser@0.0.0.0's password:
0.0.0.0: starting secondarynamenode, logging to /usr/local/hadoop/logs/hadoop-hduser-
secondarynamenode-bmse-Precision-T1700.out
starting yarn daemons
starting resourcemanager, logging to /usr/local/hadoop/logs/yarn-hduser-resourcemanager-bmse-
Precision-T1700.out
hduser@localhost's password:
localhost: starting nodemanager, logging to /usr/local/hadoop/logs/yarn-hduser-nodemanager-
bmse-Precision-T1700.out
hduser@bmse-Precision-T1700:~$ jps
7328 Jps
6497 DataNode
4372 org.eclipse.equinox.launcher_1.5.600.v20191014-2022.jar
6325 NameNode
7286 NodeManager
6872 ResourceManager
6713 SecondaryNameNode
hduser@bmse-Precision-T1700:~$ cat > sample.txt
hi in khushil
i am learing hadoop
hadoop is awesome
^C
hduser@bmse-Precision-T1700:~$ cat sample.txt
hi in khushil
i am learing hadoop
hadoop is awesome
hduser@bmse-Precision-T1700:~$ hdfs dfs -ls /
Found 18 items
drwxr-xr-x  - hduser supergroup      0 2022-06-06 12:35 /CSE
drwxr-xr-x  - hduser supergroup      0 2022-06-06 12:23 /FFF
drwxr-xr-x  - hduser supergroup      0 2022-06-06 12:36 /LLL
drwxr-xr-x  - hduser supergroup      0 2022-06-20 12:06 /amit_bda
drwxr-xr-x  - hduser supergroup      0 2022-06-03 14:52 /bharath
drwxr-xr-x  - hduser supergroup      0 2022-06-03 14:43 /bharath035
drwxr-xr-x  - hduser supergroup      0 2022-05-31 10:21 /example
drwxr-xr-x  - hduser supergroup      0 2022-06-01 15:13 /foldernew
drwxr-xr-x  - hduser supergroup      0 2022-06-06 15:04 /hemang061
drwxr-xr-x  - hduser supergroup      0 2022-06-03 12:27 /irfan
drwxr-xr-x  - hduser supergroup      0 2022-06-01 15:09 /muskan
drwxr-xr-x  - hduser supergroup      0 2022-06-06 15:04 /new_folder
drwxr-xr-x  - hduser supergroup      0 2022-05-31 10:26 /one
drwxr-xr-x  - hduser supergroup      0 2022-06-20 12:17 /output
drwxr-xr-x  - hduser supergroup      0 2022-06-03 12:08 /saurab
drwxrwxr-x  - hduser supergroup      0 2019-08-01 16:19 /tmp
drwxr-xr-x  - hduser supergroup      0 2019-08-01 16:03 /user

```

```
// Main Method
public static void main(String args[]) throws Exception
{ int exitCode = ToolRunner.run(new WCDriver(), args);
System.out.println(exitCode);
}
}
```

Output :

```

drwxr-xr-x - hduser supergroup          0 2022-06-01 09:46 /user1
hduser@bmse-Precision-T1700:~$ hdfs dfs -mkdir /input_khushil
hduser@bmse-Precision-T1700:~$ hdfs dfs -ls /
Found 19 items
drwxr-xr-x - hduser supergroup          0 2022-06-06 12:35 /CSE
drwxr-xr-x - hduser supergroup          0 2022-06-06 12:23 /FFF
drwxr-xr-x - hduser supergroup          0 2022-06-06 12:36 /LLL
drwxr-xr-x - hduser supergroup          0 2022-06-20 12:06 /amit_bda
drwxr-xr-x - hduser supergroup          0 2022-06-03 14:52 /bharath
drwxr-xr-x - hduser supergroup          0 2022-06-03 14:43 /bharath035
drwxr-xr-x - hduser supergroup          0 2022-05-31 10:21 /example
drwxr-xr-x - hduser supergroup          0 2022-06-01 15:13 /foldernew
drwxr-xr-x - hduser supergroup          0 2022-06-06 15:04 /hemang061
drwxr-xr-x - hduser supergroup          0 2022-06-20 15:13 /input_khushil
drwxr-xr-x - hduser supergroup          0 2022-06-03 12:27 /irfan
drwxr-xr-x - hduser supergroup          0 2022-06-01 15:09 /muskan
drwxr-xr-x - hduser supergroup          0 2022-06-06 15:04 /new_folder
drwxr-xr-x - hduser supergroup          0 2022-05-31 10:26 /one
drwxr-xr-x - hduser supergroup          0 2022-06-20 12:17 /output
drwxr-xr-x - hduser supergroup          0 2022-06-03 12:08 /saurab
drwxrwxr-x - hduser supergroup          0 2019-08-01 16:19 /tmp
drwxr-xr-x - hduser supergroup          0 2019-08-01 16:03 /user
drwxr-xr-x - hduser supergroup          0 2022-06-01 09:46 /user1
hduser@bmse-Precision-T1700:~$ hdfs dfs -put /home/hduser/sample.txt /input_khushil
hduser@bmse-Precision-T1700:~$ hdfs dfs -ls /input_khushil
Found 1 items
-rw-r--r-- 1 hduser supergroup      52 2022-06-20 15:15 /input_khushil/sample.txt
hduser@bmse-Precision-T1700:~$ hadoop jar /home/hduser/khushil/WordCount.jar WCDriver
/input_khushil /input_khushil/output_khushil
22/06/20 15:16:44 INFO Configuration.deprecation: session.id is deprecated. Instead, use
dfs.metrics.session-id
22/06/20 15:16:44 INFO jvm.JvmMetrics: Initializing JVM Metrics with processName=JobTracker,
sessionId=
22/06/20 15:16:44 INFO jvm.JvmMetrics: Cannot initialize JVM Metrics with
processName=JobTracker, sessionId= - already initialized
22/06/20 15:16:44 WARN mapreduce.JobSubmitter: Hadoop command-line option parsing not
performed. Implement the Tool interface and execute your application with ToolRunner to remedy
this.
22/06/20 15:16:44 INFO mapred.FileInputFormat: Total input paths to process : 1
22/06/20 15:16:44 INFO mapreduce.JobSubmitter: number of splits:1
22/06/20 15:16:44 INFO mapreduce.JobSubmitter: Submitting tokens for job:
job_local230197290_0001
22/06/20 15:16:44 INFO mapreduce.Job: The url to track the job: http://localhost:8080/
22/06/20 15:16:44 INFO mapred.LocalJobRunner: OutputCommitter set in config null
22/06/20 15:16:44 INFO mapreduce.Job: Running job: job_local230197290_0001
22/06/20 15:16:44 INFO mapred.LocalJobRunner: OutputCommitter is
org.apache.hadoop.mapred.FileOutputCommitter
22/06/20 15:16:44 INFO mapred.LocalJobRunner: Waiting for map tasks
22/06/20 15:16:44 INFO mapred.LocalJobRunner: Starting task:
attempt_local230197290_0001_m_000000_0
22/06/20 15:16:44 INFO mapred.Task: Using ResourceCalculatorProcessTree : [ ]
22/06/20 15:16:44 INFO mapred.MapTask: Processing split:
hdfs://localhost:54310/input_khushil/sample.txt:0+52
22/06/20 15:16:44 INFO mapred.MapTask: numReduceTasks: 1
22/06/20 15:16:44 INFO mapred.MapTask: (EQUATOR) 0 kvi 26214396(104857584)
22/06/20 15:16:44 INFO mapred.MapTask: mapreduce.task.io.sort.mb: 100
22/06/20 15:16:44 INFO mapred.MapTask: soft limit at 83886080
22/06/20 15:16:44 INFO mapred.MapTask: bufstart = 0; bufvoid = 104857600
22/06/20 15:16:44 INFO mapred.MapTask: kvstart = 26214396; length = 6553600

```

```
dc_time elapsed (ms)=1
CPU time spent (ms)=0
Physical memory (bytes) snapshot=0
Virtual memory (bytes) snapshot=0
Total committed heap usage (bytes)=471859200
Shuffle Errors
  BAD_ID=0
  CONNECTION=0
  IO_ERROR=0
  WRONG_LENGTH=0
  WRONG_MAP=0
  WRONG_REDUCE=0
File Input Format Counters
  Bytes Read=52
File Output Format Counters
  Bytes Written=63
0
hduser@bmsce-Precision-T1700:~$ hdfs dfs -ls /input_khushil
Found 2 items
drwxr-xr-x  - hduser supergroup      0 2022-06-20 15:16 /input_khushil/output_khushil
-rw-r--r--  1 hduser supergroup      52 2022-06-20 15:16 /input_khushil/sample.txt
hduser@bmsce-Precision-T1700:~$ hdfs dfs -ls /input_khushil/output_khushil
Found 2 items
-rw-r--r--  1 hduser supergroup      0 2022-06-20 15:16
/input_khushil/output_khushil/_SUCCESS

-rw-r--r--  1 hduser supergroup      63 2022-06-20 15:16

```

2) Top N

Driver-TopN.class

```
package samples.topn;

import java.io.IOException; import
java.util.StringTokenizer; import
org.apache.hadoop.conf.Configuration; import
org.apache.hadoop.fs.Path; import
org.apache.hadoop.io.IntWritable; import
org.apache.hadoop.io.Text; import
org.apache.hadoop.mapreduce.Job; import
org.apache.hadoop.mapreduce.Mapper;
import org.apache.hadoop.mapreduce.lib.input.FileInputFormat;
import
org.apache.hadoop.mapreduce.lib.output.FileOutputFormat; import
org.apache.hadoop.util.GenericOptionsParser;

public class TopN { public static void main(String[] args)
throws Exception {
Configuration conf = new Configuration();
String[] otherArgs = (new GenericOptionsParser(conf,
args)).getRemainingArgs(); if (otherArgs.length != 2) {
System.err.println("Usage: TopN <in> <out>"); System.exit(2);
}
Job job = Job.getInstance(conf); job.setJobName("Top N");
job.setJarByClass(TopN.class);
job.setMapperClass(TopNMapper.class);
job.setReducerClass(TopNReducer.class);
job.setOutputKeyClass(Text.class);
job.setOutputValueClass(IntWritable.class);
FileInputFormat.addInputPath(job, new Path(otherArgs[0]));
FileOutputFormat.setOutputPath(job, new
Path(otherArgs[1]));
System.exit(job.waitForCompletion(true) ? 0 : 1); }

public static class TopNMapper extends Mapper<Object, Text,
```

```
Text, IntWritable> { private static final IntWritable one = new
```

```
    IntWritable(1);
private Text word = new Text();
private String tokens = "[_|\$#<>\\^=\\\\[\\]\\]*\\\\\\\\\\,;,.\\\\-
 :()?!\""]";
public void map(Object key, Text value, Mapper<Object,
Text, Text, IntWritable>.Context context) throws IOException,
InterruptedException {
    String cleanLine =
value.toString().toLowerCase().replaceAll(this.tokens, " ");
StringTokenizer itr = new StringTokenizer(cleanLine); while
(itr.hasMoreTokens()) { this.word.set(itr.nextToken().trim());
context.write(this.word, one);
}
}
}
}
}
```

```
TopNCombiner.class      package
samples.topn;

import java.io.IOException;
import org.apache.hadoop.io.IntWritable; import
org.apache.hadoop.io.Text; import
org.apache.hadoop.mapreduce.Reducer;

public class TopNCombiner extends Reducer<Text, IntWritable,
Text, IntWritable> { public void reduce(Text key,
Iterable<IntWritable> values, Reducer<Text, IntWritable, Text,
IntWritable>.Context context) throws IOException,
InterruptedException { int sum = 0;
for (IntWritable val : values) sum +=
val.get();
context.write(key, new IntWritable(sum)); }
}
```

}

TopNReducer.class package
samples.topn;

```
import java.io.IOException; import
```

```
java.util.HashMap; import
java.util.Map;
import org.apache.hadoop.io.IntWritable; import
org.apache.hadoop.io.Text; import
org.apache.hadoop.mapreduce.Reducer; import
utils.MiscUtils;

public class TopNReducer extends Reducer<Text, IntWritable,
Text, IntWritable> { private Map<Text, IntWritable> countMap =
new HashMap<>();
public void reduce(Text key, Iterable<IntWritable> values,
Reducer<Text, IntWritable, Text, IntWritable>.Context context)
throws IOException, InterruptedException { int sum = 0;
for (IntWritable val : values) sum +=
val.get();
this.countMap.put(new Text(key), new IntWritable(sum));
}
protected void cleanup(Reducer<Text, IntWritable, Text,
IntWritable>.Context context) throws IOException,
InterruptedException {
Map<Text, IntWritable> sortedMap =
MiscUtils.sortByValues(this.countMap); int
counter = 0;
for (Text key : sortedMap.keySet()) { if
(counter++ == 20) break;
context.write(key, sortedMap.get(key));
}
}
```

```

hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -mkdir /khushil_topn
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -put ./input.txt /khushil_topn/
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -ls /khushil_topn/
Found 1 items
-rw-r--r-- 1 hduser supergroup      103 2022-06-27 15:43 /khushil_topn/input.txt
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hadoop jar topn.jar TopNDriver
/khushil_topn/input.txt /khushil_topn/output
Exception in thread "main" java.lang.ClassNotFoundException: TopNDriver
        at java.net.URLClassLoader.findClass(URLClassLoader.java:382)
        at java.lang.ClassLoader.loadClass(ClassLoader.java:418)
        at java.lang.ClassLoader.loadClass(ClassLoader.java:351)
        at java.lang.Class.forName0(Native Method)
        at java.lang.Class.forName(Class.java:348)
        at org.apache.hadoop.util.RunJar.run(RunJar.java:214)
        at org.apache.hadoop.util.RunJar.main(RunJar.java:136)
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hadoop jar topn.jar topn.TopNDriver
/khushil_topn/input.txt /khushil_topn/output
22/06/27 15:45:22 INFO Configuration.deprecation: session.id is deprecated. Instead, use
dfs.metrics.session-id
22/06/27 15:45:22 INFO jvm.JvmMetrics: Initializing JVM Metrics with processName=JobTracker,
sessionId=
22/06/27 15:45:22 INFO input.FileInputFormat: Total input paths to process : 1
22/06/27 15:45:22 INFO mapreduce.JobSubmitter: number of splits:1
22/06/27 15:45:22 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_local691635730_0001
22/06/27 15:45:22 INFO mapreduce.Job: The url to track the job: http://localhost:8080/
22/06/27 15:45:22 INFO mapreduce.Job: Running job: job_local691635730_0001
22/06/27 15:45:22 INFO mapred.LocalJobRunner: OutputCommitter set in config null
22/06/27 15:45:22 INFO mapred.LocalJobRunner: OutputCommitter is
org.apache.hadoop.mapreduce.lib.output.FileOutputCommitter
22/06/27 15:45:22 INFO mapred.LocalJobRunner: Waiting for map tasks
22/06/27 15:45:22 INFO mapred.LocalJobRunner: Starting task: attempt_local691635730_0001_m_000000_0
22/06/27 15:45:22 INFO mapred.Task: Using ResourceCalculatorProcessTree : [ ]
22/06/27 15:45:22 INFO mapred.MapTask: Processing split:
hdfs://localhost:54310/khushil_topn/input.txt:0+103
22/06/27 15:45:22 INFO mapred.MapTask: (EQUATOR) 0 kvi 26214396(104857584)
22/06/27 15:45:22 INFO mapred.MapTask: mapreduce.task.io.sort.mb: 100
22/06/27 15:45:22 INFO mapred.MapTask: soft limit at 83886080
22/06/27 15:45:22 INFO mapred.MapTask: bufstart = 0; bufvoid = 104857600
22/06/27 15:45:22 INFO mapred.MapTask: kvstart = 26214396; length = 6553600
22/06/27 15:45:22 INFO mapred.MapTask: Map output collector class =
org.apache.hadoop.mapred.MapTask$MapOutputBuffer
22/06/27 15:45:22 INFO mapred.LocalJobRunner:
22/06/27 15:45:22 INFO mapred.MapTask: Starting flush of map output
22/06/27 15:45:22 INFO mapred.MapTask: Spilling map output
22/06/27 15:45:22 INFO mapred.MapTask: bufstart = 0; bufend = 187; bufvoid = 104857600
22/06/27 15:45:22 INFO mapred.MapTask: kvstart = 26214396(104857584); kvend = 26214316(104857264);
length = 81/6553600
22/06/27 15:45:22 INFO mapred.MapTask: Finished spill 0
22/06/27 15:45:22 INFO mapred.Task: Task:attempt_local691635730_0001_m_000000_0 is done. And is in
the process of committing
22/06/27 15:45:22 INFO mapred.LocalJobRunner: map
22/06/27 15:45:22 INFO mapred.Task: Task 'attempt_local691635730_0001_m_000000_0' done.
22/06/27 15:45:22 INFO mapred.LocalJobRunner: Finishing task: attempt_local691635730_0001_m_000000_0
22/06/27 15:45:22 INFO mapred.LocalJobRunner: map task executor complete.
22/06/27 15:45:22 INFO mapred.LocalJobRunner: Waiting for reduce tasks
22/06/27 15:45:22 INFO mapred.LocalJobRunner: Starting task: attempt_local691635730_0001_r_000000_0
22/06/27 15:45:22 INFO mapred.Task: Using ResourceCalculatorProcessTree : [ ]

```

Output:

```
Map input records=6
Map output records=21
Map output bytes=187
Map output materialized bytes=235
Input split bytes=110
Combine input records=0
Combine output records=0
Reduce input groups=15
Reduce shuffle bytes=235
Reduce input records=21
Reduce output records=15
Spilled Records=42
Shuffled Maps =1
Failed Shuffles=0
Merged Map outputs=1
GC time elapsed (ms)=42
CPU time spent (ms)=0
Physical memory (bytes) snapshot=0
Virtual memory (bytes) snapshot=0
Total committed heap usage (bytes)=578289664
Shuffle Errors
BAD_ID=0
CONNECTION=0
IO_ERROR=0
WRONG_LENGTH=0
WRONG_MAP=0
WRONG_REDUCE=0
File Input Format Counters
Bytes Read=103
File Output Format Counters
Bytes Written=105
hduser@bmse-Precision-T1700:~/Desktop/temperature$ hdfs dfs -ls /khushil_topn/output/
Found 2 items
-rw-r--r-- 1 hduser supergroup          0 2022-06-27 15:45 /khushil_topn/output/_SUCCESS
-rw-r--r-- 1 hduser supergroup      105 2022-06-27 15:45 /khushil_topn/output/part-r-00000
hduser@bmse-Precision-T1700:~/Desktop/temperature$ hdfs dfs -cat /khushil_topn/output/part-r-00000
hadoop 4
i3
am    2
hi    1
im    1
is    1
there 1
bye   1
learing 1
awesome 1
love   1
khushil 1
cool   1
and   1
using  1
hduser@bmse-Precision-T1700:~/Desktop/temperature$
```

B) Average Temperature

AverageDriver package

```
temp;


import org.apache.hadoop.fs.Path; import
org.apache.hadoop.io.IntWritable; import
org.apache.hadoop.io.Text; import
org.apache.hadoop.mapreduce.Job;
import org.apache.hadoop.mapreduce.lib.input.FileInputFormat;
import org.apache.hadoop.mapreduce.lib.output.FileOutputFormat;

public class AverageDriver { public static void main(String[]
args) throws Exception { if (args.length != 2) {
    System.err.println("Please Enter the input and output
parameters");
    System.exit(-1);
}
Job job = new Job();
job.setJarByClass(AverageDriver.class); job.setJobName("Max
temperature");
FileInputFormat.addInputPath(job, new Path(args[0]));
FileOutputFormat.setOutputPath(job, new Path(args[1]));
job.setMapperClass(AverageMapper.class);
job.setReducerClass(AverageReducer.class);
job.setOutputKeyClass(Text.class);
job.setOutputValueClass(IntWritable.class);
System.exit(job.waitForCompletion(true) ? 0 : 1); }
}
```

AverageMapper

```
package temp;

import java.io.IOException;
import org.apache.hadoop.io.IntWritable;
import org.apache.hadoop.io.LongWritable;
import org.apache.hadoop.io.Text; import
org.apache.hadoop.mapreduce.Mapper;
```



```
public class AverageMapper extends Mapper<LongWritable, Text,  
Text, IntWritable> { public static final  
int MISSING = 9999;  
public void map(LongWritable key, Text value,  
Mapper<LongWritable, Text, Text, IntWritable>.Context context)  
throws IOException, InterruptedException { int temperature;  
String line = value.toString(); String year  
= line.substring(15, 19); if  
(line.charAt(87) == '+') {  
temperature = Integer.parseInt(line.substring(88, 92));  
} else { temperature = Integer.parseInt(line.substring(87, 92));  
}  
String quality = line.substring(92, 93);  
if (temperature != 9999 && quality.matches("[01459]"))  
context.write(new Text(year), new IntWritable(temperature));  
}  
}
```

AverageReducer package
temp;

```
import java.io.IOException;  
import org.apache.hadoop.io.IntWritable;  
import org.apache.hadoop.io.Text; import  
org.apache.hadoop.mapreduce.Reducer;  
  
public class AverageReducer extends Reducer<Text, IntWritable,  
Text, IntWritable> { public void reduce(Text key,  
Iterable<IntWritable> values, Reducer<Text, IntWritable, Text,  
IntWritable>.Context context) throws IOException,  
InterruptedException { int max_temp = 0; int count = 0;
```

```
for (IntWritable value : values) {
```

```
max_temp += value.get(); count++;
}
    context.write(key, new IntWritable(max_temp / count));
}
}
```

```

hduser@bmsce-Precision-T1700:~/Desktop/temperature$ start-all.sh
This script is Deprecated. Instead use start-dfs.sh and start-yarn.sh
Starting namenodes on [localhost]
hduser@localhost's password:
localhost: starting namenode, logging to /usr/local/hadoop/logs/hadoop-hduser-namenode-bmsce-
Precision-T1700.out
hduser@localhost's password:
localhost: starting datanode, logging to /usr/local/hadoop/logs/hadoop-hduser-datanode-bmsce-
Precision-T1700.out
Starting secondary namenodes [0.0.0.0]
hduser@0.0.0.0's password:
0.0.0.0: starting secondarynamenode, logging to /usr/local/hadoop/logs/hadoop-hduser-
secondarynamenode-bmsce-Precision-T1700.out
starting yarn daemons
starting resourcemanager, logging to /usr/local/hadoop/logs/yarn-hduser-resourcemanager-bmsce-
Precision-T1700.out
hduser@localhost's password:
localhost: starting nodemanager, logging to /usr/local/hadoop/logs/yarn-hduser-nodemanager-bmsce-
Precision-T1700.out
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ jps
6832 NodeManager
6498 ResourceManager
6339 SecondaryNameNode
4887 org.eclipse.equinox.launcher_1.5.600.v20191014-2022.jar
6954 Jps
6123 DataNode
5951 NameNode
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -le /
-le: Unknown command
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -ls /
Found 31 items
drwxr-xr-x - hduser supergroup      0 2022-06-06 12:35 /CSE
drwxr-xr-x - hduser supergroup      0 2022-06-06 12:23 /FFF
drwxr-xr-x - hduser supergroup      0 2022-06-06 12:36 /LLL
drwxr-xr-x - hduser supergroup      0 2022-06-20 12:06 /amit_bda
drwxr-xr-x - hduser supergroup      0 2022-06-27 11:42 /amit_lab
drwxr-xr-x - hduser supergroup      0 2022-06-03 14:52 /bharath
drwxr-xr-x - hduser supergroup      0 2022-06-03 14:43 /bharath035
drwxr-xr-x - hduser supergroup      0 2022-06-24 14:54 /chi
drwxr-xr-x - hduser supergroup      0 2022-05-31 10:21 /example
drwxr-xr-x - hduser supergroup      0 2022-06-01 15:13 /foldernew
drwxr-xr-x - hduser supergroup      0 2022-06-06 15:04 /hemang061
drwxr-xr-x - hduser supergroup      0 2022-06-20 15:16 /input_khushil
drwxr-xr-x - hduser supergroup      0 2022-06-03 12:27 /irfan
drwxr-xr-x - hduser supergroup      0 2022-06-22 10:44 /lwde
drwxr-xr-x - hduser supergroup      0 2022-06-27 13:03 /mapreducejoin_amit
drwxr-xr-x - hduser supergroup      0 2022-06-22 15:32 /muskan
drwxr-xr-x - hduser supergroup      0 2022-06-22 15:06 /muskan_op
drwxr-xr-x - hduser supergroup      0 2022-06-22 15:35 /muskan_output
drwxr-xr-x - hduser supergroup      0 2022-06-06 15:04 /new_folder
drwxr-xr-x - hduser supergroup      0 2022-05-31 10:26 /one
drwxr-xr-x - hduser supergroup      0 2022-06-24 15:30 /out55
drwxr-xr-x - hduser supergroup      0 2022-06-20 12:17 /output
drwxr-xr-x - hduser supergroup      0 2022-06-27 13:04 /output_TOPn
drwxr-xr-x - hduser supergroup      0 2022-06-27 12:14 /output_Topn
drwxr-xr-x - hduser supergroup      0 2022-06-24 12:42 /r1
drwxr-xr-x - hduser supergroup      0 2022-06-24 12:24 /rgs

```

Output:

```

drwxr-xr-x - hduser supergroup          0 2022-06-03 12:08 /saurab
drwxrwxr-x - hduser supergroup          0 2019-08-01 16:19 /tmp
drwxr-xr-x - hduser supergroup          0 2019-08-01 16:03 /user
drwxr-xr-x - hduser supergroup          0 2022-06-01 09:46 /user1
-rw-r--r-- 1 hduser supergroup      2436 2022-06-24 12:17 /wc.jar
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -mkdir /khushil_temperature
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -put ./1901 /khushil_temperature
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -put ./1902 /khushil_temperature
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hdfs dfs -ls /khushil_temperature
Found 2 items
-rw-r--r-- 1 hduser supergroup    888190 2022-06-27 14:47 /khushil_temperature/1901
-rw-r--r-- 1 hduser supergroup    888978 2022-06-27 14:47 /khushil_temperature/1902
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hadoop jar ./avgtemp.jar AverageDriver
/khushil_temperature/1901 /khushil_temperature/output/
Exception in thread "main" java.lang.ClassNotFoundException: AverageDriver
at java.net.URLClassLoader.findClass(URLClassLoader.java:382)
at java.lang.ClassLoader.loadClass(ClassLoader.java:418)
at java.lang.ClassLoader.loadClass(ClassLoader.java:351)
at java.lang.Class.forName0(Native Method)
at java.lang.Class.forName(Class.java:348)
at org.apache.hadoop.util.RunJar.run(RunJar.java:214)
at org.apache.hadoop.util.RunJar.main(RunJar.java:136)
hduser@bmsce-Precision-T1700:~/Desktop/temperature$ hadoop jar ./avgtemp.jar
temperature.AverageDriver /khushil_temperature/1901 /khushil_temperature/output/
22/06/27 14:53:27 INFO Configuration.deprecation: session.id is deprecated. Instead, use
dfs.metrics.session-id
22/06/27 14:53:27 INFO jvm.JvmMetrics: Initializing JVM Metrics with processName=JobTracker,
sessionId=
22/06/27 14:53:27 WARN mapreduce.JobSubmitter: Hadoop command-line option parsing not performed.
Implement the Tool interface and execute your application with ToolRunner to remedy this.
22/06/27 14:53:27 INFO input.FileInputFormat: Total input paths to process : 1
22/06/27 14:53:27 INFO mapreduce.JobSubmitter: number of splits:1
22/06/27 14:53:28 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_local254968295_0001
22/06/27 14:53:28 INFO mapreduce.Job: The url to track the job: http://localhost:8080/
22/06/27 14:53:28 INFO mapreduce.Job: Running job: job_local254968295_0001
22/06/27 14:53:28 INFO mapred.LocalJobRunner: OutputCommitter set in config null
22/06/27 14:53:28 INFO mapred.LocalJobRunner: OutputCommitter is
org.apache.hadoop.mapreduce.lib.output.FileOutputCommitter
22/06/27 14:53:28 INFO mapred.LocalJobRunner: Waiting for map tasks
22/06/27 14:53:28 INFO mapred.LocalJobRunner: Starting task: attempt_local254968295_0001_m_000000_0
22/06/27 14:53:28 INFO mapred.Task: Using ResourceCalculatorProcessTree : []
22/06/27 14:53:28 INFO mapred.MapTask: Processing split:
hdfs://localhost:54310/khushil_temperature/1901:0+888190
22/06/27 14:53:28 INFO mapred.MapTask: (EQUATOR) 0 kvi 26214396(104857584)
22/06/27 14:53:28 INFO mapred.MapTask: mapreduce.task.io.sort.mb: 100
22/06/27 14:53:28 INFO mapred.MapTask: soft limit at 83886080
22/06/27 14:53:28 INFO mapred.MapTask: bufstart = 0; bufvoid = 104857600
22/06/27 14:53:28 INFO mapred.MapTask: kvstart = 26214396; length = 6553600
22/06/27 14:53:28 INFO mapred.MapTask: Map output collector class =
org.apache.hadoop.mapred.MapTask$MapOutputBuffer
22/06/27 14:53:28 INFO mapred.LocalJobRunner:
22/06/27 14:53:28 INFO mapred.MapTask: Starting flush of map output
22/06/27 14:53:28 INFO mapred.MapTask: Spilling map output
22/06/27 14:53:28 INFO mapred.MapTask: bufstart = 0; bufend = 59076; bufvoid = 104857600
22/06/27 14:53:28 INFO mapred.MapTask: kvstart = 26214396(104857584); kvend = 26188144(104752576);
length = 26253/6553600
22/06/27 14:53:28 INFO mapred.MapTask: Finished spill 0

```

```
FILE: Number of bytes written=723014
FILE: Number of read operations=0
FILE: Number of large read operations=0
FILE: Number of write operations=0
HDFS: Number of bytes read=1776388
HDFS: Number of bytes written=8
HDFS: Number of read operations=13
HDFS: Number of large read operations=0
HDFS: Number of write operations=4
Map-Reduce Framework
Map input records=6565
Map output records=6564
Map output bytes=59876
Map output materialized bytes=72210
Input split bytes=112
Combine input records=0
Combine output records=0
Reduce input groups=1
Reduce shuffle bytes=72210
Reduce input records=6564
Reduce output records=1
Spilled Records=13128
Shuffled Maps =1
Failed Shuffles=0
Merged Map outputs=1
GC time elapsed (ms)=55
CPU time spent (ms)=0
Physical memory (bytes) snapshot=0
Virtual memory (bytes) snapshot=0
Total committed heap usage (bytes)=999292928
Shuffle Errors
BAD_ID=0
CONNECTION=0
IO_ERROR=0
WRONG_LENGTH=0
WRONG_MAP=0
WRONG_REDUCE=0
File Input Format Counters
Bytes Read=888190
File Output Format Counters
Bytes Written=8
hduser@bmse-Precision-T1700:~/Desktop/temperature$ hdfs dfs -ls /khushil_temperature/output/
Found 2 items
-rw-r--r-- 1 hduser supergroup          0 2022-06-27 14:53 /khushil_temperature/output/_SUCCESS
-rw-r--r-- 1 hduser supergroup      8 2022-06-27 14:53 /khushil_temperature/output/part-r-00000
hduser@bmse-Precision-T1700:~/Desktop/temperature$ hdfs dfs -cat /khushil_temperature/output/part-r-00000
1901    46
hduser@bmse-Precision-T1700:~/Desktop/temperature$
```

4) Join

```
//          JoinDriver.java      import
org.apache.hadoop.conf.Configured;  import
org.apache.hadoop.fs.Path;        import
org.apache.hadoop.io.Text;        import
org.apache.hadoop.mapred.*;      import org.apache.hadoop.mapred.lib.MultipleInputs; import
                                org.apache.hadoop.util.*;

public class JoinDriver extends Configured implements Tool {

    public static class KeyPartitioner implements Partitioner<TextPair, Text> {
        @Override
        public void configure(JobConf job) {
        }

        @Override
        public int getPartition(TextPair key, Text value, int numPartitions) {
            return (key.getFirst().hashCode() & Integer.MAX_VALUE) % numPartitions;
        }
    }

    @Override public int run(String[] args) throws
Exception {

    if (args.length != 3) {
        System.out.println("Usage: <Department Emp Strength input>
<Department Name input> <output>"); return
-1;
    }

    JobConf conf = new JobConf(getConf(), getClass());

    conf.setJobName("Join 'Department Emp Strength input' with 'Department Name input'");

    Path AInputPath = new Path(args[0]);
    Path BInputPath = new Path(args[1]);
    Path outputPath = new Path(args[2]);

    MultipleInputs.addInputPath(conf, AInputPath, TextInputFormat.class,
```

Posts.class);

```

MultipleInputs.addInputPath(conf, BInputPath, TextInputFormat.class, User.class);
FileOutputFormat.setOutputPath(conf, outputPath);
conf.setPartitionerClass(KeyPartitioner.class);
conf.setOutputValueGroupingComparator(TextPair.FirstComparator.class);
conf.setMapOutputKeyClass(TextPair.class);
conf.setReducerClass(JoinReducer.class); conf.setOutputKeyClass(Text.class);
JobClient.runJob(conf);

return 0;
}

public static void main(String[] args) throws Exception {

int exitCode = ToolRunner.run(new JoinDriver(), args); System.exit(exitCode);
}
}

//      JoinReducer.java      import
import java.io.IOException;           import
import java.util.Iterator;           import
import org.apache.hadoop.io.Text;    import
import org.apache.hadoop.mapred.*;   *
public class JoinReducer extends MapReduceBase implements Reducer<TextPair, Text, Text>
{
@Override
public void reduce (TextPair key, Iterator<Text> values, OutputCollector<Text, Text>
output, Reporter reporter)
throws IOException
{

Text nodeId = new Text(values.next()); while
(values.hasNext()) {

Text node = values.next();
Text outValue = new Text(nodeId.toString() + "\t\t" + node.toString());
output.collect(key.getFirst(), outValue);
}
}
}

// User.java
import java.io.IOException;

```

```
import java.util.Iterator;
```

```
import org.apache.hadoop.conf.Configuration; import
org.apache.hadoop.fs.FSDInputStream; import
org.apache.hadoop.fs.FSDataOutputStream; import
org.apache.hadoop.fs.FileSystem; import
org.apache.hadoop.fs.Path; import
org.apache.hadoop.io.LongWritable; import
org.apache.hadoop.io.Text; import
org.apache.hadoop.mapred.*; import
org.apache.hadoop.io.IntWritable;

public class User extends MapReduceBase implements Mapper<LongWritable, Text, TextPair, Text>
{
    @Override
    public void map(LongWritable key, Text value, OutputCollector<TextPair, Text> output,
                    Reporter reporter)
        throws IOException
    {
        String valueString = value.toString();

        String[] SingleNodeData = valueString.split("\t");
        output.collect(new
        TextPair(SingleNodeData[0], "1"), new
        Text(SingleNodeData[1]));
    }
}

// Posts.java
import java.io.IOException;

import org.apache.hadoop.io.*;
import org.apache.hadoop.mapred.*;

public class Posts extends MapReduceBase implements Mapper<LongWritable, Text, TextPair, Text>
{
    @Override
    public void map(LongWritable key, Text value, OutputCollector<TextPair, Text> output,
                    Reporter reporter)
        throws IOException
    {
```

```
String valueString = value.toString(); String[]
```

```
SingleNodeData = valueString.split("\t");
output.collect(new TextPair(SingleNodeData[3], "0"), new
Text(SingleNodeData[9]));
}

}

// TextPair.java
import java.io.*;

import org.apache.hadoop.io.*; public class TextPair implements
WritableComparable<TextPair> {

private Text first;
private Text second;

public TextPair() {
set(new Text(), new Text());
}

public TextPair(String first, String second) {
set(new Text(first), new Text(second));
}

public TextPair(Text first, Text second) {
set(first, second);
}

public void set(Text first, Text second) {
this.first = first; this.second = second;
}

public Text getFirst() {
return first;
}

public Text getSecond() {
return second;
}

@Override
public void write(DataOutput out) throws IOException {
first.write(out);
}
```

```
second.write(out);
```

```
}

@Override
public void readFields(DataInput in) throws IOException {
    first.readFields(in); second.readFields(in);
}

@Override public int hashCode() { return
first.hashCode() * 163 + second.hashCode(); }


@Override
public boolean equals(Object o) { if (o
instanceof TextPair) { TextPair tp =
(TextPair) o;
return first.equals(tp.first) && second.equals(tp.second);
}
return false;
}

@Override
public String toString() { return
first + "\t" + second;
}

@Override
public int compareTo(TextPair tp) { int cmp
= first.compareTo(tp.first); if (cmp != 0)
{ return cmp;
}
return second.compareTo(tp.second);
}
// ^^ TextPair

// vv TextPairComparator public static class Comparator extends WritableComparator {
private static final Text.Comparator TEXT_COMPARATOR = new Text.Comparator();

public Comparator() { super(TextPair.class);
}
```



```
@Override
public int compare(byte[] b1, int s1, int l1, byte[] b2,
    int s2, int l2) {
try { int firstL1 = WritableUtils.decodeVIntSize(b1[s1]) + readVInt(b1, s1); int firstL2 =
    WritableUtils.decodeVIntSize(b2[s2]) + readVInt(b2, s2); int cmp =
    TEXT_COMPARATOR.compare(b1, s1, firstL1, b2, s2, firstL2); if (cmp != 0)
    { return cmp;
}
    return TEXT_COMPARATOR.compare(b1, s1 + firstL1, l1 - firstL1,
b2, s2 + firstL2, l2 - firstL2);
} catch (IOException e) { throw new
IllegalArgumentException(e); }
}

static {
    WritableComparator.define(TextPair.class, new Comparator());
}

public static class FirstComparator extends WritableComparator { private static final
    Text.Comparator TEXT_COMPARATOR = new Text.Comparator();

    public FirstComparator() { super(TextPair.class);
}

@Override
public int compare(byte[] b1, int s1, int l1, byte[] b2,
    int s2, int l2) {
try { int firstL1 = WritableUtils.decodeVIntSize(b1[s1]) + readVInt(b1, s1); int
    firstL2 = WritableUtils.decodeVIntSize(b2[s2]) + readVInt(b2, s2); return
    TEXT_COMPARATOR.compare(b1, s1, firstL1, b2, s2, firstL2);
} catch (IOException e) { throw new
IllegalArgumentException(e); }
}
```

@Override

```
public int compare(WritableComparable a, WritableComparable b) {  
    if (a instanceof TextPair && b instanceof TextPair) {  
        return ((TextPair) a).first.compareTo(((TextPair) b).first);  
    }  
    return super.compare(a, b);  
}
```

Output:

```
hduser@bmsce-Precision-T1700:~/khushil/join/MapReduceJoin$ hdfs dfs -ls /khushil_join
ls: '/khushil_join': No such file or directory
hduser@bmsce-Precision-T1700:~/khushil/join/MapReduceJoin$ hdfs dfs -mkdir /khushil_join
hduser@bmsce-Precision-T1700:~/khushil/join/MapReduceJoin$ hdfs dfs -ls /khushil_join
hduser@bmsce-Precision-T1700:~/khushil/join/MapReduceJoin$ hdfs dfs -put ./DeptName.txt
/khushil_join/
hduser@bmsce-Precision-T1700:~/khushil/join/MapReduceJoin$ hdfs dfs -put ./DeptStrength.txt
/khushil_join/
hduser@bmsce-Precision-T1700:~/khushil/join/MapReduceJoin$ hadoop jar MapReduceJoin.jar
/khushil_join/DeptName.txt /khushil_join/DeptStrength.txt /khushil_join/output/
22/06/27 15:12:24 INFO Configuration.deprecation: session.id is deprecated. Instead, use
dfs.metrics.session-id
22/06/27 15:12:24 INFO jvm.JvmMetrics: Initializing JVM Metrics with processName=JobTracker,
sessionId=
22/06/27 15:12:24 INFO jvm.JvmMetrics: Cannot initialize JVM Metrics with processName=JobTracker,
sessionId= - already initialized
22/06/27 15:12:24 INFO mapred.FileInputFormat: Total input paths to process : 1
22/06/27 15:12:24 INFO mapred.FileInputFormat: Total input paths to process : 1
22/06/27 15:12:24 INFO mapreduce.JobSubmitter: number of splits:2
22/06/27 15:12:24 INFO mapreduce.JobSubmitter: Submitting tokens for job: job_local1238804660_0001
22/06/27 15:12:24 INFO mapreduce.Job: The url to track the job: http://localhost:8080/
22/06/27 15:12:24 INFO mapred.LocalJobRunner: OutputCommitter set in config null
22/06/27 15:12:24 INFO mapreduce.Job: Running job: job_local1238804660_0001
22/06/27 15:12:24 INFO mapred.LocalJobRunner: OutputCommitter is
org.apache.hadoop.mapred.FileOutputCommitter
22/06/27 15:12:24 INFO mapred.LocalJobRunner: Waiting for map tasks
22/06/27 15:12:24 INFO mapred.LocalJobRunner: Starting task: attempt_local1238804660_0001_m_000000_0
22/06/27 15:12:24 INFO mapred.Task: Using ResourceCalculatorProcessTree : [ ]
22/06/27 15:12:24 INFO mapred.MapTask: Processing split:
hdfs://localhost:54310/khushil_join/DeptName.txt:0+59
22/06/27 15:12:24 INFO mapred.MapTask: numReduceTasks: 1
22/06/27 15:12:24 INFO mapred.MapTask: (EQUATOR) 0 kvi 26214396(104857584)
22/06/27 15:12:24 INFO mapred.MapTask: mapreduce.task.io.sort.mb: 100
22/06/27 15:12:24 INFO mapred.MapTask: soft limit at 83886080
22/06/27 15:12:24 INFO mapred.MapTask: bufstart = 0; bufvoid = 104857600
22/06/27 15:12:24 INFO mapred.MapTask: kvstart = 26214396; length = 6553600
22/06/27 15:12:24 INFO mapred.MapTask: Map output collector class =
org.apache.hadoop.mapred.MapTask$MapOutputBuffer
22/06/27 15:12:24 INFO mapred.LocalJobRunner:
22/06/27 15:12:24 INFO mapred.MapTask: Starting flush of map output
22/06/27 15:12:24 INFO mapred.MapTask: Spilling map output
22/06/27 15:12:24 INFO mapred.MapTask: bufstart = 0; bufend = 63; bufvoid = 104857600
22/06/27 15:12:24 INFO mapred.MapTask: kvstart = 26214396(104857584); kvend = 26214384(104857536);
length = 13/6553600
22/06/27 15:12:24 INFO mapred.MapTask: Finished spill 0
22/06/27 15:12:24 INFO mapred.Task: Task:attempt_local1238804660_0001_m_000000_0 is done. And is in
the process of committing
22/06/27 15:12:24 INFO mapred.LocalJobRunner: hdfs://localhost:54310/khushil_join/DeptName.txt:0+59
22/06/27 15:12:24 INFO mapred.Task: Task 'attempt_local1238804660_0001_m_000000_0' done.
22/06/27 15:12:24 INFO mapred.LocalJobRunner: Finishing task:
attempt_local1238804660_0001_m_000000_0
22/06/27 15:12:24 INFO mapred.LocalJobRunner: Starting task: attempt_local1238804660_0001_m_000001_0
22/06/27 15:12:24 INFO mapred.Task: Using ResourceCalculatorProcessTree : [ ]
22/06/27 15:12:24 INFO mapred.MapTask: Processing split:
hdfs://localhost:54310/khushil_join/DeptStrength.txt:0+50
22/06/27 15:12:24 INFO mapred.MapTask: numReduceTasks: 1
22/06/27 15:12:24 INFO mapred.MapTask: (EQUATOR) 0 kvi 26214396(104857584)
22/06/27 15:12:24 INFO mapred.MapTask: mapreduce.task.io.sort.mb: 100
```



```
FILE: Number of bytes read=26370
FILE: Number of bytes written=782871
FILE: Number of read operations=0
FILE: Number of large read operations=0
FILE: Number of write operations=0
HDFS: Number of bytes read=277
HDFS: Number of bytes written=85
HDFS: Number of read operations=28
HDFS: Number of large read operations=0
HDFS: Number of write operations=5
Map-Reduce Framework
Map input records=8
Map output records=8
Map output bytes=117
Map output materialized bytes=145
Input split bytes=443
Combine input records=0
Combine output records=0
Reduce input groups=4
Reduce shuffle bytes=145
Reduce input records=8
Reduce output records=4
Spilled Records=16
Shuffled Maps =2
Failed Shuffles=0
Merged Map outputs=2
GC time elapsed (ms)=2
CPU time spent (ms)=0
Physical memory (bytes) snapshot=0
Virtual memory (bytes) snapshot=0
Total committed heap usage (bytes)=913833984
Shuffle Errors
BAD_ID=0
CONNECTION=0
IO_ERROR=0
WRONG_LENGTH=0
WRONG_MAP=0
WRONG_REDUCE=0
File Input Format Counters
Bytes Read=0
File Output Format Counters
Bytes Written=85
hduser@bnsce-Precision-T1700:~/khushil/join/MapReduceJoin$ hdfs dfs -cat /khushil_join/output2/part-00000
A11      50          Finance
B12     100          HR
C13     250      Manufacturing
Dept_ID Total_Employee      Dept_Name
hduser@bnsce-Precision-T1700:~/khushil/join/MapReduceJoin$
```

Scala Programming: Lab 9:

```
val data=sc.textFile("sparkdata.txt")
data.collect;
val splitdata = data.flatMap(line => line.split(" "));
splitdata.collect;
val mapdata = splitdata.map(word => (word,1));
mapdata.collect;
val reducedata = mapdata.reduceByKey(_+_);
reducedata.collect;
```

```
:scala> val data = sc.textFile("input.txt")
data: org.apache.spark.rdd.RDD[String] = input.txt MapPartitionsRDD[3] at textFile at <console>:23
:scala> data.collect()

```

Lab 10:

```
val textFile = sc.textFile("/home/bhoom/Desktop/wc.txt")
val counts = textFile.flatMap(line => line.split(" ")).map(word => (word,
1)).reduceByKey(_ + _)
import scala.collection.immutable.ListMap
val sorted=ListMap(counts.collect.sortWith(_.value > _.value):_*)// sort in
descending order based on values
println(sorted)
for((k,v)<-sorted)
{ if(v>4)
{ print(k+",") print(v)
println()
}}
```

```
scala> val filerdd = sc.textFile("input.txt");
filerdd: org.apache.spark.rdd.RDD[String] = input.txt MapPartitionsRDD[13] at textFile at <console>:24

scala> val counts = filerdd.flatMap(line=>line.split(" ")).map(word=>(word,1)).reduceByKey(_+_);
counts: org.apache.spark.rdd.RDD[(String, Int)] = ShuffledRDD[16] at reduceByKey at <console>:24

scala> import scala.collection.immutable.ListMap
import scala.collection.immutable.ListMap

scala> val sorted = ListMap(counts.collect.sortWith(_._2 > _._2):_*)
sorted: scala.collection.immutable.ListMap[String,Int] = ListMap(im -> 2, is -> 1, here -> 1, there -> 1
, better -> 1, khushil -> 1, lets -> 1, spark -> 1, run -> 1, hadoop -> 1, hi -> 1, to -> 1, see -> 1, w
hich -> 1, and -> 1)

scala> println(sorted);
ListMap(im -> 2, is -> 1, here -> 1, there -> 1, better -> 1, khushil -> 1, lets -> 1, spark -> 1, run -
> 1, hadoop -> 1, hi -> 1, to -> 1, see -> 1, which -> 1, and -> 1)

scala> for((k,v)<-sorted)
| {
|   if(v>4)
|   {
|     print(k+",")
|     print(v)
|     println()
|   }
| }

scala> for((k,v)<-sorted)
| {
|   println(k+",")
|   println(v)
|   println()
| }
im,
2

is,
1

here,
1

there,
1

better,
1

khushil,
1

lets,
1

spark,
1
```