Write a program to implement Single Linked List with following operations :

a) Sort the linked list

b) Reverse the linked list

c) Concatenation of two linked lists

```
#include<stdio.h>
#include<conio.h>
#include<process.h>

struct node
{
  int info;
  struct node *link;
};
typedef struct node *NODE;

NODE getnode()
{
    NODE x;
    x = (NODE)malloc(sizeof(struct node));
    if(x==NULL)
    {
        printf("\nMemory is full\n");
        exit(0);
    }
    return x;
}

NODE insert_front(NODE first,int item)
```

```
{
    NODE temp;
    temp=getnode();
    temp->info=item;
    temp->link=NULL;
    if(first==NULL)
    {
        return temp;
    }
    temp->link=first;
    first=temp;
    return first;
}

NODE delete_front(NODE first)
{
    NODE temp;
    if(first==NULL)
    {
        printf("List is empty. Cannot delete\n");
        return first;
    }
    temp=first;
    temp = temp->link;
    printf("Item deleted at front end is %d\n",first->info);
    free(first);
    return temp;
}

NODE IF(NODE second,int item)
```

```
{
    NODE temp;
    temp=getnode();
    temp->info=item;
    temp->link=NULL;
    if(second==NULL)
        return temp;
    temp->link=second;
    second=temp;
    return second;
}

NODE IR(NODE second,int item)
{
    NODE temp,cur;
    temp=getnode();
    temp->info=item;
    temp->link=NULL;
    if(second==NULL)
        return temp;
    cur=second;
    while(cur->link!=NULL)
        cur=cur->link;
    cur->link=temp;
    return second;
}

NODE reverse(NODE first)
{
    NODE cur,temp;
```

```
    cur=NULL;
    while(first!=NULL)
    {
        temp=first;
        first=first->link;
        temp->link=cur;
        cur=temp;
    }
    return cur;
}

NODE ascending(NODE first)
{
    NODE prev=first;
    NODE cur=NULL;
          int temp;
          if(first== NULL)
          {
             return 0;
          }
    else
    {
              while(prev!= NULL)
              {
                  cur = prev->link;
                  while(cur!= NULL)
                  {
              if(prev->info > cur->info)
              {
                        temp = prev->info;
```

```
                    prev->info = cur->info;
                    cur->info = temp;
                }
                cur = cur->link;
            }
            prev= prev->link;
        }
    }
    return first;
}

NODE descending(NODE first)
{
    NODE prev=first;
    NODE cur=NULL;
        int temp;
        if(first==NULL)
        {
            return 0;
        }
        else
        {
            while(prev!= NULL)
            {
                cur = prev->link;
                while(cur!= NULL)
                {
            if(prev->info < cur->info)
            {
                temp = prev->info;
```

```
                    prev->info = cur->info;
                    cur->info = temp;
                    }
                    cur = cur->link;
                }
                prev= prev->link;
            }
    }
    return first;
}

NODE concatenate(NODE first,NODE second)
{
    NODE cur;
    if(first==NULL)
        return second;
    if(second==NULL)
        return first;
    cur=first;
    while(cur->link!=NULL)
    {
        cur=cur->link;
    }
    cur->link=second;
    return first;
}

void display(NODE first)
{
    NODE temp;
```

```
    if(first==NULL)
        printf("List is empty. Cannot display items.\n");
    printf("List contents are : ");
    for(temp=first;temp!=NULL;temp=temp->link)
    {
        printf("\n%d",temp->info);
    }
}

void main()
{
    int item,choice,pos,element,option,choice2,item1,num;
    NODE first=NULL;
    NODE second=NULL;
    for(;;)
    {
        printf("\n\nChoose an option");
        printf("\n1:Insert_front \n2:Delete_front \n3:Reverse \n4:Sort \n5.Concatenate \n6:Display
\n7:Exit\n");
        printf("Enter the choice : ");
        scanf("%d",&choice);
        switch(choice)
        {
            case 1: printf("Enter the item at front-end : ");
                    scanf("%d",&item);
                    first=insert_front(first,item);
                    printf("%d inserted at front-end.",first->info);
                    break;
            case 2: first=delete_front(first);
                    break;
```

```
case 3: first=reverse(first);
        printf("List is reversed.");
        break;
case 4: printf("Press 1 for Ascending-sort and 2 for Descending-sort : ");
        scanf("%d",&option);
        if(option==1)
        {
           first=ascending(first);
           printf("List is sorted in ascending order.");
        }
        if(option==2)
        {
           first=descending(first);
           printf("List is sorted in descending order.");
        }
        break;
case 5: printf("Create a second list\n");
        printf("Enter the number of elements in the second list : ");
        scanf("%d",&num);
        for(int i=1;i<=num;i++)
        {
           printf("\nPress 1 to Insert-front and 2 to Insert-rear : ");
           scanf("%d",&choice2);
           if(choice2==1)
           {
              printf("Enter the item at front-end : ");
                 scanf("%d",&item1);
              second=IF(second,item1);
           }
           if(choice2==2)
```

```
                {
                    printf("Enter the item at rear-end : ");
                       scanf("%d",&item1);
                    second=IR(second,item1);
                }
              }
              first=concatenate(first,second);
              printf("\nThe two lists are concatenated.");
              break;
        case 6: display(first);
              break;
        default:exit(0);
              break;
      }
   }
}
```


"C:\Users\SAKSHI\Operations on Linked list.exe"
Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 1
Enter the item at front-end : 10
10 inserted at front-end.
Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 1
Enter the item at front-end : 20
20 inserted at front-end.
Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 1
Enter the item at front-end : 30
30 inserted at front-end.
Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 1
Enter the item at front-end : 40
40 inserted at front-end.

"C:\Users\SAKSHI\Operations on Linked list.exe"

```
7:Exit
Enter the choice : 1
Enter the item at front-end : 40
40 inserted at front-end.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 1
Enter the item at front-end : 50
50 inserted at front-end.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 1
Enter the item at front-end : 60
60 inserted at front-end.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 2
Item deleted at front end is 60


Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 6
```

"C:\Users\SAKSHI\Operations on Linked list.exe"

```
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 6
List contents are :
50
40
30
20
10

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 3
List is reversed.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 6
List contents are :
10
20
30
40
50

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 1
Enter the item at front-end : 15
15 inserted at front-end.
```

"C:\Users\SAKSHI\Operations on Linked list.exe"

```
Enter the item at front-end : 15
15 inserted at front-end.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 1
Enter the item at front-end : 37
37 inserted at front-end.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 4
Press 1 for Ascending-sort and 2 for Descending-sort : 1
List is sorted in ascending order.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 6
List contents are :
10
15
20
30
37
40
50

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
```

"C:\Users\SAKSHI\Operations on Linked list.exe"

```
Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 4
Press 1 for Ascending-sort and 2 for Descending-sort : 2
List is sorted in descending order.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 6
List contents are :
50
40
37
30
20
15
10

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 5
Create a second list
Enter the number of elements in the second list : 4

Press 1 to Insert-front and 2 to Insert-rear : 1
Enter the item at front-end : 60

Press 1 to Insert-front and 2 to Insert-rear : 1
Enter the item at front-end : 70

Press 1 to Insert-front and 2 to Insert-rear : 2
Enter the item at rear-end : 80
```

"C:\Users\SAKSHI\Operations on Linked list.exe"

```
Press 1 to Insert-front and 2 to Insert-rear : 1
Enter the item at front-end : 60

Press 1 to Insert-front and 2 to Insert-rear : 1
Enter the item at front-end : 70

Press 1 to Insert-front and 2 to Insert-rear : 2
Enter the item at rear-end : 80

Press 1 to Insert-front and 2 to Insert-rear : 1
Enter the item at front-end : 90

The two lists are concatenated.

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 6
List contents are :
50
40
37
30
20
15
10
90
70
60
80

Choose an option
1:Insert_front
2:Delete_front
3:Reverse
4:Sort
5.Concatenate
6:Display
7:Exit
Enter the choice : 7

Process returned 0 (0x0)   execution time : 170.987 s
Press any key to continue.
```