

```
new@DESKTOP-T90UUB0 MINGW64 ~ (master)
$ git config --global user.name "sakshishetty632"
```

```
new@DESKTOP-T90UUB0 MINGW64 ~ (master)
$ git config --global user.email "shettysakshi2002@gmail.com"
```

```
new@DESKTOP-T90UUB0 MINGW64 ~ (master)
$ mkdir myproject
```

```
new@DESKTOP-T90UUB0 MINGW64 ~ (master)
$ cd myproject
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git init
Initialized empty Git repository in C:/Users/new/myproject/.git/
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git status
On branch master
```

No commits yet

nothing to commit (create/copy files and use "git add" to track)

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git status
On branch master
```

No commits yet

```
Untracked files:
(use "git add <file>..." to include in what will be committed)
  Reg.html
  style.css
```

nothing added to commit but untracked files present (use "git add" to track)

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git add Reg.html
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git add --all
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git commit -m "First Release"
[master (root-commit) 526f8d1] First Release
2 files changed, 67 insertions(+)
create mode 100644 Reg.html
create mode 100644 style.css
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git log
commit 526f8d1cc66de06e521296526647ed8ecdb8b534 (HEAD -> master)
Author: sakshishetty632 <shettysakshi2002@gmail.com>
Date: Sat May 13 23:39:57 2023 -0700
```

First Release

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git branch imagefile
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git add Git.png
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git rm Git.png
error: the following file has changes staged in the index:
  Git.png
(use --cached to keep the file, or -f to force removal)
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git commit -m "Second Release"
[master b475b20] Second Release
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Git.png
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git rm Git.png
rm 'Git.png'
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git commit -m "Updated Release"
[master f7e067f] Updated Release
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 Git.png
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git log
commit f7e067ffbe2beba852b3a250b272dbd9fad680ed (HEAD -> master)
Author: sakshishetty632 <shettysakshi2002@gmail.com>
Date: Sun May 14 00:12:40 2023 -0700
```

Updated Release

```
commit b475b2028f8d9c459f3b1558c72d4386cf6a58a1
Author: sakshishetty632 <shettysakshi2002@gmail.com>
Date: Sun May 14 00:12:25 2023 -0700
```

Second Release

commit 526f8d1cc66de06e521296526647ed8ecdb8b534 (imagefile)

Author: sakshishetty632 <shettysakshi2002@gmail.com>

Date: Sat May 13 23:39:57 2023 -0700

First Release

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)

\$ git checkout imagefile

Switched to branch 'imagefile'

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)

\$ git add Git.png

fatal: pathspec 'Git.png' did not match any files

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)

\$ git add Git.png

fatal: pathspec 'Git.png' did not match any files

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)

\$ git add Git.png

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)

\$ git log

commit 526f8d1cc66de06e521296526647ed8ecdb8b534 (HEAD -> imagefile)

Author: sakshishetty632 <shettysakshi2002@gmail.com>

Date: Sat May 13 23:39:57 2023 -0700

First Release

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)

\$ git commit -m "First Release"

[imagefile be279eb] First Release

1 file changed, 0 insertions(+), 0 deletions(-)

create mode 100644 Git.png

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)

\$ git log

commit be279eb880c928c21321bc39abfbad546cd86a11 (HEAD -> imagefile)

Author: sakshishetty632 <shettysakshi2002@gmail.com>

Date: Sun May 14 00:16:39 2023 -0700

First Release

commit 526f8d1cc66de06e521296526647ed8ecdb8b534

Author: sakshishetty632 <shettysakshi2002@gmail.com>

Date: Sat May 13 23:39:57 2023 -0700

First Release

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)
$ git checkout master
Switched to branch 'master'
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git log
commit f7e067ffbe2beba852b3a250b272dbd9fad680ed (HEAD -> master)
Author: sakshishetty632 <shettysakshi2002@gmail.com>
Date: Sun May 14 00:12:40 2023 -0700
```

Updated Release

```
commit b475b2028f8d9c459f3b1558c72d4386cf6a58a1
Author: sakshishetty632 <shettysakshi2002@gmail.com>
Date: Sun May 14 00:12:25 2023 -0700
```

Second Release

```
commit 526f8d1cc66de06e521296526647ed8ecdb8b534
Author: sakshishetty632 <shettysakshi2002@gmail.com>
Date: Sat May 13 23:39:57 2023 -0700
```

First Release

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git remote add origin <https://github.com/sakshishetty632/WADAssign2a.git>
bash: syntax error near unexpected token `newline'
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ ^C
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git remote add origin https://github.com/sakshishetty632/WADAssign2a.git
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ ^[[200~git branch -M main
bash: $'\E[200~git': command not found
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (master)
$ git branch -M main
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (main)
$ git push -u origin main
```

```
new@DESKTOP-T90UUB0 MINGW64 ~/myproject (main)
$ git push -u origin main
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
```

Delta compression using up to 4 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (8/8), 5.22 KiB | 1.74 MiB/s, done.
Total 8 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
To <https://github.com/sakshishetty632/WADAssign2a.git>
* [new branch] main -> main
branch 'main' set up to track 'origin/main'.

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (main)
\$ git checkout imagefile
Switched to branch 'imagefile'

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)
\$ git remote add origin <<https://github.com/sakshishetty632/WADAssign2a.git>>
bash: syntax error near unexpected token `newline'

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)
\$ git remote add origin <https://github.com/sakshishetty632/WADAssign2a.git>
error: remote origin already exists.

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)
\$ git remote add suborigin <https://github.com/sakshishetty632/WADAssign2a.git>

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)
\$ git push -u suborigin imagefile
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 4.37 KiB | 4.37 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'imagefile' on GitHub by visiting:
remote: <https://github.com/sakshishetty632/WADAssign2a/pull/new/imagefile>
remote:
To <https://github.com/sakshishetty632/WADAssign2a.git>
* [new branch] imagefile -> imagefile
branch 'imagefile' set up to track 'suborigin/imagefile'.

new@DESKTOP-T90UUB0 MINGW64 ~/myproject (imagefile)
\$