Here's a detailed table listing **most commonly used Git Bash commands** categorized into **day-to-day activities** and **one-time setup tasks** for **Cloud, DevOps, and Linux job roles**, along with **explanations**:

Git Bash Commands: Day-to-Day vs One-Time Activities

Category	Command	Day-to-Day / One-Time	Explanation
Version Check	git --version	One-Time	Verifies installed Git version.
Git Configuration	git config --global user.name "Name"	One-Time	Sets global Git username.
Git Configuration	git config --global user.email "email"	One-Time	Sets global Git email.
Git Setup	ssh-keygen -t rsa -b 4096 -C "email"	One-Time	Generates SSH key for GitHub/GitLab integration.
Git Setup	eval "$(ssh-agent -s)"	One-Time	Starts the SSH agent.
Git Setup	ssh-add ~/.ssh/id_rsa	One-Time	Adds SSH private key to the agent.
Repository Clone	git clone <repo-url>	Day-to-Day	Clones a remote repo to local machine.
Check Status	git status	Day-to-Day	Shows current working directory status.
Add Files	git add <filename>	Day-to-Day	Adds specific file to staging area.
Add All Files	git add .	Day-to-Day	Adds all changed files to staging.
Commit Changes	git commit -m "Message"	Day-to-Day	Commits staged files with a message.

View History	git log	Day-to-Day	Shows commit history.
View One-Line Log	git log --oneline	Day-to-Day	Compact one-line commit history.
Remote Add	git remote add origin <repo-url>	One-Time	Adds a remote origin.
Push to Remote	git push origin main	Day-to-Day	Pushes commits to remote main branch.
Pull from Remote	git pull origin main	Day-to-Day	Pulls updates from remote main branch.
Switch Branch	git checkout <branch>	Day-to-Day	Switches to a different branch.
Create Branch	git checkout -b <branch>	Day-to-Day	Creates and switches to a new branch.
Merge Branches	git merge <branch>	Day-to-Day	Merges changes from one branch to current branch.
Delete Branch	git branch -d <branch>	Day-to-Day	Deletes a local branch.
View Branches	git branch	Day-to-Day	Lists local branches.
View Remotes	git remote -v	Day-to-Day	Lists remote repositories linked.
Remove Remote	git remote remove origin	One-Time	Removes a remote link from the repo.
Stash Changes	git stash	Day-to-Day	Temporarily saves changes not yet committed.

Apply Stash	git stash apply	Day-to-Day	Applies the latest stashed changes.
Discard Changes	git checkout -- <file>	Day-to-Day	Discards changes in working directory.
Reset Commit	git reset --hard <commit>	Day-to-Day	Resets repo to specific commit, removing changes.
View Differences	git diff	Day-to-Day	Shows changes not yet staged or committed.
Tag Release	git tag -a v1.0 -m "Release v1.0"	One-Time	Tags a specific commit for release.
Push Tag	git push origin v1.0	One-Time	Pushes the tag to remote.
Remove Tag	git tag -d v1.0	Day-to-Day	Deletes a local tag.
Remove Remote Tag	git push origin --delete tag v1.0	Day-to-Day	Deletes a tag from the remote repo.
View Config	git config --list	Day-to-Day	Lists all configured Git settings.
Revert Commit	git revert <commit>	Day-to-Day	Creates a new commit that undoes the previous one.
Rename Branch	git branch -m <old> <new>	Day-to-Day	Renames a branch.
Clean Untracked	git clean -f	Day-to-Day	Removes untracked files from the working tree.

Check Remote URL	git remote show origin	Day-to-Day	Displays details of the remote repository.

 Use Cases for Cloud/DevOps/Linux Roles:

- **Cloud Engineers**: Frequently use Git Bash to version infrastructure-as-code like Terraform, CloudFormation, etc.
- **DevOps Engineers**: Use Git daily for automating CI/CD pipelines and integrating with tools like Jenkins, GitLab CI/CD, GitHub Actions.
- **Linux Admins**: Use Git to maintain scripts, configuration backups, and collaborative automation playbooks (Ansible, Shell scripts).