On **Azure DevOps**, there are multiple ways to deploy both **static** and **dynamic** applications. The deployment method often depends on:

- The type of application (e.g., HTML/CSS static site, Node.js, Java, .NET, Spring Boot, etc.)
- The target Azure service (App Service, VMs, AKS, Static Web Apps, etc.)
- The CI/CD pipeline strategy (YAML pipelines or Classic UI)

Ways to Deploy Static Applications on Azure DevOps

Deployment Target	Description	Deployment Methods
Azure Static Web Apps	Best for static websites (HTML, CSS, JS, Angular, React, Vue)	- YAML Pipeline using azure/static-web-apps-deploy@v1 - Classic UI with tasks - GitHub Actions (integrated with DevOps repo)
Azure Blob Storage (Static Website Hosting)	Host static website from blob container	- AzCopy or Azure CLI in Azure DevOps pipeline - ARM/Bicep + Az CLI scripts
Azure App Service (for static+lightweight backend)	HTML/CSS + APIs (Node.js, Python, etc.)	- Azure Web App Deployment task in pipeline - FTP via pipeline or manual - Zip deploy
Azure CDN (with blob backend)	Distribute static content globally	- Azure CLI task in pipeline to upload to Blob + link CDN

Ways to Deploy Dynamic Applications on Azure DevOps

Deployment Target	Best For	Deployment Methods
Azure App Service (Web App)	Node.js, Python, PHP, .NET, Java apps	- Azure App Service Deploy task - Azure CLI or ARM templates - Docker deploy to App Service
Azure Kubernetes Service (AKS)	Containerized apps, microservices	- Use Helm/Kubectl in YAML pipeline - Azure Kubernetes task in DevOps - Terraform for infra, then Helm for deploy
Azure Virtual Machines (VMs)	Custom backend stacks, full control	- Azure DevOps Agent on VM - SSH deploy via scripts - Azure File Copy and Run command

Azure Functions (Serverless)	Event-driven code (API triggers, timers)	- Azure Functions Deploy task - Azure CLI or ARM templates
Azure Container Apps / Azure Container Instances	Lightweight container apps	- Docker build and push + Azure CLI deploy

---

Pipeline Types in Azure DevOps

Pipeline Type	Description	Suitable For
YAML Pipelines	Code-as-pipeline stored in repo (azure-pipelines.yml)	Modern, reusable, version-controlled
Classic UI Pipelines	Visual editor for defining steps and tasks	Beginners, simple setups
Release Pipelines	Multi-stage deployments after build	Production-grade release management

---

Example: Static Site Deployment (HTML/CSS) via YAML to Azure Static Web App

```
trigger:
- main

pool:
  vmImage: 'ubuntu-latest'

steps:
- task: AzureStaticWebApp@0
  inputs:
    app_location: "/"
    api_location: ""
    output_location: "/"
    azure_static_web_apps_api_token: $(deployment_token)
```

Example: Dynamic Spring Boot App to Azure App Service (JAR-based)

```
trigger:
- main

pool:
  vmImage: 'ubuntu-latest'
```

```
steps:
- task: Maven@3
  inputs:
    mavenPomFile: 'pom.xml'
    goals: 'package'

- task: AzureWebApp@1
  inputs:
    azureSubscription: 'My-Azure-Service-Connection'
    appName: 'spring-boot-app'
    package: '$(System.DefaultWorkingDirectory)/**/target/*.jar'
```

Summary

Type	**Deployment Options**
Static Apps	Azure Static Web Apps, Blob Storage, App Service, CDN
Dynamic Apps	App Service, AKS, VMs, Functions, Container Apps
Pipeline Types	YAML (recommended), Classic UI, Release Pipelines

Let me know your app type (e.g., static HTML or Spring Boot) and I can give a **working deployment pipeline example** step-by-step.