list of all devOps commands

DevOps (short for Development Operations) encompasses a variety of tools and practices designed to improve collaboration and productivity by automating infrastructure, workflows, and continuously measuring application performance. Below is a list of common DevOps commands and tools:

Source Control Management (SCM)

- **Git**
  - `git clone [url]`
  - `git init`
  - `git add [file]`
  - `git commit -m "[message]"`
  - `git push [remote] [branch]`
  - `git pull [remote]`
  - `git status`
  - `git merge [branch]`
  - `git branch`

Continuous Integration (CI)

- **Jenkins**
  - `jenkins-cli.jar`
  - `jenkins-cli [command]`
  - `jenkins-cli build [job]`
  - `jenkins-cli list-jobs`
  - `jenkins-cli get-job [job]`
  - `jenkins-cli create-job [job]`
  - `jenkins-cli delete-job [job]`
  - `jenkins-cli install-plugin [plugin]`
  - `jenkins-cli restart`

Containerization

- **Docker**
  - `docker build -t [name] .`
  - `docker run [image]`
  - `docker ps`
  - `docker stop [container_id]`
  - `docker rm [container_id]`
  - `docker rmi [image_id]`
  - `docker-compose up`
  - `docker-compose down`
  - `docker logs [container_id]`

Container Orchestration

- **Kubernetes (kubectl)**
  - `kubectl apply -f [file]`
  - `kubectl get pods`
  - `kubectl get services`
  - `kubectl get nodes`
  - `kubectl describe pod [pod_name]`
  - `kubectl logs [pod_name]`
  - `kubectl exec -it [pod_name] -- [command]`
  - `kubectl delete pod [pod_name]`
  - `kubectl scale deployment [deployment_name] --replicas=[count]`

Configuration Management

- **Ansible**
  - `ansible-playbook [playbook.yml]`
  - `ansible [host] -m [module]`
  - `ansible-galaxy install [role]`
  - `ansible-vault encrypt [file]`
  - `ansible-vault decrypt [file]`

  - `ansible-doc [module]`

- **Chef**
  - `chef-client`
  - `knife bootstrap [fqdn]`
  - `knife node list`
  - `knife cookbook create [name]`
  - `knife data bag create [name]`
  - `knife environment list`

- **Puppet**
  - `puppet apply [manifest.pp]`
  - `puppet module install [module]`
  - `puppet resource [type] [name]`
  - `puppet config print`

Infrastructure as Code (IaC)
- **Terraform**
  - `terraform init`
  - `terraform plan`
  - `terraform apply`
  - `terraform destroy`
  - `terraform validate`
  - `terraform fmt`

Monitoring & Logging
- **Prometheus**
  - `prometheus --config.file=[config.yml]`
  - `promtool check config [file]`

- **Grafana**
  - `grafana-server -config [config.ini]`
  - `grafana-cli plugins install [plugin]`
  - `grafana-cli admin reset-admin-password [new_password]`

- **ELK Stack (Elasticsearch, Logstash, Kibana)**
  - `elasticsearch`
  - `logstash -f [config.conf]`
  - `kibana`

Build Automation

- **Maven**
  - `mvn clean install`
  - `mvn package`
  - `mvn deploy`
  - `mvn test`

- **Gradle**
  - `gradle build`
  - `gradle test`
  - `gradle clean`

This list covers many common DevOps commands and tools, but it's not exhaustive. DevOps is a vast field with numerous tools and technologies that can vary depending on specific use cases and environments. If you have a specific tool or command you need more details on, let me know!