****
Files from main directory : C:\Program Files\Java\jdk1.8.0_202
****

```
|-[bin]
        |-appletviewer.exe
        |-extcheck.exe
        |-idlj.exe
        |-jabswitch.exe
        |-jar.exe
        |-jarsigner.exe
        |-java-rmi.exe
        |-java.exe
        |-javac.exe
        |-javadoc.exe
        |-javafxpackager.exe
        |-javah.exe
        |-javap.exe
        |-javapackager.exe
        |-javaw.exe
        |-javaws.exe
        |-jcmd.exe
        |-jconsole.exe
        |-jdb.exe
        |-jdeps.exe
        |-jhat.exe
        |-jinfo.exe
        |-jjs.exe
        |-jli.dll
        |-jmap.exe
        |-jmc.exe
        |-jmc.ini
        |-jps.exe
        |-jrunscript.exe
        |-jsadebugd.exe
        |-jstack.exe
        |-jstat.exe
```

```
        |-jstatd.exe
        |-jvisualvm.exe
        |-keytool.exe
        |-kinit.exe
        |-klist.exe
        |-ktab.exe
        |-msvcr100.dll
        |-native2ascii.exe
        |-orbd.exe
        |-pack200.exe
        |-policytool.exe
        |-rmic.exe
        |-rmid.exe
        |-rmiregistry.exe
        |-schemagen.exe
        |-serialver.exe
        |-servertool.exe
        |-tnameserv.exe
        |-unpack200.exe
        |-wsgen.exe
        |-wsimport.exe
        |-xjc.exe
COPYRIGHT
|-[include]
        |-classfile_constants.h
        |-jawt.h
        |-jdwpTransport.h
        |-jni.h
        |-jvmti.h
        |-jvmticmlr.h
        |-|-[win32]
        |-      |-|-[bridge]
        |-      |-      |-AccessBridgeCallbacks.h
        |-      |-      |-AccessBridgeCalls.c
        |-      |-      |-AccessBridgeCalls.h
        |-      |-      |-AccessBridgePackages.h
```

```
        |-      |-jawt_md.h
        |-      |-jni_md.h
javafx-src.zip
|-[jre]
        |-|-[bin]
        |-      |-api-ms-win-core-console-l1-1-0.dll
        |-      |-api-ms-win-core-datetime-l1-1-0.dll
        |-      |-api-ms-win-core-debug-l1-1-0.dll
        |-      |-api-ms-win-core-errorhandling-l1-1-0.dll
        |-      |-api-ms-win-core-file-l1-1-0.dll
        |-      |-api-ms-win-core-file-l1-2-0.dll
        |-      |-api-ms-win-core-file-l2-1-0.dll
        |-      |-api-ms-win-core-handle-l1-1-0.dll
        |-      |-api-ms-win-core-heap-l1-1-0.dll
        |-      |-api-ms-win-core-interlocked-l1-1-0.dll
        |-      |-api-ms-win-core-libraryloader-l1-1-0.dll
        |-      |-api-ms-win-core-localization-l1-2-0.dll
        |-      |-api-ms-win-core-memory-l1-1-0.dll
        |-      |-api-ms-win-core-namedpipe-l1-1-0.dll
        |-      |-api-ms-win-core-processenvironment-l1-1-0.dll
        |-      |-api-ms-win-core-processthreads-l1-1-0.dll
        |-      |-api-ms-win-core-processthreads-l1-1-1.dll
        |-      |-api-ms-win-core-profile-l1-1-0.dll
        |-      |-api-ms-win-core-rtlsupport-l1-1-0.dll
        |-      |-api-ms-win-core-string-l1-1-0.dll
        |-      |-api-ms-win-core-synch-l1-1-0.dll
        |-      |-api-ms-win-core-synch-l1-2-0.dll
        |-      |-api-ms-win-core-sysinfo-l1-1-0.dll
        |-      |-api-ms-win-core-timezone-l1-1-0.dll
        |-      |-api-ms-win-core-util-l1-1-0.dll
        |-      |-api-ms-win-crt-conio-l1-1-0.dll
        |-      |-api-ms-win-crt-convert-l1-1-0.dll
        |-      |-api-ms-win-crt-environment-l1-1-0.dll
        |-      |-api-ms-win-crt-filesystem-l1-1-0.dll
        |-      |-api-ms-win-crt-heap-l1-1-0.dll
        |-      |-api-ms-win-crt-locale-l1-1-0.dll
```

```
|-      |-api-ms-win-crt-math-l1-1-0.dll
|-      |-api-ms-win-crt-multibyte-l1-1-0.dll
|-      |-api-ms-win-crt-private-l1-1-0.dll
|-      |-api-ms-win-crt-process-l1-1-0.dll
|-      |-api-ms-win-crt-runtime-l1-1-0.dll
|-      |-api-ms-win-crt-stdio-l1-1-0.dll
|-      |-api-ms-win-crt-string-l1-1-0.dll
|-      |-api-ms-win-crt-time-l1-1-0.dll
|-      |-api-ms-win-crt-utility-l1-1-0.dll
|-      |-attach.dll
|-      |-awt.dll
|-      |-bci.dll
|-      |-concrt140.dll
|-      |-dcpr.dll
|-      |-decora_sse.dll
|-      |-deploy.dll
|-      |-|-[dtplugin]
|-      |-      |-deployJava1.dll
|-      |-      |-npdeployJava1.dll
|-      |-dt_shmem.dll
|-      |-dt_socket.dll
|-      |-eula.dll
|-      |-fontmanager.dll
|-      |-fxplugins.dll
|-      |-glass.dll
|-      |-glib-lite.dll
|-      |-gstreamer-lite.dll
|-      |-hprof.dll
|-      |-instrument.dll
|-      |-j2pcsc.dll
|-      |-j2pkcs11.dll
|-      |-jaas_nt.dll
|-      |-jabswitch.exe
|-      |-java-rmi.exe
|-      |-java.dll
|-      |-java.exe
```

```
|-        |-JavaAccessBridge-64.dll
|-        |-javacpl.cpl
|-        |-javacpl.exe
|-        |-javafx_font.dll
|-        |-javafx_font_t2k.dll
|-        |-javafx_iio.dll
|-        |-javaw.exe
|-        |-javaws.exe
|-        |-java_crw_demo.dll
|-        |-jawt.dll
|-        |-JAWTAccessBridge-64.dll
|-        |-jdwp.dll
|-        |-jfr.dll
|-        |-jfxmedia.dll
|-        |-jfxwebkit.dll
|-        |-jjs.exe
|-        |-jli.dll
|-        |-jp2iexp.dll
|-        |-jp2launcher.exe
|-        |-jp2native.dll
|-        |-jp2ssv.dll
|-        |-jpeg.dll
|-        |-jsdt.dll
|-        |-jsound.dll
|-        |-jsoundds.dll
|-        |-keytool.exe
|-        |-kinit.exe
|-        |-klist.exe
|-        |-ktab.exe
|-        |-lcms.dll
|-        |-management.dll
|-        |-mlib_image.dll
|-        |-msvcp140.dll
|-        |-msvcr100.dll
|-        |-net.dll
|-        |-nio.dll
```

```
|-        |-npt.dll
|-        |-orbd.exe
|-        |-pack200.exe
|-        |-|-[plugin2]
|-        |-        |-msvcr100.dll
|-        |-        |-npjp2.dll
|-        |-policytool.exe
|-        |-prism_common.dll
|-        |-prism_d3d.dll
|-        |-prism_sw.dll
|-        |-resource.dll
|-        |-rmid.exe
|-        |-rmiregistry.exe
|-        |-sawindbg.dll
|-        |-|-[server]
|-        |-        |-classes.jsa
|-        |-        |-jvm.dll
|-        |-        |-Xusage.txt
|-        |-servertool.exe
|-        |-splashscreen.dll
|-        |-ssv.dll
|-        |-ssvagent.exe
|-        |-sunec.dll
|-        |-sunmscapi.dll
|-        |-t2k.dll
|-        |-tnameserv.exe
|-        |-ucrtbase.dll
|-        |-unpack.dll
|-        |-unpack200.exe
|-        |-vcruntime140.dll
|-        |-verify.dll
|-        |-w2k_lsa_auth.dll
|-        |-WindowsAccessBridge-64.dll
|-        |-wsdetect.dll
|-        |-zip.dll
|-COPYRIGHT
```

```
|-|-[lib]
|-        |-accessibility.properties
|-        |-|-[amd64]
|-        |-        |-jvm.cfg
|-        |-|-[applet]
|-        |-calendars.properties
|-        |-charsets.jar
|-        |-classlist
|-        |-|-[cmm]
|-        |-        |-CIEXYZ.pf
|-        |-        |-GRAY.pf
|-        |-        |-LINEAR_RGB.pf
|-        |-        |-PYCC.pf
|-        |-        |-sRGB.pf
|-        |-content-types.properties
|-        |-currency.data
|-        |-|-[deploy]
|-        |-        |-ffjcext.zip
|-        |-        |-messages.properties
|-        |-        |-messages_de.properties
|-        |-        |-messages_es.properties
|-        |-        |-messages_fr.properties
|-        |-        |-messages_it.properties
|-        |-        |-messages_ja.properties
|-        |-        |-messages_ko.properties
|-        |-        |-messages_pt_BR.properties
|-        |-        |-messages_sv.properties
|-        |-        |-messages_zh_CN.properties
|-        |-        |-messages_zh_HK.properties
|-        |-        |-messages_zh_TW.properties
|-        |-        |-splash.gif
|-        |-        |-splash@2x.gif
|-        |-        |-splash_11-lic.gif
|-        |-        |-splash_11@2x-lic.gif
|-        |-deploy.jar
|-        |-|-[ext]
```

```
|-      |-      |-access-bridge-64.jar
|-      |-      |-cldrdata.jar
|-      |-      |-dnsns.jar
|-      |-      |-jaccess.jar
|-      |-      |-jfxrt.jar
|-      |-      |-localedata.jar
|-      |-      |-meta-index
|-      |-      |-nashorn.jar
|-      |-      |-sunec.jar
|-      |-      |-sunjce_provider.jar
|-      |-      |-sunmscapi.jar
|-      |-      |-sunpkcs11.jar
|-      |-      |-zipfs.jar
|-      |-flavormap.properties
|-      |-fontconfig.bfc
|-      |-fontconfig.properties.src
|-      |-|-[fonts]
|-      |-      |-LucidaBrightDemiBold.ttf
|-      |-      |-LucidaBrightDemiItalic.ttf
|-      |-      |-LucidaBrightItalic.ttf
|-      |-      |-LucidaBrightRegular.ttf
|-      |-      |-LucidaSansDemiBold.ttf
|-      |-      |-LucidaSansRegular.ttf
|-      |-      |-LucidaTypewriterBold.ttf
|-      |-      |-LucidaTypewriterRegular.ttf
|-      |-hijrah-config-umalqura.properties
|-      |-|-[images]
|-      |-      |-|-[cursors]
|-      |-      |-      |-cursors.properties
|-      |-      |-      |-invalid32x32.gif
|-      |-      |-      |-win32_CopyDrop32x32.gif
|-      |-      |-      |-win32_CopyNoDrop32x32.gif
|-      |-      |-      |-win32_LinkDrop32x32.gif
|-      |-      |-      |-win32_LinkNoDrop32x32.gif
|-      |-      |-      |-win32_MoveDrop32x32.gif
|-      |-      |-      |-win32_MoveNoDrop32x32.gif
```

```
|-      |-javafx.properties
|-      |-javaws.jar
|-      |-jce.jar
|-      |-|-[jfr]
|-      |-      |-default.jfc
|-      |-      |-profile.jfc
|-      |-jfr.jar
|-      |-jfxswt.jar
|-      |-jsse.jar
|-      |-jvm.hprof.txt
|-      |-logging.properties
|-      |-|-[management]
|-      |-      |-jmxremote.access
|-      |-      |-jmxremote.password.template
|-      |-      |-management.properties
|-      |-      |-snmp.acl.template
|-      |-management-agent.jar
|-      |-meta-index
|-      |-net.properties
|-      |-plugin.jar
|-      |-psfont.properties.ja
|-      |-psfontj2d.properties
|-      |-resources.jar
|-      |-rt.jar
|-      |-|-[security]
|-      |-      |-blacklist
|-      |-      |-blacklisted.certs
|-      |-      |-cacerts
|-      |-      |-java.policy
|-      |-      |-java.security
|-      |-      |-javaws.policy
|-      |-      |-|-[policy]
|-      |-      |-      |-|-[limited]
|-      |-      |-      |-      |-local_policy.jar
|-      |-      |-      |-      |-US_export_policy.jar
|-      |-      |-      |-|-[unlimited]
```

```
        |-      |-      |-      |-      |-local_policy.jar
        |-      |-      |-      |-      |-US_export_policy.jar
        |-      |-      |-trusted.libraries
        |-      |-sound.properties
        |-      |-tzdb.dat
        |-      |-tzmappings
        |-LICENSE
        |-README.txt
        |-THIRDPARTYLICENSEREADME-JAVAFX.txt
        |-THIRDPARTYLICENSEREADME.txt
        |-Welcome.html
|-[lib]
        |-ant-javafx.jar
        |-ct.sym
        |-dt.jar
        |-ir.idl
        |-javafx-mx.jar
        |-jawt.lib
        |-jconsole.jar
        |-jvm.lib
        |-|-[missioncontrol]
        |-      |-.eclipseproduct
        |-      |-artifacts.xml
        |-      |-|-[configuration]
        |-      |-      |-config.ini
        |-      |-      |-|-[org.eclipse.equinox.simpleconfigurator]
        |-      |-      |-      |-bundles.info
        |-      |-      |-|-[org.eclipse.update]
        |-      |-      |-      |-platform.xml
        |-      |-|-[dropins]
        |-      |-      |-README.TXT
        |-      |-|-[features]
        |-      |-      |-|-[com.jrockit.mc.feature.console_5.5.2.174165]
        |-      |-      |-      |-feature.properties
        |-      |-      |-      |-feature.xml
        |-      |-      |-|-[com.jrockit.mc.feature.core_5.5.2.174165]
```

```
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-|-[com.jrockit.mc.feature.flightrecorder_5.5.2.174165]
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-|-[com.jrockit.mc.feature.rcp.ja_5.5.2.174165]
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-|-[com.jrockit.mc.feature.rcp.zh_CN_5.5.2.174165]
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-|-[com.jrockit.mc.feature.rcp_5.5.2.174165]
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-|-[com.jrockit.mc.rcp.product_5.5.2.174165]
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-|-[org.eclipse.babel.nls_eclipse_ja_4.4.0.v20140623020002]
|-      |-      |-      |-about.html
|-      |-      |-      |-eclipse_update_120.jpg
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-|-[org.eclipse.babel.nls_eclipse_zh_4.4.0.v20140623020002]
|-      |-      |-      |-about.html
|-      |-      |-      |-eclipse_update_120.jpg
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-|-[org.eclipse.e4.rcp_1.3.100.v20141007-2033]
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
```

```
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.ecf.core.feature_1.1.0.v20140827-1444]
|-      |-      |-      |-about.html
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-eclipse.inf
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.ecf.core.ssl.feature_1.0.0.v20140827-1444]
|-      |-      |-      |-about.html
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-eclipse.inf
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.ecf.filetransfer.feature_3.9.0.v20140827-1444]
|-      |-      |-      |-about.html
|-      |-      |-      |-asl-v20.txt
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-eclipse.inf
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
```

```
|-      |-      |-|-[org.eclipse.ecf.filetransfer.httpclient4.feature_3.9.1.v20140827-1444]
|-      |-      |-      |-about.html
|-      |-      |-      |-asl-v20.txt
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-eclipse.inf
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.ecf.filetransfer.httpclient4.ssl.feature_1.0.0.v20140827-1444]
|-      |-      |-      |-about.html
|-      |-      |-      |-asl-v20.txt
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-eclipse.inf
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.ecf.filetransfer.ssl.feature_1.0.0.v20140827-1444]
|-      |-      |-      |-about.html
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-eclipse.inf
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.emf.common_2.10.1.v20140901-1043]
```

```
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-eclipse.inf
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.emf.ecore_2.10.1.v20140901-1043]
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-eclipse.inf
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.equinox.p2.core.feature_1.3.0.v20140523-0116]
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.equinox.p2.rcp.feature_1.2.0.v20140523-0116]
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
```

```
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.help_2.0.102.v20141007-2301]
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-|-[org.eclipse.rcp_4.4.0.v20141007-2301]
|-      |-      |-      |-epl-v10.html
|-      |-      |-      |-feature.properties
|-      |-      |-      |-feature.xml
|-      |-      |-      |-license.html
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-mc.jar
|-      |-|-[p2]
|-      |-      |-|-[org.eclipse.equinox.p2.core]
|-      |-      |-      |-|-[cache]
|-      |-      |-      |-      |-artifacts.xml
|-      |-      |-      |-      |-|-[binary]
|-      |-      |-      |-      |-      |-com.jrockit.mc.rcp.product_root_5.5.2.174165
|-      |-      |-      |-      |-      |-com.oracle.jmc.executable.win32.win32.x86_64_5.5.2
|-      |-      |-      |-      |-      |-org.eclipse.rcp_root_4.4.0.v20141007-2301
|-      |-      |-|-[org.eclipse.equinox.p2.engine]
|-      |-      |-      |-|-[.settings]
|-      |-      |-      |-      |-org.eclipse.equinox.p2.artifact.repository.prefs
|-      |-      |-      |-      |-org.eclipse.equinox.p2.metadata.repository.prefs
|-      |-      |-      |-|-[profileRegistry]
|-      |-      |-      |-      |-|-[JMC.profile]
|-      |-      |-      |-      |-      |-|-[.data]
|-      |-      |-      |-      |-      |-.lock
|-      |-      |-      |-      |-      |-1512678853650.profile.gz
|-      |-      |-      |-      |-      |-1512678853884.profile.gz
|-      |-      |-      |-      |-      |-1512678861509.profile.gz
|-      |-      |-      |-      |-      |-1512678862619.profile.gz
```

```
|-        |-|-[plugins]
|-        |-        |-com.ibm.icu_52.1.0.v201404241930.jar
|-        |-        |-com.jrockit.mc.alert.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.alert.zh_CN_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.alert_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.attach_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser.attach.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser.attach.zh_CN_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser.attach_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser.jdp.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser.jdp.zh_CN_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser.jdp_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser.zh_CN_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.browser_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.commands_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.common_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.components.ui.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.components.ui.zh_CN_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.components.ui_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.historicaldata.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.historicaldata.zh_CN_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.historicaldata_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.diagnostic.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.diagnostic.zh_CN_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.diagnostic_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.mbeanbrowser.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.mbeanbrowser.zh_CN_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.mbeanbrowser_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.notification.ja_5.5.2.174165.jar
|-        |-        |-com.jrockit.mc.console.ui.notification.zh_CN_5.5.2.174165.jar
|-        |-        |-|-[com.jrockit.mc.console.ui.notification_5.5.2.174165]
|-        |-        |-        |-com.jrockit.mc.console.ui.notification_contexts.xml
|-        |-        |-        |-|-[html]
|-        |-        |-        |-        |-|-[dcommon]
```

```
|-      |-      |-      |-      |-      |-|-[css]
|-      |-      |-      |-      |-      |-      |-blafdoc.css
|-      |-      |-      |-      |-      |-|-[gifs]
|-      |-      |-      |-      |-      |-      |-bookbig.gif
|-      |-      |-      |-      |-      |-      |-bookicon.gif
|-      |-      |-      |-      |-      |-      |-booklist.gif
|-      |-      |-      |-      |-      |-      |-contbig.gif
|-      |-      |-      |-      |-      |-      |-conticon.gif
|-      |-      |-      |-      |-      |-      |-doclib.gif
|-      |-      |-      |-      |-      |-      |-feedback.gif
|-      |-      |-      |-      |-      |-      |-feedbck2.gif
|-      |-      |-      |-      |-      |-      |-help.gif
|-      |-      |-      |-      |-      |-      |-index.gif
|-      |-      |-      |-      |-      |-      |-indxicon.gif
|-      |-      |-      |-      |-      |-      |-larrow.gif
|-      |-      |-      |-      |-      |-      |-leftnav.gif
|-      |-      |-      |-      |-      |-      |-masterix.gif
|-      |-      |-      |-      |-      |-      |-mix.gif
|-      |-      |-      |-      |-      |-      |-oracle.gif
|-      |-      |-      |-      |-      |-      |-prodbig.gif
|-      |-      |-      |-      |-      |-      |-prodicon.gif
|-      |-      |-      |-      |-      |-      |-rarrow.gif
|-      |-      |-      |-      |-      |-      |-rightnav.gif
|-      |-      |-      |-      |-      |-      |-toc.gif
|-      |-      |-      |-      |-      |-      |-topnav.gif
|-      |-      |-      |-      |-      |-      |-uarrow.gif
|-      |-      |-      |-      |-      |-|-[html]
|-      |-      |-      |-      |-      |-      |-cpyr.htm
|-      |-      |-      |-      |-olh.htm
|-      |-      |-      |-      |-olh001.htm
|-      |-      |-      |-      |-preface.htm
|-      |-      |-      |-      |-title.htm
|-      |-      |-      |-|-[icons]
|-      |-      |-      |-      |-alert_obj.png
|-      |-      |-      |-      |-file_obj.gif
|-      |-      |-      |-      |-flight_recorder.png
```

```
|-      |-      |-      |-      |-new-trigger-wiz.gif
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-      |-notification_plugin.jar
|-      |-      |-      |-plugin.properties
|-      |-      |-      |-plugin.xml
|-      |-      |-      |-toc.xml
|-      |-      |-com.jrockit.mc.console.ui.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.console.ui_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.core_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.docs.ja_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.docs.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.docs_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder.configuration_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder.controlpanel.ui.configuration_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder.controlpanel.ui.ja_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder.controlpanel.ui.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder.controlpanel.ui_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder.ui.ja_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder.ui.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder.ui_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.flightrecorder_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.greychart.ui.ja_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.greychart.ui.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.greychart.ui_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.greychartplugin_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.jdp_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.p2.ui.overridden_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rcp.application.ja_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rcp.application.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rcp.application_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rcp.intro.ja_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rcp.intro.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rcp.intro_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rjmx.ext_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rjmx.ja_5.5.2.174165.jar
```

```
|-      |-      |-com.jrockit.mc.rjmx.ui.ja_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rjmx.ui.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rjmx.ui_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.rjmx.zh_CN_5.5.2.174165.jar
|-      |-      |-|-[com.jrockit.mc.rjmx_5.5.2.174165]
|-      |-      |-      |-|-[icons]
|-      |-      |-      |-      |-console_view.png
|-      |-      |-      |-      |-date-span-16.png
|-      |-      |-      |-      |-day-of-week-16.png
|-      |-      |-      |-      |-diagnostic-command-16.png
|-      |-      |-      |-      |-hprof-16.png
|-      |-      |-      |-      |-send-email-16.png
|-      |-      |-      |-      |-time-span-16.png
|-      |-      |-      |-|-[lib]
|-      |-      |-      |-      |-dsn.jar
|-      |-      |-      |-      |-gimap.jar
|-      |-      |-      |-      |-imap.jar
|-      |-      |-      |-      |-mailapi.jar
|-      |-      |-      |-      |-pop3.jar
|-      |-      |-      |-      |-smtp.jar
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-      |-plugin.properties
|-      |-      |-      |-plugin.xml
|-      |-      |-      |-rjmx.jar
|-      |-      |-      |-|-[schema]
|-      |-      |-      |-      |-com.jrockit.mc.rjmx.actionProvider.exsd
|-      |-      |-      |-      |-com.jrockit.mc.rjmx.attributeTransformation.exsd
|-      |-      |-      |-      |-com.jrockit.mc.rjmx.descriptorProvider.exsd
|-      |-      |-      |-      |-com.jrockit.mc.rjmx.metadataprovider.exsd
|-      |-      |-      |-      |-com.jrockit.mc.rjmx.service.exsd
|-      |-      |-      |-      |-com.jrockit.mc.rjmx.syntheticattribute.exsd
|-      |-      |-      |-      |-com.jrockit.mc.rjmx.syntheticnotification.exsd
|-      |-      |-      |-      |-triggerActionExceptionHandlers.exsd
|-      |-      |-      |-      |-triggerActions.exsd
|-      |-      |-      |-      |-triggerConstraints.exsd
```

```
|-      |-      |-      |-      |-triggerEvaluators.exsd
|-      |-      |-com.jrockit.mc.ui.ja_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.ui.zh_CN_5.5.2.174165.jar
|-      |-      |-com.jrockit.mc.ui_5.5.2.174165.jar
|-      |-      |-com.sun.el_2.2.0.v201303151357.jar
|-      |-      |-javax.annotation_1.2.0.v201401042248.jar
|-      |-      |-javax.el_2.2.0.v201303151357.jar
|-      |-      |-javax.inject_1.0.0.v20091030.jar
|-      |-      |-javax.servlet.jsp_2.2.0.v201112011158.jar
|-      |-      |-javax.servlet_3.0.0.v201112011016.jar
|-      |-      |-javax.xml_1.3.4.v201005080400.jar
|-      |-      |-org.apache.batik.css_1.7.0.v201011041433.jar
|-      |-      |-org.apache.batik.util.gui_1.7.0.v200903091627.jar
|-      |-      |-org.apache.batik.util_1.7.0.v201011041433.jar
|-      |-      |-org.apache.commons.codec_1.6.0.v201305230611.jar
|-      |-      |-org.apache.commons.logging_1.1.1.v201101211721.jar
|-      |-      |-org.apache.felix.gogo.command_0.10.0.v201209301215.jar
|-      |-      |-org.apache.felix.gogo.runtime_0.10.0.v201209301036.jar
|-      |-      |-org.apache.felix.gogo.shell_0.10.0.v201212101605.jar
|-      |-      |-org.apache.httpcomponents.httpclient_4.2.6.v201311072007.jar
|-      |-      |-org.apache.httpcomponents.httpcore_4.2.5.v201311072007.jar
|-      |-      |-org.apache.jasper.glassfish_2.2.2.v201205150955.jar
|-      |-      |-org.apache.lucene.analysis_3.5.0.v20120725-1805.jar
|-      |-      |-org.apache.lucene.core_3.5.0.v20120725-1805.jar
|-      |-      |-org.eclipse.core.commands.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.commands.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.commands_3.6.100.v20140528-1422.jar
|-      |-      |-org.eclipse.core.contenttype_3.4.200.v20140207-1251.jar
|-      |-      |-org.eclipse.core.databinding.beans.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.databinding.beans.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.databinding.beans_1.2.200.v20140214-0004.jar
|-      |-      |-org.eclipse.core.databinding.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.databinding.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.databinding.observable.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.databinding.observable.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.databinding.observable_1.4.1.v20140210-1835.jar
```

```
|-      |-      |-org.eclipse.core.databinding.property.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.databinding.property.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.databinding.property_1.4.200.v20140214-0004.jar
|-      |-      |-org.eclipse.core.databinding_1.4.2.v20140729-1044.jar
|-      |-      |-org.eclipse.core.expressions_3.4.600.v20140128-0851.jar
|-      |-      |-org.eclipse.core.filesystem_1.4.100.v20140514-1614.jar
|-      |-      |-org.eclipse.core.jobs_3.6.0.v20140424-0053.jar
|-      |-      |-org.eclipse.core.net.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.net.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.net.win32.x86_64.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.net.win32.x86_64.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.core.net_1.2.200.v20140124-2013.jar
|-      |-      |-org.eclipse.core.resources_3.9.1.v20140825-1431.jar
|-      |-      |-org.eclipse.core.runtime_3.10.0.v20140318-2214.jar
|-      |-      |-org.eclipse.e4.core.commands.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.core.commands.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.core.commands_0.10.2.v20140424-2344.jar
|-      |-      |-org.eclipse.e4.core.contexts_1.3.100.v20140407-1019.jar
|-      |-      |-org.eclipse.e4.core.di.extensions_0.12.0.v20140417-2033.jar
|-      |-      |-org.eclipse.e4.core.di_1.4.0.v20140414-1837.jar
|-      |-      |-org.eclipse.e4.core.services_1.2.1.v20140808-1251.jar
|-      |-      |-org.eclipse.e4.ui.bindings.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.bindings.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.bindings_0.10.200.v20140424-2042.jar
|-      |-      |-org.eclipse.e4.ui.css.core.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.css.core.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.css.core_0.10.100.v20140424-2042.jar
|-      |-      |-org.eclipse.e4.ui.css.swt.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.css.swt.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.css.swt.theme.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.css.swt.theme.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.css.swt.theme_0.9.300.v20140424-2042.jar
|-      |-      |-org.eclipse.e4.ui.css.swt_0.11.101.v20140818-1343.jar
|-      |-      |-org.eclipse.e4.ui.di.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.di.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.di_1.0.0.v20140328-2112.jar
```

```
|-      |-      |-org.eclipse.e4.ui.model.workbench.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.model.workbench.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.model.workbench_1.1.0.v20140512-1820.jar
|-      |-      |-org.eclipse.e4.ui.services.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.services.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.services_1.1.0.v20140328-1925.jar
|-      |-      |-org.eclipse.e4.ui.widgets.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.widgets.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.widgets_1.0.0.v20140514-1823.jar
|-      |-      |-org.eclipse.e4.ui.workbench.addons.swt.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench.addons.swt.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench.addons.swt_1.1.1.v20140903-0821.jar
|-      |-      |-org.eclipse.e4.ui.workbench.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench.renderers.swt.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench.renderers.swt.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench.renderers.swt_0.12.1.v20140903-1023.jar
|-      |-      |-org.eclipse.e4.ui.workbench.swt.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench.swt.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench.swt_0.12.100.v20140530-1436.jar
|-      |-      |-org.eclipse.e4.ui.workbench3.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench3.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.e4.ui.workbench3_0.12.0.v20140227-2118.jar
|-      |-      |-org.eclipse.e4.ui.workbench_1.2.1.v20140901-1244.jar
|-      |-      |-org.eclipse.ecf.filetransfer_5.0.0.v20140827-1444.jar
|-      |-      |-org.eclipse.ecf.identity_3.4.0.v20140827-1444.jar
|-      |-      |-org.eclipse.ecf.provider.filetransfer.httpclient4.ssl_1.0.0.v20140827-1444.jar
|-      |-      |-org.eclipse.ecf.provider.filetransfer.httpclient4_1.0.800.v20140827-1444.jar
|-      |-      |-org.eclipse.ecf.provider.filetransfer.ssl_1.0.0.v20140827-1444.jar
|-      |-      |-org.eclipse.ecf.provider.filetransfer_3.2.200.v20140827-1444.jar
|-      |-      |-org.eclipse.ecf.ssl_1.1.0.v20140827-1444.jar
|-      |-      |-org.eclipse.ecf_3.4.0.v20140827-1444.jar
|-      |-      |-org.eclipse.emf.common_2.10.1.v20140901-1043.jar
|-      |-      |-org.eclipse.emf.ecore.change_2.10.0.v20140901-1043.jar
|-      |-      |-org.eclipse.emf.ecore.xmi_2.10.1.v20140901-1043.jar
|-      |-      |-org.eclipse.emf.ecore_2.10.1.v20140901-1043.jar
```

```
|-      |-      |-org.eclipse.equinox.app_1.3.200.v20130910-1609.jar
|-      |-      |-org.eclipse.equinox.bidi_0.10.0.v20130327-1442.jar
|-      |-      |-org.eclipse.equinox.common_3.6.200.v20130402-1505.jar
|-      |-      |-org.eclipse.equinox.concurrent_1.1.0.v20130327-1442.jar
|-      |-      |-org.eclipse.equinox.console_1.1.0.v20140131-1639.jar
|-      |-      |-org.eclipse.equinox.ds_1.4.200.v20131126-2331.jar
|-      |-      |-org.eclipse.equinox.event_1.3.100.v20140115-1647.jar
|-      |-      |-org.eclipse.equinox.frameworkadmin.equinox.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.frameworkadmin.equinox.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.frameworkadmin.equinox_1.0.500.v20131211-1531.jar
|-      |-      |-org.eclipse.equinox.frameworkadmin.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.frameworkadmin.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.frameworkadmin_2.0.100.v20131209-2144.jar
|-      |-      |-org.eclipse.equinox.http.jetty_3.0.200.v20131021-1843.jar
|-      |-      |-org.eclipse.equinox.http.registry_1.1.300.v20130402-1529.jar
|-      |-      |-org.eclipse.equinox.http.servlet_1.1.500.v20140318-1755.jar
|-      |-      |-org.eclipse.equinox.jsp.jasper.registry_1.0.300.v20130327-1442.jar
|-      |-      |-org.eclipse.equinox.jsp.jasper_1.0.400.v20130327-1442.jar
|-      |-      |-org.eclipse.equinox.launcher.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.launcher.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.launcher.win32.win32.x86_64.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.launcher.win32.win32.x86_64.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-|-[org.eclipse.equinox.launcher.win32.win32.x86_64_1.1.200.v20141007-2033]
|-      |-      |-      |-about.html
|-      |-      |-      |-eclipse_1655.dll
|-      |-      |-      |-eclipse_1665.dll
|-      |-      |-      |-launcher.win32.win32.x86_64.properties
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-org.eclipse.equinox.launcher_1.3.0.v20140415-2008.jar
|-      |-      |-org.eclipse.equinox.p2.artifact.repository.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.artifact.repository.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.artifact.repository_1.1.300.v20131211-1531.jar
|-      |-      |-org.eclipse.equinox.p2.console.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.console.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.console_1.0.300.v20131113-1212.jar
```

```
|-      |-      |-org.eclipse.equinox.p2.core.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.core.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.core_2.3.0.v20131211-1531.jar
|-      |-      |-org.eclipse.equinox.p2.director.app.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.director.app.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.director.app_1.0.300.v20140228-1829.jar
|-      |-      |-org.eclipse.equinox.p2.director.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.director.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.directorywatcher.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.directorywatcher.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.directorywatcher_1.1.0.v20131211-1531.jar
|-      |-      |-org.eclipse.equinox.p2.director_2.3.100.v20140224-1921.jar
|-      |-      |-org.eclipse.equinox.p2.engine.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.engine.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.engine_2.3.0.v20140506-1720.jar
|-      |-      |-org.eclipse.equinox.p2.extensionlocation.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.extensionlocation.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.extensionlocation_1.2.100.v20131119-0908.jar
|-      |-      |-org.eclipse.equinox.p2.garbagecollector.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.garbagecollector.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.garbagecollector_1.0.200.v20131115-1210.jar
|-      |-      |-org.eclipse.equinox.p2.jarprocessor.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.jarprocessor.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.jarprocessor_1.0.300.v20131211-1531.jar
|-      |-      |-org.eclipse.equinox.p2.metadata.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.metadata.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.metadata.repository.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.metadata.repository.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.metadata.repository_1.2.100.v20131209-2144.jar
|-      |-      |-org.eclipse.equinox.p2.metadata_2.2.0.v20131211-1531.jar
|-      |-      |-org.eclipse.equinox.p2.operations.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.operations.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.operations_2.4.0.v20131119-0908.jar
|-      |-      |-org.eclipse.equinox.p2.publisher.eclipse.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.publisher.eclipse.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.publisher.eclipse_1.1.200.v20140414-0825.jar
```

```
|-      |-      |-org.eclipse.equinox.p2.publisher.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.publisher.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.publisher_1.3.0.v20140911-0143.jar
|-      |-      |-org.eclipse.equinox.p2.ql.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.ql.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.ql_2.0.100.v20131211-1531.jar
|-      |-      |-org.eclipse.equinox.p2.reconciler.dropins.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.reconciler.dropins.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.reconciler.dropins_1.1.200.v20131119-0908.jar
|-      |-      |-org.eclipse.equinox.p2.repository.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.repository.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.repository_2.3.0.v20131211-1531.jar
|-      |-      |-org.eclipse.equinox.p2.touchpoint.eclipse.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.touchpoint.eclipse.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.touchpoint.eclipse_2.1.200.v20140512-1650.jar
|-      |-      |-org.eclipse.equinox.p2.touchpoint.natives.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.touchpoint.natives.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.touchpoint.natives_1.1.100.v20140523-0116.jar
|-      |-      |-org.eclipse.equinox.p2.transport.ecf.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.transport.ecf.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.transport.ecf_1.1.0.v20140408-1354.jar
|-      |-      |-org.eclipse.equinox.p2.ui.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.ui.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.ui.sdk.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.ui.sdk.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.ui.sdk.scheduler.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.ui.sdk.scheduler.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.ui.sdk.scheduler_1.2.0.v20140422-1847.jar
|-      |-      |-org.eclipse.equinox.p2.ui.sdk_1.0.300.v20140407-1803.jar
|-      |-      |-org.eclipse.equinox.p2.ui_2.3.0.v20140404-1657.jar
|-      |-      |-org.eclipse.equinox.p2.updatechecker.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.updatechecker.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.equinox.p2.updatechecker_1.1.200.v20131119-0908.jar
|-      |-      |-org.eclipse.equinox.preferences_3.5.200.v20140224-1527.jar
|-      |-      |-org.eclipse.equinox.registry_3.5.400.v20140428-1507.jar
|-      |-      |-org.eclipse.equinox.security.ui_1.1.200.v20130626-2037.jar
```

```
|-        |-        |-org.eclipse.equinox.security.win32.x86_64_1.0.100.v20130327-1442.jar
|-        |-        |-org.eclipse.equinox.security_1.2.0.v20130424-1801.jar
|-        |-        |-org.eclipse.equinox.simpleconfigurator.manipulator.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.equinox.simpleconfigurator.manipulator.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.equinox.simpleconfigurator.manipulator_2.0.0.v20131217-1203.jar
|-        |-        |-org.eclipse.equinox.simpleconfigurator.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.equinox.simpleconfigurator.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.equinox.simpleconfigurator_1.1.0.v20131217-1203.jar
|-        |-        |-org.eclipse.equinox.util_1.0.500.v20130404-1337.jar
|-        |-        |-org.eclipse.help.base.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.help.base.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.help.base_4.0.200.v20141007-2301.jar
|-        |-        |-org.eclipse.help.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.help.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.help.ui.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.help.ui.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.help.ui_4.0.100.v20140401-0608.jar
|-        |-        |-org.eclipse.help.webapp.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.help.webapp.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.help.webapp_3.6.300.v20140407-1855.jar
|-        |-        |-org.eclipse.help_3.6.0.v20130326-1254.jar
|-        |-        |-org.eclipse.jetty.continuation_8.1.14.v20131031.jar
|-        |-        |-org.eclipse.jetty.http_8.1.14.v20131031.jar
|-        |-        |-org.eclipse.jetty.io_8.1.14.v20131031.jar
|-        |-        |-org.eclipse.jetty.security_8.1.14.v20131031.jar
|-        |-        |-org.eclipse.jetty.server_8.1.14.v20131031.jar
|-        |-        |-org.eclipse.jetty.servlet_8.1.14.v20131031.jar
|-        |-        |-org.eclipse.jetty.util_8.1.14.v20131031.jar
|-        |-        |-org.eclipse.jface.databinding.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.jface.databinding.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.jface.databinding_1.6.200.v20140528-1422.jar
|-        |-        |-org.eclipse.jface.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.jface.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.jface.text.nl_ja_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.jface.text.nl_zh_4.4.0.v20140623020002.jar
|-        |-        |-org.eclipse.jface.text_3.9.1.v20140827-1810.jar
```

```
|-      |-      |-org.eclipse.jface_3.10.1.v20140813-1009.jar
|-      |-      |-org.eclipse.osgi.compatibility.state.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.osgi.compatibility.state.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.osgi.compatibility.state_1.0.1.v20140709-1414.jar
|-      |-      |-org.eclipse.osgi.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.osgi.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.osgi.services.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.osgi.services.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.osgi.services_3.4.0.v20140312-2051.jar
|-      |-      |-org.eclipse.osgi_3.10.1.v20140909-1633.jar
|-      |-      |-org.eclipse.rcp_4.3.100.v20141007-2301.jar
|-      |-      |-org.eclipse.swt.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.swt.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.swt.win32.win32.x86_64.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.swt.win32.win32.x86_64.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.swt.win32.win32.x86_64_3.103.1.v20140903-1947.jar
|-      |-      |-org.eclipse.swt_3.103.1.v20140903-1938.jar
|-      |-      |-org.eclipse.text.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.text.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.text_3.5.300.v20130515-1451.jar
|-      |-      |-org.eclipse.ui.forms.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.forms.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.forms_3.6.100.v20140422-1825.jar
|-      |-      |-org.eclipse.ui.intro.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.intro.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.intro_3.4.200.v20130326-1254.jar
|-      |-      |-org.eclipse.ui.net.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.net.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.net_1.2.200.v20120807-0927.jar
|-      |-      |-org.eclipse.ui.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.themes.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.themes.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-|-[org.eclipse.ui.themes_1.0.1.v20140819-1717]
|-      |-      |-      |-about.html
|-      |-      |-      |-|-[css]
```

```
|-      |-      |-      |-      |-|-[dark]
|-      |-      |-      |-      |-      |-e4-dark_basestyle.css
|-      |-      |-      |-      |-      |-e4-dark_globalstyle.css
|-      |-      |-      |-      |-      |-e4-dark_partstyle.css
|-      |-      |-      |-      |-      |-e4-dark_preferencestyle.css
|-      |-      |-      |-      |-e4-dark.css
|-      |-      |-      |-      |-e4-dark_mac.css
|-      |-      |-      |-      |-e4-dark_win.css
|-      |-      |-      |-      |-e4_basestyle.css
|-      |-      |-      |-      |-e4_classic_win7.css
|-      |-      |-      |-      |-e4_classic_winxp.css
|-      |-      |-      |-      |-e4_default_gtk.css
|-      |-      |-      |-      |-e4_default_mac.css
|-      |-      |-      |-      |-e4_default_mru_on_win7.css
|-      |-      |-      |-      |-e4_default_win7.css
|-      |-      |-      |-      |-e4_default_winxp_blu.css
|-      |-      |-      |-      |-e4_default_winxp_olv.css
|-      |-      |-      |-      |-high-contrast.css
|-      |-      |-      |-|-[images]
|-      |-      |-      |-      |-dragHandle.png
|-      |-      |-      |-      |-gtkHandle.png
|-      |-      |-      |-      |-gtkTSFrame.png
|-      |-      |-      |-      |-macGrey.png
|-      |-      |-      |-      |-macHandle.png
|-      |-      |-      |-      |-macTSFrame.png
|-      |-      |-      |-      |-win7.png
|-      |-      |-      |-      |-win7Handle.png
|-      |-      |-      |-      |-win7TSFrame.png
|-      |-      |-      |-      |-winClassicHandle.png
|-      |-      |-      |-      |-winClassicTSFrame.png
|-      |-      |-      |-      |-winXPBlue.png
|-      |-      |-      |-      |-winXPBluHandle.png
|-      |-      |-      |-      |-winXPBluTSFrame.png
|-      |-      |-      |-      |-winXPHandle.png
|-      |-      |-      |-      |-winXPOlive.png
|-      |-      |-      |-      |-winXPTSFrame.png
```

```
|-      |-      |-      |-|-[META-INF]
|-      |-      |-      |-      |-ECLIPSE_.RSA
|-      |-      |-      |-      |-ECLIPSE_.SF
|-      |-      |-      |-      |-MANIFEST.MF
|-      |-      |-      |-plugin.properties
|-      |-      |-      |-plugin.xml
|-      |-      |-org.eclipse.ui.views.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.views.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.views_3.7.0.v20140408-0703.jar
|-      |-      |-org.eclipse.ui.win32.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.win32.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.workbench.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.workbench.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.ui.workbench_3.106.1.v20140827-1737.jar
|-      |-      |-org.eclipse.ui_3.106.0.v20140812-1751.jar
|-      |-      |-org.eclipse.update.configurator.nl_ja_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.update.configurator.nl_zh_4.4.0.v20140623020002.jar
|-      |-      |-org.eclipse.update.configurator_3.3.300.v20140518-1928.jar
|-      |-      |-org.sat4j.core_2.3.5.v201308161310.jar
|-      |-      |-org.sat4j.pb_2.3.5.v201404071733.jar
|-      |-      |-org.w3c.css.sac_1.3.1.v200903091627.jar
|-      |-      |-org.w3c.dom.events_3.0.0.draft20060413_v201105210656.jar
|-      |-      |-org.w3c.dom.smil_1.0.0.v200806040011.jar
|-      |-      |-org.w3c.dom.svg_1.1.0.v201011041433.jar
|-      |-THIRDPARTYLICENSEREADME.txt
|-orb.idl
|-packager.jar
|-sa-jdi.jar
|-tools.jar
|-|-[visualvm]
|-      |-|-[etc]
|-      |-      |-visualvm.clusters
|-      |-      |-visualvm.conf
|-      |-|-[platform]
|-      |-      |-.lastModified
|-      |-      |-|-[config]
```

```
|-      |-      |-      |-|-[ModuleAutoDeps]
|-      |-      |-      |-      |-org-netbeans-core.xml
|-      |-      |-      |-      |-org-netbeans-modules-options-api.xml
|-      |-      |-      |-      |-org-netbeans-modules-queries.xml
|-      |-      |-      |-      |-org-openide-execution.xml
|-      |-      |-      |-      |-org-openide-explorer.xml
|-      |-      |-      |-      |-org-openide-filesystems.xml
|-      |-      |-      |-      |-org-openide-loaders.xml
|-      |-      |-      |-      |-org-openide-modules.xml
|-      |-      |-      |-      |-org-openide-nodes.xml
|-      |-      |-      |-      |-org-openide-text.xml
|-      |-      |-      |-      |-org-openide-util.xml
|-      |-      |-      |-|-[Modules]
|-      |-      |-      |-      |-org-netbeans-api-annotations-common.xml
|-      |-      |-      |-      |-org-netbeans-api-progress.xml
|-      |-      |-      |-      |-org-netbeans-api-search.xml
|-      |-      |-      |-      |-org-netbeans-api-visual.xml
|-      |-      |-      |-      |-org-netbeans-core-execution.xml
|-      |-      |-      |-      |-org-netbeans-core-io-ui.xml
|-      |-      |-      |-      |-org-netbeans-core-multitabs.xml
|-      |-      |-      |-      |-org-netbeans-core-multiview.xml
|-      |-      |-      |-      |-org-netbeans-core-output2.xml
|-      |-      |-      |-      |-org-netbeans-core-ui.xml
|-      |-      |-      |-      |-org-netbeans-core-windows.xml
|-      |-      |-      |-      |-org-netbeans-core.xml
|-      |-      |-      |-      |-org-netbeans-lib-uihandler.xml
|-      |-      |-      |-      |-org-netbeans-modules-applemenu.xml
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-cli.xml
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-services.xml
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-ui.xml
|-      |-      |-      |-      |-org-netbeans-modules-core-kit.xml
|-      |-      |-      |-      |-org-netbeans-modules-editor-mimelookup-impl.xml
|-      |-      |-      |-      |-org-netbeans-modules-editor-mimelookup.xml
|-      |-      |-      |-      |-org-netbeans-modules-favorites.xml
|-      |-      |-      |-      |-org-netbeans-modules-javahelp.xml
|-      |-      |-      |-      |-org-netbeans-modules-keyring-fallback.xml
```

```
|-      |-      |-      |-      |-org-netbeans-modules-keyring-impl.xml
|-      |-      |-      |-      |-org-netbeans-modules-keyring.xml
|-      |-      |-      |-      |-org-netbeans-modules-masterfs-nio2.xml
|-      |-      |-      |-      |-org-netbeans-modules-masterfs.xml
|-      |-      |-      |-      |-org-netbeans-modules-options-api.xml
|-      |-      |-      |-      |-org-netbeans-modules-options-keymap.xml
|-      |-      |-      |-      |-org-netbeans-modules-print.xml
|-      |-      |-      |-      |-org-netbeans-modules-progress-ui.xml
|-      |-      |-      |-      |-org-netbeans-modules-queries.xml
|-      |-      |-      |-      |-org-netbeans-modules-sampler.xml
|-      |-      |-      |-      |-org-netbeans-modules-sendopts.xml
|-      |-      |-      |-      |-org-netbeans-modules-settings.xml
|-      |-      |-      |-      |-org-netbeans-modules-spi-actions.xml
|-      |-      |-      |-      |-org-netbeans-modules-templates.xml
|-      |-      |-      |-      |-org-netbeans-modules-uihandler.xml
|-      |-      |-      |-      |-org-netbeans-spi-quicksearch.xml
|-      |-      |-      |-      |-org-netbeans-swing-outline.xml
|-      |-      |-      |-      |-org-netbeans-swing-plaf.xml
|-      |-      |-      |-      |-org-netbeans-swing-tabcontrol.xml
|-      |-      |-      |-      |-org-openide-actions.xml
|-      |-      |-      |-      |-org-openide-awt.xml
|-      |-      |-      |-      |-org-openide-compat.xml
|-      |-      |-      |-      |-org-openide-dialogs.xml
|-      |-      |-      |-      |-org-openide-execution.xml
|-      |-      |-      |-      |-org-openide-explorer.xml
|-      |-      |-      |-      |-org-openide-io.xml
|-      |-      |-      |-      |-org-openide-loaders.xml
|-      |-      |-      |-      |-org-openide-nodes.xml
|-      |-      |-      |-      |-org-openide-options.xml
|-      |-      |-      |-      |-org-openide-text.xml
|-      |-      |-      |-      |-org-openide-util-enumerations.xml
|-      |-      |-      |-      |-org-openide-windows.xml
|-      |-      |-|-[core]
|-      |-      |-      |-core.jar
|-      |-      |-      |-|-[locale]
|-      |-      |-      |-      |-core_ja.jar
```

```
|-      |-      |-      |-      |-core_zh_CN.jar
|-      |-      |-      |-      |-org-openide-filesystems_ja.jar
|-      |-      |-      |-      |-org-openide-filesystems_zh_CN.jar
|-      |-      |-      |-org-openide-filesystems.jar
|-      |-      |-|-[lib]
|-      |-      |-      |-boot.jar
|-      |-      |-      |-|-[locale]
|-      |-      |-      |-      |-boot_ja.jar
|-      |-      |-      |-      |-boot_zh_CN.jar
|-      |-      |-      |-      |-org-openide-modules_ja.jar
|-      |-      |-      |-      |-org-openide-modules_zh_CN.jar
|-      |-      |-      |-      |-org-openide-util-lookup_ja.jar
|-      |-      |-      |-      |-org-openide-util-lookup_zh_CN.jar
|-      |-      |-      |-      |-org-openide-util_ja.jar
|-      |-      |-      |-      |-org-openide-util_zh_CN.jar
|-      |-      |-      |-nbexec.dll
|-      |-      |-      |-nbexec.exe
|-      |-      |-      |-nbexec64.dll
|-      |-      |-      |-nbexec64.exe
|-      |-      |-      |-org-openide-modules.jar
|-      |-      |-      |-org-openide-util-lookup.jar
|-      |-      |-      |-org-openide-util.jar
|-      |-      |-|-[modules]
|-      |-      |-      |-|-[ext]
|-      |-      |-      |-      |-jhall-2.0_05.jar
|-      |-      |-      |-      |-|-[locale]
|-      |-      |-      |-      |-      |-updater_ja.jar
|-      |-      |-      |-      |-      |-updater_zh_CN.jar
|-      |-      |-      |-      |-updater.jar
|-      |-      |-      |-|-[locale]
|-      |-      |-      |-      |-org-netbeans-api-annotations-common_ja.jar
|-      |-      |-      |-      |-org-netbeans-api-annotations-common_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-api-progress_ja.jar
|-      |-      |-      |-      |-org-netbeans-api-progress_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-api-search_ja.jar
|-      |-      |-      |-      |-org-netbeans-api-search_zh_CN.jar
```

```
|-      |-      |-      |-      |-org-netbeans-api-visual_ja.jar
|-      |-      |-      |-      |-org-netbeans-api-visual_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core-execution_ja.jar
|-      |-      |-      |-      |-org-netbeans-core-execution_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core-io-ui_ja.jar
|-      |-      |-      |-      |-org-netbeans-core-io-ui_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core-multitabs_ja.jar
|-      |-      |-      |-      |-org-netbeans-core-multitabs_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core-multiview_ja.jar
|-      |-      |-      |-      |-org-netbeans-core-multiview_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core-output2_ja.jar
|-      |-      |-      |-      |-org-netbeans-core-output2_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core-ui_ja.jar
|-      |-      |-      |-      |-org-netbeans-core-ui_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core-windows_ja.jar
|-      |-      |-      |-      |-org-netbeans-core-windows_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core_ja.jar
|-      |-      |-      |-      |-org-netbeans-core_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-lib-uihandler_ja.jar
|-      |-      |-      |-      |-org-netbeans-lib-uihandler_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-applemenu_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-applemenu_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-cli_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-cli_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-services_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-services_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-ui_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-autoupdate-ui_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-core-kit_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-core-kit_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-editor-mimelookup-impl_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-editor-mimelookup-impl_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-editor-mimelookup_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-editor-mimelookup_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-favorites_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-favorites_zh_CN.jar
```

```
|-      |-      |-      |-      |-org-netbeans-modules-javahelp_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-javahelp_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-keyring-fallback_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-keyring-fallback_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-keyring-impl_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-keyring-impl_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-keyring_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-keyring_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-masterfs-nio2_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-masterfs-nio2_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-masterfs_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-masterfs_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-options-api_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-options-api_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-options-keymap_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-options-keymap_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-print_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-print_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-progress-ui_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-progress-ui_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-queries_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-queries_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-sampler_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-sampler_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-sendopts_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-sendopts_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-settings_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-settings_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-spi-actions_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-spi-actions_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-templates_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-templates_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-uihandler_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-uihandler_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-spi-quicksearch_ja.jar
|-      |-      |-      |-      |-org-netbeans-spi-quicksearch_zh_CN.jar
```

```
|-      |-      |-      |-      |-org-netbeans-swing-outline_ja.jar
|-      |-      |-      |-      |-org-netbeans-swing-outline_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-swing-plaf_ja.jar
|-      |-      |-      |-      |-org-netbeans-swing-plaf_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-swing-tabcontrol_ja.jar
|-      |-      |-      |-      |-org-netbeans-swing-tabcontrol_zh_CN.jar
|-      |-      |-      |-      |-org-openide-actions_ja.jar
|-      |-      |-      |-      |-org-openide-actions_zh_CN.jar
|-      |-      |-      |-      |-org-openide-awt_ja.jar
|-      |-      |-      |-      |-org-openide-awt_zh_CN.jar
|-      |-      |-      |-      |-org-openide-compat_ja.jar
|-      |-      |-      |-      |-org-openide-compat_zh_CN.jar
|-      |-      |-      |-      |-org-openide-dialogs_ja.jar
|-      |-      |-      |-      |-org-openide-dialogs_zh_CN.jar
|-      |-      |-      |-      |-org-openide-execution_ja.jar
|-      |-      |-      |-      |-org-openide-execution_zh_CN.jar
|-      |-      |-      |-      |-org-openide-explorer_ja.jar
|-      |-      |-      |-      |-org-openide-explorer_zh_CN.jar
|-      |-      |-      |-      |-org-openide-io_ja.jar
|-      |-      |-      |-      |-org-openide-io_zh_CN.jar
|-      |-      |-      |-      |-org-openide-loaders_ja.jar
|-      |-      |-      |-      |-org-openide-loaders_zh_CN.jar
|-      |-      |-      |-      |-org-openide-nodes_ja.jar
|-      |-      |-      |-      |-org-openide-nodes_zh_CN.jar
|-      |-      |-      |-      |-org-openide-options_ja.jar
|-      |-      |-      |-      |-org-openide-options_zh_CN.jar
|-      |-      |-      |-      |-org-openide-text_ja.jar
|-      |-      |-      |-      |-org-openide-text_zh_CN.jar
|-      |-      |-      |-      |-org-openide-util-enumerations_ja.jar
|-      |-      |-      |-      |-org-openide-util-enumerations_zh_CN.jar
|-      |-      |-      |-      |-org-openide-windows_ja.jar
|-      |-      |-      |-      |-org-openide-windows_zh_CN.jar
|-      |-      |-      |-org-netbeans-api-annotations-common.jar
|-      |-      |-      |-org-netbeans-api-progress.jar
|-      |-      |-      |-org-netbeans-api-search.jar
|-      |-      |-      |-org-netbeans-api-visual.jar
```

```
|-      |-      |-      |-org-netbeans-core-execution.jar
|-      |-      |-      |-org-netbeans-core-io-ui.jar
|-      |-      |-      |-org-netbeans-core-multitabs.jar
|-      |-      |-      |-org-netbeans-core-multiview.jar
|-      |-      |-      |-org-netbeans-core-output2.jar
|-      |-      |-      |-org-netbeans-core-ui.jar
|-      |-      |-      |-org-netbeans-core-windows.jar
|-      |-      |-      |-org-netbeans-core.jar
|-      |-      |-      |-org-netbeans-lib-uihandler.jar
|-      |-      |-      |-org-netbeans-modules-applemenu.jar
|-      |-      |-      |-org-netbeans-modules-autoupdate-cli.jar
|-      |-      |-      |-org-netbeans-modules-autoupdate-services.jar
|-      |-      |-      |-org-netbeans-modules-autoupdate-ui.jar
|-      |-      |-      |-org-netbeans-modules-core-kit.jar
|-      |-      |-      |-org-netbeans-modules-editor-mimelookup-impl.jar
|-      |-      |-      |-org-netbeans-modules-editor-mimelookup.jar
|-      |-      |-      |-org-netbeans-modules-favorites.jar
|-      |-      |-      |-org-netbeans-modules-javahelp.jar
|-      |-      |-      |-org-netbeans-modules-keyring-fallback.jar
|-      |-      |-      |-org-netbeans-modules-keyring-impl.jar
|-      |-      |-      |-org-netbeans-modules-keyring.jar
|-      |-      |-      |-org-netbeans-modules-masterfs-nio2.jar
|-      |-      |-      |-org-netbeans-modules-masterfs.jar
|-      |-      |-      |-org-netbeans-modules-options-api.jar
|-      |-      |-      |-org-netbeans-modules-options-keymap.jar
|-      |-      |-      |-org-netbeans-modules-print.jar
|-      |-      |-      |-org-netbeans-modules-progress-ui.jar
|-      |-      |-      |-org-netbeans-modules-queries.jar
|-      |-      |-      |-org-netbeans-modules-sampler.jar
|-      |-      |-      |-org-netbeans-modules-sendopts.jar
|-      |-      |-      |-org-netbeans-modules-settings.jar
|-      |-      |-      |-org-netbeans-modules-spi-actions.jar
|-      |-      |-      |-org-netbeans-modules-templates.jar
|-      |-      |-      |-org-netbeans-modules-uihandler.jar
|-      |-      |-      |-org-netbeans-spi-quicksearch.jar
|-      |-      |-      |-org-netbeans-swing-outline.jar
```

```
|-      |-      |-      |-org-netbeans-swing-plaf.jar
|-      |-      |-      |-org-netbeans-swing-tabcontrol.jar
|-      |-      |-      |-org-openide-actions.jar
|-      |-      |-      |-org-openide-awt.jar
|-      |-      |-      |-org-openide-compat.jar
|-      |-      |-      |-org-openide-dialogs.jar
|-      |-      |-      |-org-openide-execution.jar
|-      |-      |-      |-org-openide-explorer.jar
|-      |-      |-      |-org-openide-io.jar
|-      |-      |-      |-org-openide-loaders.jar
|-      |-      |-      |-org-openide-nodes.jar
|-      |-      |-      |-org-openide-options.jar
|-      |-      |-      |-org-openide-text.jar
|-      |-      |-      |-org-openide-util-enumerations.jar
|-      |-      |-      |-org-openide-windows.jar
|-      |-      |-|-[update_tracking]
|-      |-      |-      |-org-netbeans-api-annotations-common.xml
|-      |-      |-      |-org-netbeans-api-progress.xml
|-      |-      |-      |-org-netbeans-api-search.xml
|-      |-      |-      |-org-netbeans-api-visual.xml
|-      |-      |-      |-org-netbeans-bootstrap.xml
|-      |-      |-      |-org-netbeans-core-execution.xml
|-      |-      |-      |-org-netbeans-core-io-ui.xml
|-      |-      |-      |-org-netbeans-core-multitabs.xml
|-      |-      |-      |-org-netbeans-core-multiview.xml
|-      |-      |-      |-org-netbeans-core-output2.xml
|-      |-      |-      |-org-netbeans-core-startup.xml
|-      |-      |-      |-org-netbeans-core-ui.xml
|-      |-      |-      |-org-netbeans-core-windows.xml
|-      |-      |-      |-org-netbeans-core.xml
|-      |-      |-      |-org-netbeans-lib-uihandler.xml
|-      |-      |-      |-org-netbeans-modules-applemenu.xml
|-      |-      |-      |-org-netbeans-modules-autoupdate-cli.xml
|-      |-      |-      |-org-netbeans-modules-autoupdate-services.xml
|-      |-      |-      |-org-netbeans-modules-autoupdate-ui.xml
|-      |-      |-      |-org-netbeans-modules-core-kit.xml
```

```
|-      |-      |-      |-org-netbeans-modules-editor-mimelookup-impl.xml
|-      |-      |-      |-org-netbeans-modules-editor-mimelookup.xml
|-      |-      |-      |-org-netbeans-modules-favorites.xml
|-      |-      |-      |-org-netbeans-modules-javahelp.xml
|-      |-      |-      |-org-netbeans-modules-keyring-fallback.xml
|-      |-      |-      |-org-netbeans-modules-keyring-impl.xml
|-      |-      |-      |-org-netbeans-modules-keyring.xml
|-      |-      |-      |-org-netbeans-modules-masterfs-nio2.xml
|-      |-      |-      |-org-netbeans-modules-masterfs.xml
|-      |-      |-      |-org-netbeans-modules-options-api.xml
|-      |-      |-      |-org-netbeans-modules-options-keymap.xml
|-      |-      |-      |-org-netbeans-modules-print.xml
|-      |-      |-      |-org-netbeans-modules-progress-ui.xml
|-      |-      |-      |-org-netbeans-modules-queries.xml
|-      |-      |-      |-org-netbeans-modules-sampler.xml
|-      |-      |-      |-org-netbeans-modules-sendopts.xml
|-      |-      |-      |-org-netbeans-modules-settings.xml
|-      |-      |-      |-org-netbeans-modules-spi-actions.xml
|-      |-      |-      |-org-netbeans-modules-templates.xml
|-      |-      |-      |-org-netbeans-modules-uihandler.xml
|-      |-      |-      |-org-netbeans-spi-quicksearch.xml
|-      |-      |-      |-org-netbeans-swing-outline.xml
|-      |-      |-      |-org-netbeans-swing-plaf.xml
|-      |-      |-      |-org-netbeans-swing-tabcontrol.xml
|-      |-      |-      |-org-openide-actions.xml
|-      |-      |-      |-org-openide-awt.xml
|-      |-      |-      |-org-openide-compat.xml
|-      |-      |-      |-org-openide-dialogs.xml
|-      |-      |-      |-org-openide-execution.xml
|-      |-      |-      |-org-openide-explorer.xml
|-      |-      |-      |-org-openide-filesystems.xml
|-      |-      |-      |-org-openide-io.xml
|-      |-      |-      |-org-openide-loaders.xml
|-      |-      |-      |-org-openide-modules.xml
|-      |-      |-      |-org-openide-nodes.xml
|-      |-      |-      |-org-openide-options.xml
```

```
|-      |-      |-      |-org-openide-text.xml
|-      |-      |-      |-org-openide-util-enumerations.xml
|-      |-      |-      |-org-openide-util-lookup.xml
|-      |-      |-      |-org-openide-util.xml
|-      |-      |-      |-org-openide-windows.xml
|-      |-      |-VERSION.txt
|-      |-|-[profiler]
|-      |-      |-.lastModified
|-      |-      |-|-[config]
|-      |-      |-      |-|-[Modules]
|-      |-      |-      |-      |-org-netbeans-lib-profiler-charts.xml
|-      |-      |-      |-      |-org-netbeans-lib-profiler-common.xml
|-      |-      |-      |-      |-org-netbeans-lib-profiler-ui.xml
|-      |-      |-      |-      |-org-netbeans-lib-profiler.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler-api.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler-attach.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler-heapwalker.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler-oql.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler-selector-api.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler-selector-ui.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler-snaptracer.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler-utilities.xml
|-      |-      |-      |-      |-org-netbeans-modules-profiler.xml
|-      |-      |-|-[lib]
|-      |-      |-      |-|-[deployed]
|-      |-      |-      |-      |-|-[jdk15]
|-      |-      |-      |-      |-      |-|-[windows-amd64]
|-      |-      |-      |-      |-      |-      |-profilerinterface.dll
|-      |-      |-      |-      |-|-[jdk16]
|-      |-      |-      |-      |-      |-|-[windows-amd64]
|-      |-      |-      |-      |-      |-      |-profilerinterface.dll
|-      |-      |-      |-jfluid-server-15.jar
|-      |-      |-      |-jfluid-server.jar
|-      |-      |-      |-|-[locale]
|-      |-      |-      |-      |-jfluid-server_ja.jar
|-      |-      |-      |-      |-jfluid-server_zh_CN.jar
```

```
|-      |-      |-|-[modules]
|-      |-      |-      |-|-[locale]
|-      |-      |-      |-      |-org-netbeans-lib-profiler-charts_ja.jar
|-      |-      |-      |-      |-org-netbeans-lib-profiler-charts_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-lib-profiler-common_ja.jar
|-      |-      |-      |-      |-org-netbeans-lib-profiler-common_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-lib-profiler-ui_ja.jar
|-      |-      |-      |-      |-org-netbeans-lib-profiler-ui_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-lib-profiler_ja.jar
|-      |-      |-      |-      |-org-netbeans-lib-profiler_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-api_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-api_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-attach_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-attach_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-heapwalker_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-heapwalker_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-oql_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-oql_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-selector-api_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-selector-api_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-selector-ui_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-selector-ui_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-snaptracer_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-snaptracer_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-utilities_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler-utilities_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler_ja.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler_zh_CN.jar
|-      |-      |-      |-org-netbeans-lib-profiler-charts.jar
|-      |-      |-      |-org-netbeans-lib-profiler-common.jar
|-      |-      |-      |-org-netbeans-lib-profiler-ui.jar
|-      |-      |-      |-org-netbeans-lib-profiler.jar
|-      |-      |-      |-org-netbeans-modules-profiler-api.jar
|-      |-      |-      |-org-netbeans-modules-profiler-attach.jar
|-      |-      |-      |-org-netbeans-modules-profiler-heapwalker.jar
|-      |-      |-      |-org-netbeans-modules-profiler-oql.jar
```

```
|-      |-      |-      |-org-netbeans-modules-profiler-selector-api.jar
|-      |-      |-      |-org-netbeans-modules-profiler-selector-ui.jar
|-      |-      |-      |-org-netbeans-modules-profiler-snaptracer.jar
|-      |-      |-      |-org-netbeans-modules-profiler-utilities.jar
|-      |-      |-      |-org-netbeans-modules-profiler.jar
|-      |-      |-|-[update_tracking]
|-      |-      |-      |-org-netbeans-lib-profiler-charts.xml
|-      |-      |-      |-org-netbeans-lib-profiler-common.xml
|-      |-      |-      |-org-netbeans-lib-profiler-ui.xml
|-      |-      |-      |-org-netbeans-lib-profiler.xml
|-      |-      |-      |-org-netbeans-modules-profiler-api.xml
|-      |-      |-      |-org-netbeans-modules-profiler-attach.xml
|-      |-      |-      |-org-netbeans-modules-profiler-heapwalker.xml
|-      |-      |-      |-org-netbeans-modules-profiler-oql.xml
|-      |-      |-      |-org-netbeans-modules-profiler-selector-api.xml
|-      |-      |-      |-org-netbeans-modules-profiler-selector-ui.xml
|-      |-      |-      |-org-netbeans-modules-profiler-snaptracer.xml
|-      |-      |-      |-org-netbeans-modules-profiler-utilities.xml
|-      |-      |-      |-org-netbeans-modules-profiler.xml
|-      |-      |-VERSION.txt
|-      |-|-[visualvm]
|-      |-      |-.lastModified
|-      |-      |-|-[config]
|-      |-      |-      |-|-[Modules]
|-      |-      |-      |-      |-com-sun-tools-visualvm-api-caching.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-application-views.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-application.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-attach.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-charts.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-core.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-coredump.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-heapdump.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-host-remote.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-host-views.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-host.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-jmx.xml
```

```
|-      |-      |-      |-      |-com-sun-tools-visualvm-jvm.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-jvmstat.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-modules-appui.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-profiler.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-profiling.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-sa.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-sampler.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-threaddump.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-tools.xml
|-      |-      |-      |-      |-com-sun-tools-visualvm-uisupport.xml
|-      |-      |-      |-      |-org-netbeans-api-visual.xml_hidden
|-      |-      |-      |-      |-org-netbeans-core-execution.xml_hidden
|-      |-      |-      |-      |-org-netbeans-core-io-ui.xml_hidden
|-      |-      |-      |-      |-org-netbeans-core-output2.xml_hidden
|-      |-      |-      |-      |-org-netbeans-lib-uihandler.xml_hidden
|-      |-      |-      |-      |-org-netbeans-modules-core-kit.xml_hidden
|-      |-      |-      |-      |-org-netbeans-modules-favorites.xml_hidden
|-      |-      |-      |-      |-org-netbeans-modules-options-keymap.xml_hidden
|-      |-      |-      |-      |-org-netbeans-modules-print.xml_hidden
|-      |-      |-      |-      |-org-netbeans-modules-spi-actions.xml_hidden
|-      |-      |-      |-      |-org-netbeans-modules-templates.xml_hidden
|-      |-      |-      |-      |-org-netbeans-modules-uihandler.xml_hidden
|-      |-      |-      |-      |-org-openide-compat.xml_hidden
|-      |-      |-      |-      |-org-openide-execution.xml_hidden
|-      |-      |-      |-      |-org-openide-options.xml_hidden
|-      |-      |-      |-      |-org-openide-util-enumerations.xml_hidden
|-      |-      |-|-[core]
|-      |-      |-      |-com-sun-tools-visualvm-modules-startup.jar
|-      |-      |-      |-|-[locale]
|-      |-      |-      |-      |-com-sun-tools-visualvm-modules-startup_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-modules-startup_zh_CN.jar
|-      |-      |-      |-      |-core_visualvm.jar
|-      |-      |-|-[modules]
|-      |-      |-      |-com-sun-tools-visualvm-api-caching.jar
|-      |-      |-      |-com-sun-tools-visualvm-application-views.jar
|-      |-      |-      |-com-sun-tools-visualvm-application.jar
```

```
|-      |-      |-      |-com-sun-tools-visualvm-attach.jar
|-      |-      |-      |-com-sun-tools-visualvm-charts.jar
|-      |-      |-      |-com-sun-tools-visualvm-core.jar
|-      |-      |-      |-com-sun-tools-visualvm-coredump.jar
|-      |-      |-      |-com-sun-tools-visualvm-heapdump.jar
|-      |-      |-      |-com-sun-tools-visualvm-host-remote.jar
|-      |-      |-      |-com-sun-tools-visualvm-host-views.jar
|-      |-      |-      |-com-sun-tools-visualvm-host.jar
|-      |-      |-      |-com-sun-tools-visualvm-jmx.jar
|-      |-      |-      |-com-sun-tools-visualvm-jvm.jar
|-      |-      |-      |-com-sun-tools-visualvm-jvmstat.jar
|-      |-      |-      |-com-sun-tools-visualvm-modules-appui.jar
|-      |-      |-      |-com-sun-tools-visualvm-profiler.jar
|-      |-      |-      |-com-sun-tools-visualvm-profiling.jar
|-      |-      |-      |-com-sun-tools-visualvm-sa.jar
|-      |-      |-      |-com-sun-tools-visualvm-sampler.jar
|-      |-      |-      |-com-sun-tools-visualvm-threaddump.jar
|-      |-      |-      |-com-sun-tools-visualvm-tools.jar
|-      |-      |-      |-com-sun-tools-visualvm-uisupport.jar
|-      |-      |-      |-|-[locale]
|-      |-      |-      |-      |-com-sun-tools-visualvm-api-caching_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-api-caching_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-application-views_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-application-views_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-application_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-application_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-attach_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-attach_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-charts_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-charts_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-coredump_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-coredump_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-core_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-core_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-heapdump_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-heapdump_zh_CN.jar
```

```
|-      |-      |-      |-      |-com-sun-tools-visualvm-host-remote_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-host-remote_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-host-views_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-host-views_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-host_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-host_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-jmx_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-jmx_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-jvmstat_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-jvmstat_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-jvm_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-jvm_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-modules-appui_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-modules-appui_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-profiler_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-profiler_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-profiling_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-profiling_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-sampler_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-sampler_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-sa_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-sa_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-threaddump_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-threaddump_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-tools_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-tools_zh_CN.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-uisupport_ja.jar
|-      |-      |-      |-      |-com-sun-tools-visualvm-uisupport_zh_CN.jar
|-      |-      |-      |-      |-org-netbeans-core-windows_visualvm.jar
|-      |-      |-      |-      |-org-netbeans-core_visualvm.jar
|-      |-      |-      |-      |-org-netbeans-modules-profiler_visualvm.jar
|-      |-      |-|-[update_tracking]
|-      |-      |-      |-com-sun-tools-visualvm-api-caching.xml
|-      |-      |-      |-com-sun-tools-visualvm-application-views.xml
|-      |-      |-      |-com-sun-tools-visualvm-application.xml
|-      |-      |-      |-com-sun-tools-visualvm-attach.xml
```

```
        |-      |-      |-      |-com-sun-tools-visualvm-charts.xml
        |-      |-      |-      |-com-sun-tools-visualvm-core.xml
        |-      |-      |-      |-com-sun-tools-visualvm-coredump.xml
        |-      |-      |-      |-com-sun-tools-visualvm-heapdump.xml
        |-      |-      |-      |-com-sun-tools-visualvm-host-remote.xml
        |-      |-      |-      |-com-sun-tools-visualvm-host-views.xml
        |-      |-      |-      |-com-sun-tools-visualvm-host.xml
        |-      |-      |-      |-com-sun-tools-visualvm-jmx.xml
        |-      |-      |-      |-com-sun-tools-visualvm-jvm.xml
        |-      |-      |-      |-com-sun-tools-visualvm-jvmstat.xml
        |-      |-      |-      |-com-sun-tools-visualvm-modules-appui.xml
        |-      |-      |-      |-com-sun-tools-visualvm-modules-startup.xml
        |-      |-      |-      |-com-sun-tools-visualvm-profiler.xml
        |-      |-      |-      |-com-sun-tools-visualvm-profiling.xml
        |-      |-      |-      |-com-sun-tools-visualvm-sa.xml
        |-      |-      |-      |-com-sun-tools-visualvm-sampler.xml
        |-      |-      |-      |-com-sun-tools-visualvm-threaddump.xml
        |-      |-      |-      |-com-sun-tools-visualvm-tools.xml
        |-      |-      |-      |-com-sun-tools-visualvm-uisupport.xml
LICENSE
README.html
release
src.zip
THIRDPARTYLICENSEREADME-JAVAFX.txt
THIRDPARTYLICENSEREADME.txt
```

You've pasted the **full JDK 8 (1.8.0_202) directory tree**, which is *huge*.
Explaining **every single DLL/JAR individually** would take **hundreds of pages** and isn't useful in practice.

 Industry-standard approach (used in interviews, documentation, and training) is to explain:

1. **Main directories**
2. **Important tools (bin folder executables)**
3. **Key libraries & headers**
4. **Runtime (JRE) components**
5. **Monitoring & profiling tools**

Below is a **clear, structured, interview-ready explanation in tables**, with **definitions + examples**.

---

1 JDK Root-Level Items (High-Level Overview)

Item	Type	Definition	Example / Usage
bin/	Directory	Contains **Java development & diagnostic tools**	javac, java, javadoc
include/	Directory	Header files for **JNI & native code integration**	Writing C/C++ code that calls Java
jre/	Directory	Java Runtime Environment used to **run Java apps**	Needed on client machines
lib/	Directory	Core Java libraries & tools used by the JDK	tools.jar, dt.jar
src.zip	File	Source code of Java standard library	IDE debugging & learning
javafx-src.zip	File	JavaFX UI framework source	Desktop UI apps
LICENSE / COPYRIGHT	File	Legal & licensing information	Compliance
README.html	File	JDK documentation & usage notes	Setup reference

2 bin/ Directory – Core Java Commands (MOST IMPORTANT)

□ Java Execution & Compilation Tools

Tool	Definition	Example
java.exe	Runs Java bytecode on JVM	java HelloWorld
javaw.exe	Runs Java app **without console window**	GUI apps
javac.exe	Java compiler (source → bytecode)	javac Test.java
jar.exe	Packages classes/resources into JAR	jar cf app.jar *.class
javadoc.exe	Generates HTML docs from code	API documentation
javap.exe	Disassembles .class files	Bytecode inspection

□ Debugging, Monitoring & Performance

Tool	Definition	Example
jdb.exe	Java debugger	Step-through debugging
jconsole.exe	JVM monitoring via JMX	Heap, threads
jvisualvm.exe	Visual JVM profiler	Memory leak analysis
jstack.exe	Thread dump tool	Deadlock detection
jmap.exe	Heap dump & memory stats	GC analysis

jstat.exe	JVM performance stats	GC monitoring
jps.exe	Lists Java processes	Find JVM PID

□ Security & Certificates

Tool	Definition	Example
keytool.exe	Manages keystores & certificates	SSL setup
jarsigner.exe	Digitally signs JAR files	Secure app distribution
policytool.exe	GUI for Java security policies	Permission control

---

□ RMI, CORBA & Web Services (Legacy but Important)

Tool	Definition	Example
rmic.exe	Generates RMI stubs	Distributed Java apps
rmiregistry.exe	RMI naming service	Remote lookup
orbd.exe	CORBA Object Request Broker	Enterprise systems
wsgen.exe	Generates SOAP service code	JAX-WS
wsimport.exe	Consumes WSDL	SOAP client

□ Scripting & Utilities

Tool	Definition	Example
jjs.exe	JavaScript engine (Nashorn)	JS inside JVM
native2ascii.exe	Converts Unicode text	i18n
serialver.exe	SerialVersionUID generator	Serialization

---

3 include/ Directory – JNI & Native Development

File	Definition	Example
jni.h	Core JNI header	Calling Java from C
jni_md.h	OS-specific JNI definitions	Platform bindings
jawt.h	Java AWT native interface	Native UI integration
jvmti.h	JVM Tool Interface	Profilers, debuggers

---

4 jre/ Directory – Java Runtime Environment

Purpose

Contains **everything required to RUN Java applications**, not compile them.

Subfolder	Definition	Example
bin/	JVM executables & DLLs	java.exe
lib/	Core runtime libraries	rt.jar

server/	JVM engine	jvm.dll
ext/	Extension libraries	Cryptography
security/	Certificates & policies	cacerts

 Important Runtime Files

File	Definition	Example
rt.jar	Core Java API classes	java.lang, java.util
charsets.jar	Character encodings	UTF-8, ISO
jsse.jar	SSL/TLS support	HTTPS
jce.jar	Cryptography extensions	Encryption

---

5 lib/ Directory – Development Libraries

File	Definition	Example
tools.jar	Compiler & dev APIs	IDEs
dt.jar	AWT & Swing components	GUI apps
jconsole.jar	JConsole UI	JVM monitoring
missioncontrol/	Java Mission Control	Flight Recorder

---

6 JavaFX (UI Framework)

Component	Definition	Example
jfxrt.jar	JavaFX runtime	Desktop UI
javafxpackager.exe	Package JavaFX apps	Installers
javafx-src.zip	JavaFX source	Learning

---

7 VisualVM & Mission Control (Advanced Profiling)

Tool	Definition	Example
VisualVM	Visual profiler	Heap, threads
Mission Control	Enterprise JVM monitoring	Production tuning
Flight Recorder	Low-overhead profiling	Performance analysis

---

8 Interview Summary (One-Line Explanation)

JDK = JRE + Developer Tools

- **bin** → compile, run, debug
- **jre** → runtime engine
- **lib** → core APIs
- **include** → native integration
- **tools** → monitoring & profiling

If you want next:
✅ **Simplified diagram (PNG)**
✅ **Interview questions based on JDK structure**
✅ **Difference: JDK vs JRE vs JVM (deep dive)**
✅ **Why JDK 8 folders changed after Java 9**

Perfect set of questions — this is **exactly how Java is asked in interviews**.
I'll go step-by-step and keep everything **clear, deep, and practical**.

✅ 1 Simplified JDK–JRE–JVM Diagram (PNG)

I've created a **clean, interview-friendly PNG diagram** that visually shows the relationship.

 Download the simplified JDK–JRE–JVM diagram (PNG)

How to read the diagram

- **JDK** is the *outermost box* → for developers
- **JRE** sits inside JDK → for running apps
- **JVM** sits inside JRE → does the real execution
- bin, lib, include are developer/runtime support layers


JDK
JRE
JVM
bin
lib
include

✅ 2 Interview Questions Based on JDK Structure (with Answers)

□ Basic Level

Question	Ideal Interview Answer
What is JDK?	JDK is a software development kit that provides tools to **compile, debug, and run Java programs**.
What is inside JDK?	JDK contains **JRE + development tools** like javac, jar, javadoc.
What is the bin folder used for?	It contains **executable tools** like java, javac, jdb.
What is tools.jar?	It contains **compiler and debugger APIs** used by IDEs.

□ Intermediate Level

Question	Strong Answer
Difference between java and javac?	javac compiles source code to bytecode; java executes bytecode on JVM.
What is rt.jar?	It contains **core Java API classes** like java.lang, java.util.
Why is include folder used?	For **JNI development** when Java interacts with native C/C++ code.
What is JRE responsible for?	JRE provides **libraries + JVM** required to run Java apps.

□ Advanced Level (Very Important)

Question	Expert Answer
Is JVM platform-dependent?	JVM is platform-dependent, but Java bytecode is platform-independent.
What happens if JRE is missing?	Java programs **cannot run** without JRE.
Why is javaw.exe used?	To run GUI apps **without console window**.
How does JDK help debugging?	Tools like jstack, jmap, jconsole, jvisualvm.

✅ 3 Difference Between JDK vs JRE vs JVM (Deep Dive)

□ Conceptual Difference

Component	What It Is	Role
JVM	Virtual Machine	Executes bytecode
JRE	Runtime Environment	Runs Java apps
JDK	Development Kit	Builds + runs apps

□ Functional Difference

Feature	JVM	JRE	JDK
Bytecode Execution	✅	✅	✅
Core Libraries	❌	✅	✅

Compiler (javac)	❌	❌	✅
Debugging Tools	❌	❌	✅
Development	❌	❌	✅

Real-World Analogy (Interview Gold)

Factory Analogy

- **JVM** → Machine
- **JRE** → Machine + electricity
- **JDK** → Factory + tools + engineers

✅ 4 Why JDK 8 Folder Structure Changed After Java 9

What Changed?

Java 8	**Java 9+**
rt.jar	❌ Removed
Monolithic JDK	Modular JDK
Classpath	Module Path
JRE folder	❌ Removed

 Reason: Project Jigsaw (Java 9)

Problems in Java 8:

- Huge rt.jar
- Unused classes loaded
- Security risks
- Slow startup

Solution in Java 9+:

- Java split into **modules**
- Only required modules loaded
- Better performance & security

 Structural Comparison

Java 8	**Java 9+**
jre/lib/rt.jar	jmods/java.base.jmod
tools.jar	Integrated
Separate JRE	Unified runtime
Classpath	Module system

 Interview One-Liner

"Java 9 removed rt.jar and introduced the **module system** to make Java smaller, faster, and more secure."

✅ Final Interview Summary (Memorize This)

JDK = JRE + Development Tools
JRE = JVM + Libraries
JVM = Executes Bytecode
Java 9 modularized Java to improve performance and security

If you want next:

- **1-page Java notes (PDF)**
- **Top 50 Java interview questions**
- **JVM internal architecture diagram**
- **Classpath vs ModulePath deep dive**

Nice choice — this is **core JVM knowledge** and *very interview-heavy*

JVM Internal Architecture Diagram (PNG)

I've created a **clean, exam + interview–ready JVM internal architecture diagram** that shows **all major JVM components and their flow**.

Download JVM Internal Architecture Diagram (PNG)


JVM Internal Architecture
Class Loader Subsystem
Method Area
Heap
Execution Engine
(Interpreter + JIT + GC)
Java Stacks
JNI
PC Registers
Native Libraries
Native Method Stack

How to Understand the Diagram (Step-by-Step)

1 Class Loader Subsystem

Purpose: Loads .class files into JVM.

Phases:

- **Loading** → Reads bytecode
- **Linking** → Verify, prepare, resolve
- **Initialization** → Static variables & blocks

Example:

```
Class.forName("com.example.Test");
```

---

2 Runtime Data Areas (Memory Areas)

Memory Area	Stored Data	Key Point
Method Area	Class metadata, methods, static variables	Shared
Heap	Objects & instance variables	Shared
Java Stack	Method calls, local variables	Per thread
PC Register	Current instruction address	Per thread
Native Method Stack	Native (C/C++) calls	Per thread

 Interview Tip:

Heap & Method Area are **shared**, Stack is **thread-specific**

---

3 Execution Engine

Heart of JVM

Components:

- **Interpreter** → Executes bytecode line by line
- **JIT Compiler** → Converts hot code to native machine code
- **Garbage Collector** → Frees unused memory

Example:

- Loop executed many times → JIT optimizes it

---

4 JNI (Java Native Interface)

Purpose: Allows Java to talk to native code.

Example:

native void callC();

---

5 Native Libraries

- Platform-specific libraries (.dll, .so)
- Used by JNI

JVM Execution Flow (Interview Gold)

.java
↓ javac
.class
↓ ClassLoader
Runtime Memory
↓ Execution Engine
↓ Native OS

Top JVM Interview Questions (Quick Practice)

1. **Which memory area causes OutOfMemoryError?**
   Heap / Metaspace
2. **Which memory causes StackOverflowError?**
   Java Stack
3. **Is JVM multithreaded?**
   Yes (each thread has its own stack)
4. **What does JIT do?**
   Improves performance by compiling hot bytecode to native code
5. **Which component interacts with OS?**
   JNI + Native Libraries

One-Line Summary (Memorize This)

JVM loads classes, manages memory, executes bytecode, optimizes performance, and interacts with OS.

If you want next:

- **Garbage Collection algorithms diagram**
- **JVM memory tuning flags**
- **JVM errors vs exceptions**
- **JVM interview questions (advanced)**

Perfect — this is **advanced JVM mastery territory**
I'll cover **all 4 items deeply, clearly, and interview-ready**.

---

1 Garbage Collection Algorithms – Diagram (PNG)

I've created a **clean JVM GC algorithms diagram** showing **memory areas + GC types**.

 Download JVM Garbage Collection Algorithms Diagram (PNG)



JVM Garbage Collection Algorithms (Explained)

GC Algorithm	How It Works	Best For
Serial GC	Single-threaded GC	Small apps
Parallel GC	Multi-threaded GC	Throughput
CMS GC	Concurrent, low pause	Web apps
G1 GC	Region-based GC	Large heaps

Interview Line:

"G1 GC balances throughput and low pause time using region-based memory."

---

2 JVM Memory Tuning Flags (VERY IMPORTANT)

Heap & Memory Flags

Flag	Meaning
-Xms	Initial heap size
-Xmx	Maximum heap size
-Xmn	Young generation size
-XX:MetaspaceSize	Initial Metaspace
-XX:MaxMetaspaceSize	Max Metaspace

Example:

java -Xms512m -Xmx2g MyApp

□ GC Selection Flags

Flag	GC
-XX:+UseSerialGC	Serial GC
-XX:+UseParallelGC	Parallel GC
-XX:+UseConcMarkSweepGC	CMS
-XX:+UseG1GC	G1 (default Java 9+)

□ GC Logging (Production Critical)

-XX:+PrintGCDetails
-XX:+PrintGCDateStamps
-Xloggc:gc.log

□ Performance Tuning Flags

Flag	Purpose
-XX:SurvivorRatio	Eden vs Survivor
-XX:MaxTenuringThreshold	Object aging

-XX:+HeapDumpOnOutOfMemoryError	Debug OOM

⍰ 3 JVM Errors vs Exceptions (Crystal Clear)

□ Key Difference

Aspect	Error	Exception
Recoverable	✕	✓
Cause	JVM failure	App logic
Package	java.lang.Error	java.lang.Exception
Handling	Should NOT catch	Should catch

□ Common JVM Errors

Error	Meaning
OutOfMemoryError	Heap exhausted
StackOverflowError	Deep recursion
NoClassDefFoundError	Missing class
InternalError	JVM failure

 Exceptions Types

Type	Example
Checked	IOException
Unchecked	NullPointerException
Custom	User-defined

Interview Line:

"Errors indicate JVM-level problems; exceptions indicate application-level problems."

---

 4 Advanced JVM Interview Questions (with Answers)

 Expert-Level Questions

Q1. Why is G1 GC better than CMS?
 Predictable pause time, region-based, avoids fragmentation

Q2. What causes Full GC?
 Old Gen full, Metaspace full, explicit System.gc()

Q3. Difference between Minor GC and Major GC?
 Minor → Young Gen
 Major → Old Gen

Q4. What is Stop-The-World?
 JVM pauses all threads during GC

Q5. How does JVM decide object promotion?
 Based on **tenuring threshold**

 Scenario-Based

Q6. App is slow but CPU is low – reason?
 Frequent Full GC

Q7. Heap is free but OOM occurs – why?
 Metaspace exhaustion

Q8. How to analyze GC issue?
 GC logs + VisualVM + Heap dump

 One-Page JVM Master Summary

JVM manages **memory, threads, execution, GC, and OS interaction**
GC tuning = **performance + stability**
Errors ≠ Exceptions
G1 GC = modern standard

Want next?

- **GC log analysis example**
- **JVM memory leak case study**
- **JIT compiler deep dive**
- **Java performance tuning cheat sheet (PDF)**

You're officially in **senior / performance-engineer JVM territory** now
Let's go **deep + practical**, exactly how it's expected in **real projects and interviews**.

---

1 GC Log Analysis – Real Example (Step-by-Step)

Sample GC Log (Java 8)

```
[GC (Allocation Failure)
 [PSYoungGen: 65536K->8192K(76288K)]
 65536K->24576K(251392K), 0.0456789 secs]
```

How to Read This (Interview Gold)

Part	Meaning
Allocation Failure	Eden space is full
PSYoungGen	Parallel Scavenge Young GC
65536K->8192K	Before → After GC
(76288K)	Total Young Gen size
0.0456789 secs	GC pause time

✅ Conclusion

- This is a **Minor GC**
- Heap is healthy
- Low pause time → good performance

□ Full GC Example (Bad Sign)

[Full GC (Metadata GC Threshold)
 123456K->98765K(251392K), 2.345 secs]

□ Red flags

- Full GC
- 2+ seconds pause
- Usually caused by **Metaspace or Old Gen pressure**

□ 2 JVM Memory Leak – Real Case Study

□ Scenario

Application runs fine for hours → suddenly crashes with:

java.lang.OutOfMemoryError: Java heap space

□ Root Cause

Objects are **still referenced**, so GC cannot clean them.

❌ Common Leak Patterns

Pattern	Example
Static collections	static List cache = new ArrayList()

Listener leaks	Unremoved event listeners
Custom caches	No eviction strategy
ThreadLocal misuse	Not cleared

□ How We Diagnosed It

1. Enable heap dump:

-XX:+HeapDumpOnOutOfMemoryError

2. Open dump in **VisualVM**
3. Found millions of HashMap entries
4. Static cache never cleared ✕

✅ Fix

- Use WeakHashMap
- Add cache eviction
- Clear ThreadLocal

Interview Line:

"Memory leaks happen when objects are reachable but no longer useful."

---

3 JIT Compiler – Deep Dive (Very Important)

What JIT Does

- Converts **hot bytecode → native machine code**
- Improves execution speed drastically

Execution Flow

Bytecode
↓
Interpreter (slow)
↓ hot code detected
JIT Compiler
↓
Native Machine Code (fast)

Key JIT Optimizations

Optimization	Meaning
Method inlining	Removes method call overhead
Dead code elimination	Removes unused code
Loop unrolling	Faster loops
Escape analysis	Stack allocation instead of heap

 Tiered Compilation

- **C1** → quick compilation
- **C2** → aggressive optimization

Interview Line:

"JIT improves runtime performance by compiling frequently executed bytecode."

---

 4 Java Performance Tuning Cheat Sheet (PDF)

I've created a **clean, printable, interview + production-ready PDF**.

 Download Java Performance Tuning Cheat Sheet (PDF)

Java Performance Tuning Cheat Sheet

JVM Memory

1. -Xms : Initial heap size
2. -Xmx : Maximum heap size
3. -Xmn : Young generation size
4. -XX:MetaspaceSize / MaxMetaspaceSize

Garbage Collection

1. Use G1GC for large heaps
2. Avoid System.gc()
3. Monitor Full GC frequency

Performance Flags

1. -XX:+PrintGCDetails
2. -XX:+HeapDumpOnOutOfMemoryError
3. -XX:SurvivorRatio

Best Practices

1. Reuse objects
2. Avoid memory leaks
3. Profile before tuning

Includes:

✅ JVM memory flags
✅ GC tuning rules
✅ Performance best practices
✅ Production-safe guidelines

⚠ Ultimate JVM One-Liner (Memorize This)

"Java performance depends on memory sizing, GC tuning, JIT optimization, and leak-free code."

□ Want to go even deeper?

- **□ GC log analysis (G1, CMS, Parallel)**
- **□ Thread dump analysis**
- **□ Production outage JVM case study**
- **□ Java performance interview Q&A (expert)**

Excellent choice — **thread dump analysis** is *pure senior-level JVM skill* ⚠⚠
I'll explain it **practically + interview-ready**, exactly how it's done in real production incidents.

⚠ Thread Dump Analysis (Complete Guide)

1 What Is a Thread Dump?

A **thread dump** is a snapshot of **all threads in a JVM** at a specific moment, showing:

- Thread state
- Locks held / waiting
- Stack trace (method execution)

 Used to diagnose:

- Application hang
- Deadlock
- High CPU usage
- Slow performance

---

2 How to Take a Thread Dump

 Linux / Mac

kill -3 <PID>

 Windows

jstack <PID> > threaddump.txt

 From JDK

jstack -l <PID>

 From VisualVM / JConsole

- Click **Thread Dump**

---

3 Thread States (MOST IMPORTANT)

State	Meaning
RUNNABLE	Executing or ready to execute
BLOCKED	Waiting for monitor lock
WAITING	Waiting indefinitely
TIMED_WAITING	Waiting for a fixed time
TERMINATED	Finished execution

Interview Line:

"Most application threads should be RUNNABLE or TIMED_WAITING."

---

4 Sample Thread Dump (Realistic)

```
"HTTP-Worker-1" #45 prio=5 os_prio=0 tid=0x000001 nid=0x12f4 RUNNABLE
  at com.app.service.OrderService.process(OrderService.java:120)
  - locked <0x00000000d5a123> (a java.lang.Object)

"DB-Connection-Thread" #32 prio=5 tid=0x000002 nid=0x23 BLOCKED
  - waiting to lock <0x00000000d5a123>
```

---

5 How to Analyze Step-by-Step

□ Step 1: Check Thread State

- Many BLOCKED → lock contention
- Many RUNNABLE → CPU issue
- Many WAITING → I/O or external dependency

Step 2: Identify Lock Contention

- locked <0x123>
- waiting to lock <0x123>

Same lock ID = contention problem

Step 3: Detect Deadlock

JVM explicitly reports it:

Found one Java-level deadlock:

Example:

Thread A waiting for lock B
Thread B waiting for lock A

Critical production issue

---

6 Common Production Scenarios

□ Scenario 1: Application Hung

Observation	Meaning
Many BLOCKED threads	Synchronized bottleneck
Same method stack trace	Hot lock

✅ Fix:

- Reduce synchronized scope
- Use java.util.concurrent locks

□ Scenario 2: High CPU Usage

Observation	Meaning
Many RUNNABLE threads	Infinite loop / heavy computation

✅ Fix:

- Optimize algorithm
- Add sleep/backoff

□ Scenario 3: Slow Application

Observation	Meaning
Threads in WAITING	DB, network, I/O delay

✅ Fix:

- Tune connection pools
- Add timeouts

---

7 Thread Dump vs GC Log (Interview Comparison)

Aspect	Thread Dump	GC Log
Purpose	Thread analysis	Memory analysis
Used for	Deadlock, CPU	GC tuning
Tool	jstack	JVM flags

---

8 Golden Interview Questions & Answers

Q1. How many thread dumps should you take?

□ At least **3 dumps**, 10–15 seconds apart

Q2. What indicates a deadlock?

 JVM reports it explicitly

Q3. What does BLOCKED state mean?

 Waiting for a monitor lock

Q4. Difference between WAITING and TIMED_WAITING?

 WAITING = indefinite
 TIMED_WAITING = time-bound

---

9 One-Page Thread Dump Checklist

✅ Check number of threads
✅ Identify BLOCKED threads
✅ Look for repeated stack traces
✅ Detect deadlocks
✅ Correlate with CPU / GC logs

One-Line Summary (Memorize)

"Thread dump analysis helps detect deadlocks, lock contention, and performance bottlenecks by analyzing thread states and stack traces."

If you want next:

- **Deadlock case study**
- **High CPU thread dump analysis**
- **Concurrency interview questions**

- □ **Thread pool tuning**

Excellent choice — **thread dump analysis** is *pure senior-level JVM skill* □□
I'll explain it **practically + interview-ready**, exactly how it's done in real production incidents.

□ Thread Dump Analysis (Complete Guide)

1 What Is a Thread Dump?

A **thread dump** is a snapshot of **all threads in a JVM** at a specific moment, showing:

- Thread state
- Locks held / waiting
- Stack trace (method execution)

□ Used to diagnose:

- Application hang
- Deadlock
- High CPU usage
- Slow performance

---

2 How to Take a Thread Dump

□ Linux / Mac

kill -3 <PID>

□ Windows

jstack <PID> > threaddump.txt

 From JDK

jstack -l <PID>

 From VisualVM / JConsole

- Click **Thread Dump**

---

3 Thread States (MOST IMPORTANT)

State	Meaning
RUNNABLE	Executing or ready to execute
BLOCKED	Waiting for monitor lock
WAITING	Waiting indefinitely
TIMED_WAITING	Waiting for a fixed time
TERMINATED	Finished execution

Interview Line:

"Most application threads should be RUNNABLE or TIMED_WAITING."

---

4 Sample Thread Dump (Realistic)

```
"HTTP-Worker-1" #45 prio=5 os_prio=0 tid=0x000001 nid=0x12f4 RUNNABLE
  at com.app.service.OrderService.process(OrderService.java:120)
  - locked <0x00000000d5a123> (a java.lang.Object)

"DB-Connection-Thread" #32 prio=5 tid=0x000002 nid=0x23 BLOCKED
  - waiting to lock <0x00000000d5a123>
```

---

5 How to Analyze Step-by-Step

□ Step 1: Check Thread State

- Many BLOCKED → lock contention
- Many RUNNABLE → CPU issue
- Many WAITING → I/O or external dependency

□ Step 2: Identify Lock Contention

- locked <0x123>
- waiting to lock <0x123>

□ Same lock ID = contention problem

□ Step 3: Detect Deadlock

JVM explicitly reports it:

Found one Java-level deadlock:

Example:

Thread A waiting for lock B
Thread B waiting for lock A

 Critical production issue

---

6 Common Production Scenarios

 Scenario 1: Application Hung

Observation	Meaning
Many BLOCKED threads	Synchronized bottleneck
Same method stack trace	Hot lock

✅ Fix:

- Reduce synchronized scope
- Use java.util.concurrent locks

 Scenario 2: High CPU Usage

Observation	Meaning
Many RUNNABLE threads	Infinite loop / heavy computation

✅ Fix:

- Optimize algorithm
- Add sleep/backoff

□ Scenario 3: Slow Application

Observation	Meaning
Threads in WAITING	DB, network, I/O delay

✅ Fix:

- Tune connection pools
- Add timeouts

---

7 Thread Dump vs GC Log (Interview Comparison)

Aspect	Thread Dump	GC Log
Purpose	Thread analysis	Memory analysis
Used for	Deadlock, CPU	GC tuning
Tool	jstack	JVM flags

---

8 Golden Interview Questions & Answers

Q1. How many thread dumps should you take?

 At least **3 dumps**, 10–15 seconds apart

Q2. What indicates a deadlock?

 JVM reports it explicitly

Q3. What does BLOCKED state mean?

 Waiting for a monitor lock

Q4. Difference between WAITING and TIMED_WAITING?

 WAITING = indefinite
 TIMED_WAITING = time-bound

---

9 One-Page Thread Dump Checklist

✅ Check number of threads
✅ Identify BLOCKED threads
✅ Look for repeated stack traces
✅ Detect deadlocks
✅ Correlate with CPU / GC logs

One-Line Summary (Memorize)

"Thread dump analysis helps detect deadlocks, lock contention, and performance bottlenecks by analyzing thread states and stack traces."

If you want next:

- **Deadlock case study**
- **High CPU thread dump analysis**
- **Concurrency interview questions**
- **Thread pool tuning**

Great — **thread pool tuning** is where *performance, scalability, and stability* meet
This is **very common in senior interviews + real production issues**.

Thread Pool Tuning (Complete, Practical Guide)

1 What Is a Thread Pool?

A **thread pool** reuses a fixed number of threads to execute tasks instead of creating new threads every time.

Implemented using:

ExecutorService
ThreadPoolExecutor

---

2 Core ThreadPoolExecutor Parameters (MUST KNOW)

```
ThreadPoolExecutor(
  corePoolSize,
  maximumPoolSize,
  keepAliveTime,
  TimeUnit,
  BlockingQueue<Runnable>
)
```

Parameter	Meaning
corePoolSize	Always-alive threads
maximumPoolSize	Max threads allowed
keepAliveTime	Idle thread timeout
BlockingQueue	Task waiting queue

---

3 CPU-bound vs I/O-bound (CRITICAL)

□ CPU-Bound Tasks

- Heavy computation
- No waiting

✅ **Rule of thumb**

Threads = Number of CPU cores
Executors.newFixedThreadPool(Runtime.getRuntime().availableProcessors());

□ I/O-Bound Tasks

- DB calls, HTTP, file I/O
- Threads spend time waiting

✅ **Rule of thumb**

Threads = 2 × CPU cores (or more)

 Interview Line:

"CPU-bound tasks need fewer threads; I/O-bound tasks need more threads."

---

4 BlockingQueue Choice (VERY IMPORTANT)

Queue	Behavior	When to Use
LinkedBlockingQueue	Unbounded	Stable load
ArrayBlockingQueue	Bounded	Backpressure
SynchronousQueue	No storage	High-throughput
PriorityBlockingQueue	Priority-based	Task priority

 Production Tip:
Always prefer **bounded queues** to avoid OOM.

---

5 Rejection Policies (Often Asked)

Policy	Behavior
AbortPolicy	Throws exception (default)
CallerRunsPolicy	Caller executes task
DiscardPolicy	Silently drops task

DiscardOldestPolicy	Drops oldest task

Best Practice

□ CallerRunsPolicy for graceful degradation

---

6 Common Thread Pool Problems & Fixes

□ Problem 1: High CPU Usage

Cause: Too many threads

✅ Fix:

- Reduce maximumPoolSize
- Match CPU cores

□ Problem 2: Request Latency

Cause: Queue too large

✅ Fix:

- Reduce queue size
- Increase core threads

□ Problem 3: OutOfMemoryError

Cause: Unbounded queue

✅ Fix:

```
new ArrayBlockingQueue<>(1000);
```

---

7 Production-Ready Thread Pool Configuration

```
int cores = Runtime.getRuntime().availableProcessors();

ThreadPoolExecutor executor =
  new ThreadPoolExecutor(
    cores,
    cores * 2,
    60,
    TimeUnit.SECONDS,
    new ArrayBlockingQueue<>(1000),
    Executors.defaultThreadFactory(),
    new ThreadPoolExecutor.CallerRunsPolicy()
  );
```

---

8 Monitoring Thread Pools

□ What to Monitor

- Active threads
- Queue size
- Task completion time
- Rejected tasks

□ Tools

- JConsole

- VisualVM
- Micrometer + Prometheus

---

9 Interview Questions (Must Practice)

Q1. Why not use Executors.newCachedThreadPool()?
 Unbounded threads → OOM risk

Q2. Difference between corePoolSize and maxPoolSize?
 Core = always alive, max = burst handling

Q3. What happens when queue is full?
 Rejection policy applied

Q4. Best pool for web servers?
 Fixed-size pool with bounded queue

 One-Line Summary (Memorize)

"Correct thread pool tuning balances throughput, latency, and resource usage without exhausting CPU or memory."

Want next?

- **ForkJoinPool deep dive**
- ⚡ **Async programming performance**
- **Web server thread model (Tomcat, Netty)**
- **Concurrency interview questions**