Status	Finished
Started	Tuesday, 11 August 2026, 3:46 PM
Completed	Tuesday, 11 August 2026, 3:53 PM
Duration	6 mins 40 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Complete

Mark 1.00 out of 1.00

Which of the following options correctly prints the phrase "Hurry Up!!"?

a. print("Hurry Up!!")

b. printf("Hurry Up!!")

c. print(Hurry Up!!!)

d. print_sentence(Hurry Up!!!)

Question **2**

Complete

Mark 1.00 out of 1.00

What is the output of the given below program?

```
a = 25
if a > 15:
   print("Hi")
if a <= 30:
   print("Hello")
else:
   print("Know Program")
```

a. Hi
Hello

b. Hi
Know Program

c. Hello

d. Hello
Know Program

Question **3**

Complete

Mark 1.00 out of 1.00

What is the value of x at the end of the following sequence of instructions?

```
x = 10
x = x * 3
x = x + 5
```

a. 30

b. 15

c. 35

d. 45

Question **4**

Complete

Mark 1.00 out of 1.00

Write the output of the following code :

```
x="Joy"
if(x=="John"):
    print("Aero")
elif(x=="Joy"):
    pass
else:
    print("REC")
print("REC-AERO")
```

a. REC-AERO

b. All the Above

c. Aero
REC
REC-Aero

d. REC
REC-AERO

Question **5**

Complete

Mark 1.00 out of 1.00

What will be the output for the following code?

```
if  1-1:
    print("python")
else:
    print("0 is false")
```

- a. 0 is false
- b. python
- c. Error

Question **6**

Complete

Mark 1.00 out of 1.00

Which of the following is true about the code below?

```
x = 3
if (x > 2):
    x = x * 2;
if (x > 4):
    x = 0;
print(x)
```

- a. if x is lesser then 0,x will be 0 after this code executes
- b. if x is greater than 2, the value in x will be doubled after this code executes
- c. if x is greater than 2, x will equal 0 after this code executes
- d. x will always equal 0 after this code executes for any value of x

Question **7**

Complete

Mark 0.00 out of 1.00

```
if true:
    print("Hello World")
```

a. Hello World

b. No output

c. Name Error

Question **8**

Complete

Mark 0.00 out of 1.00

```
if(x=-1):
    print("present")
else:
    print("absent")
```

a. compilation error

b. absent

c. Runtime Error

d. present

Question **9**

Complete

Mark 1.00 out of 1.00

Number of elif in a program is dependent on the _____

a. **number of variables in a program**

b. **number of loops in a program**

c. **number of conditions to be checked**

d. All the Above

Question **10**

Complete

Mark 1.00 out of 1.00

Given the nested `if-else` below, what will be the value `x` when the code executed successfully

```
x = 0
a = 5
b = 5
if a > 0:
    if b < 0:
        x = x + 5
    elif a > 5:
        x = x + 4
    else:
        x = x + 3
else:
    x = x + 2
print(x)
```

a. 0

b. 3

c. 2

d. 4

Question **11**

Complete

Mark 1.00 out of 1.00

selection is implemented with the help of _____ statement

a. if..else

b. while loop

c. for loop

Question **12**

Complete

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if a>=2 :
- b. if (a >= 2)
- c. if (a => 22)

Question **13**

Complete

Mark 0.00 out of 1.00

Can we write if/else into one line in python?

- a. No
- b. Yes

Question **14**

Complete

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

- a. Finds the sum of two numbers
- b. Finds the remainder on dividing two numbers
- c. Finds the product of two numbers
- d. Finds the quotient on dividing two numbers

Question **15**

Complete

Mark 1.00 out of 1.00

Which of the following statements in Python is used when no operation is to be performed?

a. Empty

b. None

c. Jump

d. pass