

Started on Saturday, 25 April 2026, 9:38 AM

State Finished

Completed on Saturday, 25 April 2026, 9:42 AM

Time taken 4 mins 3 secs

Grade 15.00 out of 15.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Which of the following Python code will create a set?

- (i) `set1=set((0,9,0))`
- (ii) `set1=set([0,2,9])`
- (iii) `set1={}`

- ☐ a. All of the above
- ☐ b. iii
- ☐ c. ii
- ☒ d. i,ii ✓

Question 2 | Correct Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

- ☐ a. Name Error
- ☐ b. {'Yellow', 'Orange', 'Black', ['Blue', 'Green', 'Red']}
- ☐ c. TypeError: update() doesn't allow list as a argument.
- ☒ d. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓

Question 3 | Correct Mark 1.00 out of 1.00

Select which is true for Python tuple?

- ☐ a. A tuple is unordered
- ☐ b. We can change the tuple once created
- ☐ c. None of these
- ☒ d. A tuple maintains the order of items ✓

Question 4 | Correct Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

- ☐ a. {40, '10', 50, 20, 60, 30}
- ☐ b. SyntaxError: Different types cannot be used with sets
- ☐ c. {40, 10, 50, 20, 60, 30}
- ☒ d. {40, 10, '10', 50, 20, 60, 30} ✓

Question 5 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
t = (58, 47, 36, 25, 14, 3)
x = t[2:-1]
print(x)
```

- ☒ a. (36, 25, 14) ✓
- ☐ b. Error
- ☐ c. (58,47,36,25)
- ☐ d. (3,14,25)

Question 6 | Correct Mark 1.00 out of 1.00

What is the output of the following code?

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

- ☒ a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓
- ☐ b. (10, 20, 30, 40) (40, 50, 60, 70, 80)
- ☐ c. (30, 40, 50)(40, 50, 60, 70, 80)
- ☐ d. (30, 40, 50) (10, 20, 30, 40)

Question 7 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

- ☒ a. [55, 33, 11] ✓
- ☐ b. [(55,33,11)]
- ☐ c. (55,33,11)
- ☐ d. [(55,33,11)]

Question 8 | Correct Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- ☒ a. {3} ✓
- ☐ b. {2,5,1}
- ☐ c. {}
- ☐ d. {2,5,3,1}

Question 9 | Correct Mark 1.00 out of 1.00

Write the Output of the following Code?

```
t = (15,83,83,52,60,45,52,85,100)
print(min(t)+max(t)+t.count(52))
```

- ☐ a. 100
- ☒ b. 117 ✓
- ☐ c. 2
- ☐ d. Error

Question 10 | Correct Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

- ☐ a. tupl[1]=2
- ☒ b. tupl1=tupl+tupl ✓
- ☐ c. tupl.sort()
- ☐ d. tupl.append(2)

Question 11 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
my_t1 = (1, 2, 3, 4)
my_t1.append( (5, 6, 7) )
print(len(my_t1))
```

- ☒ a. Error ✓
- ☐ b. 5
- ☐ c. 1
- ☐ d. 2

Question 12 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

- ☐ a. [1, 2, 4, 3, 8, 9]
- ☐ b. (1, 4, 8)
- ☒ c. [1, 4, 8] ✓
- ☐ d. [2, 3, 9]

Question 13 | Correct Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tup1=("python","programming","Computer")
print(tup1[-3:0])
```

- ☒ a. () ✓
- ☐ b. (Computer)
- ☐ c. Computer
- ☐ d. Error

Question 14 | Correct Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

- ☒ a. Error ✓
- ☐ b. 12
- ☐ c. (12)
- ☐ d. (55,78,64,25)

Question 15 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
```

```
x = 3 * t
```

```
print(x)
```

- ☐ a. (11,3)(11,3)(11,3)
- ☒ b. (11, 3, 11, 3, 11, 3) ✓
- ☐ c. [11,11,11,3,3,3]
- ☐ d. (11,3,11,11,3,11,11,3)