

Started on Saturday, 25 April 2026, 9:45 AM

State Finished

Completed on Saturday, 25 April 2026, 9:49 AM

Time taken 4 mins 20 secs

Grade 14.00 out of 15.00 (93.33%)

Question 1 | Correct Mark 1.00 out of 1.00

Key – value concept is in ____.

- ☒ a. Dictionary ✓
- ☐ b. Tuple
- ☐ c. List
- ☐ d. String

Question 2 | Correct Mark 1.00 out of 1.00

All elements in dictionary are separated by ____.

- ☒ a. Comma(,) ✓
- ☐ b. Semicolon(;)
- ☐ c. Colon (:)
- ☐ d. dot(.)

Question 3 | Correct Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

- a) All the keys in a dictionary must be of the same type.
- b) Items are accessed by their position in a dictionary.
- c) A dictionary can contain any object type except another dictionary.
- d) Dictionaries can be nested to any depth.
- e) Dictionaries are mutable.
- f) Dictionaries are accessed by key.

- ☐ a. a,b
- ☒ b. d,e,f ✓
- ☐ c. b,c
- ☐ d. c,d,e

Question 4 | Incorrect Mark 0.00 out of 1.00

Which of the following is not method of dictionary?

- ☐ a. update()
- ☒ b. len() ✖
- ☐ c. del ()
- ☐ d. pop()

Question 5 | Correct Mark 1.00 out of 1.00

Keys of dictionary must be ____.

- ☐ a. mutable
- ☐ b. integers
- ☐ c. antique
- ☒ d. unique ✔

Question 6 | Correct Mark 1.00 out of 1.00

Which one of the following is correct?

- ☒ a. A dictionary can have two same values with different keys. ✔
- ☐ b. A python, a dictionary can neither have two same keys nor two same values.
- ☐ c. A dictionary can have two same keys or same values but cannot have two same key-value pair
- ☐ d. A dictionary can have two same keys with different values.

Question 7 | Correct Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

- ☒ a. print(A.items()) ✔
- ☐ b. print(A.get())
- ☐ c. print(A.values())
- ☐ d. print(A.keys())

Question 8 | Correct Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
```

```
list_o_names = []
```

```
names['Emily'] += 10
```

```
names['Erik'] = 22
```

```
for name in names:
```

```
    if names[name] > 5:
```

```
        list_o_names.append(name)
```

```
print(list_o_names)
```

- ☐ a. ['Janice', 'John', 'Erik']
- ☐ b. ['Janice', 'Emily', 'John', 'Eleanor']
- ☒ c. ['Emily', 'John', 'Erik'] ✓
- ☐ d. ['Janice', 'Emily', 'John']

Question 9 | Correct Mark 1.00 out of 1.00

_____ function returns the number of key: value pairs of the dictionary.

- ☐ a. items()
- ☐ b. length()
- ☐ c. total()
- ☒ d. len() ✓

Question 10 | Correct Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

- ☒ a. True ✓
- ☐ b. False

Question 11 | Correct Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

- ☐ a. d1 = ()
- ☒ b. d1 = {} ✓
- ☐ c. d1 = []
- ☐ d. d1 = dict{ }

Question 12 | Correct Mark 1.00 out of 1.00

Dictionary is a ____ data type.

- ☐ a. Sequence
- ☒ b. Mapping ✓
- ☐ c. None of the mentioned
- ☐ d. Ordered

Question 13 | Correct Mark 1.00 out of 1.00

Keys in dictionary are ____.

- ☐ a. integers
- ☐ b. Mutable
- ☐ c. antique
- ☒ d. Immutable ✓

Question 14 | Correct Mark 1.00 out of 1.00

What will be the Output of the following code?

```
dl={1:10, 2:20, 3:30, 4:40}
```

```
d2={5:50, 6:60, 7:70}
```

```
dl.update (d2)
```

```
print (dl)
```

- ☐ a. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
- ☒ b. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
- ☐ c. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]
- ☐ d. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

Question 15 | Correct Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

- ☐ a. delete()
- ☐ b. pop()
- ☐ c. del
- ☒ d. clear() ✓