

Emoji Emotion Display

Overview

Large language models use a single Emoji token to express their current emotional state. These emoticons are not read aloud by the TTS system but are returned to the client as independent data types.

Data Format

Communication uses JSON format, as shown in the example below:

```
{  
  "type": "llm",  
  "text": "😊",  
  "emotion": "smile"  
}
```

Emoji Reference Table

Emoji	Emotion Type	Description
😊	neutral	Neutral/Calm

Emoji	Emotion Type	Description
	happy	Happy
	laughing	Laughing
	funny	Funny
	sad	Sad
	angry	Angry
	crying	Crying
	loving	Loving
	embarrassed	Embarrassed
	surprised	Surprised
	shocked	Shocked
	thinking	Thinking
	winking	Winking
	cool	Cool
	relaxed	Relaxed
	delicious	Delicious
	kissy	Kissing
	confident	Confident
	sleepy	Sleepy
	silly	Silly

Emoji	Emotion Type	Description
🤔	confused	Confused

Usage Instructions

1. When the client receives a response containing the emotion field, it should parse the corresponding emotion type
2. The interface display effect or corresponding animation can be adjusted according to the emotion type
3. The TTS system should ignore Emoji characters in the text field

Notes

- Emoji uses UTF-8 encoding
- Ensure that the client has the ability to display Emoji
- It is recommended to display both the Emoji and the corresponding emotion type text on the interface

Powered by XiaoZhi.Dev

© 2025 xiaozhi.dev. ✉ ai@xiaozhi.dev