

=====

VULNSCOPE LITE - FULL INTEGRATED SCAN OUTPUT

=====

Target: google.com

Execution Order: Recon -> XSS -> SQL Injection -> Security Config -> Ollama AI

Execution Order: Recon -> XSS -> SQL Injection -> Security Config

=====

RECON MODULE

=====

Status: success

Target: google.com

Target Validation:

Target is valid.

Host Reachability:

Reachable: True

Port Scan Configuration:

Source: C:\Users\Khale\Desktop\NTI PROJECT\VulCheck-main\all_ports_list.txt

Total configured entries: 112

Ports/Ranges:

1, 5, 7, 9, 11, 13, 17, 19, 20, 21, 22, 23, 25, 37, 43, 49, 53, 67, 68, 69, 70, 79, 80, 88, 109, 110, 111, 113, 115, 118, 119, 123, 135, 137, 138, 139, 143, 156, 161, 162, 179, 194, 201, 220, 389, 443, 444, 445, 464, 465, 500, 514, 515, 520, 530, 543, 544, 546, 547, 548, 554, 563, 587, 631, 636, 873, 989, 990, 992, 993, 995, 1080, 1194, 1234, 1433, 1434, 1521, 1701, 1723, 1812, 1813, 1900, 2049, 2181, 2375, 2376, 3000, 3306, 3389, 3690, 4500, 4840, 5000, 5060, 5061, 5222, 5432, 5672, 5900, 6379, 8000, 8080, 8443, 8888, 9000, 9092, 9200, 9300, 11211, 25565, 27017, 49152-65535

Open Ports:

- 80
- 443

Service Detection:

Port: 80

Service: http

Product: gws

Banner: Not available

Port: 443

Service: https

Product: gws

Banner: Not available

Web Services:

- HTTP -> http://google.com/
- HTTPS -> https://google.com/

HTTP Recon:

URL: http://www.google.com/

Status Code: 200

Server: gws

X-Powered-By: None

Content-Type: text/html; charset=ISO-8859-1

URL: https://www.google.com/

Status Code: 200

Server: gws
X-Powered-By: None
Content-Type: text/html; charset=ISO-8859-1

Endpoint Crawling:

- <http://www.google.com/>
- http://www.google.com/advanced_search?hl=ar&authuser=0
- <http://www.google.com/intl/ar/about.html>
- <http://www.google.com/intl/ar/ads/>
- <http://www.google.com/intl/ar/policies/privacy/>
- <http://www.google.com/intl/ar/policies/terms/>
- <http://www.google.com/intl/ar/services/>
- http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_63d1jAgOWPtPWbwdwBMqWpTlPd4%3D
- http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU
- <https://www.google.com/>
- https://www.google.com/advanced_search?hl=ar&authuser=0
- <https://www.google.com/imghp?hl=ar&ogbl>
- <https://www.google.com/intl/ar/about.html>
- <https://www.google.com/intl/ar/ads/>
- <https://www.google.com/intl/ar/policies/privacy/>
- <https://www.google.com/intl/ar/policies/terms/>
- https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_sDTKKoQe-kMWZtK4ZkKqU7-vSK0%3D
- https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXW6VKEAHbXmNicQ2ZgBCAU

OS Clues:

No OS clues found.

Findings:

Recon does not currently emit vulnerability findings.

XSS SCANNER MODULE

Status: success

Target: google.com

Marker: VulnScopeXSS

Max Pages: 20

Web Targets From Recon:

- <http://google.com/>
- <https://google.com/>

Pages Scanned:

- http://www.google.com/advanced_search?hl=en-EG&authuser=0
- http://www.google.com/advanced_search?hl=ar&authuser=0
- http://www.google.com/sorry/index?continue=http://www.google.com/setprefs%3Fsig%3D0_ZzTK95x0_-kdurUxwerVY1wh3TE%253D%26hl%3Dar%26source%3Dhomepage%26sa%3DX%26ved%3D0ahUKEwj71rPvqL6WAXVcZ0EAHTkcC20Q2ZgBCAU&hl=ar&q=EgTF0lNqGIq_u9QGIjDjMeQIM06ZBnf4Vbg5iBzlyZdWs0Wo4rdBJGK57YQR8CvyDzngSQsQhb4ckjndM0yAnJSWgFD
- <https://www.google.com/url?q=https://policies.google.com/terms%3Fhl%3Dar%26fg%3D1&opi=89978449&sa=U&ved=0ahUKEwj687X1qL6WAXUQZkEAHfLwHg8Q8qwCCAQ&usg=AOvVaw0DXacgPCaIFhKqKEksdeig>
- https://www.google.com/advanced_search?hl=ar&authuser=0
- <https://www.google.com/url?q=https://policies.google.com/privacy%3Fhl%3Dar%26fg%3D1&opi=89978449&sa=U&ved=0ahUKEwj687X1qL6WAXUQZkEAHfLwHg8Q8awCCAM&usg=AOvVaw2UMqxR8-04WKSdQAYuzoXX>
- https://www.google.com/setprefs?sig=0_ZzTK95x0_-kdurUxwerVY1wh3TE%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwiMn7jzqL6WAXVEXUEAHZmZChYQ2ZgBCAU

- https://www.google.com/advanced_image_search?hl=ar&authuser=0
- <https://www.google.com/preferences?hl=ar>
- http://www.google.com/setprefs?sig=0_ZzTK95x0_-kdurUxwerVY1wh3TE%3D&hl=ar&source=homepage&sa=X&ved=0ahUKEwj-j7qL6WAXVcZ0EAHTkcC2Q02ZgBCAU
- <http://google.com/>
- http://www.google.com/setprefs?sig=0_ZzTK95x0_-kdurUxwerVY1wh3TE%3D&hl=ar&source=homepage&sa=X&ved=0ahUKEwi41Pb4qL6WAXWLZKEAHTVvKc4Q2ZgBCAU
- <https://www.google.com/webhp?hl=ar&tab=ii>
- <https://www.google.com/imghp?hl=ar&ogbl>
- https://www.google.com/url?q=https://support.google.com/websearch/%3Fp%3Dws_results_help%26hl%3D%3D%3D1&opi=89978449&sa=U&ved=0ahUKEwj687X1qL6WAXUQZKEAHfLwHg8Q8KwCCAI&usg=A0vVaw2v06Fjy83aPmNWE
- <https://google.com/>
- http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_QFf34hwsou_rgReVulV8hvhvay0%3D
- http://www.google.com/setprefs?sig=0_ZzTK95x0_-kdurUxwerVY1wh3TE%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwiyjITwqL6WAXWzdUEAHQmJLRMQ2ZgBCAU
- https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_tjurqiHwd6Nbqu6sgI7GzHzylg%3D
- <https://www.google.com/webhp?tab=ww>

Per-Page XSS Checks:

Requested URL: <http://google.com/>

Final URL: <http://www.google.com/>

Query Parameters: None

Forms:

- GET <http://www.google.com/search> fields=[ie, hl, source, biw, bih, q, btnG, btnI, iflsig, gbv]

Same-Origin Links Found: 8

Parameterized Links Found: 3

Requested URL: <https://google.com/>

Final URL: <https://www.google.com/>

Query Parameters: None

Forms:

- GET <https://www.google.com/search> fields=[ie, hl, source, biw, bih, q, btnG, btnI, iflsig, gbv]

Same-Origin Links Found: 8

Parameterized Links Found: 4

Requested URL: http://www.google.com/advanced_search?hl=ar&authuser=0

Final URL: https://www.google.com/advanced_search?hl=ar&authuser=0

Query Parameters: authuser, hl

Forms:

- GET <https://www.google.com/search> fields=[hl, as_q, as_epq, as_oq, as_eq, as_nlo, as_nhi, lr, cr, as_qdr, as_sitesearch, as_occt, as_filetype, as_rights, tbs]

Same-Origin Links Found: 5

Parameterized Links Found: 5

Requested URL: http://www.google.com/setprefs?sig=0_ZzTK95x0_-kdurUxwerVY1wh3TE%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwiyjITwqL6WAXWzdUEAHQmJLRMQ2ZgBCAU

Final URL: <http://www.google.com>

Query Parameters: None

Forms:

- GET <http://www.google.com/search> fields=[ie, hl, source, biw, bih, q, btnG, btnI, iflsig, gbv]

Same-Origin Links Found: 7

Parameterized Links Found: 3

Requested URL: http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_QFf34hwsou_rgReVulV8hvhvay0%3D

Final URL: <http://www.google.com/>

Query Parameters: None

Forms:

- GET <http://www.google.com/search> fields=[ie, hl, source, biw, bih, q, btnG, btnI, iflsig, gbv]

Same-Origin Links Found: 7

Parameterized Links Found: 3

Requested URL: <https://www.google.com/imghp?hl=ar&ogbl>

Final URL: <https://www.google.com/imghp?hl=ar&ogbl>

Query Parameters: hl, ogbl

Forms:

- GET <https://www.google.com/search> fields=[tbm, ie, hl, source, biw, bih, q, btnG, gbv]

Same-Origin Links Found: 5

Parameterized Links Found: 1

Requested URL: https://www.google.com/advanced_search?hl=ar&authuser=0

Final URL: https://www.google.com/advanced_search?hl=ar&authuser=0

Query Parameters: authuser, hl

Forms:

- GET <https://www.google.com/search> fields=[hl, as_q, as_epq, as_oq, as_eq, as_nlo, as_nhi, lr, cr, as_qdr, as_sitesearch, as_occt, as_filetype, as_rights, tbs]

Same-Origin Links Found: 5

Parameterized Links Found: 5

Requested URL: https://www.google.com/setprefs?sig=0_ZzTK95x0_-kdurUxwerVY1wh3TE%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwiMn7jzqL6WAxVEXUEAHZmZChYQ2ZgBCAU

Final URL: <https://www.google.com>

Query Parameters: None

Forms:

- GET <https://www.google.com/search> fields=[ie, hl, source, biw, bih, q, btnG, btnI, iflsig, gbv]

Same-Origin Links Found: 8

Parameterized Links Found: 4

Requested URL: https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_tjurqiHwd6Nbqu6sgI7GzHzygLG%3D

Final URL: <https://www.google.com/>

Query Parameters: None

Forms:

- GET <https://www.google.com/search> fields=[ie, hl, source, biw, bih, q, btnG, btnI, iflsig, gbv]

Same-Origin Links Found: 8

Parameterized Links Found: 4

Requested URL: <https://www.google.com/webhp?tab=ww>

Final URL: <https://www.google.com/webhp?tab=ww>

Query Parameters: tab

Forms:

- GET <https://www.google.com/search> fields=[ie, hl, source, biw, bih, q, btnG, btnI, iflsig, gbv]

Same-Origin Links Found: 8

Parameterized Links Found: 4

Requested URL: <https://www.google.com/preferences?hl=ar>

Final URL: <https://www.google.com/preferences?hl=ar>

Query Parameters: hl

Forms:

- GET <https://www.google.com/setprefs> fields=[sig, hl, lr, gl, cs]

Same-Origin Links Found: 6

Parameterized Links Found: 6

Requested URL: https://www.google.com/url?q=https://support.google.com/websearch/%3Fp%3Dws_results_help%26hl%3Dar%26fg%3D1&opi=89978449&sa=U&ved=0ahUKEwj687X1qL6WAXUQZkEAHfLwHg8Q8KwCCAI&usg=A0vVaw2v06Fjy83aPmNWEDs87vDo

Final URL:

https://support.google.com/websearch/?visit_id=639233450214204885-581369735&hl=ar&rd=2#topic=3378866

Query Parameters: hl, rd, visit_id

Forms:

- GET [https://support.google.com/websearch/search?hl=ar&fields=\[q, from_promoted_search\]](https://support.google.com/websearch/search?hl=ar&fields=[q,from_promoted_search])
- GET

[https://support.google.com/websearch/?visit_id=639233450214204885-581369735&hl=ar&rd=2#topic=3378866&fields=\[hl\]](https://support.google.com/websearch/?visit_id=639233450214204885-581369735&hl=ar&rd=2#topic=3378866&fields=[hl])

Same-Origin Links Found: 131

Parameterized Links Found: 126

Requested URL: <https://www.google.com/url?q=https://policies.google.com/privacy%3Fhl%3Dar%26fg%3D1&opi=89978449&sa=U&ved=0ahUKEwj687X1qL6WAXUQZkEAHfLwHg8Q8awCCAM&usg=A0vVaw2UMqxR8-04WKSdQAyuzoXX>

Final URL: <https://policies.google.com/privacy?hl=ar&fg=1>

Query Parameters: fg, hl

Forms: None

Same-Origin Links Found: 16

Parameterized Links Found: 15

Requested URL: <https://www.google.com/url?q=https://policies.google.com/terms%3Fhl%3Dar%26fg%3D1&opi=89978449&sa=U&ved=0ahUKEwj687X1qL6WAXUQZkEAHfLwHg8Q8qWCCAQ&usg=A0vVaw0DXacgPCaIFhKqKEksdeig>

Final URL: <https://policies.google.com/terms?hl=ar&fg=1>

Query Parameters: fg, hl

Forms: None

Same-Origin Links Found: 11

Parameterized Links Found: 10

Requested URL: http://www.google.com/advanced_search?hl=en-EG&authuser=0

Final URL: https://www.google.com/advanced_search?hl=en-EG&authuser=0

Query Parameters: authuser, hl

Forms:

- GET [https://www.google.com/search&fields=\[hl, as_q, as_epq, as_oq, as_eq, as_nlo, as_nhi, lr, cr, as_qdr, as_sitesearch, as_occt, as_filetype, as_rights, tbs\]](https://www.google.com/search&fields=[hl,as_q,as_epq,as_oq,as_eq,as_nlo,as_nhi,lr,cr,as_qdr,as_sitesearch,as_occt,as_filetype,as_rights,tbs])

Same-Origin Links Found: 5

Parameterized Links Found: 5

Requested URL: http://www.google.com/setprefs?sig=0_ZzTK95x0_-kdurUxwerVY1wh3TE%3D&hl=ar&source=homepage&sa=X&ved=0ahUKEwi41Pb4qL6WAXWLZkEAHTVvKc4Q2ZgBCAU

Final URL: http://www.google.com/sorry/index?continue=http://www.google.com/setprefs%3Fsig%3D0_ZzTK95x0_-kdurUxwerVY1wh3TE%253D%26hl%3Dar%26source%3Dhomepage%26sa%3DX%26ved%3D0ahUKEwi41Pb4qL6WAXWLZkEAHTVvKc4Q2ZgBCAU&hl=ar&q=EgTF0lNqGIm_u9QGIjC60eKGVVePLSHLqzpE1tf4pYHo_h46K08b4S5Yl5hdRTZexMp63wKJdbnJiIDQ81gyAnJSWgFD

Query Parameters: continue, hl, q

Forms:

- POST [http://www.google.com/sorry/index&fields=\[q, continue\]](http://www.google.com/sorry/index&fields=[q,continue])

Same-Origin Links Found: 2

Parameterized Links Found: 1

Requested URL: http://www.google.com/setprefs?sig=0_ZzTK95x0_-kdurUxwerVY1wh3TE%3D&hl=ar&source=homepage&sa=X&ved=0ahUKEwj-j7qL6WAXVcZ0EAHTkcC20Q2ZgBCAU

Final URL: http://www.google.com/sorry/index?continue=http://www.google.com/setprefs%3Fsig%3D0_ZzTK95x0_-kdurUxwerVY1wh3TE%253D%26hl%3Dar%26source%3Dhomepage%26sa%3DX%26ved%3D0ahUKEwj-j7qL6WAXVcZ0EAHTkcC20Q2ZgBCAU&hl=ar&q=EgTF0lNqGIq_u9QGIjDjMeQIM06ZBnf4Vbg5iBzLYzdWs0Wo4rdBJGK57QYQR8CvyDzngSQsQhb4ckjndM0yAnJSWgFD

Query Parameters: continue, hl, q

Forms:

- POST http://www.google.com/sorry/index fields=[q, continue]
Same-Origin Links Found: 2
Parameterized Links Found: 1

Requested URL: https://www.google.com/advanced_image_search?hl=ar&authuser=0
Final URL: https://www.google.com/advanced_image_search?hl=ar&authuser=0
Query Parameters: authuser, hl
Forms:

- GET https://www.google.com/search fields=[as_st, tbm, hl, as_q, as_epq, as_oq, as_eq, imgsz, imgar, imgc, imgtype, cr, as_sitesearch, as_filetype, as_rights, tbs]
Same-Origin Links Found: 5
Parameterized Links Found: 5

Requested URL: http://www.google.com/sorry/index?continue=http://www.google.com/setprefs%3Fsig%3D0_ZzTK95x0_-kdurUxwerVY1wh3TE%253D%26hl%3Dar%26source%3Dhomepage%26sa%3DX%26ved%3D0ahUKEwj-j7qL6WAXVcZ0EAHTkcC20Q2ZgBCAU&hl=ar&q=EgTF0lNqGIq_u9QGIjDjMeQIM06ZBnf4Vbg5iBzLYzdWs0Wo4rdBJGK57QYQR8CvyDzngSQsQhb4ckjndM0yAnJSWgFD
Final URL: http://www.google.com/sorry/index?continue=http://www.google.com/setprefs%3Fsig%3D0_ZzTK95x0_-kdurUxwerVY1wh3TE%253D%26hl%3Dar%26source%3Dhomepage%26sa%3DX%26ved%3D0ahUKEwj-j7qL6WAXVcZ0EAHTkcC20Q2ZgBCAU&hl=ar&q=EgTF0lNqGIq_u9QGIjDjMeQIM06ZBnf4Vbg5iBzLYzdWs0Wo4rdBJGK57QYQR8CvyDzngSQsQhb4ckjndM0yAnJSWgFD
Query Parameters: continue, hl, q
Forms:

- POST http://www.google.com/sorry/index fields=[q, continue]
Same-Origin Links Found: 2
Parameterized Links Found: 1

Requested URL: https://www.google.com/webhp?hl=ar&tab=ii
Final URL: https://www.google.com/webhp?hl=ar&tab=ii
Query Parameters: hl, tab
Forms:

- GET https://www.google.com/search fields=[ie, hl, source, biw, bih, q, btnG, btnI, iflsig, gbv]
Same-Origin Links Found: 8
Parameterized Links Found: 4

Findings:

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/advanced_search?hl=ar&authuser=VulnScopeXSS

Parameter: authuser

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'authuser'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/advanced_search?hl=VulnScopeXSS&authuser=0

Parameter: hl

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeXSS&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: hl

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeXSS&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_q

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_q'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeXSS&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_epq

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_epq'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeXSS&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_oq

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_oq'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeXSS&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_eq

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_eq'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeXSS&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_nlo

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_nlo'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeXSS&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_nhi
Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_nhi'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeXSS&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: lr

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'lr'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeXSS&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: cr

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'cr'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeXSS&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_qdr

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_qdr'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeXSS&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_sitesearch

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_sitesearch'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeXSS&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_occt

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_occt'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeXSS&as_rights=VulnScopeTest&tbs=VulnScopeTest

Parameter: as_filetype

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_filetype'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeXSS&tbs=VulnScopeTest

Parameter: as_rights

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_rights'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/search?hl=VulnScopeTest&as_q=VulnScopeTest&as_epq=VulnScopeTest&as_oq=VulnScopeTest&as_eq=VulnScopeTest&as_nlo=VulnScopeTest&as_nhi=VulnScopeTest&lr=VulnScopeTest&cr=VulnScopeTest&as_qdr=VulnScopeTest&as_sitesearch=VulnScopeTest&as_occt=VulnScopeTest&as_filetype=VulnScopeTest&as_rights=VulnScopeTest&tbs=VulnScopeXSS

Parameter: tbs

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'tbs'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/imghp?hl=VulnScopeXSS&ogbl=>

Parameter: hl

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS
Type: Reflected XSS
Confidence: medium
URL: <https://www.google.com/imghp?hl=ar&ogbl=VulnScopeXSS>
Parameter: ogbl
Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'ogbl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS
Confidence: medium
URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeXSS%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPO-u9QGIjC9oAL8o0EERdatiMkb8Shlr3fobfaXQX7tanhU_opEqCFI_bgA1qSK2PpTiDZH2RIyAnJSWgFD
Parameter: btnG
Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'btnG'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS
Confidence: medium
URL: <https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeXSS%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPS-u9QGIjDYwC0cxPS30TLw4FDUga-XwRmGs0DkN2TtR-wLaJMAQutMUwr21LcAqgkurGPBCKWYAnJSWgFD>
Parameter: btnI
Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'btnI'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeXSS%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPS-u9QGIjDE1FZOx5abSPLPMCGppoe9s77OMMY3pkWlizwgZ9aRCSrKDDa8x3h8nrDiy0zpQv8yAnJSWgFD>

Parameter: iflsig

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'iflsig'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeXSS&hl=VulnScopeTest&q=EgTF0lNqGPS-u9QGIjDvHcH0c5ePC59hClZnGHfGEIVZngBMMVAMLsSn8Num2nPAb-DV7H0kHewonyyXxQyAnJSWgFD>

Parameter: gbv

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'gbv'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/webhp?tab=VulnScopeXSS>

Parameter: tab

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'tab'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeXSS%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPW-u9QGIjB9unth-3oDUCYoEB-RlCg3AKLl7pkzreJkmdxDt0e-OUHoRbGMXgPbQ_yL7dregYkyAnJSWgFD

Parameter: ie

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'ie'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeXSS%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest>

t&hl=VulnScopeXSS&q=EgTF0lNqGPa-u9QGijChvsq_k03RbHlQSHWhvHABruSB4QHdkiHtjHXe19i0welcRCDRIgfZVnDlZCv6
SCIyAnJSWgFD

Parameter: hl

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeXSS%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPa-u9QGijAmHgLwbEjiG00BKTT0_BXz3dQgXRcJ-dzo3Ic34kvUVKjp4r_H_kebF8bP9tLTo8wyAnJSWgFD

Parameter: source

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'source'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeXSS%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPe-u9QGijDbGECGSRbNcWJ96cIXuKyRDGfas97mIGgwrIqXp_xT1ecWSQ0um4Ml5NPLLYSYpNgyAnJSWgFD

Parameter: biw

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'biw'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeXSS%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPe-u9QGIjA6n-vVNq_vqQbDCCxZhdCpXxzb2CPyTHj006K1cE3nQF7xKCMZbCY3PwWK8iBZkAcyAnJSWgFD

Parameter: bih

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'bih'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeXSS%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPi-u9QGIjAL2Zl2vYXpZhalot10xTlRT40k9_4j0UkWKdho55qIHxeBP1k4pEzn5qVPNqCmEUoyAnJSWgFD

Parameter: q

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'q'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeXSS%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPi-u9QGIjA8SEIaY328rSmC6VCFMppsF7eStFTLDCgc76SvRzLw0h-qzYpTAouUZ0ZYPC8rzc8yAnJSWgFD>

Parameter: btnG

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'btnG'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeXSS%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPM-u9QGIjAi0Qo7QsjL91xirUU4wD36otk3o-ZccruoFDFSWYXI-uNTAi89wnlkiHlIU2L5AYHUyAnJSWgFD>

Parameter: btnI

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'btnI'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeXSS%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPM-u9QGIjAi0Qo7QsjL91xirUU4wD36otk3o-ZccruoFDFSWYXI-uNTAi89wnlkiHlIU2L5AYHUyAnJSWgFD>

26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeXSS%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPm-u9QGIjC2-oUX6xPiBthaijXBdaIaZogbD93JV0PhG-_iFM-JoiXhT085bpuskBCcTpZsocEyAnJSWgFD

Parameter: iflsig

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'iflsig'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeXSS&hl=VulnScopeTest&q=EgTF0lNqGPq-u9QGIjB96u9LbHqAlEsIcs20i-IrIc9CV1etKLRKi1qXES649qPh88Ls5aQ-Pna9000bkAkyAnJSWgFD

Parameter: gbv

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'gbv'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/setprefs%3Fsig%3DVulnScopeXSS%26hl%3DVulnScopeTest%26lr%3DVulnScopeTest%26gl%3DVulnScopeTest%26cs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPq-u9QGIjB32WIfIcwY_E49lmgxbKTOLvms-q0tAwoR5IYhle2_401d6UPu2jUnlh3cprqY1ocyAnJSWgFD

Parameter: sig

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'sig'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/setprefs%3Fsig%3DVulnScopeTest%26hl%3DVulnScopeXSS%26lr%3DVulnScopeTest%26gl%3DVulnScopeTest%26cs%3DVulnScopeTest&hl=VulnScopeXSS&q=EgTF0lNqGPu-u9QGIjBR2ysaitYyY7V8qHqjfXEaIFhrhpPS_mLzXv3gUtp1JbRgHXcztSvGrrufc3uaRicyAnJSwgFD

Parameter: hl

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/sorry/index?continue=https://www.google.com/setprefs%3Fsig%3DVulnScopeTest%26hl%3DVulnScopeTest%26lr%3DVulnScopeXSS%26gl%3DVulnScopeTest%26cs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPu-u9QGIjCVfWhFoeIdFQwc7MmXF8Q3PRP5tFgwJ1DFR67Js-exid8wwYcZwOrGmDQC5xT3lCoyAnJSwgFD>

Parameter: lr

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'lr'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/sorry/index?continue=https://www.google.com/setprefs%3Fsig%3DVulnScopeTest%26hl%3DVulnScopeTest%26lr%3DVulnScopeTest%26gl%3DVulnScopeXSS%26cs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGPY-u9QGIjC0e4oitdFBq7wDG8r6y8k2eFt09SnWuqHs5dLb8ip3hVXAsCJVm80Z1zp4YmIx1mYyAnJSWgFD>

Parameter: gl

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'gl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/setprefs%3Fsig%3DVulnScopeTest%26hl%3DVulnScopeTest%26lr%3DVulnScopeTest%26gl%3DVulnScopeTest%26cs%3DVulnScopeXSS&hl=VulnScopeTest&q=EgTF0lNqGPY-u9QGIjC7_DPQvdqLBx0TZdJpoAxRKD2ryhg_ceEPVM6Q_AjWiAZ6g7DUQ1n3J7MdpD4M5skyAnJSWgFD

Parameter: cs

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'cs'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://support.google.com/websearch/?visit_id=639233450214204885-581369735&hl=VulnScopeXSS&rd=2#topic=3378866

Parameter: hl

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://support.google.com/websearch/?visit_id=639233450214204885-581369735&hl=ar&rd=VulnScopeXSS#topic=3378866

Parameter: rd

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'rd'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://support.google.com/websearch/?visit_id=VulnScopeXSS&hl=ar&rd=2#topic=3378866

Parameter: visit_id

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'visit_id'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL:

https://support.google.com/websearch/search?hl=ar&q=VulnScopeXSS&from_promoted_search=VulnScopeTest
Parameter: q
Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'q'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL:

https://support.google.com/websearch/search?hl=ar&q=VulnScopeTest&from_promoted_search=VulnScopeXSS

Parameter: from_promoted_search

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'from_promoted_search'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://support.google.com/websearch/?visit_id=639233450214204885-581369735&hl=ar&rd=2&hl=VulnScopeXSS#topic=3378866

Parameter: hl

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://policies.google.com/privacy?hl=ar&fg=VulnScopeXSS>

Parameter: fg

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'fg'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://policies.google.com/privacy?hl=VulnScopeXSS&fg=1>

Parameter: hl

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://policies.google.com/terms?hl=ar&fg=VulnScopeXSS>

Parameter: fg

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'fg'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://policies.google.com/terms?hl=VulnScopeXSS&fg=1>

Parameter: hl

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/advanced_search?hl=en-EG&authuser=VulnScopeXSS

Parameter: authuser

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'authuser'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/advanced_image_search?hl=ar&authuser=VulnScopeXSS

Parameter: authuser
Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'authuser'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/advanced_image_search?hl=VulnScopeXSS&authuser=0

Parameter: hl

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeXSS%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGIy_u9QGijCUPfoK35m4U5EvulK8Z-9sInF0J79SDfbG0AfQYbcwQMaSlHrAER2_ypf5whD0dIEyAnJSWgFD

Parameter: as_st

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_st'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application

is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeXSS%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGIy_u9QGIjCXRkbmDWRTlS99fdgwFLY7LkIq4WIJM8ewqMda5z3Pkgw-e94bcrecUCcmgNYdGe0yAnJSWgFD

Parameter: tbm

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'tbm'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeXSS%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGI6_u9QGIjADeoE9spTEKQYkVG120Hovr7uLc1alG-VejlbHigg6xe93wsw96QY7USsdCcd7ixEyAnJSWgFD

Parameter: as_q

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_q'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeXSS%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGI-_u9QGIjAR1kZVD0qYbNbg2apG2ej5w1r_irhXHYG0oHK7XRzVdKlLuI5H-NSu4F0knz9dtAwyAnJSWgFD

Parameter: as_epq

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_epq'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeXSS%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGI-_u9QGIjDay-Q6ae1L6g6_M1W91XEt_molFOHQgKa1u0IxCMhX1h4gQHgKCE7g0oyql8eybQyAnJSWgFD

Parameter: as_oq

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_oq'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeXSS%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGI-_u9QGIjDay-Q6ae1L6g6_M1W91XEt_molFOHQgKa1u0IxCMhX1h4gQHgKCE7g0oyql8eybQyAnJSWgFD

q%3DVulnScopeTest%26as_eq%3DVulnScopeXSS%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJC_u9QGIjADH5dHr-oFQZ4FrhG1T6f7EM37XVPLNI70UEy7Rgr13UGz01FfYFwxPf_EF_HYaEyAnJSWgFD

Parameter: as_eq

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_eq'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbs%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeXSS%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJG_u9QGIjCg6TEUQBptX6l2mq9_-sh5s2aV2Rp5zMxoUZa99ATVy-zmD9NhpF7-u8_HgCoLHfwyAnJSWgFD

Parameter: imgsz

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'imgsz'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbs%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeXSS%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJG_u9QGIjAZSUiDyWJgU5crD8z2bXJPrjzJouPCbTRi_aUhfdSDFXlrTXJiFu3QUN9KIGBM6jMyAnJSWgFD

Parameter: imgar

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'imgar'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeXSS%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJK_u9QGIjAu4P8kQgri75ffSnt9XWRwNgAux7Z2GBgLyUC1z-2ko6yxXEvpJssBrk-S8roq6gEyAnJSWgFD

Parameter: imgc

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'imgc'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeXSS%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJK_u9QGIjAYJQx6UpF3S5s6F9iVn2qDLf0uE1KAJHKEzS8dSqjHVWcAIWgdKq_HIsiu2b0Ix5UyAnJSWgFD

Parameter: imgtype

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'imgtype'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeXSS%26as_sitesearch%3DVulnScopeTest%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJO_u9QGIjBswGpwMKH5ERZTRPN0bxxUhrIS8he63DgsZQr1QW-LbZNDqAJglD3V8jF--VmZroEyAnJSWgFD

Parameter: cr

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'cr'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeXSS%26as_filetype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJO_u9QGIjB-uwYjxm3g2Bxs74oPnA2f-f6oJs_xAVcYfw8DwSxdznS-iZtrZnS85GFRFm-AkfUyAnJSWgFD

Parameter: as_sitesearch

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_sitesearch'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_fil etype%3DVulnScopeXSS%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJS_u9QGIjBwZlfyAorIiMuZ0r-uogi06jMY2_byhxrDLndnzCFZDxdTXXyHEeZVhrK9aCRwi84yAnJSWgFD

Parameter: as_filetype

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_filetype'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26tbm%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_fil etype%3DVulnScopeTest%26as_rights%3DVulnScopeXSS%26tbs%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJW_u9QGIjDJwAytJJxRz7xwZRhSNMVT5FEj7qkgM8_eXEDVBfLdgFBqsejI4vIB6N76VSNy0LcyAnJSWgFD

Parameter: as_rights

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'as_rights'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fas_st%3DVulnScopeTest%26t%3DVulnScopeTest%26hl%3DVulnScopeTest%26as_q%3DVulnScopeTest%26as_epq%3DVulnScopeTest%26as_oq%3DVulnScopeTest%26as_eq%3DVulnScopeTest%26imgsz%3DVulnScopeTest%26imgar%3DVulnScopeTest%26imgc%3DVulnScopeTest%26imgtype%3DVulnScopeTest%26cr%3DVulnScopeTest%26as_sitesearch%3DVulnScopeTest%26as_fil etype%3DVulnScopeTest%26as_rights%3DVulnScopeTest%26tbs%3DVulnScopeXSS&hl=VulnScopeTest&q=EgTF0lNqGJW_u9QGIjBfcvHYsrW9JJzR4emBgv87wvWw62By3k5f_YNGfMdoGxg2JD85Rh3WIwML7Uxr8kMyAnJSWgFD

Parameter: tbs

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'tbs'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/webhp?hl=VulnScopeXSS&tab=ii>

Parameter: hl

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: <https://www.google.com/webhp?hl=ar&tab=VulnScopeXSS>

Parameter: tab

Location: query

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body for query parameter 'tab'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeXSS%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJe_u9QGIjAW8XCvSLxQckYpm33EEda7fzFLcM7JPUuZtt-iSsRFybFqJuTYu0zQjPZqGFOKqQwyAnJSWgFD

Parameter: ie

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'ie'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeXSS%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeXSS&q=EgTF0lNqGJe_u9QGIjDB7WdBCzcNu9VBsh03bDhjaNRqt7MZ0tykDz_ifG_5a9v5gu_Vs24dX7XVewulW1IyAnJSWgFD

Parameter: hl

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'hl'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeXSS%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJi_u9QGijA4W6iqnmVLszAbRwrKqkWE6SjGpYtdkVY2_g_o21TuMppzuvCqVYxKMMKMIZRA6WQyAnJSWgFD

Parameter: source

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'source'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeXSS%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJi_u9QGijAZ4QM5lnihGJavF084qYezr9awMzbWIJQJks00BicG2Vjf76VaHkEQwrs13o3MvIoyAnJSWgFD

Parameter: biw

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'biw'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeXSS%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJm_u9QGijC1imJeTuILcpTQkJdXZNIWkYIU01aSaMKMYxtBuLZyr3rFiuRc1kJqSkDa0Sc

y3ZwyAnJSWgFD
Parameter: bih
Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'bih'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeXSS%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJm_u9QGijDLZMEoE5ncE-7zJNinjcPeRyTfkzNgZHKYzC813K3o8Yu3Grh0dU2AhdWMh_PKFjsyAnJSWgFD

Parameter: q

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'q'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeXSS%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJq_u9QGijCEdf7egd9haJVGSUBXT5MVh7cLdBHUSpsxm0fa_FR0Du-A5g_kvUgdmSW6-HS7PRcyAnJSWgFD

Parameter: btnG

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'btnG'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeXSS%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJu_u9QGIjDXE6HnBEabZiaEwk25oJpxcszFrln04rReZHHqE3HmUNQTK4RlAt05h46AmaRoNoAyAnJSWgFD

Parameter: btnI

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'btnI'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeXSS%26gbv%3DVulnScopeTest&hl=VulnScopeTest&q=EgTF0lNqGJu_u9QGIjAF-51d_cB0FQFo4bMrkHkV93Qsrxl_wsvQae1BGmV4CQVhtgqR9SquIZ0FPSMqi4yAnJSWgFD

Parameter: iflsig

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'iflsig'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive

[HIGH] Potential reflected XSS

Type: Reflected XSS

Confidence: medium

URL: https://www.google.com/sorry/index?continue=https://www.google.com/search%3Fie%3DVulnScopeTest%26hl%3DVulnScopeTest%26source%3DVulnScopeTest%26biw%3DVulnScopeTest%26bih%3DVulnScopeTest%26q%3DVulnScopeTest%26btnG%3DVulnScopeTest%26btnI%3DVulnScopeTest%26iflsig%3DVulnScopeTest%26gbv%3DVulnScopeXS&hl=VulnScopeTest&q=EgTF0lNqGJy_u9QGijBxgDUGwf0Cb3fwPetGdA72EaeYXAbRSBHSi-1zE7JBtZG09WYmau3Fz8Il2UMQes4yAnJSWgFD

Parameter: gbv

Location: form

Finding:

The controlled test marker was reflected in the HTTP response without sufficient output encoding.

Detected:

Marker 'VulnScopeXSS' was reflected in the response body after testing form field 'gbv'.

Risk:

An attacker may be able to inject script-capable content into a victim's browser if the application is vulnerable.

Recommendation:

Apply context-aware output encoding, validate input where appropriate, and use a restrictive Content-Security-Policy.

=====

SQL INJECTION SCANNER MODULE

=====

Status: success

Target: google.com

Request Timeout: 8 seconds

Time Delay Threshold: 4 seconds

Candidate URLs From Recon:

- <http://www.google.com/>
- http://www.google.com/advanced_search?hl=ar&authuser=0
- <http://www.google.com/intl/ar/about.html>
- <http://www.google.com/intl/ar/ads/>
- <http://www.google.com/intl/ar/policies/privacy/>
- <http://www.google.com/intl/ar/policies/terms/>
- <http://www.google.com/intl/ar/services/>
- http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_63d1jAg0WPtPWbwdwBMqWpTlPd4%3D
- http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU
- <https://www.google.com/>
- https://www.google.com/advanced_search?hl=ar&authuser=0
- <https://www.google.com/imghp?hl=ar&ogbl>
- <https://www.google.com/intl/ar/about.html>
- <https://www.google.com/intl/ar/ads/>
- <https://www.google.com/intl/ar/policies/privacy/>
- <https://www.google.com/intl/ar/policies/terms/>
- https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_sDTKKoQe-kMWZtK4ZkKqU7-vSK0%3D
- https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXW6VKEAHbXmNicQ2ZgBCAU
- <http://google.com/>

- <https://google.com/>

Parameterized URLs Tested:

- http://www.google.com/advanced_search?hl=ar&authuser=0
- http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_63d1jAgOWPtPWBwdwBMqWpTlPd4%3D
- http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU
- https://www.google.com/advanced_search?hl=ar&authuser=0
- <https://www.google.com/imghp?hl=ar&ogbl>
- https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_sDTKKoQe-kMWZtK4ZkKqU7-vSK0%3D
- https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXW6VKEAHbXmNicQ2ZgBCAU

Payload Families:

- error-based
- boolean-based
- time-based

Baseline Requests:

- http://www.google.com/advanced_search?hl=ar&authuser=0 | time=0.504s | length=288971
- http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_63d1jAgOWPtPWBwdwBMqWpTlPd4%3D | time=0.806s | length=3135
- http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU | time=0.248s | length=24189
- https://www.google.com/advanced_search?hl=ar&authuser=0 | time=0.181s | length=288971
- <https://www.google.com/imghp?hl=ar&ogbl> | time=0.122s | length=82486
- https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_sDTKKoQe-kMWZtK4ZkKqU7-vSK0%3D | time=0.893s | length=3138
- https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXW6VKEAHbXmNicQ2ZgBCAU | time=0.185s | length=24189

Parameters Tested:

- hl on http://www.google.com/advanced_search?hl=ar&authuser=0
- authuser on http://www.google.com/advanced_search?hl=ar&authuser=0
- prefdom on http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_63d1jAgOWPtPWBwdwBMqWpTlPd4%3D
- prev on http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_63d1jAgOWPtPWBwdwBMqWpTlPd4%3D
- sig on http://www.google.com/setprefdomain?prefdom=EG&prev=http://www.google.com.eg/&sig=K_63d1jAgOWPtPWBwdwBMqWpTlPd4%3D
- sig on http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU
- hl on http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU
- source on http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU
- sa on http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU
- ved on http://www.google.com/setprefs?sig=0_WF3fxHK1n3mij1J1L9FX3F60fXA%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwj71rPvqL6WAXUFQEEAHSHUA8sQ2ZgBCAU
- hl on https://www.google.com/advanced_search?hl=ar&authuser=0
- authuser on https://www.google.com/advanced_search?hl=ar&authuser=0
- hl on <https://www.google.com/imghp?hl=ar&ogbl>
- ogbl on <https://www.google.com/imghp?hl=ar&ogbl>
- prefdom on https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_sDTKKoQe-kMWZtK4ZkKqU7-vSK0%3D
- prev on https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_sDTKKoQe-kMWZtK4ZkKqU7-vSK0%3D

- sig on https://www.google.com/setprefdomain?prefdom=EG&prev=https://www.google.com.eg/&sig=K_sDTKKoQe-kMWZtK4ZkKqU7-vSK0%3D
- sig on https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXw6VKEAHbXmNicQ2ZgBCAU
- hl on https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXw6VKEAHbXmNicQ2ZgBCAU
- source on https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXw6VKEAHbXmNicQ2ZgBCAU
- sa on https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXw6VKEAHbXmNicQ2ZgBCAU
- ved on https://www.google.com/setprefs?sig=0_WNFs11hT9bwacJXvVGa0sJkDhWU%3D&hl=en&source=homepage&sa=X&ved=0ahUKEwjH7u_vqL6WAXw6VKEAHbXmNicQ2ZgBCAU

Findings:

No SQL injection findings detected.

=====

SECURITY CONFIGURATION MODULE

=====

Version: 2.1.0
Status: success
Scan Time UTC: 2026-08-26T12:45:12.279918+00:00
Target: google.com
Recon Used: True

Web Targets:

- http://google.com/
- https://google.com/

Services Checked:

No service rules applied.

Security Configuration Risk Summary

Risk Score: 24
Critical : 0
High : 0
Medium : 4
Low : 12
Info : 2

Security Findings: 14
Hardening Recommendations: 2
Observations: 2
Total: 18

Findings:

[MEDIUM] No HTTP-to-HTTPS Redirect

Type: Transport Security

Category: Transport Security

Classification: Finding

Confidence: High

URL: http://www.google.com/

Finding:

The requested HTTP endpoint did not redirect to HTTPS.

Detected:
Requested: <http://google.com/>
Final URL: <http://www.google.com/>
Redirects observed: 1

Risk:
Users may continue communicating over unencrypted HTTP, which can expose traffic to interception or manipulation.

Recommendation:
Redirect HTTP traffic to HTTPS and configure HSTS after HTTPS is correctly deployed.

[MEDIUM] Missing Content-Security-Policy
Type: Security Header
Category: Security Headers
Classification: Finding
Confidence: High
URL: <http://www.google.com/>

Finding:
Controls which resources browsers are allowed to load and reduces exposure to certain injection attacks.

Detected:
Content-Security-Policy header is missing.

Risk:
The Content-Security-Policy security control is not explicitly configured.

Recommendation:
Configure a restrictive Content-Security-Policy appropriate for the application.

[MEDIUM] Missing Content-Security-Policy
Type: Security Header
Category: Security Headers
Classification: Finding
Confidence: High
URL: <https://www.google.com/>

Finding:
Controls which resources browsers are allowed to load and reduces exposure to certain injection attacks.

Detected:
Content-Security-Policy header is missing.

Risk:
The Content-Security-Policy security control is not explicitly configured.

Recommendation:
Configure a restrictive Content-Security-Policy appropriate for the application.

[MEDIUM] Missing Strict-Transport-Security
Type: Security Header
Category: Security Header
Classification: Finding
Confidence: High

URL: <https://www.google.com/>

Finding:

The HTTPS response does not define HSTS.

Detected:

Strict-Transport-Security header is missing.

Risk:

Browsers are not instructed to enforce HTTPS for future connections to the host.

Recommendation:

Configure HSTS with an appropriate max-age after confirming all relevant HTTPS endpoints are ready.

[LOW] Missing X-Content-Type-Options

Type: Security Header

Category: Security Headers

Classification: Finding

Confidence: High

URL: <http://www.google.com/>

Finding:

Helps prevent browsers from MIME-sniffing resources.

Detected:

X-Content-Type-Options header is missing.

Risk:

The X-Content-Type-Options security control is not explicitly configured.

Recommendation:

Set X-Content-Type-Options to nosniff.

[LOW] Missing Referrer-Policy

Type: Security Header

Category: Security Headers

Classification: Finding

Confidence: High

URL: <http://www.google.com/>

Finding:

Controls how much referrer information is sent with requests.

Detected:

Referrer-Policy header is missing.

Risk:

The Referrer-Policy security control is not explicitly configured.

Recommendation:

Configure an appropriate Referrer-Policy such as strict-origin-when-cross-origin.

[LOW] Unknown Cookie Missing HttpOnly Flag

Type: Cookie Security

Category: Cookie Security

Classification: Finding

Confidence: Medium

URL: http://www.google.com/

Finding:

The unknown cookie '.__Secure-STRP' does not use HttpOnly.

Detected:

Cookie '.__Secure-STRP': HttpOnly flag missing.

Risk:

Client-side JavaScript may be able to access the cookie. This is most sensitive for authentication or session cookies and less applicable to analytics cookies.

Recommendation:

Use HttpOnly for cookies that do not need to be accessible to client-side JavaScript.

[LOW] Unknown Cookie Missing Secure Flag

Type: Cookie Security

Category: Cookie Security

Classification: Finding

Confidence: Medium

URL: http://www.google.com/

Finding:

The unknown cookie 'NID' does not use Secure.

Detected:

Cookie 'NID': Secure flag missing.

Risk:

The cookie may be sent over an unencrypted connection when HTTP is reachable. Applicability depends on the cookie purpose.

Recommendation:

Set Secure for cookies that should only be sent over HTTPS.

[LOW] Unknown Cookie Missing SameSite

Type: Cookie Security

Category: Cookie Security

Classification: Finding

Confidence: Medium

URL: http://www.google.com/

Finding:

The unknown cookie 'NID' does not explicitly define SameSite.

Detected:

Cookie 'NID': SameSite missing.

Risk:

Cross-site cookie behavior is not explicitly configured by the application. Applicability depends on the cookie purpose.

Recommendation:

Set an appropriate SameSite value such as Lax or Strict.

[LOW] Missing X-Content-Type-Options

Type: Security Header

Category: Security Headers
Classification: Finding
Confidence: High
URL: <https://www.google.com/>

Finding:
Helps prevent browsers from MIME-sniffing resources.

Detected:
X-Content-Type-Options header is missing.

Risk:
The X-Content-Type-Options security control is not explicitly configured.

Recommendation:
Set X-Content-Type-Options to nosniff.

[LOW] Missing Referrer-Policy
Type: Security Header
Category: Security Headers
Classification: Finding
Confidence: High
URL: <https://www.google.com/>

Finding:
Controls how much referrer information is sent with requests.

Detected:
Referrer-Policy header is missing.

Risk:
The Referrer-Policy security control is not explicitly configured.

Recommendation:
Configure an appropriate Referrer-Policy such as strict-origin-when-cross-origin.

[LOW] Unknown Cookie Missing HttpOnly Flag
Type: Cookie Security
Category: Cookie Security
Classification: Finding
Confidence: Medium
URL: <https://www.google.com/>

Finding:
The unknown cookie '__Secure-STRP' does not use HttpOnly.

Detected:
Cookie '__Secure-STRP': HttpOnly flag missing.

Risk:
Client-side JavaScript may be able to access the cookie. This is most sensitive for authentication or session cookies and less applicable to analytics cookies.

Recommendation:
Use HttpOnly for cookies that do not need to be accessible to client-side JavaScript.

[LOW] Unknown Cookie Missing Secure Flag

Type: Cookie Security
Category: Cookie Security
Classification: Finding
Confidence: Medium
URL: <https://www.google.com/>

Finding:

The unknown cookie 'NID' does not use Secure.

Detected:

Cookie 'NID': Secure flag missing.

Risk:

The cookie may be sent over an unencrypted connection when HTTP is reachable. Applicability depends on the cookie purpose.

Recommendation:

Set Secure for cookies that should only be sent over HTTPS.

[LOW] Unknown Cookie Missing SameSite

Type: Cookie Security
Category: Cookie Security
Classification: Finding
Confidence: Medium
URL: <https://www.google.com/>

Finding:

The unknown cookie 'NID' does not explicitly define SameSite.

Detected:

Cookie 'NID': SameSite missing.

Risk:

Cross-site cookie behavior is not explicitly configured by the application. Applicability depends on the cookie purpose.

Recommendation:

Set an appropriate SameSite value such as Lax or Strict.

[LOW] Missing Permissions-Policy

Type: Security Header
Category: Security Headers
Classification: Hardening
Confidence: High
URL: <http://www.google.com/>

Finding:

Restricts access to browser features and capabilities.

Detected:

Permissions-Policy header is missing.

Risk:

The Permissions-Policy security control is not explicitly configured.

Recommendation:

Configure Permissions-Policy to restrict browser features not required by the application.

[LOW] Missing Permissions-Policy

Type: Security Header

Category: Security Headers

Classification: Hardening

Confidence: High

URL: <https://www.google.com/>

Finding:

Restricts access to browser features and capabilities.

Detected:

Permissions-Policy header is missing.

Risk:

The Permissions-Policy security control is not explicitly configured.

Recommendation:

Configure Permissions-Policy to restrict browser features not required by the application.

[INFO] Server Technology Fingerprinting Observed

Type: Information Disclosure

Category: Technology Fingerprinting

Classification: Observation

Confidence: High

URL: <http://www.google.com/>

Finding:

The HTTP response reveals non-versioned technology information.

Detected:

Server: gws

Risk:

This is useful for technology fingerprinting, but no specific software version is exposed.

Recommendation:

Treat this as an observation. Remove or minimize the header only when it is not required operationally.

[INFO] Server Technology Fingerprinting Observed

Type: Information Disclosure

Category: Technology Fingerprinting

Classification: Observation

Confidence: High

URL: <https://www.google.com/>

Finding:

The HTTP response reveals non-versioned technology information.

Detected:

Server: gws

Risk:

This is useful for technology fingerprinting, but no specific software version is exposed.

Recommendation:

Treat this as an observation. Remove or minimize the header only when it is not required

operationally.

=====

OLLAMA LOCAL AI ANALYSIS

=====

Status: success

Model: qwen3.5:4b

API: http://127.0.0.1:11434

Based on the JSON vulnerability scan data you provided, here is an analysis and summary of the key security findings. This appears to be a comprehensive automated security assessment targeting search functionality ('google.com'), likely conducted within a test or controlled environment given markers like 'VulnScopeXSS'.

? Executive Summary

The report identifies **multiple High-severity Reflected XSS vulnerabilities** across various query parameters, alongside several **Medium and Low severity findings** related to missing security headers and cookie configurations. While the target appears to be a public service (Google), these specific markers suggest this may be an active vulnerability testing scenario or a vulnerable clone used for training.

? Critical Findings: Reflected XSS

The most significant risk identified is **Reflected Cross-Site Scripting (XSS)**. The scanner detected that user-controlled input was reflected in the HTTP response without proper output encoding. This affects multiple parameters, including but not limited to:

- * 'as_sitesearch'
- * 'as_filetype', 'tbs', 'hl', 'q', 'btnG', etc.

****Risk:**** If an attacker can inject script-capable content (e.g., '<script>alert('xss')</script>') into these parameters, it will be executed in the victim's browser upon rendering search results or links. This could lead to session hijacking, credential theft, or phishing attacks if combined with other vulnerabilities like cookie leakage.

****Evidence:**** The marker 'VulnScopeXSS' was successfully reflected back in the response body for multiple parameters (e.g., URL: '...as_filetype=VulnScopeXSS').

?? Security Configuration & Headers

Several security headers are missing or not enforced, which reduces defense-in-depth. While some of these findings apply to public services where configuration is limited by the provider, in a custom application context, this would be critical:

1. ****Missing Content-Security-Policy (CSP):**** Increases exposure to XSS attacks as there is no policy restricting script sources.
2. ****Missing Strict-Transport-Security (HSTS):**** Browsers are not instructed to enforce HTTPS for future connections ('https://www.google.com/' scan shows missing HSTS).
3. ****Missing X-Content-Type-Options:**** Increases risk of MIME-type sniffing attacks.

? Cookie Security Issues

The report flags specific cookies as having insufficient security attributes:

- * '__Secure-STRP': Missing the 'HttpOnly' flag (accessible via JavaScript, increasing XSS impact).
- * 'NID': Missing both 'Secure' and 'SameSite' flags.

****Risk:**** If these are session or authentication tokens, their exposure to client-side scripts could allow attackers to hijack sessions after an initial XSS injection.

? Remediation Recommendations

If this scan applies to a system you control (e.g., internal search engine, vulnerable clone):

1. ****Fix Input Validation:**** Implement context-aware output encoding for all parameters ('as_sitesearch', 'q', etc.). Ensure that any user input reflected in HTML is properly escaped based

- on its usage context (HTML vs. URL).
2. ****Enforce Security Headers:**** Configure the server to send:
 - * 'Content-Security-Policy' (e.g., 'default-src 'self''')
 - * 'Strict-Transport-Security' with a reasonable max-age and includeSubDomains directive.
 - * 'X-Content-Type-Options: nosniff'.
 3. ****Secure Cookies:**** Ensure all cookies used for session management have the following flags set to true:
 - * 'HttpOnly': Prevents JavaScript access (critical against XSS).
 - * 'Secure': Ensures transmission only over HTTPS.
 - * 'SameSite=Lax' or 'Strict'.

?? Contextual Note on Target ('google.com')

The presence of specific markers like 'VulnScopeXSS', the structure of the URLs, and the nature of these findings strongly suggests this is ****not a production attack against Google's live infrastructure****, but rather:

- * A vulnerability testing environment (e.g., Burp Suite Scanner with custom test cases).
- * An educational setup designed to demonstrate how XSS vulnerabilities are detected.

****If you own or manage the system being scanned:**** Apply the remediation steps immediately, as these represent real-world security gaps that could be exploited in a production context if not patched.

=====

FINAL INTEGRATED SUMMARY

=====

Target: google.com
Overall Status: success
Scan Started UTC: 2026-08-26T12:40:46.107088+00:00
Scan Finished UTC: 2026-08-26T12:45:13.066724+00:00
Total Findings: 97

Severity Counts:

Critical	: 0
High	: 79
Medium	: 4
Low	: 12
Info	: 2

Classification Counts:

Finding	: 93
Hardening	: 2
Observation	: 2

Module Status:

recon	status=success	findings=0
xss	status=success	findings=79
sqli	status=success	findings=0
security_config	status=success	findings=18

=====

END OF INTEGRATED SCAN

=====