SAINT MICHAEL COLLEGE OF CARAGA

UTILIZING JACKFRUIT SEED AS AN INGREDIENT IN BAKED PRODUCT:

A HIGAONON-INSPIRED PRODUCT DEVELOPMENT

A Thesis Proposal To

The Faculty of

College of Tourism and Hospitality Management

In Partial Requirements for the Degree of

Bachelor of Science in Hospitality Management

By

BATASAN B. MANDIPENSA

BABYLYN KAYE R. BRODITH

NICOLEJOY K. CERENO

KATRIZIA L. DALOGDOG

FRITZ DANIEL C. EMPUERTO

CRIS ANN P. MARAMBA

JOKER O. MURILLON

ADVISER: **DOMINIQUE D. ABARQUEZ, MBA-HRM**

November 2025

CHAPTER I

THE PROBLEM AND ITS SCOPE

1.1 Background of the study

The jackfruit (Artocarpus heterophyllus) has a sweet and aromatic taste, and its flesh boasts a pleasing, crispy texture, making it a common ingredient in home-cooked and confectionery products. As stated by Celestial & Trinidad (2023), jackfruit seeds contain high amounts of protein, dietary fibre, and carbohydrates. Hiba & Geetha Lekshmi (2023) also found that fruit byproducts, such as seeds, constitute 10-35% of the total fruit mass, and are generally discarded following processing, while Alharbi et al. (2021) found that fruit processing industries produce more than 10% of total fruit weight as seed waste each day. This highlights a significant underutilization of a potentially valuable resource. For other fruits, seeds from passion fruit, papaya, and similar fruits are typically discarded (Fonseca et al., 2022; Kawakami et al., 2021). This study will develop healthier baked goods from jackfruit seed waste, inspired by the Higaonon tribe.

Recent studies show that jackfruit seeds can be utilised in beneficial ways. Indian researchers found that about 70% of a jackfruit, mostly the peel and core, is lost during processing, according to Sarangi et al. (2023). Researchers from India and Malaysia found that jackfruit seeds are high in protein, fibre, and antioxidants, making them a healthy flour alternative (Pathak et al., 2022; Suzihaque et al., 2022). Other studies, such as those by Sucharitha Reddy et al. (2022) and Van et al. (2023), also show that jackfruit seed flour can make gluten-free, high-protein, high-fibre, antioxidant-rich foods. Besides this, Juárez-Barrientos et al. (2025) and Kumari et al. (2022) found in Mexico and India that incorporating jackfruit seed flour in extruded snacks increases essential nutrients and protein. Malaysian and Thai studies (Goh et al., 2024; Thatsanasuwan et al., 2023) show that jackfruit seed flour increases protein, fibre, and mineral content while reducing carbohydrates in baked goods and pasta. Mohammed et al. (2024) stated that jackfruit seed flour

is gluten-free but needs careful ingredient balance for good texture. A community study in Byse, India, found its use as food was low, with an average score of 1.77 (Manianga et al., 2024). Although jackfruit seeds have nutritional and economic value, they remain underused, and no Philippine study has created a culturally inspired, nutritious, and sustainable baked product combining nutrition, tradition, and sustainability.

The Philippine Development Plan 2023-2028 supports local communities in creating food products that sustain livelihoods. Rice delicacies in Biliran help residents earn income while preserving cultural heritage (Frances & Barahan, 2023). While they are not popular, local cuisines in Guiguinto, Bulacan, also indicate the identity of the community (Palomares et al., 2023). Studies in the Philippines show jackfruit seeds are high in protein, fibre, and resistant starch and safe to eat when processed properly, as demonstrated in Pampanga (Angeles City) (Ben & Andalecio, 2021). The sawsawan culture also highlights the cultural significance of even basic condiments (Aster et al., 2023). As stated by Buenavista et al. (2022), the Higaonon people of Bukidnon, in the northern part of Mindanao, utilise 76 edible plants as alternatives to rice. They are known for their traditional knowledge and long-standing use of local resources, making them a suitable model for culturally inspired products. Focusing on a tribe highlights traditional knowledge, sustainable practices, and the cultural significance. Beyond nutrition, jackfruit seeds hold special meaning: they are used to make coffee, and the taste is believed to reveal a person's emotions. If someone wants to know whether a close friend or family member is upset or distant, they can prepare jackfruit seed coffee. A very bitter taste is interpreted as confirmation. These traditions provide cultural value and guide the development of Higaonon-inspired products. Other regions, such as Lanao del Norte and Lanao del Sur, maintain food traditions that foster a sense of belonging and cultural identity (Daud, 2025). Even today, Mami delicacies remain an important part of Meranaw celebrations in Marawi, Lanao del Sur, Philippines (Minodar & Bangcola, 2025), and farmers are

still able to use traditional pest removal techniques (Valdez, 2023). Nasipit already has a variety of local foods, including jackfruit seeds, but no speciality food has been recorded. Recent studies on culturally-inspired baked goods are limited. This research fills this gap by looking at the opportunities of Higaonon-inspired cookies as a food product. The Philippine policy perspective on modernization of agriculture promotes value addition of local produce, under RA 8435 (1997), and recycling of farm waste, e.g., jackfruit seeds, under RA 9003 (2000).

his study will not only focus on the people of Nasipit but will also help communities across the Philippines. It will explore the potential of jackfruit seed waste and provide an opportunity to learn more about the Higaonon tribe, whose traditional knowledge and practices can be applied in food development. Many studies show that jackfruit seeds are nutritious and functional, but they are not widely used locally. The findings of this study will provide a sustainable, waste-reducing product that will increase income for farmers, entrepreneurs and stakeholders such as the College of Tourism and Hospitality Management (CTHM) and the School of Management and Culinary Courses (SMCC), who will be able to use the research for educational programs, product development, and community initiatives.

This study will aim to reduce jackfruit seed waste by developing prototype cookies made from jackfruit seeds to test their quality and nutritional value. The results will help small business owners, households that want to start a product, and farmers who can earn more by selling seeds. This initiative will help people in the area make a living, promote new ways to grow food, and reduce waste by using available natural resources. The study will focus only on cookies and will test their taste, texture, and acceptability among consumers. It will not include other baked products and will be conducted on a small scale without selling, marketing, or large-scale production.

1.2 Theoretical Framework

The Sustainable Livelihood Framework (SLF) was created by the UK Department for International Development (DFID) during the late 1990s. It states that individuals and groups use what they possess to build a better, more productive life (Fang et al., 2009; Kamariah et al., 2024). Consuming jackfruit seed flour in Higaonon-inspired baked goods will not only yield a novel product but also foster the local economy by providing new livelihood opportunities for farmers, small business owners, and local entrepreneurs in Nasipit. This strategy aligns with the objectives of the Philippine Development Plan 2023-2028, which stimulates community development by developing value-added local products and marketing them.

The Functional Food Theory explains that food can do more than fill our stomachs because it can also help improve health (Palaniappan & Bertozzi, 2016). Jackfruit seed flour is rich in protein, fibre, resistant starch, and antioxidants, which makes it an excellent ingredient for healthier baked products. This idea aligns well with the study's goal of developing cookies that not only provide energy but also promote better health. As more people today look for foods that support their well-being, this product answers that growing demand.

Food and Cultural Identity Theory, developed by Claude Fischler in 1988, describes that food is significant in culture and identity. Preparation, sharing, and enjoying food are all signs of a people's values and traditions. This concept can be substantial to this project, as the objective is to design a baked product inspired by the Higaonon people, in recognition and conservation of their culture. In line with this, Cantarero et al. (2013) found that individuals tend to consume foods associated with their culture, as this helps them develop a stronger sense of identity and belonging. Producing a culturally significant product will also increase local pride, besides bringing something novel and exciting into the market.

1.3 Review of Related Literature

This chapter lists all related literature supporting the researchers' study on "Utilizing Jackfruit Seed As an ingredient in Baked Products: A Higaonon-Inspired Product Development."

Literature of Study

Food Production

The seed flour of jackfruit (JSF) was considered a potential replacement for wheat flour in baked products due to its nutritious nature and other valuable properties. The versatility of jackfruit seed flour in baking was emphasized by Brahma & Ray (2023) who demonstrated how it can enhance cookie recipes' sustainability and nutritional value. This applicability corresponds to the growing demand for creative and sustainable food products, which is driven by the necessity of healthier and permanent meal options (Rabadán et al., 2021). Van, et. al (2023) confirmed that JSF and jackfruit seed starch might efficiently substitute ordinary wheat flour in cookie formulations at different ratios and measurements, affecting the nutritional quality, physical and chemical properties, and sensory attributes such as taste, aroma, and appearance. Similarly, Moolwong et al. (2023) studied the effect of particle size of JSF on the texture of cookies when wheat flour was partially substituted at 20, 40, and 60 per cent. These research works also help in the potential of associating the application of JSF with recipes of cookies as a new delicacy in Nasipit.

Health Benefits

Jackfruit seems to have a lot of antioxidant power, and that might give us several health perks. One recent paper by Gupta et al. (2023) describes the fruit as having several health-boosting effects, including immune, anti-diabetic, and antioxidant actions. Cheng et al. (2025) found the antioxidant effect lines up closely with the fruit's phenolic makeup, which backs up Gupta's idea about the chemistry behind the health boost. Dhani et al. (2025). Also found that jackfruit's

compounds have anti-inflammatory, anticancer, and antioxidant properties. Confirmed jackfruit polysaccharides improve immune and antioxidant functions, aligning with Dhani's study. Beyond those antioxidant claims, Ye et al. (2025) studied the plant chemicals and found possible anti-obesity, anti-aging, and neuroprotective effects. Sudipta Saha et al. (2022) Found that jackfruit's nutrients help the heart, blood sugar, and immune system. Lastly, (Afotey et al., 2024) showed the fruit might fight malnutrition and be a cheap source of nutrients, turning the lab findings into real-world diet benefits.

Jackfruit Integration

Jackfruit seed flour (JSF) has found wide application in bakery products and snacks with the partial replacement of wheat flour, because of its functional and nutritional properties. Moolwong et al. (2023) able to reach acceptable organoleptical attributes of cookies added with 20% JSF, especially for products made from flour with a particle size between 0.5 and 0.8 mm of JS. Minh (2022) shows that bread with sleeping JSF has improved water absorption and emulsion stability without compromising sensory preferences. Nordin et al. (2024) Found that the cookie with up to 25% replacement of JSF had acceptable taste, appearance, and shelf life. Van et al. (2023) figured out that swapping out 30% of JSF is just right for keeping things nutritious, chemically stable, and tasty. Sucharitha Reddy, Lakshmi, and Bhagya Lakshmi (2022) Gave us the lowdown on how JSF works in baked items. Another study Palamthodi et al. (2021) proved that replacing JSF with flakes in food for children who are not eating adequately makes the item healthier, tastier, and more palatable to eat. (Pratiwi et al., 2024) Took it up a notch further and showed that replacing JSF.

Appearance

The way food looks greatly affects what consumers prefer and indicates its quality. Saleh and Lee (2023) emphasized the need to evaluate food traits like appearance, taste, and texture.

They pointed out that visual appeal is just as crucial as other sensory features. It aligns with research by Moolwong et al. (2023), which showed that cookies with 20% jackfruit seed flour (JSF) scored highest in appearance, even though they were darker and smaller than the control cookies. Supporting this, Van et al. (2023) discovered that adding more JSF resulted in reduced lightness (L*) and spread ratio in cookies, causing noticeable changes in their visual look. Similarly, Arias et al. (2022) found that Pan de Sal with higher amounts of JSF shifted from golden-brown to darker brown, directly affecting acceptability scores. These findings were backed by Terigu et al. (2023), who showed that mixing JSF with purple sweet potato pulp changed the surface color and overall look of steamed brownies. In addition, M. et al. (2022) pointed out that cookies with moderate amounts of JSF received good scores for appearance, along with other sensory qualities. In line with this, Palamthodi et al. (2021) confirmed that biscuits with up to 20% JSF kept an acceptable appearance for both the crust and crumb. (Maskey et al., 2020) found that small amounts of JSF (about 12.5%) kept cookies looking like wheat ones, but higher amounts made them darker.

Aroma

Adding Jackfruit seed flour to cookies enhances taste and scent, improving the sensory experience. Girona-Ruíz et al. (2021) Emphasize the role of aroma in sensory marketing, explaining that it helps create an attractive food experience for consumers. Noted by Calín-Sánchez and Carbonell-Barrachina (2021), the aroma is shaped by different compounds, influenced by climate, soil, and processing methods, which adds complexity to food scents. As discussed by Rocha et al. (2022), the role of aroma in food quality is challenging to evaluate due to individual preferences, according to Spada et al. (2020). In a similar vein, Hiba (2023) found that cookies with 5% aromatic JSF had high sensory scores for aroma, suggesting that it improved the product's scent. Additionally, studies by Spada et al. (2022) showed that fermented JSF could be added entirely or

in part to food formulations to enhance the aroma of chocolate. These results imply that JSF improves cookies' sensory appeal and adds to their nutritional value with its unique aroma.

Age

To understand how snacking habits differ by age, several studies have analyzed consumer preferences and behaviors. Hymes et al. (2020), investigated eating patterns concerning savory snacks across two distinct age groups: children aged 2 to 19 years (n = 2,901) and adults aged 20 and older (n = 5,017). The study found that during the 2015–2016 period, 47% of children and 33% of adults reported consuming savory snack foods daily. In South Africa, children's consumption of potato chips, corn chips, and cheese curls is notably higher than that of adults (Ibiyemi & Oldewage-Theron, 2023). In the United States, college students reported snacking 2 to 3 times each day, with unhealthy snack choices being more accessible Prapkree et al. (2021) Research conducted by Pineda et al. (2020) indicates that individuals aged 18 to 25 are showing a growing interest in vegetable snacks and healthier food alternatives. While Bae et al. (2021) found that older adults tend to be less open to trying new food products, research involving younger populations must also consider ethical and safety concerns. According to the U.S. Department of Health & Human Services (n.d.), IRBs need to consider children's age, maturity, and mental development because these factors affect how well they can understand the risks and what the research involves. Tatiane Dos Santos Lopes et al. (2021) found that adolescents aged 12–18 years and young adults aged 19–29 years consumed snacks about 2.9 times per day, with cookies (11.8%), sugar-sweetened beverages (9.4%), and sweets and desserts (9.3%) being the top sources of snack-related energy intake.

Allergens

Oral allergy to jackfruit, linked with cross-reactive plant protein allergen Bet V1, has been associated with latex and birch pollen-related food allergy, but anaphylaxis to jackfruit is rare. Birch

pollen allergy, affecting 8-16% of the general population, is primarily mediated by the major allergen Bet v 1, which causes cross-reactive responses with homologous proteins in various foods Li et al. (2022). Allergy to A. heterophyllus is rarely reported and has not been identified as an allergen previously. All patients experienced one or more episodes of anaphylaxis to A. heterophyllus. Anaphylaxis is a rare allergic reaction that has been documented in association with latex allergy. Jalil et al. (2021) A 21-year-old young man had an anaphylactic response following the consumption of dried jackfruit. He had allergic rhinitis and a latex allergy. He was born too early, and as an infant, he needed neonatal intensive care and numerous surgeries, which may be the root cause of his latex sensitization. Jackfruit and latex were found positive in the skin prick test. (Jalil et al., 2021) The rubber latex allergy remains a significant occupational health concern, particularly among healthcare workers, and it can manifest as severe systemic reactions, including anaphylaxis.

AI Trends in Incorporating Jackfruit Seeds

Future directions emphasize developing AI models, energy-efficient computing, and integrating physics models with AI for enhanced environmental sustainability. AI techniques, including machine learning, computer vision, and Analytics of data, enable farmers to make informed decisions and optimize resource allocation Victoire (2023). These zero-waste biological approaches offer a sustainable solution for environmental protection while creating economic value from agricultural waste Brahma & Ray (2023). Demonstrates AI can optimize resource utilization, enhance productivity, and promote sustainability through technologies like crop health monitoring and predictive analytics. Sharukh Pasha Mohammed et al. (2025) The integration of AI with Internet of Things (IoT) technologies has enhanced the data collection capabilities throughout advanced predictive modeling and real-time analytics, particularly for water quality and climate monitoring Miller et al. (2025) AI uses remote sensing and data fusion strategies to achieve good

accuracy in environmental assessment, with classification accuracy reaching 98.57% for land use changes (Himeur et al., 2022).

Cookies Alternative

The uses of jackfruit flour are generally high, but it does not have the sweetness and aroma of the raw fruit, since it is a healthy flour. Jackfruit seed flour contains higher protein content. Jack Fruit Seeds are highly nutritious and rich in starch content (80-85% dry basis), making them suitable for commercial food development Kushwaha et al. (2021). Research demonstrates that Jack Fruit Seed can effectively replace 25-30% of wheat flour in bakery products while enhancing the nutritional properties and functional characteristics, like mass density and the amount of water it can hold (Kalse & Swami, 2022; Mohammed et al., 2024). The incorporation of jackfruit seeds in bread production offers complicated benefits, enhancing both nutritional value and functional properties of bakery items Siddiqui Mudassir Ur Rahim (2024). Beyond cookies, JSF can be used in a variety of other food products due to its favorable functional properties. For example, JSF has been used to make pasta, where substitution of wheat flour with JSF improves cooking characteristics, decreases optimum cooking time, and increases water absorption and functional quality (Anusha, Reddy, Poorvitha, & Narayanan, 2025). Good formulations are essential to balance nutritional enhancement with desirable textural properties for successful commercial application.

Nutritional Content

Nutrition encompasses the essential macro- and micronutrients required for biological activity and optimal health (Singh et al., 2023). Jackfruit is one of the world's largest edible fruits that is native to India's Western Ghats and other parts of Asia (Reddy, Lakshmi, & Lakshmi, 2022; Gupta et al., 2023). This fruit has an exceptional nutritional value, containing high levels of carbohydrates, proteins, vitamins, minerals, and phytochemicals, including phenolics, flavonoids,

and tannins (Kalse & Swami, 2022; Chikkanna, 2021). Jackfruit demonstrates significant therapeutic properties, exhibiting antioxidant, anti-inflammatory, antimicrobial, antiviral, anticancer, and anti-diabetic activities (Gupta et al., 2022). The fruit is also a popular meat substitute due to its unique texture and can be processed into other various commercial products (Gupta et al., 2023; Nansereko & Muyonga, 2021).

Impact of Acceptability

Jackfruit (Artocarpus heterophyllus Lam.) seeds are a valuable, underutilized byproduct with significant potential for food applications. Jackfruit seed flour (JSF) enhances nutrition and improves functional traits like bulk density and water-holding capacity in food products. However, high JSF levels can worsen texture and color due to the lack of gluten, with consumers preferring extruded products over baked ones Mohammed et al. (2024) Consumer acceptance studies indicate that higher overall acceptability for extruded products containing Jackfruit Seed compared to bakery items with similar substitutions Mohammed et al. (2024) Beyond food applications, Jackfruit Seed shows versatility as a flour for red pigment production for textile colorants and pharmaceutical tablet preparation Kalse & Swami (2022). Utilizing these byproducts can improve processing economics while reducing environmental impact (Kalse & Swami, 2022)

Market Potential

Jackfruit (Artocarpus heterophyllus Lam.) has good market potential as a food supplement due to its exceptional nutritional profile and diverse applications. The fruit contains a variety of bioactive compounds, including macro- and micronutrients, and demonstrates multiple health benefits, such as anti-inflammatory, anti-diabetic, antioxidant, and anticancer properties Jackfruit seeds, typically discarded as byproducts, contain 80-85% starch and offer commercial potential as alternative starch sources for food industry applications Kushwaha et al. (2021). The fruit's unique texture makes it valuable as a meat substitute, expanding market opportunities Gupta et al. (2023)

and Ye et al. (2025). Despite containing high levels of carbohydrates, proteins, vitamins, and essential amino acids, jackfruit remains underutilized on a marketable scale in production areas. Current applications include food products like sauces, ice creams, jams, and bakery items, indicating substantial untapped commercial potential (G. S. Chikkanna, 2021; Gupta et al., 2023).

Flavor

Researchers concur that its contribution to its flavor is dependent on its processing and the quantity consumed. Mohammed et al. (2024) reported that jackfruit seeds lack a natural taste, so they are hard to process, and fermentation is capable of enhancing the aroma of baked treats like muffins. On the same note, Suzihaque et al. (2022) also found that jackfruit seed flour positively influences the flavor profile of biscuits and cakes, but in excess, it damages sensory qualities. The other literature emphasizes the change in flavor by the use of the preparation methods. As explained by Teo et al. (2024), jackfruit seeds themselves are sweet in flavor, and when roasted, their flavor is increased as well as their antioxidant ability due to the Maillard reaction. In the meantime, (Mudassir Ur Rahim et al., 2024) highlighted the historical applications of jackfruit seeds in Asian cuisine, in which they are typically cooked or made into desserts, indicating that its flour is a flexible starch source whose taste is acceptable upon cooking.

Food Preparation Method

Jackfruit seeds can be prepared and processed in various ways to create nutritious and versatile food ingredients. They are usually also roasted, boiled, fried, or steamed and then utilized in food Suzihaque et al. (2022) In more specific methods of preparation Priyadharshini (2025), the methods of washing the seeds, peeling off the white aril and brown skin, cutting up the kernels, oven-drying them in 60-80 0 C baths in 10 minutes, and grinding them to a fine powder are detailed. Similarly, Nopa et al. (2025) used washing jackfruit seeds, gelatinizing them in boiling water (4min), chopping them into thin slices, drying at 70 °C (5hours), peeling, grinding, and

sieving using a 100-mesh sieve to obtain a gluten-free fettuccine formulation using the flour—preparation of the Jackfruit seed flour either by the soaking process or the heat treatment. Among the treatments, the water-soaked samples were found to be better in sensory qualities. (Ray et al., 2021). Flours obtained (BLJSF, ROJSF, and PCJSF) were used in the preparation of low-fat functional breadsticks.

Shelf Life

The seed of fresh jackfruits typically possesses a shelf life of between 30 days when kept at cool and humid storage facilities Khan et al. (2021) It was recommended that the seeds be turned into flour to increase their shelf life (Borgis & Bharati, 2020; Sinha et al., 2025) noted that the large-scale loss of moisture during the formation of the flour is crucial to the extension of the shelf life and the inhibition of microbial decay. In line with this, Suzihaque et al. (2022) observed that jackfruit seed flour is highly stable to storage and maintains its active properties during the average shelf life of the starch-containing food materials. In a narrower investigation Priyadharshini (2025) it was discovered that low moisture flour (3.79- 4.98 g) could be held in high-density polyethylene (HDPE) at 50 °C and 75% relative humidity (RH) during up to four months.

Sensory Qualities

Research has explored the effects of incorporating jackfruit seed flour into baked products. Mohammed et al. (2024) noted that higher incorporation of jackfruit seed flour was negatively affecting the texture, colour, appearance, and overall acceptability of the product. Ulyarti & Capriola (2022) also reported that the products with higher substitution levels were more complex, while Nurul Ummu Habibah (2021) found that the colour of the products was darker. The studies confirmed that jackfruit seed flour can be partially substituted for wheat flour in baked products, without loss of quality. Substitution levels of up to 20 % of jackfruit seed flour are beneficial with respect to colour, aroma, taste, and texture Nirmalawaty et al. (2023) and

Palamthodi et al. (2021) but at higher substitutions, the products may be brown, bitter, and not acceptable. Roasting of the jackfruit seeds improved flavor, aroma, and overall sensory appeal Ngwere & Mongi (2021) and Van et al. (2023) and 30 % substitution is recommended to give the best results in respect to nutritional value and sensory quality (Van et al., 2023).

Texure

Jackfruit seeds are inherently complex and rather indigestible, but they get more useful when baked or turned into flour Siddiqui Mudassir Ur Rahim (2024) The low bulk density of jackfruit seed flour typically results in creating a light and porous texture of the product because the granules of starch are driven during milling, and the flour is less compact Sinha et al. (2025). Nevertheless, its implementation in products tends to make them more complex, denser, and less expensive (Gowda et al., 2021; Kumari et al., 2022; Mohammed et al., 2024; Ulyarti & Capriola, 2022) they are explained by the presence of high fibre and starch content of jackfruit seed flour (Kumari et al., 2022; Mohammed et al., 2024; Ulyarti & Capriola, 2022). (Gladez L. Galagaran & Angielee G. Camarin, 2025) on the contrary, established that jackfruit seed cereal and especially Formulation B were highly acceptable due to their smooth, balanced texture, which provides a suitable degree of crunch or softness.

Taste

The jackfruit seeds are typically eaten in a roasted or cooked form, as a potato alternative, which implies that they have a starchy or relatively neutral flavour in general Siddiqui Mudassir Ur Rahim (2024) There are cultivars with natural levels of sweetness, e.g., J33 (Tekam Yellow), which is around 2730, as well as 2730, respectively Suzihaque et al. (2022) and Van et al. (2023) also found in their product applications that cookies made with jackfruit seeds were comparable in taste to regular cookies made with wheat flour and gained a high consumer acceptance. Namely, Priyadharshini (2025) discovered that the 50 per cent substitution of jackfruit seed flour had the

highest taste rating (mean 8.6), but increasing the substitution further added a minor element of bitterness and reduced the taste acceptability.

Literature of Method

Sun-Drying Jackfruit Seed

One of the most basic processes in dehydrating treatment for jackfruit seed preservation is sun drying, as it is cheaper and applicable in tropical areas. It was reported that jackfruit seeds subjected to heat (35 to 40 °C) inhibited moisture content (7882), thereby stopping the proliferation of microbes, while preserving good protein (14 to 19) and carbohydrate (7783) levels Kamal et al. (2024).The study by Suli Trejo Rodríguez et al. (2021) found that controlled drying of jackfruit seeds altered the quantity of polyphenols and the seeds' ability to resist free radicals. In this regard, the advantages of Sun-drying are evident, yet it is inferior to emerging methods in terms of preserving all nutrients. A study conducted by Tamsel Ahammed & Sabrina Zaman (2023) on the influence of various drying methods on the chemical composition of jackfruit seed extract highlighted the direct impact of drying method choice on the seeds' nutritional value. To optimize drying processes while maintaining nutritional value, Watanabe et al. (2023) mathematically evaluated jackfruit seed drying, focusing on absorption and reduction.

Toasting Jackfruit Seed

New studies indicate that toasting or roasting jackfruit seeds enhances their nutritional, functional, and sensory properties. Teo et al. (2024) found out that the roasting of jackfruit seed flour increased the water-absorbing properties of flour, as well as the foam, indicating that it could be incorporated into numerous food recipes. To support these conclusions, an in-depth analysis of jackfruit seeds by Dhani et al. (2025) found that appropriate processing, including roasting, can enhance jackfruit seed functionality and health benefits. The potential of jackfruit seed flour for processing and bakery applications was examined by Mohammed et al. (2024) who demonstrated

that roasted jackfruit seed flour exhibits favorable bulk density, swelling power, and water and oil absorption capacity. It was also confirmed by Dangang Bossi et al. (2024) that roasting increases the nutritional value of food by reducing the levels of anti-nutrients and increasing the levels of phenols and flavonoids.

Blending

Recent studies have indicated that jackfruit seed flour (JSF) can be blended with other flours to enrich the nutritional, functional, and sensory attributes of food products. According to Arivuchudar & Parameshwari (2025) mixing JSF with other ingredients was reported to reduce anti-nutrients and increase phenolic and flavonoid content, thereby enhancing functional properties. As noted by Teo et al. (2024), the water absorption capacity and foam stability, both crucial parameters in the food industry, are significantly influenced by the mixing of roasted or raw JSF. As supported by Fabil et al. (2024), the blending of JSF is crucial for marketing its natural functional and nutritional attributes across different food formulations. The article (He & Kong, 2025) introduced the unique properties of jackfruit seed starch and noted that its combination with other substances could enhance its processing. In the study, (Juárez-Barrientos et al., 2025) demonstrated the reinforcement of antioxidant capacity and functional properties of extruded snack products using a mixture of JSF and rice and soy flours.

Oven

Baking conditions for cookies prepared with jackfruit seed flour have also been shown to determine texture, appearance, and taste. One study compared using flour to using only starch, and the outcomes were positive, though some flour was used in place of all other ingredients Van et al. (2023) Further evidence indicates that time and temperature regulation during baking are beneficial for preserving quality during wheat flour replacement Nordin et al. (2024) Moreover, Moolwong et al. (2023) and others published recipes demonstrating that standard baking

procedures could be used with jackfruit seed flour in small to medium amounts and that the results pleased customers. In Teo et al. (2024) the impact of baking with unroasted, processed, and cooked jackfruit seed flour was examined, and it was found that liquid absorption and texture changed with the intensity of heat, which in turn affected cookie behavior in terms of shape, texture, and mouth feel. These associated studies show that the quality of cookies and other biscuits depends on baking conditions, including temperature, duration, and the ingredient mix before baking.

Packaging

In the marketing, protection, and preservation of food products, packaging plays an important role. It brings together both arts and science to attract consumer attention without compromising product safety Velankar (2024). In the same way, according to Fernqvist et al. (2025) the packaging plays a crucial role in preserving food. The ability to block UV rays and act as a moisture barrier has led to chitosan-based films being identified as a promising, environmentally friendly packaging option due to their biodegradability. Food packaging is essential for preserving product quality, ensuring safety, and extending shelf life Kovačevi´c et al. (2022). Recent developments in nanotechnology have further enhanced these capabilities.

Time

Jackfruit is widely grown in India and other countries bordering it, as well as in parts of Africa. The seeds containing a good amount of carbohydrate and protein after consumption of the edible part of the ripe fruit are mainly disposed of as waste. Wainaina et al. (2021) examined variables that influence cooking time in common beans, showing that cooking time is influenced by complex factors that require careful attention to processing conditions to achieve good, yet nutritionally sound, taste. In line with this, Diaz et al. (2021) conducted a review of ovenized MEMS gyroscopes and highlighted temperature-control systems that employ closed-loop processes to maintain a

constant temperature and prevent performance changes. Supported by (Ceviz et al., 2024), who offered an in-depth review of solar cooking systems, their design, functionality, and practical use, and found the obstacles to the wide use of solar cooking.

Temperature

Temperature influences food in various ways, including preparation, storage, consumption, and safety. In cooking, temperature controls important changes in proteins, the gelatinisation of starch, and the formation of Maillard products, which result in textural and taste changes Pereira (2025). In storage, too, temperature plays an important role in food, as temperatures above the optimum help hasten the formation of ammonia, lipid oxidation, loss of amino acids, and changes in the texture of long-life foods Šopík et al. (2022). Different processing techniques can impart different properties. For example, K Joy et al. (2022) found that cold plasma treatment increased the water solubility of food materials from 9.65 g/g to 14.11 g/g and enhanced hydration capacity. Serving temperature also influences physiological responses. It is found that hot meals lead to a greater liberation of satiating hormones GLP-1 and CCK, than cold meals, which seem to increase satiety irrespective of saturating matter Hamid et al. (2024). The climate changes do produce the complex emerging problems of food safety due to temperature effects that occur to cold chain, increased microbial growth and toxicity, increased chemical contaminants, disruption of agricultural systems, which will lead to a reduction in food security and food safety globally (Duchenne-Moutien & Neetoo, 2021).

Butter

Butter derived from whey cream and milk cream possesses comparable chemical parameters, colourimetric values, and fatty acid compositions, indicating the predominance of palmitic and myristic acids Aydemir & Altun (2024). However, whey butter generally has lower fat and higher moisture, NaCl, and some minerals, while milk butter contains higher levels of protein,

carotenoids, and tocopherols Aydemir & Altun (2024). Material ratios are of particular importance: sucrose, butter, and egg liquid have positive coefficients of correlation with the production of AGEs, with the presence of sucrose particularly favouring the production of HMF and 3-deoxyglucosone Hu et al. (2022). Storage conditions alter water activity and gloss in butters with increasing storage temperatures, resulting in increased gloss and changes in colour indices; whey butter has higher cholesterol but initially lower levels of cholesterol oxidation products, which subsequently increase with time (Cais-Sokolińska et al., 2024).

Granulated Sugar

Value-added functions of granulated sugar beyond sweetening include contributing to structure, shelf life, and moisture retention in a baked product, delaying the gelatinisation of starch, and contributing to colour and flavour (Dana & Sonia, 2024; Huțu & Amariei, 2024). However, high refined sugar consumption is related to non-communicable diseases, dental caries, overweight, and neurodevelopmental disorders in children Arshad et al. (2022). Sugar was known as one of the most common ingredient groups associated with an increased risk of death or disease in dessert recipes Wallach et al. (2023). For healthy recipes, sugar can be substituted at levels of 10-100% with functional ingredients. Among the most successful substitutes from technological and consumer perception perspectives are apple puree, inulin, oligofructose, stevia, apple pomace, polydextrose, dried apples, and date powder/syrup (Dana & Sonia, 2024; Huțu & Amariei, 2024). For instance, sugar sweetness perception could be augmented by modifying its particle size to reduce its content Richardson et al. (2021). These replacements may also enhance texture and rheological properties, sensory quality, consumer appeal, and nutritional status, while retaining the sugar functions necessary for baking applications.

Brown Sugar

Aside from its sweetening abilities, brown sugar has considerable potential. Brown sugar has medium to high phenolic class content. In the case of refined sugars, polyphenols undergo degradation Khoo et al. (2023). In particular, brown sugars are rich in polyphenols, such as hydroxybenzoic acids (protocatechuic, p-hydroxybenzoic, vanillic, and syringic) and hydroxycinnamic acids (chlorogenic, p-coumaric, and ferulic). In addition, chlorogenic acid (29.24%) and syringic acid (31.31%) are the most abundant Wang et al. (2023). Some brown sugar sweeteners, as in the case of those from dark Barbados molasses, proportionately contain higher phenolic content compared to many unrefined, direct-from-sap sweeteners. Azlan et al. (2023). Brown sugar polyphenols possess strong anti-hyperglycemic properties due to their potent inhibition of α-amylase and α-glucosidase enzymes Wang et al. (2023). Natural sweeteners generally offer high sweetness, low-calorie content, good solubility, high stability, and minimal toxic side effects compared to synthetic alternatives Sun et al. (2024). The production of natural sweeteners in Indonesia appears promising, with 15 potential plants identified across various areas, mainly producing saccharide-type sweeteners from cassava, corn, and coconut (Islamy, 2024).

Eggs

Eggs are crucial in breads, especially gluten-free ones. The egg yolk contains fat-soluble vitamins A, D, E, and K, along with minerals, which contribute to the nutritional value and functional characteristics that help bakery products gel and separate into different phases Patil et al. (2025). The research by Yang et al. (2022) demonstrated that egg white protein particles enhance the appearance, texture, and mouthfeel of cookies by stabilising emulsion droplets. Egg whites also seem to perform better than egg yolk in gluten-free bread production and result in higher bread volumes (2.60 cm^3/g vs 2.07 cm^3/g), more stable cell structures, better moisture

retention ability, as well as superior springiness of the crumb (Ahlborn et al. (2022). The egg protein helped maintain gas cells in the gluten-free system, and CO2 support during baking was found to be challenging Waziiroh et al. (2023). In gluten-free bread, egg albumin shows good functionality, and, among other factors, protein solubility is important, as foaming/forming and mixing properties are essential for better bread quality (Waziiroh et al., 2023).

Vanilla Extract

Vanilla (Vanilla planifolia) extract is used to add flavour to baked goods, giving them a sweet, aromatic taste that makes them more palatable overall and helps reduce glucose dependency. It provides magnesium and potassium, which support kidney, heart, and muscle function, and has antidepressant and antimicrobial benefits. In the study of Buitimea-Cantúa et al. (2022) demonstrated that high hydrostatic pressure (HHP) can improve vanillin content by up to 138% and increase enzyme activity by up to 400%, attributed to tissue decompartmentaliation and enzymatic conformational changes. The vanilla extract increased the perception of sweetness by aroma–taste interaction with sugar, which could lead to the reduction of sugar consumption to the extent of (15%) in water and (13%) in coconut-milk desserts, while the acceptance with the consumer is not negatively affected (Soontrunnarudrungsri et al., 2023)

All-purpose flour

Jackfruit seed flour can be a good alternative to wheat flour, as it is rich in nutrients. According to Siddiqui Mudassir Ur Rahim (2024). JSF has a high protein, fibre, and resistant starch content, along with a low moisture content, which enhances the nutritional value and shelf life of baked products. According to Mohammed et al. (2024) substituting wheat flour at a level between 20-30 % with JSF (jackfruit seed flour) improves its protein, fibre, and mineral content. However, beyond this level, excess incorporation can adversely affect texture, volume, and colour due to poor gluten development. Van et al. (2023) made cookies with 30% JSF. According to their research, cookies

made with JSF have better fibre and polyphenol content. As a result, the cookies required a higher water addition to regain the desired spreadability and texture. Pizza dough can incorporate 30% JSF without affecting sensory quality Nompo et al. (2024). Wafer cones with 60% JSF showed the highest crispness and acceptability, and 80% incorporation increased protein content by about 14.5% according to (Kushwaha et al., 2021).

Baking Soda

Sodium bicarbonate (baking soda) is a leavening agent that releases carbon dioxide upon mixing with acidic ingredients, creating a lighter crumb structure and enhancing the texture of baked goods. Asamoah et al. (2023) demonstrated that increasing baking powder levels significantly increases batter specific volume and porosity, though with diminishing returns as levels approach maximum concentrations. It also acts as a pH regulator in dough: lower amounts yield a better white crumb, while higher amounts raise the pH, resulting in a darker crust. A satisfactory addition of approximately 2% of the flour weight to the total formula tends to improve dough stability, yielding greater viscosity and aeration. In contrast, larger additions (approximately 3%) cause coarser pores and over-browning Constantinescu et al. (2022). In addition, bread leavened with soda reduces the phytic acid content of flat wheat breads by 22-51%, resulting in greater solubility and increased mineral damage (Ghaffar, 2025).

Salt

In bakery products, Salt (NaCl) is necessary for stabilising gluten, controlling yeast fermentation, and maintaining dough handling and crumb structure. These are incremental stealth cuts, salt replacers, and flavour boosters to keep the products tasting good Ferrari et al. (2022). Research has investigated the use of fermented brown macroalgae (e.g., Saccharina latissima) as partial salt substitutes to lower sodium intake whilst maintaining flavour and texture. They provide umami flavouring that can compensate for lower sodium levels while maintaining overall dough

handling and bread quality. They are rich in minerals and contain free glutamate Tyl et al. (2024). Reducing sodium chloride intake to 0.6% or lower reduces the risk of cerebrovascular accidents by 23% Pashaei et al. (2021). It will tend to increase the nutrient values of the bread due to the additional potassium, calcium, and magnesium contributed by these salts, which tend to lower the blood pressure, to a large extent, due to improvement in bone health and metabolism of nutrients, respectively (Codină et al., 2021; Pashaei et al., 2021).

Chocolate Chips

The primary role of chocolate chips is to support flavour in cookie formulas, and chocolate intensity is the best predictor of consumer liking and purchase intent. A lack of flavour reduces the acceptability of cookies, especially in gluten-free cookies Frauenhoffer et al. (2025). Moreover, protein-enrichment (i.e., the addition of cricket powder) and high digestibility are reformulations proving that chocolate-chip protein-enriched cookies may be (approximately 60%) highly digestible, and retain better emulsifying properties, but the further the introduction of alternative ingredients, the darker the cookies and the softer the consistency Aleman et al. (2022) found that cocoa bran has a high fibre content (≈ 50%) and phenolic compounds that enhance water-holding capacity, reduce mass loss, and reduce spread, producing baked products with adequate structure and diameter. (Molu et al., 2021) prepared jackfruit-seed chocolate with 30 % roasted jackfruit seed flour and 50 % cocoa butter, which provided good overall nutritional value and sensorial acceptability (8.31).

Lemon Zest

Because of its dietary fibre, vitamin C, essential oils (limonene), and minerals, lemon zest is a healthy ingredient in baked goods that provides antioxidant, antibacterial, and anti-inflammatory effects Patil et al. (2025). Lemon peel extracts are abundant sources of flavonoids, including eriocitrin and hesperidin, which exhibit radical-scavenging and anti-diabetic activities.

The process of microencapsulation helps retain flavonoids during baking while also reducing bitterness Dellapina et al. (2025). Besides, the researchers claim that incorporating lemon waste into muffins and cookies will not only enhance the fibre, protein, and phenolic content, but also the aroma and acceptability, though a slight bitterness may be perceived at higher levels Mateus et al. (2025). All of these attributes illustrate that lemon zest adds value to functional baked goods, both nutritionally and sensorially (Prajapati et al., 2025).

Milk

Milk is a healthy base for baked goods because it has a lot of calcium and vitamins A, D, and B-complex. During heating, the Maillard reaction and the fat content (2.5–4%) of the fermented milk baked goods together contributed to imparting taste, smell, and color, while nutrients remained present. The primary milk constituents, casein and whey, are mainly responsible for the high nutritional and functional quality of milk. Lohinova et al. (2025). Milk contains around 80% casein and 20% whey protein. A few Maillard reaction products (MRPs) have shown antimicrobial activity, which can enhance food preservation when used El Hosry et al. (2025). However, excessive Maillard activity can lead to negative consequences, including HMF formation and more difficult protein digestion Qi et al. (2025). Adding calcium to baked products is one of the ways milk improves their overall quality, besides the changes in taste and color caused by the Maillard process. However, color alone should not be the sole criterion for judging product quality; a colorimeter (Lohinova et al., 2025) should be used to obtain a precise measurement.

1.4 Objectives of the Study:

This study will aim to explore the potential of utilizing jackfruit seed waste in healthier baked products, creating a nutritious, plant-based alternative inspired by Higaonon traditions. The specific objectives of the study are as follows:

1. To develop baked goods that make use of jackfruit seed waste, highlight the capabilities of jackfruit seeds as a local, sustainable ingredient.

2. To evaluate the sensory qualities (taste, smell, and texture) of jackfruit seed waste-based baked products, focusing on how the seed waste affects their flavour, texture, aroma, and appearance.

3. To determine how well the baked products made of waste jackfruit seed are accepted by the consumer based on gathering feedback on how it tastes, feels, and how satisfied they are with it, with special focus on the novel application of jackfruit seed waste.

4. To find out the best formulation and concentration of jackfruit seed waste that has a positive effect on nutritional value and still has an acceptable texture, which would give a pleasant experience of eating.

5. To present feasible suggestions regarding the designing, manufacturing, and advertising of jackfruit seed waste-based baked products as healthier substitutes to the traditional baked products.

1.5 Definition of Terms

The following terms were defined in terms of how they work and how they are understood as follows:

Appearance. Refers to how the cookies made with jackfruit seed flour look in terms of color, shape, and overall presentation.

Aroma. Refers to the smell of the jackfruit seed flour cookies that can affect how people find them appealing.

Consumer Acceptance. Refers to how much the consumers like or approve of the jackfruit seed flour cookies after tasting and evaluating them.

Cookies. Refers to baked snacks made by partly replacing wheat flour with jackfruit seed flour.

Flavor. Refers to the taste and smell experienced when eating the jackfruit seed flour cookies.

Food Preparation Method. Refers to the steps used in making jackfruit seed flour, including washing, drying, roasting, grinding, and sifting the seeds.

Health Benefits. Refers to the advantages a person may get from eating cookies made with jackfruit seed flour, such as added nutrients and natural compounds that help the body.

Jackfruit Seed Flour (JSF). Refers to flour made by drying and grinding jackfruit seeds, used to replace part of the wheat flour in baking.

Nutritional Content. Refers to the nutrients found in the jackfruit seed flour cookies, such as protein, fiber, carbohydrates, vitamins, and minerals.

Sensory Qualities. Refers to the qualities of the jackfruit seed flour cookies that can be experienced through the senses, including how they taste, smell, feel, and look.

Shelf Life. Refers to how long the jackfruit seed flour or the cookies made from it can stay safe and sound to eat when appropriately kept.

Taste. Refers to the flavour of the jackfruit seed flour cookies, including sweetness and other sensations felt when eating them.

Texture. Refers to how the cookies feel when eaten, such as being soft, chewy, or crunchy, depending on the amount of jackfruit seed flour used.

CHAPTER II

RESEARCH METHODOLOGY

This chapter will provide more detail on the research methods and procedures. It will discuss the research design, the study setting, the participants, ethical issues, the interview guide, and the data collection process.

2.1 Research Design

The research method that will be employed in this study will be an experiment, as is common in areas such as hospitality, science, finance, and education. It will also be helpful to businesses and organizations for testing novel approaches and products. The phenomenon that will be explored in the experiment will be how jackfruit seed flour will be used in the development of the cookie product as a delicacy in Nasipit. It will be done to boost food security through alternative sources of food. Additionally, more efficient agricultural systems, including eco-friendly practices, will promote biodiversity, healthy soil, and sustainable agriculture.

2.2 Research Materials and Methods

The main research instrument that will be used in this experimental study will be a self-made sensory evaluation and survey questionnaire. The questionnaire will be designed to assess the acceptability and quality attributes of the developed cookie product using jackfruit seed flour as a substitute for wheat flour. The variables and criteria for evaluation will be anchored on the study by Cagula et al. (2025) among Saint Michael College of Caraga students titled: *"Product Innovation: The Impact of Malunggay Integration to Chicharon Development Food."* Before the data collection, the instrument will undergo pilot testing to ensure its reliability and validity.

The research instrument will consist of three sections. Part I will present the demographic profile of the respondents. This part will collect basic information such as their age and which school they belong to. Part II will focus on the sensory evaluation of the developed cookie, assessing attributes

such as appearance, aroma, texture, taste, and overall acceptability using a Likert scale: 4 for Strongly Agree, 3 for Agree, 2 for Disagree, and 1 for Strongly Disagree. Part III will measure the respondents' perception of the product's appearance, aroma, flavour, and texture. The purpose of this instrument will be to gather reliable feedback that will guide improvements in the formulation and will contribute to the development of a nutritious and marketable cookie product using jackfruit seed flour.

Statistical Treatment

In presenting, analyzing, and interpreting data, the researcher will use the following statistical test, namely.

Frequency and Percentage – This will be used to summarize the demographic profile of the respondents.

Weighted Mean - This tool will be used to determine the level of acceptability of the cookie product in terms of its sensory attributes (appearance, aroma, texture, taste, and overall acceptability).

Spearman rho Correlation – This will be applied to determine the relationship between the rank sensory preferences of the respondents and their perception of the product's appearance, aroma, texture, taste, and overall acceptability.

2.3 Research Environment

The study will be conducted in Nasipit, Agusan del Norte, a coastal municipality with growing economic activity and accessible educational institutions. The area also has abundant agricultural resources, particularly jackfruit, which supports the study's aim of developing locally inspired and sustainable food products. The experimental procedures, including the preparation and baking of the cookies, will be carried out by the researchers in the kitchen laboratory of Saint Michael College of Caraga (SMCC). Established in 1948, SMCC is recognized as one of the pioneer institutions in the Caraga Region. The kitchen laboratory will serve as the main site for producing the cookies using jackfruit seed flour to explore its potential as a natural flavor enhancer. The taste testing and sensory evaluation will not be limited to SMCC. Respondents will come from a selected urban school in Nasipit, Agusan del Norte, allowing the study to gather feedback from a broader group of students. They will evaluate the cookies based on flavor, texture, and overall acceptability. Their responses will help determine the nutritional value, consumer acceptance, and potential of jackfruit seed flour in promoting healthier food options within schools and local communities.

2.3 Research Population

The researchers will identify respondents using convenience sampling. The study's respondents will be individuals aged 18 years and above from selected urban schools in Nasipit, Agusan del Norte, that offer senior high school programs, including Calixto D. Montinola National High School (CDMNHS), Nasipit National Vocational School (NNVS), Northwestern Agusan Colleges (NAC), and Saint Michael College of Caraga (SMCC). Focusing on participants aged 18 and above ensures that all respondents can legally provide informed consent and fully understand the procedures, risks, and requirements of the study, in accordance with ethical research standards (U.S. Department of Health & Human Services, n.d.).

2.3 Table 1. Research Sample

CONSUMERS	SAMPLE	
	F	%
Calixto D. Montinola National High School (CDMNHS)	112	14.3
Nasipit National Vocational School (NNVS)	307	39.1
Northwestern Agusan Colleges (NAC)	70	8.9
Saint Michael College of Caraga (SMCC)	296	37.7
Total	785	100.0

Table 1 shows the distribution of the respondents of the study, consisting of junior high school students from the selected schools.

2.4 Research Data and Analysis Plan

The researchers will conduct the study in a selected urban school in Nasipit, Agusan del Norte, that offers senior high school programs. The researchers shall then forward formal request letters to the heads of the sampled institutions and schools, and to the Registrar of Saint Michael College of Caraga, requesting the schools' permission for the study. The research will be performed over several months, including the preparation, experimentation, and data analysis. The researchers will be students in the Hospitality Management course at Saint Michael College of Caraga, who will possess knowledge of food preparation, sensory evaluation, and basic research procedures.

Data gathering will be conducted in the experimental mode. In selecting respondents, convenience sampling will be used. The experimentation stage will take place in the kitchen laboratory of Saint Michael College of Caraga, located on the main campus, and the researchers will prepare and test cookies with jackfruit seed flour enriched and explore its possible application as a natural flavour enhancer. The purpose of the study and the ingredients used to make jackfruit seed cookies will be explained to the respondents before the taste test. The packaging information will list all ingredients so respondents are informed about the product's contents. They will also be asked whether they are allergic to the ingredients used, and whether they will not be asked to participate in the taste test if they are not comfortable or willing to do so. The rights of the respondents, including the right to voluntary response and the confidentiality of their responses, will be explained to them throughout the session. The informed consent forms will be distributed, signed, and collected as evidence of consent to participate in the study. As a backup, respondents will have the opportunity to revise or correct their responses if they make a mistake. The study will also seek feedback in the future to validate and improve its results. In assessing the jackfruit seed cookies, the respondents will be issued three samples of varying proportions. A checklist will

be provided to test the samples, and the results will be recorded. Taste, feel, smell, and overall acceptability will be evaluated using the Likert scale. A questionnaire will also be distributed in a structured manner to obtain more feedback. A statistician will code all collected information and test it to ensure the results are accurate and consistent.

Ingredients

Below are the ingredients that will be needed for the integration of jackfruit seeds into cookie development.

Jackfruit Seeds.

These will serve as the main innovative ingredient in the cookie formulation. Ground jackfruit seeds add a nutty flavour and a slightly chewy texture, while enhancing the nutritional value with added protein and fibre.



Figure 1. Jackfruit Seeds.

All-purpose flour. It will present the skeletal foundation of the cookie dough, making it suitable in terms of texture and stability when combined with the other elements.



Figure 2. All-purpose flour.

Granulated Sugar. It will be a sweetener, help with the crispness of cookies, and also help with proper browning.



Figure 3. Granulated Sugar

Brown Sugar. It will increase their humidity, chewiness, and richness of the cookies, adding a slight caramel flavour.



Figure 4. Brown Sugar

Baking soda. It will serve as a raising agent, helping the cookies rise a bit and providing a light, soft texture.



Figure 5. Baking Soda

Salt. It will also offset the sweetness and improve the general flavour profile of the jackfruit seed cookies.



Figure 6. Salt

Lemon Zest. It will bring a cooling scent and a slight hint of citrus that will go well with the nuttiness of jackfruit seeds.



Figure 7. Lemon Zest

Butter. It will make the texture rich and smooth, adding tenderness and flavour to the cookies.



Figure 8. Butter

Vanilla Extract. It will make the cookies smell and add richness to the flavour, making them more aromatic and pleasing.



Figure 9. Vanilla Extract

Egg. It will act as a binding agent, holding the ingredients together, and give the mixture softness by providing moisture.




Figure 10. Egg

Chocolate Chips. They will provide sugary, crunchy flavours, making cookies even tastier.



Figure 11. Chocolate Chips

Milk. It will provide a creamy, smooth flavor and help improve the cookies' texture, making them softer and richer.



Figure 12. Milk

Materials

These are the materials that will be needed to complete the study, as listed below.

Tray. It will serve as a base to evenly spread the jackfruit seeds during drying, ensuring proper air circulation for consistent drying.



Figure 13. Tray

Net Cover. It will be used to cover the jackfruit seeds during drying, protecting them from dust, insects, and other contaminants while still allowing airflow.



Figure 14. Net Cover

Knife. It will be used to cut the jackfruit seeds into smaller pieces before drying, making them easier to roast and grind into flour.



Figure 20. Knife

Mixing bowls. It will be one of the necessary tools for making Jackfruit Seeds Cookies, along with the ingredients.



Figure 12. Mixing Bowls

Measuring cups and spoons. It will be an essential apparatus for measuring all ingredients, including jackfruit seed powder.



Figure 13. Measuring cups and spoons

Whisk. This will be a crucial article on combining the dry and moist ingredients, including jackfruit seed powder.



Figure 14. Whisk

Cookie Cutter. It will be applied to cut the dough of cookies into the exact sizes so that they look the same and bake the same.



Figure 21. Cookie Cutter

Spatula. The cookie mixture will be stirred and loosened during the dry-frying process to even out the heat and prevent ingredients from sticking to the pan.



Figure 12. Spatula

Blender. It will be an essential tool for finely grinding jackfruit seeds, ensuring that all dry and moist ingredients blend seamlessly for a consistent texture, even nutrient distribution, and a perfect combination.



Figure 12. Blender

Cookie Sheet Pan. It will be the place where the mixture was put after all was ready. To prepare the Jackfruit seed bake product.



Figure 13: Cookie Sheet Pan

Frying Pan. The jackfruit seeds will be roasted or left to dry to remove excess moisture, then roasted to improve the flavour before grinding.



Figure 18. Frying Pan

Oven. It will be applied during the baking of jackfruit seed cookies, providing the right amount of heat to ensure the end product has the right texture and taste.



Figure 19. Oven

Personal Protective Equipment

Hand Gloves. These will be essential to maintain the cleanliness of the preparation process. They also protected the jackfruit seed ingredients and other baking ingredients from contamination, thereby ensuring the cleanliness, quality, and safety of the cookies.



Figure 16. Hand Gloves

Face Masks. These will play a significant role in ensuring hygiene and preventing contamination of saliva during preparation, ensuring that Jackfruit Seeds Cookies are safe and of high quality.



Figure 17. Face Mask

Chef Hat. It will be defined as putting on a cap to prevent hair in the mixture from ending up in the cookies, keeping the work area clean, and ensuring hygiene throughout the baking process.



Figure 18. Hat

Apron. It will be used to cover the baker and the area where baking is done, preventing contamination and ensuring the cookies remain clean and of high quality.



Figure 19. Apron

Chef Jackets. It will be applied to ensure safety and cleanliness during preparation; it will act as a shield against contamination and help maintain a neat baking environment.



Figure 20. Chef Jackets

Chef Pants. As part of the protective gear, these will provide full leg coverage to prevent any contaminants from coming into contact with the baking ingredients during preparation.



Figure 21. Chef Pants

Clogs. These will be worn as protective footwear to prevent slips and ensure safety in the working area during the baking process.



Figure 22. Chef Clogs

Preparation of Jackfruit (Artocarpus Heterophyllus)

The study will follow the steps in the flowchart plan shown below.




Figure 23. The diagram shows the process flow of Jackfruit Cookies.

Part I. Procedure for Making Jackfruit Cookies. For product A 30% J - 70% AF.

1. Fresh, mature jackfruit seeds will be collected and thoroughly washed to remove any dirt or foreign materials.

2. The cleaned seeds will be boiled for 30 minutes to soften them, then peeled to obtain the white kernel portion.

3. The kernels will be sliced into small pieces and dried in an oven at 60°C until completely dehydrated.

4. The dried jackfruit seed pieces will be ground using a blender to produce fine flour, and a strainer will be used to remove coarse particles. The jackfruit seed flour will be stored in an airtight container for later use.

5. For the cookie mixture, 1/3 cup plus one teaspoon of jackfruit seed flour (40%) and 3/4 cup plus one tablespoon plus one teaspoon of all-purpose flour (60%) will be measured and mixed in a clean bowl.

6. In a separate bowl, 1/4 cup of butter and 1/4 cup of brown sugar will be creamed together until light and soft.

7. One egg and one teaspoon of vanilla extract will be added to the creamed mixture and thoroughly mixed to achieve consistency.

8. The combined flour mixture will be gradually added to the wet ingredients while continuously stirring to form a smooth dough.

9. The dough will be rolled and shaped into small, round portions using a cookie cutter, then will be placed evenly on a baking tray lined with parchment paper.

10. The cookies will be baked in a preheated oven at 180°C for 10–12 minutes or until golden brown.

11. Once baking is completed, the cookies will be allowed to cool for 5 minutes at room temperature before being stored in airtight containers for evaluation and consumption.

Part I. Procedure for Making Jackfruit Cookies. For product B 50% J - 50% AF.

1. Fresh, mature jackfruit seeds will be collected and thoroughly washed to remove any dirt or foreign materials.

2. The cleaned seeds will be boiled for 30 minutes to soften them, then peeled to obtain the white kernel portion.

3. The kernels will be sliced into small pieces and dried in an oven at 60°C until completely dehydrated.

4. The dried jackfruit seed pieces will be ground using a blender to produce fine flour, and a strainer will be used to remove coarse particles. The jackfruit seed flour will be stored in an airtight container for later use.

5. For the Jack Fruit Cookie (half batch), 1/2 cup + 1 tablespoon + 1 teaspoon of jackfruit seed flour (50%) and 1/2 cup + 1 tablespoon + 1 teaspoon of all-purpose flour (50%) will be measured and placed in a mixing bowl.

6. One egg and one teaspoon of vanilla extract will be added to the creamed mixture and thoroughly mixed to achieve consistency.

7. The combined flour mixture will be gradually added to the wet ingredients while continuously stirring to form a smooth dough.

8. The dough will be rolled and shaped into small, round portions using a cookie cutter, then will be placed evenly on a baking tray lined with parchment paper.

9. The cookies will be baked in a preheated oven at 180°C for 10–12 minutes or until golden brown.

10. Once baking is completed, the cookies will be allowed to cool for 5 minutes at room temperature before being stored in airtight containers for evaluation and consumption.

Part I. Procedure for Making Jackfruit Cookies. For product C 60% J - 40% AF.

1. Fresh, mature jackfruit seeds will be collected and thoroughly washed to remove any dirt or foreign materials.

2. The cleaned seeds will be boiled for 30 minutes to soften them, then peeled to obtain the white kernel portion.

3. The kernels will be sliced into small pieces and dried in an oven at 60°C until completely dehydrated.

4. The dried jackfruit seed pieces will be ground using a blender to produce fine flour, and a strainer will be used to remove coarse particles. The jackfruit seed flour will be stored in an airtight container for later use.

5. For the Jackfruit Cookie (half batch), the total flour volume of 1.125 cups will be measured. At 60% jackfruit seed flour, 2/3 cup + 1 tablespoon will be taken as jackfruit seed flour, and the remaining 40% (1/2 cup + 1 tablespoon + 1 teaspoon) will be taken as all-purpose flour, then will be mixed in a clean bowl.

6. One egg and one teaspoon of vanilla extract will be added to the creamed mixture and thoroughly mixed to achieve a consistent texture.

7. The combined flour mixture will be gradually added to the wet ingredients while continuously stirring to form a smooth dough.

8. The dough will be rolled and shaped into small, round portions using a cookie cutter, then will be placed evenly on a baking tray lined with parchment paper.

9. The cookies will be baked in a preheated oven at 180°C for 10–12 minutes or until golden brown.

10. Once baking is completed, the cookies will be allowed to cool for 5 minutes at room temperature before being stored in airtight containers for evaluation and consumption.

Part II. Costing and Pricing

Jackfruit Seeds	20 pesos
500 ml All Purpose Flour	25 pesos
113 g Butter	35 pesos
75 g Granulated sugar	10 pesos
75 g Brown sugar	10 pesos
1 large Egg	12 pesos
Vanilla extract	5 pesos
Baking soda	1 pesos
Salt	1 pesos
Lemon Zest	15 pesos
Milk	35 pesos
45 g Chocolate chips	30 pesos
TOTAL	**199**

Statistical Treatment

Statistics is a method of analysis that uses different tools to examine and understand data. It will be used to assess and understand the results of the data gathered in the study. The researchers will use the following statistical tools, as these are suitable for the type of data to be collected.

Frequency and Percentage: This method will be used to analyse the responses for statements 1, 2, and 4 to describe the respondents' profiles. It will show how often each response appears and its percentage of the total.

Mean: This method will be used to analyse statement number 3. It will determine the sensory qualities and acceptability of baked products made with jackfruit seed waste through sensory evaluation.

2.5 Ethical Standards

A. Intellectual Property Rights (IPR)

This study will focus on new products. No new technologies or processes requiring patenting will be developed. The survey and reports are original works protected by copyright to preserve the integrity of the research. No proprietary materials are used, and such public resources and academic references are examined in accordance with copyright laws so that no trademarks will be violated.

B. Informed Consent

The researchers will explain the study's purpose, why the respondents will be selected, and the possible benefits and risks of participating in the survey. The respondents will be assured of their right to withdraw at any time without giving a reason, to ask questions about their participation, and to decline answering any questions they find uncomfortable. Before conducting the study, the researchers will send formal request letters to the selected schools. The researchers will ask respondents about any known allergies in advance to ensure safety during all sensory tests. The cookies will be packaged in sanitary and hygienic packaging to prevent contamination and ensure suitability for tasting. The information, including the ingredients and allergy-related details, will be visible on the packaging. All personal data will be collected through encrypted surveys or consent forms and will be rendered anonymous to ensure privacy. When applicable, the respondents will be offered a printout of the survey transcripts for review and will be allowed to change, delete, or add answers. Feedback will be requested later to validate and improve the study's results. Respondents will also sign a waiver form acknowledging their voluntary participation and understanding of the study procedures. Finally, the respondents will be fully informed of all ingredients used in the cookies before the sensory test to prevent any harm or adverse reactions.

C. Data Privacy and Confidentiality

Personal information is collected through encrypted forms or surveys and anonymised to protect respondents' privacy. Information will be stored in password-protected files, with access restricted to authorized team members. Wherever data will be disseminated to external parties, respondents have provided express consent.

D. Voluntary Participation

Study participation is voluntary for all respondents, and they are advised that they may withdraw at any time without penalty. Ethical objections to the use of animals are irrelevant because no animals are involved in the study. Human research ethical standards are adhered to throughout.

E. Minimization of Harm

To minimize the burden on respondents, the study will ensure that participation is voluntary and that any risks are clearly explained. The respondents are not forced to try the products, and the researchers will ask them whether they are allergic to them before they join the research. Safe procedures will be used to prevent harm from the questionnaire, survey, and sensory test. Proper packaging will be used to ensure the product is secure, protected against contamination, and tastes appropriate. The respondents are told they can withdraw at any time if they are in distress. The school clinic will be available if a respondent has an allergic reaction during the taste test. It does not apply to the 3Rs (Replacement, Reduction, Refinement) because no animals will be harmed.

F. Beneficence

The study will be relevant to the research field, as it will examine new strategies to add value to food products, particularly the use of jackfruit seed flour in place of wheat flour in the production of jackfruit seed cookies. It will encourage food innovations and nutritional progress

by showing how jackfruit seed Higaonon-inspired cookie products, nutrient-dense ingredients, can be turned into a delicacy in Nasipit. Furthermore, the research will maintain transparency, informing respondents of their right to receive findings, fostering trust and ethical engagement.

G. Justice and Fair Participant Selection

The selection criteria for choosing respondents will be open and equitable to ensure a representative sample. There will be no discrimination against people with diverse backgrounds, and no use of animals in the study.

H. Data Integrity and Accuracy

The study will use standard approaches to ensure accuracy and reliability in data collection and analysis. Any errors, limitations, or biases will be documented to preserve the transparency and integrity of the study. Any tools for artificial intelligence to be used involved gathering survey data, organizing survey responses, and assisting with research analysis. It will be thoroughly examined to ensure there are no potential biases in the review of the findings. It will reinforce that there will be no errors during the random data collection in the study.

I. Transparency in Reporting

The results of the study will be reported honestly and accurately. Any copyright and patent contents that have been used in the study shall be appropriately credited and referenced as per the academic requirements. The author state that the research has no conflicts of interest (COIs), which could affect the research findings or conclusions. Moreover, the research is enhanced with different AI tools to improve its quality and efficiency.

J. Use of Patented or Copyrighted Materials

The research does not employ patented technologies, so no approvals from patent holders are required. All other copyrighted material, such as software or literature use, had proper clearance and was appropriately referenced.

K. Ethical Considerations for Animal and Human Trials

Respondents participate in the sensory assessment after being fully informed of the possible risks and benefits to them as subjects, to enable informed consent. The respondents are fully informed of the study, its objectives, procedures, and the potential data discomfort that may occur. The researchers ensure that the respondents will receive the support services required for their well-being. As no animals were used in the study, ethical clearance for animals is not required.

L. Responsible Use of AI and Related Technologies

Digital technologies will support every stage of the research. Elicit AI will quickly identify valuable and reliable research documents, making it easier to access high-quality sources in less time. Anara.com will speed up the literature review by efficiently screening references. This will ensure that credible, verified research is reviewed. Google Scholar will be used to access peer-reviewed, academically credible articles. All scientific sources will therefore be reliable and trustworthy for the research purpose. During the writing stage, ChatGPT will be used to develop ideas, wording, and content, enhancing clarity and coherence in the research narrative. The paper will further improve its professionalism by using Grammarly to correct grammatical, structural, and syntactic errors, ensuring accuracy and readability. All these AI tools will be used responsibly to ensure the research remains valid, reliable, and maintains overall integrity.

M. Ethical Approval

The SMCC Ethical Review Board will provide ethical approval for the study to ensure the research follows institutional standards for human participants.

Research Instrument

Saint Michael College of Caraga
Brgy. 4, Nasipit, Agusan del Norte, Philippines
District 8, Brgy. Triangulo, Nasipit, Agusan del Norte, Philippines
Tel. Nos. +63 085 343-3251 / +63 085 283-3113
www.smccnasipit.edu.ph

UTILIZING JACKFRUIT SEED WASTE IN HEALTHIER BAKED PRODUCTS: A HIGAONON-INSPIRED PRODUCT DEVELOPMENT

PART I. Demographic Profile. This part of the questionnaire will focus on establishing the respondents' demographic profile by collecting information on their age, grade level, and place of residence.

Instructions: Please put a check mark (✓) in the box that corresponds to your answer.

(Palihug markahi ug tsek sa lingin nga nahiangay sa imong tubag.)

A. Age

☐ 18-20 years old

☐ Years old and above

B. Type of Respondents

☐ **CDMNHS Student**
(Estudyante sa CDMNHS)

☐ **NAC Student**
(Estudyante NAC)

☐ **NNVS Student**
(Estudyante sa NNVS)

☐ **SMCC Student**
(Estudyante sa SMCC)

PART II.

Directions: Using the rating scale below

Please put a Check (√) inside the box that indicates your level of agreement for each statement.

Scale	Verbal Description	Verbal Interpretation
4	**Strongly Agree (SA)** (*Hugot na Pag-uyon)*	**-The quality is highly acceptable.** *(Ang kalidad kay taas kaayo nga pagdawat.)*
3	**Agree (A)** *(Uyon)*	**-The quality is moderately acceptable.** *(Ang kalidad kay medyo madawat.)*
2	**Disagree (D)** *(Dili Uyon)*	**-The quality is slightly acceptable.** *(Ang kalidad kay dili kaayo dawat.)*
1	**Strongly Disagree (SD)** *(Hugot na Dili Pag-Uyon)*	**-The quality is not acceptable.** *(Ang kalidad kay dili madawat.)*

Product A. **30% Jackfruit Seeds 70% All Purpose Flour**	**Strongly Agree** **SA** **(4)**	**Agree** **A** **(3)**	**Disagree** **D** **(2)**	**Strongly Disagree** **SD** **(1)**
APPEARANCE **The Jackfruit Seeds cookie has visual appeal.** *(Ang itsura sa Jackfruit Seeds cookie makapadani sa mata.)*				
AROMA **The Jackfruit Seeds offer a distinct scent.** *(Ang Jackfruit Seeds naghatag og lahi nga baho.)*				
FLAVOR **Jackfruit Seeds are nutritious but have a bitter taste.** *(Jackfruit Seeds, masustansya apan pait nga lami.)*				
The flavor of Jackfruit Seeds is easily detectable. *(Dali mamatikdan ang lasa sa Jackfruit Seed)*				
TEXTURE **The Jackfruit Seeds offers a crunchiness texture in the mouth.** *(Mabatian ang ka gumkom sa Jackfruit Seeds ngadto sa baba.)*				
Comment/s: *(Kumento)*				

Product B. **50% Jackfruit Seeds 50% All Purpose Flour**	**Strongly Agree** **SA** **(4)**	**Agree** **A** **(3)**	**Disagree** **D** **(2)**	**Strongly Disagree** **SD** **(1)**
APPEARANCE **The Jackfruit Seeds cookie has visual appeal.** *(Ang itsura sa Jackfruit Seeds cookie makapadani sa mata.)*				
AROMA **The Jackfruit Seeds offer a distinct scent.** *(Ang Jackfruit Seeds naghatag og lahi nga baho.)*				
FLAVOR **Jackfruit Seeds are nutritious but have a bitter taste.** *(Jackfruit Seeds, masustansya apan pait nga lami.)*				
The flavor of Jackfruit Seeds is easily detectable. *(Dali mamatikdan ang lasa sa Jackfruit Seed)*				
TEXTURE **The Jackfruit Seeds offers a crunchiness texture in the mouth.** *(Mabatian ang ka gumkom sa Jackfruit Seeds ngadto sa baba.)*				
Comment/s: *(Kumento)*				

Product C. **60% Jackfruit Seeds 40% All Purpose Flour**	**Strongly Agree** **SA** **(4)**	**Agree** **A** **(3)**	**Disagree** **D** **(2)**	**Strongly Disagree** **SD** **(1)**
APPEARANCE **The Jackfruit Seeds cookie has visual appeal.** *(Ang itsura sa Jackfruit Seeds cookie makapadani sa mata.)*				
AROMA **The Jackfruit Seeds offer a distinct scent.** *(Ang Jackfruit Seeds naghatag og lahi nga baho.)*				
FLAVOR **Jackfruit Seeds are nutritious but have a bitter taste.** *(Jackfruit Seeds, masustansya apan pait nga lami.)*				
The flavor of Jackfruit Seeds is easily detectable. *(Dali mamatikdan ang lasa sa Jackfruit Seed)*				
TEXTURE **The Jackfruit Seeds offers a crunchiness texture in the mouth.** *(Mabatian ang ka gumkom sa Jackfruit Seeds ngadto sa baba.)*				
Comment/s: *(Kumento)*				

The research instrument in this study will be based on the original tool developed by students from Saint Michael College of Caraga, as conducted by Cagula et al. (2025). The questionnaire will be developed based on their tool to be used in this study. Certain items will be adapted to better align with the specific objectives and context of the proposed research, while maintaining the core structure and intent of the original instrument.

REFERENCES

Afotey, B., Yuorkuu, E., Akinie, S. Y., Eshun, F. F., & Sufyan, M. A. (2024). Determination of health and nutritional benefits of jackfruits (artocarpus heterophyllus). *Journal of the Ghana Institution of Engineering (JGhIE)*, *24*(1), 33–40. https://doi.org/10.56049/JGHIE.V24I1.149

Ahlborn, G. J., Domike, K., Jackson, K., & Domike, R. (2022). A comparison of egg white and egg yolk in gluten-free bread. *Food Chemistry Advances*, *1*, 100142. https://doi.org/10.1016/J.FOCHA.2022.100142

Aleman, R. S., Marcia, J., Pournaki, S. K., Borrás-Linares, I., Lozano-Sanchez, J., & Fernandez, I. M. (2022). Formulation of Protein-Rich Chocolate Chip Cookies Using Cricket (Acheta domesticus) Powder. *Foods*, *11*(20). https://doi.org/10.3390/FOODS11203275

Alharbi, K. L., Raman, J., & Shin, H. J. (2021). Date Fruit and Seed in Nutricosmetics. *Cosmetics 2021, Vol. 8, Page 59*, *8*(3), 59. https://doi.org/10.3390/COSMETICS8030059

Arias, F. W., Esmero, M., Nolasco, J., Poblador, J. D., & Seat, A. M. (2022). Utilization of Jackfruit Seed Flour into Pan de Sal. *IC-ITECHS*, *3*(1), 162–171. https://jurnal.ubhinus.ac.id/index.php/IC-ITECHS/article/view/785

Arivuchudar, R., & Parameshwari, S. (2025). In vitro Study of the Functional, Physicochemical, Antioxidant and Shelf-life Profile of Processed Jackfruit (Artocarpus heterophyllus) Seed Flour. *Asian Journal of Dairy and Food Research*, *Of*. https://doi.org/10.18805/AJDFR.DR-2331

Arshad, S., Rehman, T., Saif, S., Rajoka, M. S. R., Ranjha, M. M. A. N., Hassoun, A., Cropotova, J., Trif, M., Younas, A., & Aadil, R. M. (2022). Replacement of refined sugar by natural sweeteners: focus on potential health benefits. *0*, *8*(9), e10711. https://doi.org/10.1016/J.HELIYON.2022.E10711

Asamoah, E. A., Le-Bail, A., Oge, A., Queveau, D., Rouaud, O., & Le-Bail, P. (2023). Impact of Baking Powder and Leavening Acids on Batter and Pound Cake Properties. *Foods*, *12*(5), 946. https://doi.org/10.3390/FOODS12050946/S1

Aster, K. G. v., Castillo, J. R. B., Cheng, S. R., Trillana, J. P. L., Varlez, Y. M. B., & Mercado, J. M. T. (2023). Sawsawan: explicating the culinary heritage significance of Philippine condiments using bibliometrics (1972–2018). *Journal of Ethnic Foods*, *10*(1), 1–15. https://doi.org/10.1186/S42779-023-00186-3/FIGURES/4

Aydemir, M. E., & Altun, S. K. (2024). Revista Científica Facultad de Ciencias Veterinarias. *Revista Científica de La Facultad de Ciencias Veterinarias*, *34*(1), 6–6. https://doi.org/10.52973/RCFCV-E34293

Azlan, A., Sultana, S., & Mahmod, I. I. (2023). Effect of Different Extraction Methods on the Total Phenolics of Sugar Cane Products. *Molecules 2023, Vol. 28, Page 4403*, *28*(11), 4403. https://doi.org/10.3390/MOLECULES28114403

Bae, H., Jo, S. H., & Lee, E. (2021). Why do older consumers avoid innovative products and services? *Journal of Services Marketing*, *35*(1), 41–53. https://doi.org/10.1108/JSM-10-2019-0408

Ben, A., & Andalecio, P. (2021). THE ROLE OF SELECTED HIGHER EDUCATIONAL INSTITUTIONS (HEIS) AND LOCAL GOVERNMENT UNITS ON INTEGRATING FOOD HERITAGE RESEARCH INTO POLITICAL PRIORITIES: A PUBLIC POLICY ANALYSIS OF LUZON ISLAND, PHILIPPINES. *Journal of Tourism, Culinary, and Entrepreneurship (JTCE)*, *1*(2), 160–189. https://doi.org/10.37715/JTCE.V1I2.2201

Borgis, S., & Bharati, P. (2020). *EPRA International Journal of Research and Development (IJRD) PROCESSING CHARACTERISTICS AND ACCEPTABILITY OF JACKFRUIT (Artocarpus heterophyllus Lam.) SEEDS, PHYSICAL AND FUNCTIONAL PROPERTIES OF ITS FLOUR*. https://doi.org/10.36713/epra2016

Brahma, R., & Ray, S. (2023). Finding out various potentials and possibilities of jackfruit seed and its usage in the industry: a review. *Food Production, Processing and Nutrition*, *5*(1), 1–17. https://doi.org/10.1186/S43014-023-00170-Z/TABLES/7

Buenavista, D. P., Mollee, E. M., & McDonald, M. (2022). Any alternatives to rice? Ethnobotanical insights into the dietary use of edible plants by the Higaonon tribe in Bukidnon Province, the Philippines. *Regional Sustainability*, *3*(2), 95–109. https://doi.org/10.1016/J.REGSUS.2022.04.002

Buitimea-Cantúa, G. v., Welti-Chanes, J., & Escobedo-Avellaneda, Z. (2022). Metabolite transformation and β-d-glucosidase activity during the high hydrostatic pressure assisted curing of vanilla beans (Vanilla planifolia) to improve phenolic compounds formation. *Food Chemistry*, *384*, 132497. https://doi.org/10.1016/J.FOODCHEM.2022.132497

Cais-Sokolińska, D., Bielska, P., Rudzińska, M., & Grygier, A. (2024). Water thermodynamics and lipid oxidation in stored whey butter. *Journal of Dairy Science*, *107*, 1903–1915. https://doi.org/10.3168/jds.2023-24032

Calín-Sánchez, Á., & Carbonell-Barrachina, Á. A. (2021). Flavor and aroma analysis as a tool for quality control of foods. *Foods*, *10*(2). https://doi.org/10.3390/FOODS10020224

Cantarero, L., Espeitx, E., Gil Lacruz, M., & Martín, P. (2013). Human food preferences and cultural identity: The case of Aragón (Spain). *International Journal of Psychology*, *48*(5), 881–890. https://doi.org/10.1080/00207594.2012.692792

Ceviz, M. A., Muratçobanoğlu, B., Mandev, E., & Afshari, F. (2024). A comprehensive review of solar cooking systems. *Wiley Interdisciplinary Reviews: Energy and Environment*, *13*(2). https://doi.org/10.1002/WENE.516

Cheng, M., Liu, M., Tan, L., Li, C., Wu, G., Xu, B., Zhang, Y., & Zhu, K. (2025). Comparison of phenolic profiles and antioxidant activities in the pulps from 21 different Artocarpus heterophyllus Lam. cultivars. *Food Chemistry: X*, *29*, 102735. https://doi.org/10.1016/J.FOCHX.2025.102735

Codină, G. G., Voinea, A., & Dabija, A. (2021). Strategies for Reducing Sodium Intake in Bakery Products, a Review. *Applied Sciences 2021, Vol. 11, Page 3093*, *11*(7), 3093. https://doi.org/10.3390/APP11073093

Constantinescu, G., Dinu, M., Alexe, P., & Buculei, A. (2022). Study on the opportunity to improve the quality of flour for pastry by adding chemical leavening agents. *Rom Biotechnol Lett*, *27*(4), 3628–3635. https://doi.org/10.25083/rbl/27.4/3628.3635

Dana, H., & Sonia, A. (2024). Substituting Sugar in Pastry and Bakery Products with Functional Ingredients. *Applied Sciences 2024, Vol. 14, Page 8563*, *14*(18), 8563. https://doi.org/10.3390/APP14188563

Daud, K. D. (2025). The Impact of Cultural Preservation on the Mëranao Identity: A Study of Tradition and Change. *A Social Science and Entrepreneurship Journal*, *4*(2), 94–100. https://doi.org/10.17509/ASSET.V4I2.82720

Dellapina, G., Poli, G., Moscatelli, V., Magalhães, D., Vilas-Boas, A. A., & Pintado, M. (2025). Flavonoid-Rich Extracts from Lemon and Orange By-Products: Microencapsulation and Application in Functional Cookies. *Foods 2025, Vol. 14, Page 3346*, *14*(19), 3346. https://doi.org/10.3390/FOODS14193346

Dhani, S., Hamid, Ngobese,
N. Z., Sharma, S., & Jaiswal, A. K. (2025). A comprehensive review on

nutritional composition, health benefits, and industrial applications of Jackfruit Seeds. *Journal of Agriculture and Food Research*, *19*, 101692. https://doi.org/10.1016/J.JAFR.2025.101692

Diaz, S., Ariza-Suarez, D., Ramdeen, R., Aparicio, J., Arunachalam, N., Hernandez, C., Diaz, H., Ruiz, H., Piepho, H. P., & Raatz, B. (2021). Genetic Architecture and Genomic Prediction of Cooking Time in Common Bean (Phaseolus vulgaris L.). *Frontiers in Plant Science*, *11*, 622213. https://doi.org/10.3389/FPLS.2020.622213/BIBTEX

Duchenne-Moutien, R. A., & Neetoo, H. (2021). Climate Change and Emerging Food Safety Issues: A Review. *Journal of Food Protection*, *84*(11), 1884–1897. https://doi.org/10.4315/JFP-21-141

El Hosry, L., Elias, V., Chamoun, V., Halawi, M., Cayot, P., Nehme, A., & Bou-Maroun, E. (2025). Maillard Reaction: Mechanism, Influencing Parameters, Advantages, Disadvantages, and Food Industrial Applications: A Review. *Foods*, *14*(11), 1881. https://doi.org/10.3390/FOODS14111881

Fang, S., Zhongmin, X., & Haiyang, S. (2009). An Overview of Sustainable Livelihoods Approach. *Advances in Earth Science*, *24*(1), 61. https://doi.org/10.11867/J.ISSN.1001-8166.2009.01.0061

Fernqvist, F., Olsson, A., & Spendrup, S. (2025). What's in it for me? Food packaging and consumer responses, a focus group study. *British Food Journal*, *117*(3), 1122–1135. https://doi.org/10.1108/BFJ-08-2013-0224

Ferrari, G. T., Proserpio, C., Stragliotto, L. K., Boff, J. M., Pagliarini, E., & Oliveira, V. R. de. (2022). Salt reduction in bakery products: A critical review on the worldwide scenario, its impacts and different strategies. *Trends in Food Science & Technology*, *129*, 440–448. https://doi.org/10.1016/J.TIFS.2022.10.013

Fonseca, A. M. A., Geraldi, M. v., Junior, M. R. M., Silvestre, A. J. D., & Rocha, S. M. (2022). Purple passion fruit (Passiflora edulis f. edulis): A comprehensive review on the nutritional value, phytochemical profile and associated health effects. *Food Research International*, *160*, 111665. https://doi.org/10.1016/J.FOODRES.2022.111665

Frances, C., & Barahan, C. (2023). Impact of Rice Delicacies Among Selected Areas in the Province of Biliran. *OPSearch: American Journal of Open Research*, *2*(3), 87–93. https://doi.org/10.58811/OPSEARCH.V2I3.44

Frauenhoffer, S., Ola, E., Jervis, S., Gauch, S. E., & Seo, H. S. (2025). Comparison Analyses of Consumer Acceptance, Evoked Emotions, and Purchase Intent Between Gluten-Containing Versus Gluten-Free Chocolate Chip Cookie Products. *Journal of Food Science*, *90*(5), e70276. https://doi.org/10.1111/1750-3841.70276

G. S. Chikkanna. (2021). *Technical Facts on the Current Scenario and Future Potential of Jackfruit Processing*. https://bioticapublications.com/journal-backend/articlePdf/894bf72cda.pdf Ghaffar, F. (2025). The Impacts of Fermentation and Varied Leavening Agents on Phytic Acid Degradation and Mineral Nutritional Quality of Conventional Pakistani Flat Wheat Breads. *Indus Journal of Bioscience Research*, *3*(5), 235–244. https://doi.org/10.70749/IJBR.V3I5.1269

Girona-Ruíz, D., Cano-Lamadrid, M., Carbonell-Barrachina, Á. A., López-Lluch, D., & Esther, S. (2021). Aromachology related to foods, scientific lines of evidence: a review. *Applied Sciences (Switzerland)*, *11*(13), 6095. https://doi.org/10.3390/APP11136095/S1

Gladez L. Galagaran, & Angielee G. Camarin. (2025). Development and Acceptability of Jackfruit (Artocarpus heterophyllus) Seed Cereal. *International Journal of Emerging Technologies and Innovative Research*, 229–238. https://doi.org/10.48175/IJARSCT-28322

Goh, S. X., Mamat, H., & Abdul Aziz, A. H. (2024). Valorization of agriculture by-product: Development of gluten-free biscuit made from blends of okara and jackfruit seed flour. *Waste Management Bulletin*, *2*(2), 59–65. https://doi.org/10.1016/J.WMB.2024.03.004

Gowda, T. K., Kukanoor, L., Gorabal, K., Nagajjanavar, K., & Koulagi, S. (2021). Studies on Physical Properties and Organoleptic Qualities of Jackfruit Seed Powder based Extruded Product. *Biological Forum-An International Journal*, *13*(2), 24. www.researchtrend.net

Gupta, A., Marquess, A. R., Pandey, A. K., & Bishayee, A. (2023). Jackfruit (Artocarpus heterophyllus Lam.) in health and disease: a critical review. *Critical Reviews in Food Science and Nutrition*, *63*(23), 6344–6378. https://doi.org/10.1080/10408398.2022.2031094

Hamid, N., Malik, M. O., Hajira, B., Shah, I., & Azhar, M. (2024). Food temperature altered macronutrients induced changes in satiety hormones; glucagon - like peptide -1 and cholecystokinin and their correlation with subjective satiety. *Journal of Family and Community Medicine*, *31*(3), 237–243. https://doi.org/10.4103/JFCM.JFCM_356_23

He, Z., & Kong, X. (2025). Unlocking the Potential of Jackfruit Seed Starch: Extraction, Properties, Modifications, and Uses—A Review. *Starch/Staerke*, *77*(8). https://doi.org/10.1002/STAR.70059

Hiba, K. (2023). *Process standardisation for jackfruit seed flour with chocolate aroma and preparation of jackfruit cookies*. https://krishikosh.egranth.ac.in/handle/1/5810215967

Hiba, K., & Geetha Lekshmi, P. R. (2023). UTILIZATION OF AROMATIC JACKFRUIT SEED FLOUR FOR THE DEVELOPMENT OF FUNCTIONAL COOKIES. *Biotech. Env. Sc*, *25*(3), 408–413. https://doi.org/10.53550/AJMBES.2023.v25i03.003

Himeur, Y., Rimal, B., Tiwary, A., & Amira, A. (2022). Using artificial intelligence and data fusion for environmental monitoring: A review and future perspectives. *Information Fusion*, *86–87*, 44–75. https://doi.org/10.1016/J.INFFUS.2022.06.003

Hu, H., Wang, Y., Shen, M., Huang, Y., Li, C., Nie, S., & Xie, M. (2022). Effects of baking factors and recipes on the quality of butter cookies and the formation of advanced glycation end products (AGEs) and 5-hydroxymethylfurfural (HMF). *Current Research in Food Science*, *5*, 940–948. https://doi.org/10.1016/J.CRFS.2022.05.012

HUȚU, D., & AMARIEI, S. (2024). APPLE PUREE AS SUCROSE REPLACER IN INCREASING THE NUTRITIONAL VALUE AND DECREASING THE ENERGY VALUE OF THE PASTRY PRODUCTS. *Food and Environment Safety Journal*, *23*(3). https://doi.org/10.4316/FENS.2024.013

Hymes, M., Rhodes, D., Clemens, J., & Moshfegh, A. (2020). Consumption of Savory Snack Foods: What We Eat in America, NHANES 2015–2016. *Current Developments in Nutrition*, *4*(Supplement_2), 530–530. https://doi.org/10.1093/CDN/NZAA046_030

Ibiyemi, T. E., & Oldewage-Theron, W. H. (2023). Snack consumption frequency of children and adults in the Vaal region of Gauteng, South Africa. *Health SA Gesondheid*, *28*, 2181. https://doi.org/10.4102/HSAG.V28I0.2181

Islamy, M. A. (2024). Potential of Natural Sweetener in Indonesia: A Systematic Review. *Media Gizi Indonesia*, *19*(3), 234–242. https://doi.org/10.20473/MGI.V19I3.234-242

Jalil, M., Hostoffer, R., & Wu, S. S. (2021). Jackfruit Anaphylaxis in a Latex Allergic Non-Healthcare Worker. *Allergy & Rhinology*, *12*. https://doi.org/10.1177/21526567211009195

Juárez-Barrientos, J. M., Hernández-Santos, B., Torruco-Uco, J. G., Martínez-Sánchez, C. E., Herman-Lara, E., Ramírez-Rivera, E. J., Ramírez-Figueroa, E., Avendaño-Apolinar, A. v., Cabal-Prieto, A., & Rodríguez-Miranda, J. (2025). Optimization of Extrusion Cooking for Enhanced Physicochemical Properties in Jackfruit Seed (Artocarpus altilis) and Nixtamalized Maize (Zea mays L.) Flour Blend. *Processes 2025, Vol. 13, Page 772*, *13*(3), 772. https://doi.org/10.3390/PR13030772

Jutamas Moolwong, Teerin Chysirichote, & Thanida Chuacharoen. (2023). *DEVELOPMENT OF COOKIES USING PARTIAL SUBSTITUTION OF WHEAT FLOUR WITH JACKFRUIT (ARTOCARPUS HETEROPHYLLUS) SEED FLOUR*. https://www.researchgate.net/publication/373075800_DEVELOPMENT_OF_COOKIES_USING_PARTIAL_SUBSTITUTION_OF_WHEAT_FLOUR_WITH_JACKFRUIT_ARTOCARPUS_HETEROPHYLLUS_SEED_FLOUR

K Joy, J., Kalaivendan, R. G. T., Eazhumalai, G., Kahar, S. P., & Annapure, U. S. (2022). Effect of pin-to-plate atmospheric cold plasma on jackfruit seed flour functionality modification. *Innovative Food Science and Emerging Technologies*, *78*. https://doi.org/10.1016/J.IFSET.2022.103009

Kalse, S. B., & Swami, S. B. (2022). Recent application of jackfruit waste in food and material engineering: A review. *Food Bioscience*, *48*, 101740. https://doi.org/10.1016/J.FBIO.2022.101740

Kamal, M. M., Chowdhury, M. G. F., Shishir, M. R. I., Sabuz, A. A., Islam, M. M., & Khan, M. H. H. (2024). Impacts of drying on physicochemical properties, bioactive compounds, antioxidant capacity, and microstructure of jackfruit seed flour. *Biomass Conversion and Biorefinery*, *14*(23), 29337–29352. https://doi.org/10.1007/S13399-023-04763-Z/METRICS

Kamariah, K., Laksono, K., & Savitri, A. D. (2024). Teaching and Learning Rural Livelihoods: A Guide For Educators, Students, and Practitioners. *Education 3-13*, *52*(3), 458–461. https://doi.org/10.1080/03004279.2023.2214571

Kawakami, S., Morinaga, M., Tsukamoto-Sen, S., Mori, S., Matsui, Y., & Kawama, T. (2021). Constituent Characteristics and Functional Properties of Passion Fruit Seed Extract. *Life 2022, Vol. 12, Page 38*, *12*(1), 38. https://doi.org/10.3390/LIFE12010038

Khan, Md. H. H., Molla, M. M., Sabuz, A. A., Chowdhury, Md. G. F., Alam, M., & Biswas, M. (2021). Effect of Processing and Drying on Quality Evaluation of Ready-To-Cook Jackfruit. *Journal of Agricultural Science and Food Technology*, *7*(2), 19–29. https://doi.org/10.36630/JASFT_21002

Khoo, H. E., Chen, Li, Cheng, S. H., & Azrina. (2023). Emerging natural and high-phenolic sweet substances: A review. *International Food Research Journal*, *30*(2), 303–323. https://doi.org/10.47836/ifrj.30.2.03

Kovačevi´c, K., Karadži´c, M., Banjac, K., Yan, M. R., Hsieh, S., & Ricacho, N. (2022). Innovative Food Packaging, Food Quality and Safety, and Consumer Perspectives. *Processes 2022, Vol. 10, Page 747*, *10*(4), 747. https://doi.org/10.3390/PR10040747

Kumari, A., Gupta, A., & Chauhan, A. K. (2022). Optimization of the iron-enriched extruded snack containing jackfruit seed flour, mung bean flour and ferrous ammonium phosphate by using response surface methodology. *Food Production, Processing and Nutrition*, *4*(1), 1–11. https://doi.org/10.1186/S43014-022-00108-X/TABLES/5

Kushwaha, R., Gupta, A., Singh, V., Kaur, S., Puranik, V., & Kaur, D. (2023). Jackfruit seed flour-based waffle ice cream cone: Optimization of ingredient levels using response surface methodology. *Heliyon*, *9*(2). https://doi.org/10.1016/j.heliyon.2023.e13140

Kushwaha, R., Kaur, S., & Kaur, D. (2021). Potential of Jackfruit (Artocarpus Heterophyllus Lam.) Seed Starch as an Alternative to the Commercial Starch Source – a Review. *Food Reviews International*, *39*(5), 2635–2654. https://doi.org/10.1080/87559129.2021.1963979

Li, L., Chang, C., & Guan, K. (2022). Birch Pollen Allergens. *Current Protein & Peptide Science*, *23*(11), 731–743. https://doi.org/10.2174/1389203723666220815095725/CITE/REFWORKS

Liu, X., Zhang, Z., Wang, J., Wang, X., Bi, H., & Wang, M. (2025). Recent developments in Artocarpus heterophyllus Lam. (jackfruit) polysaccharides: Nutritional values, structural characteristics and health benefits. *International Journal of Biological Macromolecules*, *309*, 142923. https://doi.org/10.1016/J.IJBIOMAC.2025.142923

Lohinova, A., Petrusha, O., Arsenieva, L., Polischuk, G., & Vasheka, O. (2025). Determination of relevant sensory characteristics of baked dairy products. *Technology Audit and Production Reserves*, *2*(3(82)), 64–70. https://doi.org/10.15587/2706-5448.2025.326612

M., T. M., I., J. I., M., R., T., K., K.V., S. A., & P., P. (2022). Evaluation of Sensory Attributes and Quality Analysis Of Jack Seed Flour Based Cookies. *International Journal of Agriculture and Environmental Research*, *11*(4). https://doi.org/10.22004/AG.ECON.371467

Macey Kate Jimenez Celestial, R. delos S. S. (2023). *Nutritional and Physicochemical Properties and Safe Consumption of Jackfruit Seeds (Artocarpus heterophyllus Lam.) | Celestial | International Journal on Food, Agriculture and Natural Resources*. https://journal.fanres.org/index.php/IJFANRES/article/view/187

Manianga, A., Ekuban, C. A. A., Lukambagire, I., Bose, C., & Sabarinath, S. (2024). Examining underutilized jackfruit (Artocarpus heterophyllus) seeds as a potential source of human subsistence in the Byse community, India. *Frontiers in Sustainable Food Systems*, *8*, 1377076. https://doi.org/10.3389/FSUFS.2024.1377076/BIBTEX

Maskey, B., Subedi, S., Nabindra, &, & Shrestha, K. (2020). Effect of Incorporation of Jackfruit (Artocarpus heterophyllus) Seed Flour on the Quality of Cookies. *Dristikon: A Multidisciplinary Journal*, *10*(1), 60–72. https://doi.org/10.3126/DRISTIKON.V10I1.34541

Mateus, A. R. S., Pena, A., & Silva, A. S. (2025). Development of functional muffins enriched with lemon by-products as sources of Bioactive compounds. *Food Chemistry Advances*, *7*, 100972. https://doi.org/10.1016/J.FOCHA.2025.100972

Miller, T., Durlik, I., Kostecka, E., Kozlovska, P., Łobodzińska, A., Sokołowska, S., & Nowy, A. (2025). Integrating Artificial Intelligence Agents with the Internet of Things for Enhanced Environmental Monitoring: Applications in Water Quality and Climate Data. *Electronics 2025, Vol. 14, Page 696*, *14*(4), 696. https://doi.org/10.3390/ELECTRONICS14040696

Minh, N. P. (2022). Functional properties of wheat-based bread affected by pumpkin flour and jackfruit seed flour incorporation. *Research on Crops*, *23*(4), 881–887. https://doi.org/10.31830/2348-7542.2022.ROC-853

Minodar, W. U. R., & Bangcola, H. B. (2025). Sweet Heritage: Preserving Meranaw Identity Through Mamis Delicacies. *International Journal of Multidisciplinary: Applied Business and Education Research*, *6*(1), 422–430. https://doi.org/10.11594/IJMABER.06.01.29

Mohammed, S., Dubey, P. K., Mishra, A. A., & Rahman, S. (2024). Valorisation of jackfruit seed flour in extrusion and bakery products: a review. *Food Science and Biotechnology*, *33*(14), 3167–3180. https://doi.org/10.1007/S10068-024-01665-2/METRICS

Molu, K. R., Sharon, C. L., Panjikkaran, S. T., Aneena, E. R., Lakshmy, P. S., Nivya, E. M., & Rajeesha, C. R. (2021). Standardisation of Jackfruit Seed Incorporated Chocolates and its Quality Evaluation. *Asian Journal of Dairy and Food Research*, *40*(4), 471–475. https://doi.org/10.18805/AJDFR.DR-1662

Moolwong, J., Chysirichote, T., & Chuacharoen, T. (2023). DEVELOPMENT OF COOKIES USING PARTIAL SUBSTITUTION OF WHEAT FLOUR WITH JACKFRUIT (ARTOCARPUS HETEROPHYLLUS) SEED FLOUR. *Research Journal Phranakhon Rajabhat : Science and Technology*, *18*(1), 1–14. https://li01.tci-thaijo.org/index.php/PRRJ_Scitech/article/view/256172

Mudassir Ur Rahim, S., Bornare Scholar, D., Professor, A., Jaiswal Scholar, S., Professor, A., Bornare, D., & Jaiswal, S. (2024). Incorporation of jackfruit seed flour in production of bread: A review. *~ 205 ~ Journal of Current Research in Food Science*, *5*(1), 205–207. https://doi.org/10.22271/foodsci.2024.v5.i1d.146

Nansereko, S., & Muyonga, John. H. (2021). Exploring the Potential of Jackfruit (Artocarpus heterophyllus Lam). *Asian Food Science Journal*, 97–117. https://doi.org/10.9734/AFSJ/2021/V20I930346

Ngwere, S. S., & Mongi, R. J. (2021). Nutritional Composition, Sensory Profile and Consumer Acceptability of Wheat-Jackfruit Seed Composite Buns. *Tanzania Journal of Science*, *47*(3), 1154–1164. https://doi.org/10.4314/TJS.V47I3.24

Nirmalawaty, A., Panjaitan, T. W. S., & Alamsyah, A. (2023). Preference Responses of Wheat Flour Substitution with Jackfruit Seed Flour on Oyster Mushroom Nuggets. *Jurnal Penelitian Pendidikan IPA*, *9*(7), 5753–5758. https://doi.org/10.29303/JPPIPA.V9I7.4672

Nompo, F. D. I., Saleha, S., & Utami, N. R. (2024). Substitute in Making Pizza with Jackfruit Seed Flour. *Media Pendidikan Gizi Dan Kuliner*, *16*(1), 11–20. https://doi.org/10.17509/BOGA.V13I1.72857

Nopa, B., Phithiphrom, A., Srichan, P., Sangpimpa, W., Renaldi, G., & Samakradhamrongthai, R. S. (2025). Exploring the effects of jackfruit seed flour, rice flour, and tapioca flour on the development of gluten-free fettuccine: An analysis of physicochemical properties and sensory qualities. *Applied Food Research*, *5*(1), 100824. https://doi.org/10.1016/J.AFRES.2025.100824

Nordin, N. A., Abdullah, N., Caliskan, A., Pindi, W., & Hamzah, Y. (2024). *Jackfruit seed as flour alternative in cookies: a consumer acceptability study / Nur Afrina binti Nordin ... [et al.]*. https://www.jthca.org/

Nurul Ummu Habibah, N. A. (2021). *The Effect of Substitution of Seed Flour of Jackfruit (Artocarpus heterophyllus Lam.) on the Physicochemical and Organoleptic Characteristics of Macrons | Habibah | International Journal on Food, Agriculture and Natural Resources*. https://journal.fanres.org/index.php/IJFANRES/article/view/25?fbclid=IwY2xjawNulh9leHRuA2FlbQIxMABicmlkETFQbUZDWm51N3UzeHRUY1ZBAR6rwW1S3x0qg5qvX7jw_9odpFswZ76assS_3ocwXvO4ngCddVioVhAc7DKsiQ_aem_WnXaEHMcY5iN49CwamEvgQ

Palamthodi, S., Shimpi, S., & Tungare, K. (2021a). A Study on Nutritional Composition and Functional Properties of Wheat, Ragi and Jackfruit Seed Composite Flour. *Food Science and Applied Biotechnology*, *4*(1), 63–75. https://doi.org/10.30721/FSAB2021.V4.I1.107

Palaniappan, K. K., & Bertozzi, C. R. (2016). Chemical Glycoproteomics. *Chemical Reviews*, *116*(23), 14277–14306. https://doi.org/10.1021/ACS.CHEMREV.6B00023

Palomares, A. N., Dy Tioco, A. C., Calayag, A., Trisha, J., Florecia, M., Manzano, R. F., Lovely, E., Mendoza, A., & Sevilla, J. A. (2023). *AN ANALYSIS OF FOOD DELICACY IN GUIGUINTO: BASIS FOR CREATING A COFFEE-TABLE BOOK*. https://doi.org/10.46360/cosmos.et.620231012

Parisi, C. A. S., Kelly, K. J., Ansotegui, I. J., Gonzalez-Díaz, S. N., Bilò, M. B., Cardona, V., Park, H. S., Braschi, M. C., Macias-Weinmann, A., Piga, M. A., Acuña-Ortega, N., Sánchez-Borges, M., & Yañez, A. (2021). Update on latex allergy: New insights into an old problem. *World Allergy Organization Journal*, *14*(8), 100569. https://doi.org/10.1016/j.waojou.2021.100569

Pashaei, M., Zare, L., Khalili Sadrabad, E., Hosseini Sharif Abad, A., Mollakhalili-Meybodi, N., & Abedi, A. S. (2021). The impacts of salt reduction strategies on technological characteristics of wheat bread: a review. *Journal of Food Science and Technology*, *59*(11), 4141–4151. https://doi.org/10.1007/S13197-021-05263-6/METRICS

Pathak, N., Singh, S., Singh, P., Singh, P. K., Singh, R., Bala, S., Thirumalesh, B. V., Gaur, R., & Tripathi, M. (2022). Valorization of jackfruit waste into value added products and their potential applications. *Frontiers in Nutrition*, *9*, 1061098. https://doi.org/10.3389/FNUT.2022.1061098/BIBTEX

Patil, K. R., Jadhav, A., & Rode, A. (2025). LEMONS MEDICINAL MAGIC: EXPLORING PHRMACUTICAL, BIOLOGICAL ATTRIBUTES *Corresponding Author. *Certified Journal | Patil et al. World Journal of Pharmaceutical Research 253 World Journal of Pharmaceutical Research SJIF Impact Factor 8*, *14*(2), 253–274. https://doi.org/10.20959/wjpr20252-35215

Pereira, K. A. R. (2025). THE INFLUENCE OF TEMPERATURE ON FOOD COOKING: UNDERSTANDING HOW HEAT AFFECTS TEXTURE AND FLAVOR. *Revista Ft*, *29*(149), 20–21. https://doi.org/10.69849/REVISTAFT/AR10202508251120

Pineda, K. L. L., Gonzalez-Suarez, C. B., Espino, R. V. S., Escuadra, C. J., Balid–Attwell, S. A., Devora, K. B., & Mendoza, D. S. (2020). Eating Habits of College Students in Relation to Obesity. *Journal of Medicine, University of Santo Tomas*, *4*(2), 500–509. https://doi.org/10.35460/2546-1621.2019-0018

Prajapati, P., Porwal, C., Garg, M., Singh, N., Sadhu, S. D., Chopra, R., Rao, E. S., Agarwal, A., Saeed, M., Rab, S. O., Mahato, D. K., Kumar, P., Kamle, M., & Tripathi, A. D. (2025). Transforming lemon Peel into a sustainable reservoir of bioactives: A green osmotic dehydration strategy. *Food Chemistry: X*, *25*, 102172. https://doi.org/10.1016/J.FOCHX.2025.102172

Prapkree, L., Uddin, R., Jaafar, J. A. A., Sifre, N., Corea, G., & Palacios, C. (2021). Snack Consumption and Food Security Among College Students in the US During COVID-19 Pandemic. *Current Developments in Nutrition*, *5*(Suppl 2), 176. https://doi.org/10.1093/CDN/NZAB035_084

Pratiwi, D. C., Wati, D. A., Junita, D. E., Lestari, L. A., & Azhyra, Y. (2024). The Effect of Jackfruit Seed Flour Substitution in Making Flakes as an Alternative PMT for Malnourished Toddlers. *Jurnal Kesehatan*, *17*(3), 231–236. https://doi.org/10.23917/JK.V17I3.5973

Priyadharshini.P 1, Dr. K. S. S. , D. . V. K. 3, M. . A. (2025). *"Formulation And Quality Evaluation Of Jackfruit Seed Enriched Cereal Froot Loops."* www.ijcrt.org

Qi, Y., Wang, W., Yang, T., Ding, W., & Xu, B. (2025). Maillard Reaction in Flour Product Processing: Mechanism, Impact on Quality, and Mitigation Strategies of Harmful Products. *Foods*, *14*(15), 2721. https://doi.org/10.3390/FOODS14152721

Rabadán, A., Nieto, R., & Bernabéu, R. (2021). Food innovation as a means of developing healthier and more sustainable foods. *Foods*, *10*(9). https://doi.org/10.3390/FOODS10092069

Rahim, S. M. U., Bornare, Dr. D., & Jaiswal, Dr. S. (2024). Incorporation of jackfruit seed flour in production of bread: A review. *Journal of Current Research in Food Science*, *5*(1), 205–207. https://doi.org/10.22271/FOODSCI.2024.V5.I1D.146

Ray, B. R. M., Narasaiah, T. B., & Suresh, C. (2021). Different Heat Processing Methods on Flour Yield, Nutritional Composition and Acceptability of Jack Seed Flour-based Low-fat Functional Breadsticks. *Current Journal of Applied Science and Technology*, 1–15. https://doi.org/10.9734/CJAST/2021/V40I4431618

Richardson, A. M., Tyuftin, A. A., O' Sullivan, M. G., Kilcawley, K. N., Gallagher, E., & Kerry, J. P. (2021). The impact of sugar particles size and natural substitutes for the replacement of sucrose and fat in chocolate brownies: Sensory and physicochemical analysis. *European Journal of Engineering and Technology Research*, *6*(1), 104–113. https://doi.org/10.24018/EJERS.2021.6.1.2294

Rocha, S. M., Costa, C. P., & Martins, C. (2022). Aroma Clouds of Foods: A Step Forward to Unveil Food Aroma Complexity Using GC × GC. *Frontiers in Chemistry*, *10*, 820749. https://doi.org/10.3389/FCHEM.2022.820749/FULL

S. Chikkanna, G. (2021). Technical Facts on the Current Scenario and Future Potential of Jackfruit Processing. *Research Biotica*, *3*(2), 94. https://doi.org/10.54083/RESBIO/3.2.2021.94-106

S. SUCHARITHA REDDY, G. N. D., & K. LAKSHMI and K. BHAGYA LAKSHMI. (2022). ACHARYA N.G. RANGA AGRICULTURAL UNIVERSITY THE JOURNAL OF RESEARCH ANGRAU Indexed by CAB International (CABI), AGRIS (FAO) and ICI. *The J. Res. ANGRAU*, *L No.*(4), 1–140. www.jorangrau.org

Saleh, M., & Lee, Y. (2023). Instrumental Analysis or Human Evaluation to Measure the Appearance, Smell, Flavor, and Physical Properties of Food. *Foods 2023, Vol. 12, Page 3453*, *12*(18), 3453. https://doi.org/10.3390/FOODS12183453

Sarangi, P. K., Srivastava, R. K., Singh, A. K., Sahoo, U. K., Prus, P., & Dziekański, P. (2023). The Utilization of Jackfruit (Artocarpus heterophyllus L.) Waste towards Sustainable Energy and Biochemicals: The Attainment of Zero-Waste Technologies. *Sustainability 2023, Vol. 15, Page 12520*, *15*(16), 12520. https://doi.org/10.3390/SU151612520

Sharukh pasha Mohammed1, 2*, J Deepika1, LastName, N. S., & LastName, M. P. & P. K. (2025). *A systematic literature review on artificial intelligence in transforming precision agriculture for sustainable farming: Current status and future directions*. https://www.researchgate.net/profile/Sharukh-

Mohammed/publication/389050724_A_systematic_literature_review_on_artificial_intelligence_in_transforming_precision_agriculture_for_sustainable_farming_Current_status_and_future_directions/links/67b2e2c5207c0c20fa8bc876/A-systematic-literature-review-on-artificial-intelligence-in-transforming-precision-agriculture-for-sustainable-farming-Current-status-and-future-directions.pdf

Siddiqui Mudassir Ur Rahim, Dr. D. B. and Dr. S. J. (2024). *Incorporation of jackfruit seed flour in production of bread: A review*. https://www.researchgate.net/profile/Swapnil-Jaiswal-2/publication/389133188_Incorporation_of_jackfruit_seed_flour_in_production_of_bread_A_review/links/67b6198396e7fb48b9c7d55c/Incorporation-of-jackfruit-seed-flour-in-production-of-bread-A-review.pdf

Singh, C., Arti, Yadav, N., Rao, K., Bharti, Bansal, N., & Archna, K. M. (2023). Nutrition Role in Maintaining Health and Preventing Disease. *Current Nutrition & Food Science*, *20*(8), 966–972. https://doi.org/10.2174/1573401319666230818122640

Sinha, M., Gogoi, M., Malakar, M., & Saikia, A. (2025). Nutritional composition, physical characteristics, and functional properties of flours from different jackfruit (Artocarpus heterophyllus) components. *International Journal of Advanced Biochemistry Research*, *9*(4), 792–797. https://doi.org/10.33545/26174693.2025.V9.I4I.4194

Soontrunnarudrungsri, A., Chantrapornchai, W., & Rimkeeree, H. (2023). Enhancing sweetness perception with vanilla extract: Strategy for developing low-sugar food formulations for the elderly. *Agriculture and Natural Resources*, *57*(6), 1033-1042-1033–1042. https://doi.org/10.34044/J.ANRES.2023.57.6.14

Šopík, T., Lazárková, Z., Salek, R. N., Talár, J., Purevdorj, K., Buňková, L., Foltin, P., Jančová, P., Novotný, M., Gál, R., & Buňka, F. (2022). Changes in the Quality Attributes of Selected Long-Life Food at Four Different Temperatures over Prolonged Storage. *Foods*, *11*(14), 2004. https://doi.org/10.3390/FOODS11142004/S1

Spada, F. P., de Alencar, S. M., & Purgatto, E. (2022). Comprehensive chocolate aroma characterization in beverages containing jackfruit seed flours and cocoa powder. *Future Foods*, *6*. https://doi.org/10.1016/j.fufo.2022.100158

Spada, F. P., Mandro, G. F., da Matta, M. D., & Canniatti-Brazaca, S. G. (2020). Functional properties and sensory aroma of roasted jackfruit seed flours compared to cocoa and commercial chocolate powder. *Food Bioscience*, *37*. https://doi.org/10.1016/J.FBIO.2020.100683

SUDIPTA SAHA a*, M. S. b, LastName, A. R. H. c, & TANVIR AHMED NAYEEM d AND ABU RASHED MD. MAUKEEB. (2022). *A REVIEW ON TROPICAL FRUIT: JACKFRUIT (Artocarpus heterophyllus)*. https://www.researchgate.net/profile/Sudipta-Saha-34/publication/365892659_Asian_Journal_of_Advances_in_Research_A_REVIEW_ON_TROPICAL_FRUIT_JACKFRUIT_Artocarpus_heterophyllus/links/63887b502c563722f22976e2/Asian-Journal-of-Advances-in-Research-A-REVIEW-ON-TROPICAL-FRUIT-JACKFRUIT-Artocarpus-heterophyllus.pdf

Suli Trejo Rodríguez, I., Eugenia Alcántara Quintana, L., Algara Suarez, P., Angel Ruiz Cabrera, M., Grajales Lagunes, A., Quintana, A., Suarez, A., Cabrera, R., Lagunes, G., Physicochemical, A., Pintado, M., Coscueta, E., & Emilia Brassesco, M. (2021a). Physicochemical Properties, Antioxidant Capacity, Prebiotic Activity and Anticancer Potential in Human Cells of Jackfruit (Artocarpus heterophyllus) Seed Flour. *Molecules 2021, Vol. 26, Page 4854*, *26*(16), 4854. https://doi.org/10.3390/MOLECULES26164854

Suli Trejo Rodríguez, I., Eugenia Alcántara Quintana, L., Algara Suarez, P., Angel Ruiz Cabrera, M., Grajales Lagunes, A., Quintana, A., Suarez, A., Cabrera, R., Lagunes, G., Physicochemical, A., Pintado, M., Coscueta, E., & Emilia Brassesco, M. (2021b). Physicochemical Properties, Antioxidant Capacity, Prebiotic Activity and Anticancer Potential in Human Cells of Jackfruit (Artocarpus heterophyllus) Seed Flour. *Molecules 2021, Vol. 26, Page 4854*, *26*(16), 4854. https://doi.org/10.3390/MOLECULES26164854

Sun, T., Yang, J., Lei, F., Huang, X., Liu, W., Zhang, X., Lin, L., Sun, L., Xie, X., Zhang, X. J., Cai, J., She, Z. G., Xu, C., & Li, H. (2024). Artificial sweeteners and risk of incident cardiovascular disease and mortality: evidence from UK Biobank. *Cardiovascular Diabetology*, *23*(1), 1–15. https://doi.org/10.1186/S12933-024-02333-9;TYPE

Suzihaque, M. U. H., Zaki, N. A. M., Alwi, H., Ibrahim, U. K., Abd Karim, S. F., & Anuar, N. K. (2022). Jackfruit seed as an alternative replacement for starch flour. *Materials Today: Proceedings*, *63*, S451–S455. https://doi.org/10.1016/J.MATPR.2022.04.117

Tambe, S. (2022). *Sustainable Livelihoods Approach*. 45–56. https://doi.org/10.1007/978-3-030-90491-3_4

Teo, D. C. K., Abidin, M. Z., & Abdullah, N. H. (2024). Functional properties of raw and roasted jackfruit seed flour: a mini review. *MINI REVIEW Food Research*, *8*, 111–122. https://doi.org/10.26656/fr.2017.8(S5).22

Terigu, P. K., Nangka, B., Heterophyllus, A., Ubi, D., Ungu, J., Mutu, T., Kukus, B., Adinda, S. M., & Faisal, M. (2023). Effect Of Concentration Of Wheat, Jackfruit Seed (Artocarpus Hetrophyllus), And Purple Sweet Potato On Quality Steamed Brownies. *Food and Agro-Industry Journal*, *4*(2), 1–8. https://doi.org/10.36761/FAGI.V4I2.3473

Thatsanasuwan, N., Duangjai, A., Suttirak, P., & Phanthurat, N. (2023). Proximate composition and sensory attributes of gluten-free pasta made from jackfruit seeds. *Functional Foods in Health and Disease - Online ISSN: 2160-3855; Print ISSN: 2378-7007*, *13*(1), 11–21. https://doi.org/10.31989/FFHD.V13I1.1039

Tyl, C., Koga, S., Krook, J. L., Andersen, M., Tomasco, P. V., Skaret, J., & Rieder, A. (2024). Fermented and unfermented brown macroalgae as partial salt replacers in sodium-reduced dough and bread. *European Food Research and Technology*, *250*(6), 1573–1585. https://doi.org/10.1007/S00217-024-04498-9/TABLES/6

U., S., & U., K. (2024). The Effect of Processing Methods on Quality Parameters of Jackfruit Seed Flour (JSF) from Different Cultivars. *Advances in Research*, *25*(5), 215–222. https://doi.org/10.9734/air/2024/v25i51155

Ulyarti, U., & Capriola, J. (2022). The Characterization of Jackfruit Seed Flour and Its Application for Crackers. *Jurnal Bio-Geo Material Dan Energi*, *2*(2), 52–59. https://doi.org/10.22437/bigme.v2i2.31785

V. Anusha, M. Kirthy Reddy, M. Poorvitha & Rita Narayanan. (2025). Functional and Cooking Properties of Pasta Fortified with Jackfruit Seed Flour. *Archives of Current Research International*, *25*(8), 715–721. https://doi.org/10.9734/acri/2025/v25i81453

Valdez, A. v. (2023). Indigenous pest control: The case of Meranao farmers in Southern Philippines. *Journal of Entomology and Zoology Studies*, *11*(4), 01–07. https://doi.org/10.22271/J.ENTO.2023.V11.I4A.9208

Van, C. K., Nguyen, T. H., Nguyen, T. T. N. H., Nguyen, P. T. N., Tran, T. T., & Hoang, Q. B. (2023). Comparison of the Effects of Jackfruit Seed Flour and Jackfruit Seed Starch in the Cookie Manufacturing Process. *Processes 2023, Vol. 11, Page 3194*, *11*(11), 3194. https://doi.org/10.3390/PR11113194

Velankar, Dr. S. (2024). Innovative Packaging: Its Impact on Consumer Purchasing Decisions in the Food Sector. *Educational Administration: Theory and Practice*, *30*(5), 4243–4249. https://doi.org/10.53555/KUEY.V30I5.3611

Victoire, A. (2023). *"Leveraging Artificial Intelligence for Enhancing Agricultural Productivity and Sustainability."*https://www.researchgate.net/profile/DrAkarunamurthy/publication/372990277_Leveraging_Artificial_Intelligence_for_Enhancing_Agricultural_Productivity_and_Sustainability/links/64d30f691290c33cce7bf881/Leveraging-Artificial-Intelligence-for-Enhancing-Agricultural-Productivity-and-Sustainability.pdf

Wainaina, I., Wafula, E., Sila, D., Kyomugasho, C., Grauwet, T., van Loey, A., & Hendrickx, M. (2021). Thermal treatment of common beans (Phaseolus vulgaris L.): Factors determining cooking time and its consequences for sensory and nutritional quality. *Comprehensive Reviews in Food Science and Food Safety*, *20*(4), 3690–3718. https://doi.org/10.1111/1541-4337.12770

Wallach, J. D., Gautam, A., Ramachandran, R., & Ross, J. S. (2023). Association of health benefits and harms of Christmas dessert ingredients in recipes from The Great British Bake Off: umbrella review of umbrella reviews of meta-analyses of observational studies. *The BMJ*, *383*, e077166. https://doi.org/10.1136/BMJ-2023-077166

Wang, J., Nisar, T., Fang, Z., Huang, G., Yang, R., Wang, F., Zou, L., Wang, Z. C., & Lin, Y. (2023). Brown sugar polyphenols as natural inhibitors of α-amylase and α-glucosidase enzymes. *International Journal of Food Science and Technology*, *58*(8), 4366–4375. https://doi.org/10.1111/IJFS.16541

Waziiroh, E., Bender, D., Jäger, H., & Schönlechner, R. (2023). Ohmic baking of gluten-free bread:

role of non-gluten protein on GF bread structure and properties. *International Journal of Food Science and Technology*, *58*(2), 595–609. https://doi.org/10.1111/IJFS.16206

Yang, Y., Zhang, M., Li, J., Su, Y., Gu, L., Yang, Y., & Chang, C. (2022). Construction of egg white protein particle and rhamnolipid based emulsion gels with β-sitosterol as gelation factor: The application in cookie. *Food Hydrocolloids*, *127*, 107479. https://doi.org/10.1016/J.FOODHYD.2021.107479

Ye, S., Imran, A., Agar, O. T., Yadav, D., Moore, C., & Suleria, H. A. R. (2025). Jackfruit (Artocarpus heterophyllus Lam.): nutritional profile, polysaccharide analysis, and opportunities for product development. *International Journal of Food Science and Technology*, *60*(1), 91. https://doi.org/10.1093/IJFOOD/VVAF091

Zhu, J., Huang, T., Chen, X., & Tian, D. (2024). Effect of vanillin-conjugated chitosan-stabilized emulsions on dough and bread characteristics. *Current Research in Food Science*, *8*, 100691. https://doi.org/10.1016/J.CRFS.2024.100691