

Amphora Homepage Refresh: Technical Specification

v1.0

Prepared for Ricardo by Salam and Marcel, Amphora IT. Version 1.0, 7 September 2026.

This document replaces the discussion draft of 5 September. All choices that were open in the draft are now decided. If something here is unclear or you think a decision is wrong, ask before building around it, but do not reopen decisions on your own.

0. How to read this document

You are rebuilding the Amphora IT homepage as a brand new website using Astro. You will work with an AI coding assistant (Claude Code or similar). This document is written so that you can copy each phase in section 8 into the assistant as a prompt, one phase at a time, and check the result against section 9 before moving on.

Three rules that matter more than anything else:

1. The new site is completely independent. It must never load anything from the old site or from Google Drive at runtime. Copy every asset into the project.
2. Five links and routes must work exactly as listed in section 3. They connect the site to Amphora's booking calendar and contact inbox. Do not rename, move or "improve" them.
3. Every time a phase is finished: run `npm run build`, make sure it succeeds, commit, push. Never move on with a broken build.

1. Decisions (all final)

Topic	Decision
Framework	Astro (latest stable) with TypeScript
Styling	Tailwind CSS 4 via the official Astro integration
Interactivity	Plain Astro components and small <code><script></code> blocks. No React, no Framer Motion.
Rendering	All public pages pre-rendered at build time. One server endpoint for the contact form (see section 3).
Hosting	Vercel, new Vercel project connected to the new GitHub repository, using the <code>@astrojs/vercel</code> adapter
Content	Stored in the repository as Astro content collections (Markdown/JSON in <code>src/content/</code>). No CMS.
Language	The launched site is German only, no <code>/en/</code> routes. You may write the working copy in English; Amphora translates it before launch (see section 7).
Theme	Light theme: white background, dark grey text. Restrained accents in blue, red, orange and purple.
Partner logos	One uniform treatment: every logo rendered in the same dark grey on white. No colour logos in the strip.
Motion	Subtle only (fades, gentle reveals). No spinning 3D objects, no heavy scroll effects. Respect <code>prefers-reduced-motion</code> .
Tracking	None in Phase 1. Cookie consent and analytics are Phase 5 and will be specified by Amphora at that point.
Package manager	npm. Commit <code>package-lock.json</code> . Pin the Node version in <code>.nvmrc</code> (use the current LTS).

2. Repository and setup

Salam creates a new private GitHub repository and invites you. The old repository (`salamrbh/amphora`, Next.js) is reference material only: you may read its content and copy approved text and assets, but you must not depend on it or import code from it.

Required in the new repository from the start:

- `package.json`, `package-lock.json`, `.nvmrc`
- `astro.config.mjs` with the Vercel adapter and Tailwind integration
- `README.md` with the four commands: `npm install`, `npm run dev`, `npm run build`, `npm run preview`

- `.env.example` listing `RESEND_API_KEY=` with no value. Real keys are set in Vercel by Salam, never committed.

3. Routes and integrations that must not change

These values were verified in the reference repository and on the live site. Relative paths resolve on the new site's own domain.

Function	Route or target	What you build
Main booking button	<code>/termin</code>	A page that embeds the Calendly booking widget (below)
Contact section anchor	<code>#calendly</code>	The contact section on the homepage carries <code>id="calendly"</code>
Contact form submission	<code>POST /api/kontakt</code>	A server endpoint in Astro at exactly this path
Form success page	<code>/danke</code>	Static page. The form redirects here only after the endpoint returns success.
Booking success page	<code>/danke-termin</code>	Static page. The Calendly page redirects here after a booking is confirmed.
Legal pages	<code>/impressum</code> , <code>/datenschutz</code>	Static pages with the current legal text copied from the live site
Old URLs	<code>/systeme</code> , <code>/skills</code> , <code>/systeme-old</code>	Permanent (301) redirects to <code>/</code> , configured in <code>astro.config.mjs</code> under <code>redirects</code>

3.1 Calendly

Use this exact URL, including all parameters. Do not shorten it or change the colours in the URL.

```
https://calendly.com/amphora-it/30min?hide_event_type_details=1&background_color=0a0a0a&text_color=ffffff&primary_color=ff7700
```

Widget script: `https://assets.calendly.com/assets/external/widget.js`

Behaviour:

- On `/termin`, load the widget script and show the inline embed immediately.
- On the homepage contact section, show a button linking to `/termin` rather than embedding the widget. This keeps the homepage fast.
- Always provide a plain link to the Calendly URL as fallback if the widget fails to load.
- Listen for the `message` event from Calendly. Only accept messages whose origin is `https://calendly.com` and whose event is `calendly.event_scheduled`. On that event, navigate to `/danke-termin`.

Note: the widget will render with a dark background because the URL requests it. That is expected. Design the surrounding page so the dark widget sits comfortably on the light page (for example inside a card with generous padding).

3.2 Contact form and `/api/kontakt`

The form on the homepage posts JSON to `/api/kontakt`. The endpoint sends an email through Resend and returns `{ "success": true }` on success.

In Astro this means: create `src/pages/api/kontakt.ts`, export `const prerender = false`, and export a `POST` handler. The Vercel adapter runs this as a serverless function while every other page stays static.

Payload fields (keep these names exactly):

Field	Type	Notes
<code>name</code>	string	required
<code>email</code>	string	required, must be a valid email
<code>companyName</code>	string	optional
<code>serviceType</code>	string	optional
<code>selectedServices</code>	string array	optional; values will be the four service names once approved

projectDescription	string	required
contactViaPhone	boolean	optional
phone	string	required only when contactViaPhone is true
website	string	honeypot: hidden field, must be empty, otherwise silently reject
formLoadedAt	number	timestamp set when the form rendered; reject if submitted less than 3 seconds later

Email delivery:

- Provider: Resend, using `RESEND_API_KEY` from the environment (server side only, never in browser code)
- From: Anfrage <formular@amphora-it.com>
- To: m.henning@amphora-it.com
- Reply-To: the submitted email
- Subject: Neue Anfrage von {name} (or similar, include company name when present)
- Body: all submitted fields in a readable list

Client behaviour:

- Validate required fields before sending and show clear error messages next to the fields (English is fine for now, see section 7)
- Disable the submit button while the request is running
- On `{ success: true }`, navigate to `/danke`
- On any error, show a message and keep the user's entries in the form

4. Pages and section order

The project has one marketing page (the homepage) plus the supporting routes from section 3. There are no additional marketing pages.

Homepage section order, top to bottom:

1. Header with logo and navigation (anchor links to sections, plus the `/termin` button)
2. Hero: headline, short subline, primary button to `/termin`, secondary link to the contact section
3. Services: exactly four service cards
4. Case studies: selected projects, each card tagged with one or more of the four services. Cards expand in place or open an accessible dialog. No separate case study pages. No filtering interface.
5. Partner logos: a quiet strip of client logos in uniform dark grey
6. Team: Salam and Marcel with photos and a short text each
7. Contact: `id="calendly"`, headline, button to `/termin`, the contact form below it
8. Footer: logo, links to `/impressum` and `/datenschutz`, copyright

5. Design

- White background, dark grey body text (not pure black). Clear typographic hierarchy.
- Accent colours: blue, red, orange, purple. Use them sparingly, for example one accent per service card, buttons, and small highlights. Define them once as Tailwind theme colours.
- Fonts (see section 6): The Future for body, navigation, buttons and headings. Tiempos Headline Italic for the contrasting editorial treatment on hero headlines and large numbers.
- Partner logos: all logos in one dark grey (for example `#3A3A3A`), same visual weight, no colour. Most supplied logos are white on transparent background or coloured; convert them to dark grey with a CSS filter (`filter: brightness(0) invert(0.22)` on a transparent PNG gives a uniform dark grey silhouette) or ask Amphora for dark versions if a logo does not convert cleanly.
- Motion: gentle fade or slide in on scroll, short durations. Respect `prefers-reduced-motion`.
- Responsive: must look right at 360 px, 390 px, 768 px, 1280 px and 1440 px width. No horizontal scrolling.
- Inspiration (for feel, not for copying): winkdigital.nl, fahrenheit.ch, projectone.website. Component ideas: 21st.dev.

6. Fonts and assets

Everything you need is in the Drive subfolder "**For Ricardo**" inside "Amphora Homepage Refresh":
<https://drive.google.com/drive/folders/1czzL8ltwMtMhujmQxW6DstWsFP4TdN3K>

Download that folder once and copy the files into the project. It contains 51 files with no duplicates, sorted into six numbered subfolders, plus a README describing each one. Ignore the neighbouring "Assets" and "Fonts" folders; they hold design originals and older duplicate versions for Amphora's records.

Fonts, in 01 Fonts. Use exactly these six faces and nothing else:

Family	Face	File
The Future	Regular	TheFuture-Regular.subset.woff2
The Future	Medium	TheFuture-Medium.subset.woff2
The Future	Bold	TheFuture-Bold.subset.woff2
Tiempos Headline	Regular Italic	TiemposHeadline-400-Regular-Italic.woff2
Tiempos Headline	Medium Italic	TiemposHeadline-500-Medium-Italic.otf
Tiempos Headline	Semibold Italic	TiemposHeadline-600-SemiboldItalic.otf

Define each face with its own `@font-face` rule and `font-display: swap`.

Images:

- 02 Amphora Logos: use `amphora-full-logo.png` (or the 216 px WebP) in header and footer. The 1.7 MB wordmark SVG is there for reference only; Amphora is producing a clean vector, swap it in when it arrives. The "A" mark files can serve as a small brand accent or favicon source.
- 03 Partner Logos: the 14 client logos from the live strip, one 320 px file each, all single-colour on transparent. Apply the dark grey treatment from section 5.
- 04 Case Studies: four projects, each with an original PNG and a 700 px AVIF/WebP pair. Placeholders until the final selection arrives.
- 05 Team Photos: Marcel and Salam (original plus 192 px pairs) and the "consultation" photo in 1280 px and 640 px.
- 06 Icons and Misc: `og-image.png` for social preview, `icon.png` and `apple-icon.png` for favicons, `noise-128.webp` as an optional texture.

Prefer the AVIF/WebP files for the page and use the originals only where you need a larger size. Always set `width`, `height` and `alt` on images. Use Astro's `<Image>` component where practical.

7. Content

Put all text in content collections so it can be edited without touching components. The final site is German, but you can write all copy in English while building. Amphora will translate everything into German before launch, which is exactly why the text has to live in content files and not inside components. Where final text is missing, use clearly marked placeholders in the content files (`TOD0:` prefix) and matching placeholder text on the page. Do not invent client names, numbers or results.

Still to be delivered by Amphora, do not wait for them to start building:

- Names and short descriptions of the four services
- Final case study selection, one or two sentences per case, tag assignment, and any numbers to show
- Hero headline and subtitle, button wording
- Team texts
- German translation of all copy (Amphora does this at the end, you do not need to)
- Impressum and Datenschutz: copy the current German text from `amphora-it.com/impressum` and `amphora-it.com/datenschutz` as is; this legal text stays German and must not be translated or reworded

8. Build order (one phase per coding session)

Complete each phase, run the build, commit, push, then start the next. Deploy previews on Vercel after every push so Salam and Marcel can review.

Phase 1, skeleton: new Astro project with TypeScript, Tailwind 4, Vercel adapter, `.nvmrc`, README. Global layout with header and footer. Empty homepage. Fonts loaded. Colour tokens defined. Redirects for the three old URLs. `/impressum`

and `/datenschutz` with the copied legal text.

Phase 2, homepage sections: all eight sections from section 4 with placeholder content from content collections, responsive at all listed widths, dark grey partner logo strip, team section with real photos.

Phase 3, booking: `/termin` with the Calendly embed and the `calendly.event_scheduled` redirect, `/danke-termin`, homepage contact section with the `/termin` button and `id="calendly"`.

Phase 4, contact form: form component, `/api/kontakt` endpoint with validation, honeypot, time check and Resend delivery, `/danke`. Salam adds `RESEND_API_KEY` to the Vercel project before testing.

Phase 5, polish and launch prep: subtle motion, `prefers-reduced-motion`, SEO metadata (title, description, canonical, Open Graph image), `sitemap.xml` and `robots.txt` (keep `/danke` and `/danke-termin` out of the sitemap and mark them `noindex`), Lighthouse pass. Cookie consent and analytics will be specified by Amphora here.

Launch is done by Amphora: point the domain at the new Vercel project. Rollback is pointing it back at the old one, so the old project stays untouched until the new site has run for a while.

9. Acceptance checklist

The site is done when every line is true on the Vercel preview URL, with the old site unavailable.

- `npm install` and `npm run build` succeed from a fresh clone
- No request goes to the old site or to Google Drive (check the browser network tab)
- `/`, `/termin`, `/danke`, `/danke-termin`, `/impressum`, `/datenschutz` load; `/systeme`, `/skills`, `/systeme-old` redirect to `/`
- The homepage contact section has `id="calendly"` and `/#calendly` scrolls to it
- Calendly loads on `/termin` with the exact URL; completing a test booking lands on `/danke-termin`; the fallback link works when the script is blocked
- Contact form: empty required fields show errors; a valid submission arrives at m.henning@amphora-it.com with the correct Reply-To and lands on `/danke`; a filled honeypot or a submission under 3 seconds is rejected; a failed send shows an error and keeps the entries
- All six fonts render, nothing falls back to a system font
- Partner logos appear in a single uniform dark grey
- No horizontal scrolling at 360, 390, 768, 1280 and 1440 px
- Keyboard only: menu, buttons, case study dialogs and form are all reachable and usable; focus is visible
- Lighthouse (mobile): Performance 90 or better, Accessibility 95 or better, no "reduce unused JavaScript" flags beyond the Calendly script
- Every image has `alt`, `width` and `height`
- Success pages carry `noindex` and are absent from `sitemap.xml`
- `RESEND_API_KEY` appears nowhere in the repository or in browser code

10. Working with Amphora

- Questions: ask Salam. Content questions can wait, technical questions should not.
- Reviews happen on Vercel preview deployments. Post the preview link after each phase.
- Commit small and often, with plain messages describing what changed.
- If the AI assistant suggests adding React, a CMS, a database, or a different hosting provider: say no and refer to section 1.