
# Lab 2: three outcomes in one run

**Scenario:** Sweetgreen D2 availability check
**Sandbox:** Sweetgreen Lab 2 Sandbox
Rule three-outcomes-v3. Inactive. Audit-only outputs.




Actual Make screenshot: Search Rows, Router and three named output modules. One combined run produced 2 approvals, 2 staff reviews and 3 data reviews. THREE_OUTCOMES_01 output timestamps: 22:39:07-08 UTC on 6 October 2026. Readback: AutoActions rows 25-31.

## Historical evidence preserved

The CSV contains 30 output rows. Rows 2-11 retain naive tests; rows 12-18 retain the initial guarded tests; rows 19-24 contain additional happy-case replays. Rows 25-31 are the current seven-case demonstration. Repeated tests are not additional unique orders.

# Decisions, ownership and next steps

| Cases | Observed route | Recorded next action |
|---|---|---|
| H1 / H2 | APPROVE | Preparation after remaining customization checks; audit recommendation only |
| B1 / B2 | STAFF_REVIEW | Shift lead checks stock, holds order at CP2 and assesses D3 recovery; CP3 consent before changes |
| B3 / B4 / B5 | DATA_REVIEW | Integration owner repairs missing/stale/unmatched inputs, then reevaluates D2 |

## Routing and precedence

Approval requires current availability = 1, NEW status, no prior exception, positive line count equal to matched count, KITCHEN source, and a present source age between 0 and 60 minutes. Staff review matches current availability = 0 OR BLOCKED status OR prior exception = 1. All remaining cases go to the data-review fallback. Staff holds take priority when an operational flag and a data problem coexist.

## Reproduction

Search Rows: CheckQueue, headers Yes, A-Z, formatted values/timestamps, test_group Text Matches pattern ^(HAPPY|BREAK)$, limit 7. All actions append to AutoActions with run_label THREE_OUTCOMES_01 and rule_version three-outcomes-v3. Change the run label before another test. Current saved configuration includes both groups, so all three routes can be demonstrated in one Run once.

## What this adds

The earlier fallback grouped every problem into REVIEW. The current workflow distinguishes a fulfillment problem needing staff/customer judgment from a data problem needing repair. No additional module is needed for each test row; modules represent actions. Five modules provide the complete three-outcome demonstration.

## Scope and remaining work

The input is a frozen historical sandbox, not a live kitchen feed. The 60-minute limit is illustrative. Owner roles and next actions are written as instructions, not notifications or completed work. Duplicate protection, full schema/ID validation, reviewer assignment/closure and consent capture remain future work.

Seven selected cases reached the expected route exactly once. The test does not establish complete production coverage. An unexpected status or other unmatched case also reaches DATA_REVIEW for investigation. No messages, real order release, payments or coursework submissions occurred.

# Test orders and the AutoActions log

## Lab 1 to Lab 2

Lab 1 provided the process map, diagnosis and Gemini sandbox. Lab 2 prepared a seven-order test set to exercise the D2 availability automation. Seven is our chosen test count. The tests use synthetic classroom data.

## Why these seven orders?

| Case / order | Test purpose | Latest decision |
|---|---|---|
| H1 / O007 | Normal single-item order | APPROVE |
| H2 / O025 | Normal two-item order | APPROVE |
| B1 / O001 | Unavailable stock despite cached availability | STAFF_REVIEW |
| B2 / O002 | Blocked order with a prior exception | STAFF_REVIEW |
| B3 / O008 | Missing availability value | DATA_REVIEW |
| B4 / O009 | Source age 670 minutes, above the 60-minute limit | DATA_REVIEW |
| B5 / O010 | Zero matched items out of one expected | DATA_REVIEW |

## AutoActions from top to bottom

**Rows 2-3:** original normal test, two correct approvals.
**Rows 4-7:** original problem test, four false approvals. B3 produced no row.
**Rows 8-11:** adding a Router alone repeated the same failures.
**Rows 12-16:** stronger checks sent all five problem cases to REVIEW.
**Rows 17-18:** both normal orders still passed the stronger checks.
**Rows 19-24:** three further replays of the same two normal orders.
**Rows 25-31:** current combined run, seven orders and seven results.

## How to read each row

**A** identifies the test run. **B-D** identify the case, order and items. **E** is the event identifier, but does not prevent duplicates. **F** is the decision and **G** explains the reason and next step. **H-I** are the source and evaluation times in the September sample. **J** identifies the rule version. **K** is the actual October time Make wrote the row.

**Seven unique orders, 30 logged outputs:** repeated runs add rows. The latest run produced 2 approvals, 2 staff reviews and 3 data reviews. Earlier failures remain visible as evidence. Logging a next step does not notify staff or complete the work.