

SELECT Statement Clauses

SELECT select-list

FROM table-name


[WHERE condition]

[GROUP BY column-list]

[HAVING condition]


[ORDER BY column-name]

[INTO TEMP table-name]



Selecting all Columns


`SELECT * FROM manufact`



manu_code	manu_name	lead_time
SMT	Smith	3
ANZ	Anza	5
NRG	Norge	7
HSK	Husky	5
HRO	Hero	4
SHM	Shimara	30

Selecting Specific Columns

SELECT **fname**, **lname** FROM customer




fname	lname
Ludwig	Pauli
Carole	Sadler
Philip	Currie
Anthony	Higgins
Raymond	Vector
George	Watson
Charles	Ream

Selecting Unique Values

`SELECT customer_num
FROM orders`

`SELECT DISTINCT customer_num
FROM orders`



Executing Multiple Statements

```
SELECT *  
FROM manufact;
```

```
SELECT fname,lname,company  
FROM customer;
```

```
SELECT phone,customer_num FROM  
customer;
```

Use a semi-colon (;) to
separate multiple SQL
statements.

The WHERE Clause

```
SELECT select-list  
FROM table-name  
[WHERE condition]
```

Use the WHERE clause to SELECT
specific rows

Including or Excluding Rows

```
SELECT      stock_num, manu_code, description, unit
FROM        stock
WHERE unit = 'case';
```

stock_num	manu_code	description	unit
1	HRO	baseball gloves	case
1	HSK	baseball gloves	case
...
310	ANZ	kick board	case

```
SELECT      stock_num, manu_code, description, unit
FROM        stock
WHERE unit != 'case'
```

stock_num	manu_code	description	unit
5	NRG	tennis racquet	each
5	SMT	tennis racquet	each
...
313	ANZ	swim cap	box

Relational Operators

= equals

!= or <> does not equal

> greater than

>= greater than or equal to

< less than

<= less than or equal to

Identifying NULL Values

```
SELECT lname, phone  
FROM customer  
WHERE address2 IS NULL;
```

lname	phone
Pauli	408-789-8075
Sadler	415-822-1289
Vector	415-776-3249
...	...
Neelie	303-936-7731

```
SELECT lname, phone  
FROM customer  
WHERE address2 IS NOT NULL
```

lname	phone
Currie	415-328-4543
Higgins	415-368-1100
Miller	408-723-8789
...	...
Lessor	602-533-1817

WHERE Clause Keywords

AND

OR

[NOT] BETWEEN

[NOT] IN

IS [NOT] NULL

[NOT] LIKE

[NOT] MATCHES

Combining Comparison Conditions

```
SELECT fname, lname  
FROM customer  
WHERE city = "Los Altos" AND state = "CA";
```

```
SELECT fname, lname  
FROM customer  
WHERE state = "CA" OR state = "AZ";
```

```
SELECT fname, lname  
FROM customer  
WHERE state = "CA"  
AND city = "Los Altos" OR state = "AZ";
```

Finding a Range of Values

```
SELECT stock_num, manu_code, description, unit_price  
FROM stock  
WHERE unit_price BETWEEN 20.00 AND 30.00
```

stock_num	manu_code	description	unit_price
5	NRG	tennis racquet	\$28.00
5	SMT	tennis racquet	\$25.00
9	ANZ	volleyball net	\$20.00
103	PRC	frnt derailleur	\$20.00
106	PRC	bicycle stem	\$23.00
109	PRC	pedal binding	\$30.00

Finding a Subset of Values

```
SELECT customer_num, lname, fname, company  
FROM customer  
WHERE customer_num IN (118,114,106,101,127)
```

customer_num	lname	fname	company
118	Baxter	Dick	Blue Ribbon Sports
114	Albertson	Frank	Sporting Place
106	Watson	George	Watson & Son
101	Pauli	Ludwig	All Sports Supplies
127	Satifer	Kim	Big Blue Bike Shop

Character Search Operators

LIKE	MATCHES	Meaning
%	*	Evaluates to zero or more characters
_	?	Evaluates to a single character
\	\	Specifies the next character as a literal character
	[]	Specifies valid values for a single character

Variable Length Wildcard

```
SELECT customer_num, company  
FROM customer  
WHERE company MATCHES '*Sports'
```

customer_num	company
103	Phil's Sports
105	Los Altos Sports
108	Quinn's Sports
115	Gold Medal Sports
118	Blue Ribbon Sports
121	City Sports
123	Bay Sports
125	Total Fitness Sports

Single Character Wildcard

```
SELECT customer_num, company  
FROM customer  
WHERE company MATCHES '?I*'
```

customer_num	company
101	All Sports Supplies
104	Play Ball!
116	Olympic City
118	Blue Ribbon Sports

Restricted Single Character Wildcard

SELECT *

FROM manufact

WHERE manu_name MATCHES '[A-N]*'

manu_code	manu_name	lead_time
ANZ	Anza	5
NRG	Norge	7
HSK	Husky	5
HRO	Hero	4

SELECT *

FROM manufact

WHERE manu_name MATCHES '[AN]*'

manu_code	manu_name	lead_time
ANZ	Anza	5
NRG	Norge	7
NKL	Nikolus	8

Comparing for Special Characters

```
SELECT *  
FROM cust_calls  
WHERE res_descr LIKE '%\%%%'
```

The escape character lets the middle % be interpreted as a percent sign, not a wildcard.

customer_num	116
call_dtime	1990-12-21 11:24
user_id	mannyn
call_code	I
call_descr	Second complaint from this customer! Received two cases right-handed outfielder gloves (1 HRO) instead of one case lefties.
res_dtime	1990-12-27 08:19
res_descr	Memo to shipping (Ava Brown) to send case of left-handed gloves, pick up wrong case; memo to billing requesting 5% discount to placate customer due to second offense and lateness of resolution because of holiday

The ORDER BY Clause

SELECT select-list

FROM table-name

[WHERE condition]

...

[ORDER BY column-name]

ORDER BY Example

```
SELECT stock_num, manu_code, description, unit_price
FROM stock
ORDER BY description, unit_price DESC
```

stock_num	manu_code	description	unit_price
111	SHM	10-spd, assmbld	\$499.99
112	SHM	12-spd, assmbld	\$549.00
113	SHM	18-spd, assmbld	\$685.90
205	ANZ	3 golf balls	\$312.00
205	NKL	3 golf balls	\$312.00
205	HRO	3 golf balls	\$312.00
2	HRO	baseball	\$126.00
3	SHM	baseball bat	\$280.00
3	HSK	baseball bat	\$240.00
...
311	SHM	water gloves	\$48.00