

Graphical abstract: all versions (newest last)


v1




v2




v3




v4




v5




v6




v7




v8



v9




v1



First draft: four numbered steps (unstable window, MD cubes, SAW stiffening, indicator box)


v2



Spinodal decomposition: $C' \uparrow \rightarrow f_{SAW} \uparrow$, $K/G \downarrow$ = a non-destructive indicator of embrittlement

DFT added: QE demixing energy (1) and QE C' (3); conclusion as banner


v3




MD and DFT side by side; DFT top (P)SAW entering the unallowed range (Fig. 2b)

v4


MD: decomposition stiffens the SAW






$Fe_{64}Cr_{36}$, MD 25^3 cells: random → $\alpha + \alpha'$


DFT: stiff α' enters the unallowed range



Two halves: key result plotted above its structures (MD cubes along phi; QE cells alpha, Fe-36Cr, alpha')

v5







Decomposition → stiffer δ-ferrite (C' ↑) → higher SAW frequency → non-destructive sign of embrittlement

v4 restyled: tinted cards, MD/DFT tags, open axes, highlighted alpha', banner

v6







Decomposition → stiffer δ-ferrite (C' ↑) → higher SAW frequency → non-destructive sign of embrittlement

Both cards on one x_Cr axis: all twelve MD compositions (phi = 0.7-1), six MD cells, five QE cells with C'

v7






Spinodal decomposition → stiffer δ-ferrite (C' ↑) → higher SAW frequency → non-destructive sign of embrittlement


"Spinodal decomposition" in title and banner; alpha / alpha' labels back

v8



Mechanism line as coloured chips including K/G down (embrittlement)

v9



Spinodal decomposition → C' ↑ (stiff α') → f_{SAW} ↑ (signal) + K/G ↓ (embrittlement) → non-destructive detection

Decluttered v8: phi = 1 curve only, QE cells without moment arrows, no window shading or extra alpha label in the DFT plot, mechanism line as plain coloured text