

AWS PRACTICE MCQ's

1. Which of the following statements about EC2 instance store volumes is correct?
 - a) They persist data after instance stop/start
 - b) They are physically attached to the host computer
 - c) They can be detached and reattached to different instances
 - d) They are backed up automatically by AWS
2. What is the primary purpose of an EC2 Launch Template?
 - a) To store AMI configurations only
 - b) To define networking settings only
 - c) To store instance configuration information for launching instances
 - d) To manage billing preferences
3. In Auto Scaling Groups, what is the cooldown period?
 - a) Time between health checks
 - b) Time before terminating unhealthy instances
 - c) Time before new scaling activities can start after a scaling action
 - d) Maximum time an instance can run
4. Which EC2 pricing model is best for applications with predictable usage?
 - a) On-demand instances
 - b) Reserved instances
 - c) Spot instances
 - d) Dedicated hosts
5. What happens to an EBS volume when its attached EC2 instance is terminated?
 - a) The volume is automatically deleted
 - b) The volume is preserved based on the DeleteOnTermination flag
 - c) The volume is always preserved
 - d) The volume is backed up to S3
6. Which metric is NOT available by default for EC2 instances?
 - a) CPU utilization
 - b) Network throughput
 - c) Memory utilization
 - d) Disk I/O
7. What is the maximum number of EC2 instances that can be launched in a VPC?

AWS PRACTICE MCQ's

- a) 100
 - b) 1000
 - c) Depends on the available IP addresses in the VPC CIDR
 - d) Unlimited
8. In an Auto Scaling Group, what happens when an instance fails a health check?
- a) The instance is immediately terminated
 - b) The instance is terminated and replaced if configured
 - c) The instance is rebooted
 - d) Nothing happens automatically
9. Which feature allows you to control user access to EC2 instance metadata?
- a) Security groups
 - b) NACL
 - c) IMDSv2
 - d) IAM roles
10. What is the purpose of an EC2 placement group?
- a) To control instance pricing
 - b) To influence how instances are placed on underlying hardware
 - c) To manage instance scheduling
 - d) To configure auto scaling

ECR and ECS (Questions 11-20)

11. What is the default validity period for an ECR authentication token?
- a) 6 hours
 - b) 12 hours
 - c) 24 hours
 - d) 48 hours
12. Which ECS launch type provides the most control over infrastructure?
- a) Fargate
 - b) EC2
 - c) External
 - d) Lambda

AWS PRACTICE MCQ's

13. In ECS, what defines the containers to be launched and their configurations?
- a) Task Definition
 - b) Service Definition
 - c) Cluster Configuration
 - d) Container Instance
14. What is the purpose of ECS Service Auto Scaling?
- a) To scale EC2 instances
 - b) To scale the number of tasks running
 - c) To scale container instances
 - d) To scale EBS volumes
15. Which feature of ECR helps in maintaining image security?
- a) Image scanning
 - b) Tag immutability
 - c) Lifecycle policies
 - d) All of the above
16. What is the maximum number of containers you can define in a single ECS task definition?
- a) 1
 - b) 5
 - c) 10
 - d) No hard limit, but practical limit exists
17. Which ECS feature enables you to run containers across multiple Availability Zones?
- a) Service scheduler
 - b) Capacity provider
 - c) Task placement
 - d) All of the above
18. What happens to running tasks when you update an ECS service?
- a) All tasks are immediately stopped and replaced
 - b) Tasks are gradually replaced based on deployment configuration
 - c) Tasks continue running with old configuration
 - d) Tasks are paused until manually resumed

AWS PRACTICE MCQ's

19. Which ECR feature helps in optimizing storage usage?

- a) Image layers
- b) Lifecycle policies
- c) Cross-region replication
- d) Image scanning

20. What is the purpose of ECS Container Agent?

- a) To pull container images
- b) To communicate with ECS service
- c) To manage container networking
- d) To handle container security

21. What is the maximum length of an IAM role session?

- a) 1 hour
- b) 12 hours
- c) 24 hours
- d) 36 hours

22. Which of the following is a best practice for IAM policies?

- a) Grant full administrative access to all users
- b) Use inline policies instead of managed policies
- c) Apply the principle of least privilege
- d) Share IAM user credentials

23. What is the purpose of IAM Access Analyzer?

- a) To scan for vulnerabilities
- b) To identify resources shared with external entities
- c) To monitor API calls
- d) To manage access keys

24. How can you temporarily elevate IAM permissions?

- a) Using IAM roles
- b) Using policy versioning
- c) Using STS AssumeRole
- d) Using resource-based policies

AWS PRACTICE MCQ's

25. What is the maximum number of IAM roles you can attach to an EC2 instance?

- a) 1
- b) 2
- c) 5
- d) 10

26. Which feature helps in implementing cross-account access?

- a) IAM users
- b) IAM roles
- c) IAM groups
- d) IAM policies

27. What is the purpose of AWS Organizations Service Control Policies (SCPs)?

- a) To manage permissions within a single account
- b) To set boundaries on account permissions
- c) To configure cross-region replication
- d) To manage IAM users

28. How long are temporary security credentials from AWS STS valid?

- a) 15 minutes to 12 hours
- b) 15 minutes to 36 hours
- c) 1 hour to 24 hours
- d) 1 hour to 48 hours

29. What is the maximum size of an IAM policy document?

- a) 2048 bytes
- b) 4096 bytes
- c) 6144 bytes
- d) 8192 bytes

30. Which statement about IAM policy evaluation is correct?

- a) An explicit allow overrides an explicit deny
- b) An explicit deny overrides an explicit allow
- c) The most recently added policy takes precedence
- d) Resource-based policies always override identity-based policies

Lambda (Questions 31-35)

AWS PRACTICE MCQ's

31. What is the maximum execution time for a Lambda function?

- a) 5 minutes
- b) 10 minutes
- c) 15 minutes
- d) 30 minutes

32. Which trigger can invoke a Lambda function synchronously?

- a) S3 events
- b) API Gateway
- c) SNS notifications
- d) SQS messages

33. What is the purpose of Lambda layers?

- a) To add additional storage
- b) To share code and dependencies across functions
- c) To implement security controls
- d) To manage API endpoints

34. How can you handle concurrent executions in Lambda?

- a) Using reserved concurrency
- b) Using auto scaling
- c) Using elastic load balancing
- d) Using placement groups

35. What happens when a Lambda function exceeds its execution timeout?

- a) It continues execution
- b) It terminates immediately
- c) It sends a warning
- d) It retries automatically

Boto3 (Questions 36-40)

36. Which Boto3 client method is used to get paginated results?

- a) `get_paginator()`
- b) `paginate()`
- c) `list_paginated()`
- d) `fetch_pages()`

AWS PRACTICE MCQ's

37. How can you handle AWS credentials in Boto3?

- a) Only through environment variables
- b) Only through configuration files
- c) Multiple methods including environment variables and configuration files
- d) Only through hardcoded credentials

38. What is the difference between Boto3 client and resource?

- a) Client provides low-level API operations, resource provides high-level object-oriented API
- b) Client is faster than resource
- c) Resource provides more API operations
- d) There is no difference

39. How can you handle rate limiting in Boto3?

- a) Using exponential backoff
- b) Using fixed delay
- c) Using circuit breaker
- d) Rate limiting is handled automatically

40. Which Boto3 method is used to create multiple threads safely?

- a) `create_multithread()`
- b) `Session.resource()`
- c) `client.multi_thread()`
- d) There is no built-in method

S3, Elastic Beanstalk, Lightsail (Questions 41-50)

41. What is the maximum size of a single S3 object?

- a) 1 TB
- b) 5 TB
- c) 10 TB
- d) Unlimited

42. Which S3 storage class offers the lowest latency?

- a) Standard
- b) Intelligent-Tiering
- c) One Zone-IA
- d) Glacier

AWS PRACTICE MCQ's

43. What is the main purpose of Elastic Beanstalk?

- a) Container orchestration
- b) Simplified application deployment
- c) Database management
- d) Load balancing only

44. Which feature in Lightsail provides automatic backups?

- a) Snapshot
- b) Auto Scaling
- c) Load Balancer
- d) CDN

45. What is the maximum number of versions an S3 bucket can store?

- a) 100
- b) 1000
- c) No limit
- d) Depends on storage class

46. Which Elastic Beanstalk deployment policy ensures zero downtime?

- a) All at once
- b) Rolling
- c) Rolling with additional batch
- d) Immutable

47. What is the default timeout for Lightsail load balancers?

- a) 30 seconds
- b) 60 seconds
- c) 90 seconds
- d) 120 seconds

48. Which S3 feature helps in optimizing performance for frequent access patterns?

- a) Transfer Acceleration
- b) Cross-Region Replication
- c) Intelligent-Tiering
- d) Versioning

AWS PRACTICE MCQ's

49. What is the maximum number of applications in Elastic Beanstalk?
- a) 25
 - b) 50
 - c) 75
 - d) 100
50. Which Lightsail feature allows automatic distribution of incoming traffic?
- a) DNS zones
 - b) Load balancers
 - c) Static IP
 - d) Firewall
51. Which language is used to define AWS CloudFormation templates?
- a) XML
 - b) JSON and YAML
 - c) HTML
 - d) Python
52. What is the primary purpose of AWS CloudFormation?
- a) Application deployment
 - b) Infrastructure as code (IaC)
 - c) Database management
 - d) Performance monitoring
53. What happens when you update a CloudFormation stack?
- a) Existing resources are deleted and recreated
 - b) Resources are modified only if needed
 - c) Resources are left unchanged
 - d) All resources are backed up
54. What is the retention period for CloudWatch Logs by default?
- a) 1 day
 - b) 7 days
 - c) 30 days
 - d) Indefinitely
55. Which CloudWatch feature triggers actions based on thresholds?
- a) Metrics
 - b) Logs
 - c) Alarms
 - d) Events

AWS PRACTICE MCQ's

56. What is the default resolution for standard CloudWatch metrics?
- a) 1 second
 - b) 1 minute
 - c) 5 minutes
 - d) 15 minutes
57. Which CloudFormation resource type is used to define an EC2 instance?
- a) AWS::S3::Bucket
 - b) AWS::EC2::Instance
 - c) AWS::CloudWatch::Alarm
 - d) AWS::IAM::Role
58. What is the maximum size of a single CloudFormation template?
- a) 256 KB
 - b) 512 KB
 - c) 1 MB
 - d) 10 MB
59. How can you monitor the execution of a CloudFormation stack?
- a) By checking CloudTrail logs
 - b) By reviewing CloudWatch Alarms
 - c) By tracking events in the CloudFormation console
 - d) By using AWS Config
60. Which CloudWatch metric is used to monitor API requests?
- a) APIRequests
 - b) NetworkPackets
 - c) RequestCount
 - d) HTTPCode

AWS PRACTICE MCQ's

KeySheet

1. b
2. c
3. c
4. b
5. b
6. c
7. c
8. b
9. c
10. b
11. b
12. b
13. a
14. b
15. d
16. c
17. d
18. b
19. b
20. b
21. b
22. c
23. b
24. c
25. a
26. b
27. b
28. b
29. c
30. b
31. c
32. b
33. b
34. a
35. b
36. a
37. c
38. a
39. a
40. b
41. b
42. a2

43. b
44. a
45. c
46. d
47. b
48. a
49. c
50. b
51. b
52. b
53. b
54. d
55. c
56. b
57. b
58. b
59. c
60. c

