

VACCINATION & MEDICATION PROGRAM FOR BROILERS

AGE	VACCINE	ROUTE
DAY 1	TONIC, GLUCOSE	ORAL
DAY 2 to 6	ANTIBIOTICS, TONIC, GLUCOSE	ORAL
DAY7	1 st IBD GUMBORO, TONIC, GLUCOSE	ORAL
DAY9	1 st ND LASOTA	ORAL
DAY 12	COCCIDIOSTAT I (e.g. Kepcox)	
DAY17	2 nd IBD GUMBORO	ORAL
DAY19	2 nd LASOTA	ORAL
DAY27	3 rd IBD GUMBORO	ORAL
DAY 28	COCCIDIOSTAT II (e.g. Embazin Forte)	ORAL
DAY31	3 rd LASOTA	ORAL
DAY 33 -37	ANTIBIOTICS FOR 5 DAYS (e.g. Enrovet or Ciprovet)	ORAL
DAY42	DEWORM (e.g. Kepromec)	ORAL
DAY 44	COCCIDIOSTAT III (e.g. Vitacox)	ORAL
WEEK7	FOWL POX	Wingweb

Vaccination and Health Management Guidelines:

- It's recommended to consult with a veterinarian for vaccination procedures.
- Fowl pox vaccination is only necessary if the birds will be on your farm for more than 8 weeks.
- Upon arrival, provide anti-stress vitamins in the water to help alleviate the stress from transportation, and continue throughout the day.
- Administer antibiotics (such as enrofloxacin) for the next 5 days.
- Ensure that the birds have access to sufficient feed and water daily.
- Follow the recommended vaccination schedule for regular immunization.
- Administer multivitamins either before or after vaccination.
- Medications can be given after the day of vaccination, but should not be administered on the day of vaccination.

Disclaimer: This guide is intended to help ensure you do not miss any crucial vaccinations or medications.