



Training Manual for Vitamin A Maize

Raw Material Quality, Handling Finished Product,
Packaging and Storage to Meet Quality and
Regulatory Standards in Nigeria

TABLE OF CONTENTS

FOREWORD	5
DISCLAIMER.....	6
ACKNOWLEDGMENTS	6
TERMS, ABBREVIATIONS, AND DEFINITIONS	6
1. INTRODUCTION AND PRODUCT BACKGROUND.....	10
1.1. PRODUCTS IN THE STATE.....	10
1.2. WHAT MAKES THE PRODUCT DIFFERENT.....	10
1.3. DERIVATIVES FROM THE PRODUCT	10
1.4. PECULIAR CHARACTERISTICS OF THE PRODUCTS	10
1.5. BENEFITS OF HANDLING AND USE OF VARIETIES.....	11
2. POST-HARVEST HANDLING	11
MODULE 1: HANDLING OF PRODUCT AS COMMODITY.....	11
2.1. WATER ACTIVITY	11
2.2. SORTING AND SEPERATION	11
2.3. BAGGING AND PACKAGING.....	12
2.4. TRANSPORTATION REQUIREMENTS.....	12
2.5. IMPURITY AND CROSS CONTAMINATION	12
2.6. FOOD FRAUD AND IMPLICATION	12
2.6.1. FOOD FRAUD IMPLICATION	12
2.7. AVOIDING FOOD FRAUD	13
3. RAW MATERIAL QUALITY AND HANDLING.....	13
MODULE 1: INVENTORY AND MATERIAL BALANCE	13
3.1. RAW MATERIAL INVENTORY: FIFO AND EEFO PRINCIPLES	13
3.2. RAW MATERIAL RECORD KEEPING: USE OF BIN CARDS	13
3.3. LABELLING OF BATCHES	13
MODULE 2: STORAGE CONDITIONS	14
3.4. MAIZE STORAGE CONDITIONS.....	14
3.5. STACKING OF RAW MATERIALS	15
3.6. STORAGE PACKAGING AND CONTAINERS.....	15
3.7. STORAGE ARRANGEMENTS AND WORKWAYS.....	16
3.8. USE OF PALLETS.....	17
MODULE 3: ENVIRONMENT CONDITIONS.....	17
3.9. PEST CONTROL.....	17
3.10. TEMPERATURE AND HUMIDITY CONTROL.....	18
3.11. LIGHT AND VENTILATION CONTROL.....	19
3.12. MAIZE RAW MATERIAL STORAGE	20
3.13. AREA ACCESS CONTROL	20
4A: MANUFACTURING PROCESSES: MACHINERY AND MAINTENANCE.....	21

MODULE 1: MACHINERY REQUIREMENTS.....	21
4.1. TYPES OF MACHINES REQUIRED	21
4.1.1. MAIZE CLEANING EQUIPMENT.....	21
4.1.2. MAIZE DEHUSKING AND DEGERMING MACHINES	21
4.1.3. MAIZE MILLING MACHINES.....	21
4.1.4. MAIZE SORTING AND SIFTING MACHINES.....	21
4.1.5. MAIZE PACKAGING MACHINES	22
4.2. CONSIDERATIONS TO CHOSE MACHINERY.....	22
4.3. TRAINING AND TEST RUNNING.....	22
MODULE 2: CLEANING IN PLACE CONCEPT	23
4.4. CONCEPT OF CIP	23
4.5. ACCEPTABLE CLEANING AGENTS	24
4.6. SCHEDULED CLEANING BEYOND CIP	24
4.7. CONFIRMING HYGIENE STATUS OF EQUIPMENT	25
MODULE 3: MACHINE PREVENTIVE MAINTENANCE	26
4.8. PLANNING MAINTENANCE.....	26
4.9. MAINTAINING SPARE-REORDER LEVEL.....	26
4.10. IN-HOUSE AND OUTSOURCING CRITERIA	27
4.10.1. IN-HOUSE MAINTENANCE CRITERIA.....	27
4.10.2. OUTSOURCED MAINTENANCE CRITERIA.....	28
4.11. HYGIENE DURING MAINTENANCE	28
4.12. MACHINE REPLACEMENT AND UPGRADE	29
4.13. POST MAINTENANCE CHECK CRITERIA	30
4.14. FOOD GRADE MAINTENANCE MATERIAL	30
B - MANUFACTURING PROCESSES: ENVIRONMENT AND CONTROL	31
MODULE 4: PROCESS ENVIRONMENT.....	31
4.15. PROCESS ENVIRONMENT REQUIRMENTS	31
4.16. STANDARD OPERATING PROCEDURES	32
4.17. MANUFACTURING AND PRODUCTION AREA ACCESS CONTROL.....	33
4.18. USE OF PPE WITHIN PRODUCTION AREA.....	33
4.19. MONITORING AND CONTROL POINTS	34
4.20. QUALITY ASSURANCE FLASH POINTS.....	35
4.21. ROLES AND RESPONSIBILITIES IN PROCESS ENVIRONMENT.....	36
4.22. USE OF FORKLIFT AND HEAVY-DUTY MACHINERY	36
MODULE 5: PEST CONTROL IN PROCESS ENVIRONMENT	37
4.23. PREVENTIVE AND CORRECTIVE CONTROL	37
4.24. FUMIGAGTION AND PESTICIDE CONTROL IN PROCESS ENVIRONMENT	39
4.25. PHYSICAL CONTROL – BUILDING AND TRAP MAPS.....	39
MODULE 6: PERSONNEL.....	40
4.26. MINIMUM REQUIREMENTS TO WORK IN FOOD FACTORY	40
4.27. FOOD HANDLERS TEST	40

4.28.	PRINCIPLE REGARDING SORE, NURSING MOTHERS, AND CROSS CONTAMINATION.....	41
4.29.	SUITABLE USE OF PPE WITHIN PLANT	41
4.30.	KNOWLEDGE UPDATE.....	42
4.31.	PERSONAL HYGINENE.....	42
5.	<i>FINISHED PRODUCT HANDLING: STORAGE AND PACKAGING TO MEET REGULATORY STANDARDS</i>	<i>43</i>
MODULE 1: PRODUCT-SPECIFIC REQUIREMENTS.....		43
5.1.	INTRODUCTION TO STANDARDS.....	43
5.2.	SPECIFIC REQUIRMENT LIMITS AND NATIONAL STANDARDS FOR QUALITY ASSURANCE.....	43
5.3.	NATIONAL CERTIFICATION.....	44
5.4.	NUTRITIVE COMPONENT PRESERVATION.....	44
5.5.	WATER TREATMENT AND USAGE.....	45
5.6.	THIRD-PARTY TESTING – INTRODUCTION TO IPAN.....	45
5.7.	RELEASE OF PRODUCT – CRITERIA AND METHOD (BATCHING)	45
MODULE 2: PRODUCT PACKAGING.....		46
5.8.	SELECTION OF PACKAGING.....	46
5.9.	STORAGE OF PACKAGING MATERIALS.....	46
5.10.	PACKAGING ACCORDING TO PRODUCT CHARECTERISTICS.....	47
5.11.	PACKAGING AS ADVERTORIAL.....	48
5.12.	HERMETIC PACKAGING AND BREATHABLE PACKAGING REQUIRMENTS	49
5.13.	PACKAGING AGAINST PEST CONTROL	49
5.14.	STANDARDS REQUIRMENTS ON PACKAGING	50
5.15.	LABELING AND DATE CODING	51
5.16.	PRIMARY AND SECONDARY PACKAGING REQUIRMENTS.....	52
5.17.	FOOD RECALL AND PRINCIPLES.....	53
5.18.	PRODUCT STORAGE.....	54
5.19.	PRODUCT TRANSPORTATION AND DISTRIBUTION REQUIREMENTS.....	55

FOREWORD

Background overview of GAIN and the SNIP project.

DISCLAIMER

This document is made possible by the support from the German Government through the Federal Ministry for Economic Cooperation and Development (BMZ) and the Global Alliance for Improved Nutrition (GAIN). The contents are the sole responsibility of Citadel Premium Bridge Limited and do not necessarily reflect the views of BMZ or GAIN.

The designations used in this report and the presentation of the contents therein do not imply the expression of any opinion whatsoever on the part of BMZ or GAIN concerning the Federal Republic of Nigeria or of its authorities.

The opinions contained in this training manual are solely the responsibility of the authors, and their publication does not indicate an endorsement by BMZ or GAIN. Reference to institutions, commercial products, and processes does not imply endorsement BMZ or GAIN, nor does omission of a specific institution, commercial product, or method indicate disapproval.

ACKNOWLEDGMENTS

This training manual was produced under the Strengthening Nutrition in Priority Staples Project (SNIP), implemented by the Global Alliance for Improved Nutrition (GAIN), in partnership with GIZ and the Green Innovation Centre for the Agricultural and Food Sector in Nigeria (GIC), with support from the German Government through the Federal Ministry for Economic Cooperation and Development (BMZ).

SNIP aims to strengthen the GIC priority value chains and improve food security and safety through improved diets for farmers, farm workers, other workers in businesses in these value chains, and among the wider population in Nigeria.

This training manual was developed by a team of consultants from Citadel Premium Bridge Limited, with project oversight led by Mr. Mosi Akande, technical oversight by Mr. Feyisara Oguranti and Ms. May Kachukwu Onwodi, and technical reviews by Dr. Funke Olotu (Ph. D). The consulting team would like to thank all personnel of the GAIN for their dedication and assistance throughout this training project, and particularly to Mr. Godwin Ehiaibhi, Ms. Mercy Olorunfemi, and Mr. Orngu Africa, for their consistent leadership and support.

Additionally, we thank all the staff of the various public and private sector organizations whose contributions have proved to be of immeasurable value to the development of this training manual.

TERMS, ABBREVIATIONS, AND DEFINITIONS

1. Carotenoid:

A class of pigments found in plants, algae, and some microorganisms. Carotenoids are responsible for the red, orange, and yellow colors in fruits and vegetables. They also act as antioxidants and may have health benefits when consumed as part of a balanced diet.

2. FIFO (First-In, First-Out):

A method of inventory management and product rotation where the oldest items in stock are used or sold first. This ensures that products are used before they expire or become obsolete, minimizing waste and maintaining product freshness.

3. EEFO (Earliest Expiry, First Out):

A variant of the FIFO method specifically used in inventory management, where the items with the earliest expiration dates are used or sold first. This approach helps prevent product spoilage and ensures that items with shorter shelf lives are consumed before those with longer shelf lives.

5. IPM (Integrated Pest Management):

An approach to pest control that focuses on using a combination of preventive measures, monitoring, and targeted interventions to minimize pest populations and damage to crops. IPM aims to reduce reliance on chemical pesticides and promote sustainable pest management practices.

6. Infestation:

The presence or invasion of pests, such as insects, rodents, or microorganisms, in large numbers or quantities that can cause harm, damage, or contamination to crops, stored food, or premises.

7. Deficiencies:

In the context of nutrition, deficiencies refer to insufficient intake or inadequate absorption of essential nutrients, vitamins, or minerals required for optimal health. Nutrient deficiencies can lead to specific health problems or conditions.

8. Cross Contamination:

The transfer of harmful microorganisms, allergens, or contaminants from one surface, food item, or area to another. Cross contamination can occur during food preparation, storage, or handling and can compromise food safety.

9. Food Fraud:

The deliberate and deceptive practice of substituting, adulterating, mislabeling, or misrepresenting food products for economic gain. Food fraud involves fraudulent activities that can impact consumer safety, quality, and authenticity of food items.

10. Inventory:

The complete list or record of goods, products, or materials available in stock within a business. Inventory includes information about quantities, locations, and other relevant details for effective management and control.

11. Bincards:

Physical or digital cards that provide detailed information about specific items or products in inventory. Bincards typically include data such as item descriptions, quantities, locations, and transaction history.

12. Batches:

A group or quantity of products or materials produced or processed together, often with the same characteristics, specifications, or production dates. Batches are used for tracking and quality control purposes.

13. Pallets:

Flat platforms or structures made of wood, plastic, or metal that are used for storing, stacking, and transporting goods. Pallets provide stability and convenience in handling and moving products, especially in warehousing and logistics operations.

14. Pest:

Any organism, typically insects, rodents, birds, or microorganisms, that can cause damage, contamination, or harm to crops, stored food, structures, or human health.

15. Corrective Control:

Measures or actions taken to address deviations, non-conformities, or issues identified during quality control or food safety processes. Corrective control aims to identify and rectify the root cause of a problem to prevent its recurrence.

16. Root Cause Analysis:

A systematic approach used to identify the underlying or fundamental cause of a problem, incident, or non-conformity. Root cause analysis helps determine why a particular issue occurred to develop effective corrective and preventive actions.

17. Garri:

Garri is a popular West African food made from cassava roots. It is typically processed by peeling, washing, fermenting, and grinding the cassava, followed by drying and sieving to produce granules or flour. Garri is commonly used as a staple food and can be prepared in various ways.

18. CIP (Clean-in-Place):

A cleaning method used in food and beverage processing industries to clean equipment, pipes, and tanks without disassembling them. CIP involves circulating cleaning solutions and detergents through the equipment to remove residue, bacteria, and other contaminants.

19. REORDER LEVEL:

The predetermined inventory level at which it is necessary to reorder or restock a particular item or product. Reorder level ensures that sufficient stock is maintained to meet demand and prevent stockouts.

20. Outsourcing:

The practice of contracting or delegating certain tasks, functions, or operations to external companies or service providers. Outsourcing allows businesses to access specialized expertise, reduce costs, and focus on core activities.

21. Criteria:

Specific standards, requirements, or conditions that must be met to evaluate or assess the quality, suitability, or acceptability of a product, process, or service.

22. Food Grade:

Refers to materials, ingredients, or products that meet the necessary quality and safety standards for use in food processing, packaging, and handling. Food-grade materials must not pose any risk of contamination or harm to consumers.

23. SOP (Standard Operating Procedure):

A documented set of step-by-step instructions or guidelines that outline the standard and approved methods for carrying out specific tasks or processes. SOPs are used to ensure consistency, quality, and safety in operations.

24. Food Handlers Test:

A test or examination conducted to assess the knowledge, understanding, and competency of individuals who handle or work with food. Food handlers tests aim to verify that individuals have the necessary understanding of food safety practices and regulations.

25. PPE (Personal Protective Equipment):

Protective clothing, equipment, or gear worn by individuals to minimize the risk of injury, illness, or contamination in the workplace. Examples of PPE in the food industry include gloves, aprons, goggles, and masks.

26. NAFDAC (National Agency for Food and Drug Administration and Control):

NAFDAC is a regulatory agency in Nigeria responsible for regulating and controlling the manufacture, importation, exportation, distribution, advertisement, and use of food, drugs, cosmetics, medical devices, and chemicals.

27. SON (Standards Organisation of Nigeria):

SON is a statutory body in Nigeria responsible for establishing and enforcing standards for products, processes, and services to promote consumer safety, quality, and fair-trade practices.

28. NQS (National Quarantine Service):

The National Quarantine Service is a regulatory agency that oversees the inspection, certification, and quarantine of agricultural commodities, plants, and other related materials to prevent the introduction and spread of pests, diseases, or contaminants.

29. IPAN (Institute of Public Analyst of Nigeria):

IPAN is the institute that regulates the practice of Laboratory analyst as well as the release and monitoring results for third party analysis in Nigeria

30. Third Party/Comprehensive Testing:

Testing conducted by an independent third-party laboratory or testing facility to assess the quality, safety, composition, or compliance of products or materials. Comprehensive testing provides objective and unbiased results.

31. Hermetic:

Airtight or sealed tightly to prevent the entry or escape of air or moisture. In the context of food storage, hermetic containers or packaging help maintain product freshness and prevent spoilage.

32. MANCAP (Mandatory Conformity Assessment Program):

MANCAP is a certification program in Nigeria that verifies and certifies the conformity of locally manufactured products with relevant standards and specifications.

33. Primary Packaging:

The initial layer or container that directly holds a product. Primary packaging is in direct contact with the product and is designed to protect, preserve, and provide information about the product.

34. Secondary Packaging:

Packaging materials or containers used to group, protect, and transport multiple units or primary packages of a product. Secondary packaging provides additional protection, convenience, and branding.

35. Food Recall:

The action of removing or recalling a food product from the market or consumer use due to safety concerns, quality issues, contamination, or other risks. Food recalls are initiated to protect consumer health and safety.

1. INTRODUCTION AND PRODUCT BACKGROUND

Biofortified maize is a genetically enhanced variety of maize that is bred to have increased levels of essential nutrients such as vitamin A, iron, and zinc. It aims to address malnutrition and nutrient deficiencies in regions where maize is a staple food. By using conventional breeding techniques, biofortified maize offers a more nutritious alternative without compromising yield potential or agronomic traits. It has the potential to improve the overall health and well-being of communities heavily dependent on maize consumption.

1.1. PRODUCTS IN THE STATE

While there are several agricultural commodities and product grown in the state, biofortified maize is the focus of this training manual.

1.2. WHAT MAKES THE PRODUCT DIFFERENT

Biofortified maize stands out from traditional maize varieties because it is specifically bred to have higher levels of essential nutrients. This targeted enhancement addresses nutrient deficiencies and malnutrition in populations reliant on maize as a staple food. By providing increased levels of nutrients such as vitamin A, iron, and zinc, biofortified maize offers a more nutritious option without necessitating major dietary changes. Its focused approach makes it an effective tool for improving overall nutrition and combating specific nutrient deficiencies.

1.3. DERIVATIVES FROM THE PRODUCT

There are several derivatives that can be made from biofortified maize. Some of the most common derivatives include:

- Biofortified Maize flour: Maize flour is made by grinding maize into a fine powder. It is a versatile ingredient that can be used in a variety of dishes, such as tortillas, bread, and cakes.
- Biofortified Maize meal: Maize meal is made by grinding maize into a coarser powder. It is often used in porridges and other dishes.
- Biofortified Maize oil: Maize oil is extracted from maize kernels. It is a light, flavorful oil that is often used in cooking.
- Biofortified Maize starch: Maize starch is extracted from maize kernels. It is a white, powdery substance that is often used in food processing.
- Biofortified Maize syrup: Maize syrup is made by cooking maize starch until it becomes a thick liquid. It is often used in sweets and other desserts.
- Biofortified Maize beer: Maize beer is made by fermenting maize kernels. It is an alcoholic beverage that is often consumed in Africa.
- Biofortified Maize tortillas: Maize tortillas are made by cooking maize dough on a hot griddle.
- Biofortified Maize chips: Maize chips are made by frying maize kernels until they become crispy. They are a popular snack food in many countries.
- Biofortified Maize popcorn: Maize popcorn is made by popping maize kernels in hot oil. It is a popular snack food in many countries.

1.4. PECULIAR CHARACTERISTICS OF THE PRODUCTS

- It is a genetically modified crop: Biofortified maize is a genetically modified crop, which means that it has been modified using genetic engineering techniques. This can be a controversial topic, as some people are concerned about the safety of genetically modified crops.

- It is higher in nutrients: Biofortified maize is higher in nutrients than conventional maize. This is because it has been genetically modified to contain higher levels of nutrients, such as beta-carotene, iron, and zinc.
- It can be used to make a variety of products: Biofortified maize can be used to make a variety of products, such as maize flour, maize meal, maize oil, maize starch, maize syrup, maize beer, maize tortillas, maize chips, and maize popcorn.
- It has the potential to improve human health: Biofortified maize has the potential to improve human health by reducing micronutrient deficiencies. Micronutrient deficiencies are a major public health problem in many parts of the world, and biofortification can help to address this problem.
- It is a promising technology: Biofortification is a promising technology that has the potential to improve human health and nutrition. However, it is important to note that biofortification is not a magic bullet. It is important to combine biofortification with other interventions, such as improved agricultural practices and nutrition education, to achieve the best possible results.

1.5. BENEFITS OF HANDLING AND USE OF VARIETIES

There are many benefits to handling and using varieties. Some of the most common benefits include:

- Increased productivity: Varieties can be bred to be more productive than older varieties. This means that farmers can produce more food on the same amount of land.
- Improved quality: Varieties can be bred to have improved quality traits, such as taste, texture, and nutritional content. This makes the food more appealing to consumers and can lead to higher prices.
- Resistance to pests and diseases: Varieties can be bred to be resistant to pests and diseases. This reduces the need for pesticides and herbicides, which can save farmers money and protect the environment.
- Adaptability to different environments: Varieties can be bred to be adapted to different environments, such as different climates, soils, and altitudes. This allows farmers to grow crops in areas that were previously not possible.
- Improved tolerance to abiotic stresses: Varieties can be bred to be more tolerant to abiotic stresses, such as drought, heat, and cold. This allows farmers to grow crops in areas that are prone to these stresses.

2. POST-HARVEST HANDLING

MODULE 1: HANDLING OF PRODUCT AS COMMODITY

2.1. WATER ACTIVITY

Water activity is a measurement of the availability of water for biological reactions. It determines the ability of micro-organisms to grow. If water activity decreases, micro-organisms with the ability to grow will also decrease.

Water activity in farm produce is a factor that leads to deterioration due to microbial activities. The lower water activity guarantees longer shelf life for a product. Drying for cereals reduce the water activity and improve the shelf life if properly handled.

Ensuring that product being moved for processing has reduced water activity to ensure better condition before getting to production. Reduce exposure of produce to heat and sunlight to reduce the effect of water activity. Grains can be stored in hermetic bags to reduce moisture absorption as well as moisture interaction

2.2. SORTING AND SEPERATION

All products are to be sorted at the farm gate according to requirement of needed raw materials. Maize can be sorted based on grain length, moisture content and the weight per bag. Sorting helps to also separate defective products from wholesome products.

Sorting helps to get only products needed and pay the right fare. Sorting for farm produce should be done based on predetermined raw materials by the producer. All separated products must be clearly labeled with the right codes identifiable at the factory gate.

2.3. BAGGING AND PACKAGING

Farm produce storage is important as it affects the rate of deterioration of products before they get to production points. Bagging should be done for cereals with opportunity to close the bag completely to avoid impurities contaminating the produce. Not bagging cereals properly is highly unacceptable.

IMAGE OF SUGGESTED BAGS AND PACKAGING MATERIALS FOR MAIZE PRODUCE TO BE ADDED HERE

2.4. TRANSPORTATION REQUIREMENTS

Vehicles to be used to transport food products should be clean and not capable of contaminating the product they are shipping. Vehicles for transportation should be used for transporting food products only. Other products should not be packed together with the food products during transportation.

Animals should not be packed in vehicles to be used to transport farm produce. Sharp edges should be avoided in vehicles as they can damage the bagging materials. Vehicles should be in good condition and fit for the journey as braking down of vehicle can increase transport time and lead to produce deterioration.

Loading personnel should use the right protective clothing when loading the vehicles. Loading personnel should ensure they observe necessary hygiene requirements such as washing of hands. Loading personnel should ensure they arrange produce with care to avoid breakage, bruises as well as baggage damage.

2.5. IMPURITY AND CROSS CONTAMINATION

Impurity in farm produce is any other material or produce different from the primary produce that is found inside the bulk of the primary produce. Impurity may include chaffs, other grains, waste materials, fecal material, chemical materials as well as stones and sand. Impurity can lead to cross contamination of the produce from another source.

Common sources of cross contamination are animal fecal matter, agrochemicals, vehicle fuel as well as other materials which gets into the Produce unintended. Produce should be packaged and transported in a way to exclude any source of contamination

2.6. FOOD FRAUD AND IMPLICATION

Food Fraud is an intentional activity by a supplier or vendor to tamper with the contents of produce. Food fraud may include intentionally to add stones to increase weight mixing variety of orange flesh sweet potato that is not vitamin A variety and hiding it from the buyer. For example, adding chaff to the orange flesh sweet potato bag to make it bulky and paid for in full. Food Fraud is very common with producers in Nigeria and unsuspecting buyers usually fall victim.

2.6.1. FOOD FRAUD IMPLICATION

- Less Value for money and reduced profit margin for producers
- Reduces product quality
- Increases required production activities
- May cause damage to machinery
- Can affect company reputation

- May disrupt a complete production schedule

2.7. AVOIDING FOOD FRAUD

- Ensure an expert based on education, experience or training is checking produce before, during and after transportation
- Have a complete supplier program where suppliers are preselected and worked with based on set criteria
- Have a complete out-growers system where the farm input and output are controlled
- Carry out Quality Assurance on produce at point of purchase using simple hand-held testers
- Buy produce from farm associations and cooperatives who are more accountable
- Appoint middlemen who take the risk of purchase and ensure proper quality assurance at the factory gate

3. RAW MATERIAL QUALITY AND HANDLING

MODULE 1: INVENTORY AND MATERIAL BALANCE

3.1. RAW MATERIAL INVENTORY: FIFO AND EEFO PRINCIPLES

- First In-First Out (FIFO) principle helps to ensure that raw materials are used in the order they were received. A raw material received later should not be used before the ones received earlier.
- Early Expiry First Out (EEFO) principle advises that products should be used in the order of expiry. Products that will expire first should be used first. The principle of EEFO overrides FIFO if it needs to be applied.
- EEFO should be used when physical defect is involved, although subjective, experienced personnel can determine which product should be used first based on existing defects.

3.2. RAW MATERIAL RECORD KEEPING: USE OF BIN CARDS

- Label each incoming batch correctly including name of supplier, quantity, who accepted the batch. Attach bin cards on each batch.
- Monitor that FIFO and EEFO are followed based on Bin cards
- Ensure the bin cards are filled appropriately when raw materials are taken out of the store.
- Where bin cards cannot be used, proper labeling of batches should be done to identify the batch, the receiving authority as well as when it was received and if possible, condition it was received. This process helps to also identify batches as well as monitor usage. It also helps to keep track of reorder level and monitor rate of reorder.

TEMPLATE OF BIN CARDS TO BE ADDED HERE

3.3. LABELLING OF BATCHES

Labelling of batches is crucial for effective traceability and quality control throughout the raw material storage process. Here are some guidelines for labeling rice raw material batches:

- Each batch should be clearly labelled with relevant information, including raw material quality, manufacturing process details, handling instructions, material balance, and finished product packaging information.
- Raw material quality information may include details such as the supplier's name, batch number, date of receipt, and any relevant quality parameters or certifications.

- Manufacturing process details may encompass the specific steps involved in processing the raw material, including any treatments, blending, or other processes applied.
- Handling instructions should outline any specific requirements for storage conditions, such as temperature, humidity, or light exposure, to maintain the integrity and quality of the raw material.
- Material balance information tracks the quantity of raw material received, utilized, and remaining in storage, enabling accurate inventory management and preventing stock discrepancies.
- Finished product packaging details should be included, such as the packaging type, size, and any specific labeling requirements for the final product.
- Clear and legible labels are essential to ensure easy identification and retrieval of specific batches during production, quality control, or distribution processes.
- Regular audits and inspections should be conducted to verify that the labelling information is accurate and up to date

MODULE 2: STORAGE CONDITIONS

3.4. MAIZE STORAGE CONDITIONS

The storage of biofortified maize is important to ensure that it retains its nutritional value and does not spoil.

1. **Proper cleaning and drying:** Thoroughly clean the rice before storage to remove any foreign materials, debris, or damaged grains. Drying the rice to a moisture content of around 13-14% is crucial to prevent mold growth and mycotoxin formation. Use drying methods such as sun drying, mechanical drying, or a combination of both.
2. **Suitable storage containers:** Choose appropriate storage containers that are clean, dry, and can provide protection against moisture and pests. Hermetic storage containers, such as airtight drums or sealed polyethylene bags, are effective in preventing insect infestation and maintaining grain quality. Metal silos and plastic bins with tight-fitting lids can also be used.
3. **Temperature and humidity control:** Store the rice in a cool and well-ventilated area to minimize temperature fluctuations and reduce the risk of mold growth. Ideally, the storage temperature should be below 15°C (59°F) and relative humidity below 70%. Proper airflow helps remove moisture and prevents condensation.
4. **Pest management:** Implement integrated pest management strategies to protect the rice from insect infestation. This includes thorough cleaning of storage areas, fumigation or use of appropriate insecticides, and regular monitoring for signs of pests. Consider using insect-resistant storage containers or incorporating botanical protectants like neem leaves or powder.
5. **Packaging considerations:** Use suitable packaging materials to maintain the quality of the rice. High-quality, moisture-resistant bags made of polypropylene or jute are commonly recommended. Ensure the bags are clean, free from holes, and properly sealed to prevent moisture ingress and pest entry. Avoid using bags previously used for chemicals or other contaminants.
6. **Stock rotation and consumption:** Practice a first-in, first-out (FIFO) approach to avoid storing rice for extended periods. Regularly check stored rice for any signs of spoilage, off-odors, or discoloration. It is recommended to use or sell the older stock first and consume the stored rice within six to twelve months to maintain its nutritional value.
7. **Monitoring and record-keeping:** Regularly monitor the storage conditions, including temperature, humidity, and any signs of pests or spoilage. Maintain proper records of storage practices, including dates of storage, moisture content, pest control measures, and any observations. This information can help identify potential issues and improve storage practices in the future.

8. **Training and education:** Ensure that farmers, storage operators, and other stakeholders involved in rice storage are trained on best practices. Provide education on proper handling, drying, storage, and pest management techniques specific to rice. Encourage the adoption of improved storage practices through training programs and workshops.

3.5. STACKING OF RAW MATERIALS

Stacking biofortified maize should be done with care to ensure product integrity and minimize the risk of damage. Here are some specific guidelines for stacking biofortified maize:

1. **Stable Base:** Start by creating a stable base for stacking the bags of biofortified maize. Ensure that the surface is level, clean, and free from any sharp or protruding objects that could puncture the bags.
2. **Palletization:** Consider using pallets as a base for stacking the bags of biofortified maize. Pallets provide stability, allow forklift or pallet jack access, and protect the bags from direct contact with the floor.
3. **Stack Height:** Determine the maximum stack height based on the weight and stability of the bags. Avoid stacking the bags too high, as it may compromise stability and increase the risk of the stack toppling over. Follow any guidelines or recommendations provided by the manufacturer or packaging specifications.
4. **Stack Shape:** Aim for a square or rectangular shape when stacking the bags. This helps to distribute the weight evenly and maintain stability. Avoid creating tall, narrow stacks that may become unstable.
5. **Interlocking Pattern:** Stagger the bags in an interlocking pattern when stacking them. This improves stability by creating a secure structure and prevents the bags from shifting or collapsing. Alternating the placement of bags along the length and width of the stack helps to distribute the weight evenly.
6. **Straight Edges:** Ensure that the edges of the stack are straight and aligned. This helps to maintain stability and prevents the stack from leaning or toppling over.
7. **Overhang Prevention:** Avoid overhanging bags from the edges of the stack, as it can lead to bag damage or instability. Keep the bags within the confines of the stack.
8. **Secure the Stack:** Use straps, bands, or shrink wrap to secure the stack and prevent movement during handling or transportation. This helps to maintain the integrity of the stack and minimize the risk of bags shifting or falling.
9. **Adequate Space:** Leave sufficient space between stacks to allow for easy access, ventilation, and inspection. This facilitates airflow, reduces the risk of moisture buildup, and allows for visual inspection of the stacked bags.
10. **Weight Limitations:** Consider weight limitations imposed by storage racks or equipment. Ensure that the weight of the stack, including the bags and the pallet, is within the safe capacity of the storage system or handling equipment being used.

IMAGE OF SAMPLE RICE STACKING HERE

3.6. STORAGE PACKAGING AND CONTAINERS

When storing and packaging biofortified maize, it's important to select suitable containers that maintain product quality, prevent contamination, and ensure proper handling. Here are some options for storage and packaging containers for biofortified maize:

1. **Jute Bags:** Jute bags are commonly used for storing and transporting grains, including maize. They are durable, breathable, and allow for airflow, which helps prevent moisture buildup and mold growth. Jute bags also provide some level of protection against pests.

2. **Polypropylene (PP) Bags:** Polypropylene bags are widely used for packaging grains, including maize. They are lightweight, tear-resistant, and provide good moisture barrier properties. PP bags can be laminated or coated for added protection against moisture and pests. They are available in various sizes and can be customized with labels or branding.
3. **Bulk Bags (FIBC):** Flexible Intermediate Bulk Containers (FIBCs), also known as bulk bags or super sacks, are large, woven polypropylene bags designed for storing and transporting bulk quantities of grains. FIBCs have high load-bearing capacity, are UV-resistant, and can be handled with forklifts or cranes. They are an efficient option for large-scale storage and transportation of biofortified maize.
4. **Sealed Plastic Drums or Barrels:** Plastic drums or barrels with airtight seals can be used for storing smaller quantities of biofortified maize. These containers provide protection against moisture, pests, and contaminants. They are suitable for long-term storage and can be stacked to save space.
5. **Silos:** Silos are large storage structures designed to hold bulk quantities of grains. They provide protection against weather conditions, pests, and contamination. Silos can be made of metal, concrete, or fiberglass, and they offer efficient storage and easy retrieval of biofortified maize. They are commonly used in industrial-scale grain storage facilities.
6. **Vacuum-sealed Bags:** Vacuum-sealed bags or pouches are used for packaging smaller quantities of biofortified maize. The bags are airtight, preventing moisture, oxygen, and pests from reaching the product. Vacuum sealing helps maintain product freshness and extends shelf life.
7. **Food-Grade Plastic Containers:** Food-grade plastic containers, such as HDPE (high-density polyethylene) or PET (polyethylene terephthalate) containers, can be used for packaging smaller quantities of biofortified maize. These containers are lightweight, durable, and provide airtight seals to maintain product quality. They are suitable for retail packaging or storing maize products like flour or meal.

COLLAGE OF SELECTED IMAGES OF STORAGE CONTAINERS LISTED ABOVE HERE

3.7. STORAGE ARRANGEMENTS AND WORKWAYS

1. **On-Farm Storage:** On-farm storage refers to storing maize directly at the farm where it is grown. Here are some common on-farm storage methods:
 - **Cribs:** Cribs are traditional storage structures made of wood or bamboo. They provide ventilation and protection against pests and moisture. The maize is typically stacked on raised platforms or racks within the cribs.
 - **Bins:** Bins are more modern storage structures made of metal or concrete. They are designed to hold larger quantities of maize and provide better protection against pests, rodents, and moisture. Bins often have airflow systems and temperature control options to maintain grain quality.
 - **Silos:** Silos are tall cylindrical, or tower-like structures used for bulk storage of maize. They are typically made of metal or concrete and are well-suited for large-scale storage. Silos can have additional features like aeration systems, temperature monitoring, and automated handling equipment.
2. **Off-Farm Storage:** Off-farm storage involves storing maize in commercial facilities that are separate from the farm. These facilities are often owned and operated by grain elevators, warehouses, or cooperative organizations. Off-farm storage provides a centralized location for multiple farmers to store their maize. The facilities typically have larger storage capacities, advanced handling equipment, and quality control measures to ensure proper storage conditions.
3. **Home Storage:** Maize can also be stored at home on a smaller scale. Here are some common methods for home storage:

- **Plastic Bags:** Maize can be stored in sturdy, food-grade plastic bags. Ensure that the bags are clean, dry, and sealed tightly to protect against pests, moisture, and contaminants. It's important to avoid using low-quality or thin plastic bags that may tear or allow pests to penetrate.
- **Metal Cans:** Metal cans with airtight seals can be used for storing smaller quantities of maize. Ensure that the cans are clean, dry, and free from rust. Metal cans provide good protection against pests, moisture, and light.
- **Glass Jars:** Glass jars with airtight lids can be used for storing small amounts of maize. They are suitable for storing maize flour or smaller maize kernels. Glass jars provide good visibility, protection against pests, and can be easily labeled.

3.8. USE OF PALLETS

Using pallets for maize can provide numerous benefits, such as efficient handling, improved storage, and easier transportation. The type of pallet used for maize will depend on the specific application. However, some of the most common types of pallets used for maize include:

- **Wood pallets:** Wood pallets are the most common type of pallet used for maize. They are strong and durable, and they can be reused multiple times.
- **Plastic pallets:** Plastic pallets are becoming increasingly popular for maize storage and transport. They are lightweight and easy to clean, and they are not susceptible to damage from moisture or chemicals.
- **Metal pallets:** Metal pallets are strong and durable, and they are ideal for storing and transporting heavy loads of maize. However, they can be more expensive than wood or plastic pallets.

IMAGE COLLAGE OF PALLET TYPES LISTED ABOVE HERE

MODULE 3: ENVIRONMENT CONDITIONS

3.9. PEST CONTROL

Effective pest control is essential in ensuring the quality and safety of stored biofortified maize. Here are some recommendations for pest control in maize storage:

1. **Clean and inspect the storage area:** Thoroughly clean the storage area before introducing the maize. Remove any debris, spilled grains, or residual materials that could attract pests. Inspect the storage facility for potential entry points, such as gaps in walls or floors, and seal them to prevent pest infestations.
2. **Good hygiene practices:** Maintain good hygiene in the storage area to minimize pest attraction. Regularly clean the storage containers, equipment, and surrounding areas. Properly dispose of waste or spoiled maize to prevent pests from being drawn to the storage area.
3. **Proper ventilation:** Ensure proper ventilation in the storage facility. Good airflow helps maintain optimal moisture levels, reducing the risk of mold growth and deterring pests. However, be cautious not to create openings that allow pests to enter the storage area.
4. **Temperature control:** Pests are often more active and reproduce faster in warmer environments. Maintain a cool temperature in the storage area to discourage pest activity. Monitor and control temperature levels to keep them within appropriate ranges for maize storage.
5. **Moisture control:** Pests are attracted to humid environments. Keep the moisture content of the maize within the recommended range to prevent mold growth and discourage pests. Properly dry the maize before storage and monitor humidity levels regularly.

6. **Proper packaging and sealing:** Use high-quality packaging materials such as insect-repellent bags or liners to protect the maize from pests. Seal the bags properly to prevent pest entry. Inspect the packaging regularly for any signs of damage or breaches.
7. **Regular monitoring:** Implement a regular monitoring system to detect early signs of pest infestation. Regularly inspect the maize and storage area for pest presence, such as signs of droppings, chewed grains, or live insects. Promptly address any pest issues to prevent further damage and spread.
8. **Integrated pest management (IPM):** Implement an IPM approach that combines multiple pest control strategies. This may include cultural practices (proper sanitation, cleanliness), physical methods (traps, screens), biological control (natural enemies of pests), and judicious use of pesticides if necessary. Seek guidance from pest control professionals to develop an effective IPM plan.
9. **Pest-resistant storage containers:** Consider using storage containers made of materials that are resistant to pest infestation, such as metal or plastic. These containers provide an additional layer of protection against pests compared to traditional bags.
10. **Regular cleaning and maintenance:** Regularly clean and maintain the storage area, including shelves, pallets, and equipment, to eliminate any potential hiding places for pests. Remove any spilled grains or debris that may attract pests.
11. **Consulting pest control professionals:** Consult with pest control professionals for expert advice and assistance. They can help identify specific pest threats, develop tailored pest management plans, and provide guidance on the safe and effective use of pesticides if needed.

3.10. TEMPERATURE AND HUMIDITY CONTROL

Temperature and humidity control are vital aspects of maize storage to maintain the quality and prevent spoilage. Here are some recommendations for temperature and humidity control in maize storage:

1. **Optimal temperature range:** Maintain the storage temperature within the recommended range for maize, typically between 10°C and 15°C (50°F and 59°F). This temperature range helps slow down the rate of grain deterioration and inhibits the growth of pests, molds, and fungi.
2. **Temperature monitoring:** Install temperature monitoring devices in the storage facility to regularly monitor and record the temperature levels. Place the sensors strategically in different areas of the storage facility to ensure accurate temperature readings.
3. **Insulation and ventilation:** Insulate the storage facility to reduce temperature fluctuations caused by external factors. Proper insulation helps maintain a more stable storage environment. Additionally, ensure adequate ventilation to prevent heat buildup and promote airflow, which aids in moisture control.
4. **Humidity control:** Keep the relative humidity (RH) in the storage area within the recommended range of 14% to 16% for maize storage. This range helps prevent moisture absorption by the maize, reducing the risk of mold growth and insect infestation. Use humidity monitoring devices to measure and maintain the desired RH levels.
5. **Moisture content of maize:** Ensure that the moisture content of the maize is properly dried and falls within the recommended range for storage. The specific moisture content requirements may vary depending on the maize variety and storage duration. High moisture content can lead to mold growth and spoilage, while low moisture content can cause excessive drying and quality deterioration.

6. **Moisture barriers:** Use moisture barriers, such as airtight containers or moisture-resistant packaging materials, to protect the maize from moisture ingress. Properly seal the containers or bags to prevent moisture absorption, which can lead to quality deterioration and pest infestation.
7. **Dehumidification and humidification:** Depending on the storage conditions and geographic location, you may need to employ dehumidification or humidification methods. Dehumidification is necessary in high-humidity environments to reduce moisture levels, while humidification may be required in excessively dry environments to maintain optimal moisture content. Utilize appropriate equipment, such as dehumidifiers or humidifiers, to control the moisture levels effectively.
8. **Air circulation:** Ensure adequate air circulation within the storage area to prevent the formation of hotspots and moisture buildup. Use fans or natural ventilation to maintain proper airflow, minimizing temperature and humidity variations.
9. **Regular monitoring and adjustment:** Continuously monitor the temperature and humidity levels in the storage facility and make necessary adjustments to maintain optimal conditions. Regularly check the moisture content of the maize to ensure it remains within the recommended range.
10. **Climate control systems:** Consider implementing climate control systems, such as HVAC (heating, ventilation, and air conditioning) systems, to regulate temperature and humidity effectively. These systems provide precise control over storage conditions and help maintain consistent and optimal environmental parameters.

3.11.LIGHT AND VENTILATION CONTROL

Light and ventilation are important factors to consider in maize storage to maintain product quality and prevent spoilage. Here are recommendations for light and ventilation control in maize storage:

Light Control:

1. **Avoid direct sunlight:** Protect the maize from direct exposure to sunlight as it can lead to increased temperature and moisture content, accelerating spoilage and promoting insect activity. Ensure that the storage facility is designed or modified to minimize sunlight penetration.
2. **Use opaque containers:** Store the maize in opaque containers or bags that block out light. Light exposure can cause nutrient degradation and affect the quality of the maize. Opaque containers provide an additional layer of protection against light.
3. **Maintain proper lighting:** While direct sunlight should be avoided, it is essential to have adequate lighting in the storage area for inspection, cleaning, and maintenance purposes. Install proper lighting fixtures that provide sufficient illumination without generating excessive heat.

Ventilation Control:

1. **Ensure proper airflow:** Proper ventilation is crucial to prevent moisture buildup and maintain optimal conditions in the storage area. Ensure that the storage facility has adequate ventilation to allow for the exchange of air. This helps regulate temperature, reduce humidity, and minimize the risk of mold growth.
2. **Natural ventilation:** Design the storage facility with windows, vents, or openings to facilitate natural airflow. Position these openings strategically to promote cross-ventilation and prevent stagnant air pockets. Regularly monitor weather conditions and adjust openings accordingly to balance ventilation and external factors.
3. **Forced ventilation:** In some cases, natural ventilation may not be sufficient. Consider using fans or mechanical ventilation systems to enhance airflow within the storage facility. Properly positioned fans can help circulate air and prevent the formation of hotspots or areas of excessive moisture.

4. **Insulation and air leaks:** Insulate the storage facility to minimize temperature fluctuations caused by external factors. Seal any air leaks or gaps in the structure that may disrupt proper ventilation. This helps maintain a more controlled environment and prevents the entry of pests or contaminants.
5. **Moisture management:** Effective ventilation aids in moisture control by reducing humidity levels and preventing condensation. Moisture management is crucial in preventing mold growth and preserving the quality of the maize. Monitor humidity levels regularly and adjust ventilation accordingly to maintain optimal moisture content.
6. **Regular monitoring:** Continuously monitor the airflow, temperature, and humidity levels within the storage facility. Regular inspections help identify any issues or areas that require attention, such as blocked vents or poor air circulation. Address any ventilation concerns promptly to ensure optimal storage conditions.

3.12. MAIZE RAW MATERIAL STORAGE

Raw material storage for biofortified maize involves the proper handling and storage of the harvested maize with enhanced nutritional qualities.

- Store biofortified maize in clean, well-ventilated storage facilities to maintain its quality and nutritional value.
- Ensure the storage area is free from pests, moisture, and contaminants that can compromise the integrity of the maize.
- Store biofortified maize in a cool and dry environment to prevent mold growth and maintain its nutritional properties.
- Implement a first-in, first-out (FIFO) system to ensure proper rotation and use of the maize to minimize waste and maintain freshness.
- Regularly inspect and monitor the stored maize for signs of spoilage, pests, or moisture, and take appropriate actions if any issues are detected.
- Properly label the storage containers or bins with relevant information, such as the variety, lot number, and harvest date, for traceability and inventory management.
- Train personnel on proper storage practices, including handling, stacking, and maintenance of storage facilities, to ensure the integrity of the biofortified maize.

3.13. AREA ACCESS CONTROL

Access control for the storage of raw materials is essential to ensure the security and integrity of the stored materials. Access control refers to the implementation of security measures and protocols to control and restrict access to specific areas such as warehouse, within the factory where maize storage and other activities takes place. This is done to ensure the security and integrity of the stored materials. Some common practices for access control for rice storage and processing include:

1. **Access Control Policies:** Develop and enforce access control policies that clearly outline the rules and procedures for accessing restricted areas. Regularly review and update these policies to align with changing requirements and best practices. Implement a restricted access policy to limit entry to authorized personnel only. This helps prevent unauthorized access, theft, or tampering.
2. **Access Cards and Key Systems:** Implement an access control system that requires employees to use access cards or keys to enter restricted areas. These systems can track and record entry and exit times, providing a log of who accessed the area.
3. **Physical Barriers:** Install physical barriers such as fences, walls, and locked gates to limit access to authorized personnel only. Clearly mark restricted areas and use signage to indicate the need for authorization.
4. **Video Surveillance:** Install surveillance cameras at entry points and throughout the facility to monitor activity and deter unauthorized access. Video footage can also be used for investigations and audits.

5. **Visitor Management:** Implement a visitor management system that requires visitors to sign in, wear identification badges, and be accompanied by authorized personnel while in restricted areas. Escorting visitors helps ensure they do not enter unauthorized areas.
6. **Employee Training:** Provide comprehensive training to employees on access control procedures, including the importance of not sharing access credentials, reporting suspicious activities, and following proper protocols when accessing restricted areas.
7. **Audit Trails and Monitoring:** Implement systems to track and monitor access events, including failed access attempts. Regularly review audit trails to identify any anomalies or potential security breaches.
8. **Regular Maintenance and Inspections:** Conduct regular maintenance and inspections of access control systems to ensure they are functioning properly. Address any issues promptly to maintain the integrity of the access control measures.

4A: MANUFACTURING PROCESSES: MACHINERY AND MAINTENANCE

MODULE 1: MACHINERY REQUIREMENTS

4.1. TYPES OF MACHINES REQUIRED

4.1.1. MAIZE CLEANING EQUIPMENT

This includes machinery for removing impurities such as stones, dust, dirt, and other foreign materials from the maize grains. Examples include:

1. Pre-cleaners
2. Vibrating screens
3. Destoners
4. Magnetic separators.

4.1.2. MAIZE DEHUSKING AND DEGERMING MACHINES

These machines are used to remove the outer husk and germ from the maize kernels. They include

1. Dehuskers
2. Degerminators, and
3. Dehullers.

4.1.3. MAIZE MILLING MACHINES

These machines are used to grind maize kernels into different particle sizes to produce maize flour, meal, and grits. Common milling machines for maize processing include:

1. Hammer mills
2. Roller mills
3. Plate mills

4.1.4. MAIZE SORTING AND SIFTING MACHINES

These machines are used to separate different-sized particles and impurities from the milled maize products. Examples include:

1. Sifter
2. Graders
3. Air separators.

4.1.5. MAIZE PACKAGING MACHINES

These machines are used to package the final maize products into bags or containers. They can include:

1. Weighing scales
2. Bagging machines
3. Sealing machines
4. Labeling machines.

4.2. CONSIDERATIONS TO CHOSE MACHINERY

When choosing maize processing machinery, several factors should be considered:

- **Processing Capacity:** Determine the required processing capacity based on the expected production volume to ensure the machinery can handle the desired output.
- **Product Quality:** Consider the machinery's capability to produce consistent and high-quality maize products, as well as its ability to minimize breakage or damage during processing.
- **Energy Efficiency:** Evaluate the energy consumption of the machinery to ensure cost-effectiveness and environmental sustainability.
- **Maintenance and Durability:** Assess the maintenance requirements and durability of the machinery to ensure long-term reliability and minimize downtime.
- **Cost:** Consider the initial investment cost of the machinery, as well as operational costs such as power consumption, spare parts availability, and after-sales service.
- **Cleaning-in-place:** Consideration of cleaning-in-place method applicable to the machine.

4.3. TRAINING AND TEST RUNNING

The specific training required for operating maize processing machinery may vary depending on the complexity of the equipment. Generally, the training should cover the following aspects:

- **Equipment Operation:** Train operators on the proper use, setup, and adjustment of the machinery to ensure efficient and safe operation.
- **Maintenance and Troubleshooting:** Provide training on routine maintenance procedures, cleaning, and troubleshooting techniques to keep the machinery in good working condition and address common issues that may arise.
- **Safety Procedures:** Emphasize safety protocols and guidelines to ensure operators are aware of potential hazards and follow proper safety measures during operation.
- **Quality Control:** Train personnel on quality control procedures, including product sampling, inspection, and adherence to quality standards to maintain consistent product quality.
- **Record Keeping:** Provide training on proper documentation and record-keeping practices to maintain production records, machine performance logs, and maintenance.

MODULE 2: CLEANING IN PLACE CONCEPT

4.4. CONCEPT OF CIP

Cleaning-in-Place (CIP) is defined as *"The cleaning of complete items of plant or pipeline circuits without dismantling or opening of the equipment and with little or no manual involvement on the part of the operator. The process involves the jetting or spraying of surfaces or circulation of cleaning solutions through the plant under conditions of increased turbulence and flow velocity"*

The cleaning-in-place (CIP) procedures for maize processing machinery can vary depending on the specific equipment involved. It is important to create SOPs for all processing machinery CIPs. Examples of common CIP steps for maize processing machinery include:

1. **Disassembly:** If applicable, disassemble the machinery according to the manufacturer's instructions. This allows for easier access to all parts and facilitates thorough cleaning.
2. **Dry Cleaning:** Begin by removing any dry debris or residue from the machinery. This can be done using brushes, compressed air, or vacuuming equipment to dislodge and remove loose particles.
3. **Flushing:** Start the CIP process by flushing the machinery with water to remove any remaining debris or loose material. High-pressure water jets or sprayers can be used to ensure thorough cleaning of surfaces, crevices, and hard-to-reach areas.
4. **Cleaning Solution Application:** Apply a suitable cleaning solution or detergent to the machinery. The choice of cleaning solution may vary based on the type of machinery and the contaminants to be removed. Follow the manufacturer's recommendations for the appropriate concentration and contact time.
5. **Circulation and Soaking:** Circulate the cleaning solution throughout the machinery using pumps or recirculation systems. This ensures that the solution reaches all surfaces and components. If necessary, allow the cleaning solution to soak for a specified period to enhance the removal of stubborn residues.
6. **Mechanical Action:** Some machinery may have surfaces that require mechanical action for effective cleaning. This can include using brushes, scrubbers, or spray devices to agitate and dislodge residues from surfaces or parts.
7. **Rinse:** After the cleaning solution has had sufficient contact time, thoroughly rinse the machinery with clean water. Ensure that all traces of the cleaning solution and loosened contaminants are removed. Multiple rinsing cycles may be necessary to achieve the desired cleanliness.
8. **Sanitization:** In addition to cleaning, sanitization is important to eliminate or reduce microbial contamination. Apply a suitable sanitizing agent or disinfectant to the machinery, following recommended concentrations and contact times. This step helps ensure hygienic conditions and prevents the growth of harmful microorganisms.
9. **Final Rinse:** After sanitization, perform a final rinse with clean water to remove any residual sanitizing agent or disinfectant.
10. **Reassembly and Inspection:** Once the machinery is thoroughly cleaned and rinsed, reassemble the disassembled parts as per the manufacturer's instructions. Inspect the equipment for any signs of damage, wear, or malfunctions that may require attention or repairs before reuse.

Sample Cleaning Record

Date	Machine	Type of Cleaning	Personnel Responsible	Remarks

Quality Control Officer:

4.5. ACCEPTABLE CLEANING AGENTS

When it comes to selecting cleaning agents for maize processing machines, it is essential to choose products that are safe, effective, and approved for use in food processing environments. Some commonly used and acceptable cleaning agents for maize processing machines are:

1. **Alkaline cleaners:** Alkaline cleaners are effective in removing oil, grease, and organic residues. They are commonly used for cleaning maize milling machines, silos, and conveyors. Sodium hydroxide (caustic soda) and potassium hydroxide are examples of alkaline cleaning agents.
2. **Acidic cleaners:** Acidic cleaners are useful for removing mineral deposits, scale, and inorganic residues. They are often employed for descaling and cleaning equipment such as boilers, heat exchangers, and pipes. Common acidic cleaning agents include citric acid, phosphoric acid, and hydrochloric acid. It is important to handle acidic cleaners with care and follow safety guidelines to prevent corrosion and ensure worker safety.
3. **Enzymatic cleaners:** Enzymatic cleaners are effective in breaking down protein-based stains and residues. They can be beneficial for removing organic matter from maize processing equipment. Enzymes like proteases or amylases are commonly used in enzymatic cleaning agents.
4. **Chlorine-based sanitizers:** Chlorine-based sanitizers are used to disinfect and sanitize maize processing equipment. They are effective against a wide range of microorganisms. Sodium hypochlorite (household bleach) or chlorine dioxide are commonly used chlorine-based sanitizers. It is important to use them according to recommended concentrations and rinse thoroughly afterward to remove any residual chlorine.
5. **Quaternary ammonium compounds (Quats):** Quats are commonly used as sanitizers in the food industry, including maize processing. They are effective against a variety of bacteria, viruses, and fungi. Quats have good stability and are often used for equipment surfaces, floors, and walls.
6. **Peroxyacetic acid (PAA):** PAA is a potent sanitizer and disinfectant that is effective against a broad spectrum of microorganisms, including bacteria, yeast, molds, and viruses. It is often used in food processing facilities, including maize processing plants, to ensure microbial control.

4.6. SCHEDULED CLEANING BEYOND CIP

In addition to regular Clean-In-Place (CIP) procedures, scheduled cleaning beyond CIP is necessary to maintain optimal hygiene and prevent the buildup of contaminants in maize processing machines. Here are some examples of scheduled cleaning tasks that can be performed:

1. **Disassembly and manual cleaning:** Some parts of maize processing machines, such as screens, rollers, and other removable components, may require disassembly for thorough cleaning. These parts can be soaked, scrubbed, or cleaned using specialized brushes to remove stubborn residues or deposits. Ensure proper reassembly after cleaning.
2. **Inspection and cleaning of filters:** Filters play a crucial role in maize processing equipment by removing impurities and foreign particles. Regularly inspect and clean the filters to prevent clogging and ensure uninterrupted operation. Follow the manufacturer's guidelines for proper filter cleaning and replacement.
3. **Conveyor belt cleaning:** Maize processing often involves the use of conveyor belts to transport maize and other materials. These belts can accumulate maize dust, debris, and product residues over time. Scheduled cleaning of conveyor belts using appropriate cleaning agents or methods, such as brushing or vacuuming, is essential to maintain cleanliness and prevent cross-contamination.
4. **Cleaning of hoppers and storage bins:** Maize hoppers and storage bins should be regularly cleaned to remove any remaining maize grains, dust, or debris. Use appropriate cleaning tools and equipment to ensure thorough cleaning of these areas.
5. **Equipment exterior and surrounding area cleaning:** While the focus is primarily on internal cleaning, it is also important to clean the exterior surfaces of maize processing machines. Wipe down the surfaces with appropriate cleaning agents to remove dirt, dust, and other contaminants. Additionally, keep the surrounding area clean and free from debris to maintain a hygienic environment.
6. **Regular sanitation of the processing area:** Apart from the equipment itself, maintaining a clean processing area is crucial. Regularly sanitize floors, walls, and other surfaces to prevent the growth and spread of bacteria, molds, and other microorganisms. Use appropriate sanitizing agents and follow proper cleaning protocols.

4.7. CONFIRMING HYGIENE STATUS OF EQUIPMENT

To confirm the hygiene status of equipment in a maize processing facility, the following steps should be taken:

1. **Visual inspection:** Conduct a visual inspection of the equipment to check for any visible signs of dirt, residue, or damage. Look for areas where contaminants may accumulate, such as corners, joints, or crevices.
2. **Swab testing:** Perform swab tests on selected surfaces of the equipment to collect samples for microbiological analysis. Swab the surfaces using sterile swabs and transfer them to appropriate testing containers. These samples can be sent to a laboratory for analysis to determine the presence of microorganisms.
3. **ATP testing:** ATP (Adenosine Triphosphate) testing measures the amount of organic material present on surfaces, indicating potential contamination. Use an ATP testing device to swab the equipment surfaces and measure the ATP levels. High ATP levels indicate inadequate cleaning and hygiene.
4. **Allergen testing:** If your maize processing facility handles allergenic ingredients, perform allergen testing to ensure that equipment is free from cross-contamination. Test for the presence of specific allergens using rapid test kits or send samples to a laboratory for analysis.
5. **Sensory evaluation:** Conduct sensory evaluation to detect any abnormal odors or tastes that may indicate contamination or improper cleaning. This can be done by trained personnel who are familiar with the expected sensory attributes of maize products.
6. **Review cleaning records:** Review the cleaning records and logs to ensure that proper cleaning procedures are followed, including CIP protocols, scheduled cleaning tasks, and cleaning agent usage. Verify that cleaning frequencies are consistent and documented.
7. **Maintenance inspection:** Regularly inspect and maintain the equipment to ensure its proper functioning and cleanliness. Address any issues promptly, such as worn or damaged parts that may compromise hygiene.

8. **Regulatory compliance:** Ensure that your equipment meets the regulatory requirements and standards for food processing hygiene. Stay updated with local health and safety regulations and implement necessary measures to maintain compliance.

MODULE 3: MACHINE PREVENTIVE MAINTENANCE

4.8. PLANNING MAINTENANCE

Planning maintenance for maize processing machineries involves a systematic approach to ensure timely and effective maintenance activities. Here are the steps involved in planning maintenance:

1. **Identify Maintenance Needs:** Assess the maintenance requirements of each maize processing machinery. Consider factors such as the manufacturer's recommendations, historical data on maintenance issues, and the machinery's critical components.
2. **Develop a Maintenance Schedule:** Create a schedule that outlines the frequency and timing of maintenance tasks for each machinery. Consider the equipment's operational hours, production cycles, and any seasonal fluctuations in demand.
3. **Prioritize Maintenance Tasks:** Determine the priority of each maintenance task based on its impact on equipment performance, production efficiency, and safety. Focus on critical tasks that directly affect production or have the potential to cause significant disruptions if not addressed promptly.
4. **Allocate Resources:** Determine the necessary resources for maintenance, including personnel, tools, spare parts, and any external support required. Ensure that the resources are available and allocated accordingly to execute the planned maintenance activities.
5. **Create a Work Order System:** Establish a system for generating work orders that specify the maintenance tasks, responsible personnel, timelines, and any special instructions or precautions. This helps streamline the maintenance process and ensures clear communication among team members.
6. **Procure and Organize Spare Parts:** Identify the required spare parts for maintenance activities and ensure their availability. Establish a system for procuring, organizing, and tracking spare parts to minimize downtime caused by waiting for replacements.
7. **Document Maintenance Procedures:** Create detailed maintenance procedures and guidelines for each machinery. Include step-by-step instructions, safety precautions, and recommended tools or techniques. Documenting procedures ensures consistency, facilitates training, and serves as a reference for future maintenance activities.
8. **Implement a Maintenance Tracking System:** Utilize a maintenance tracking system to record and monitor maintenance activities. This system should include information such as maintenance dates, tasks performed, observations made, and any follow-up actions required. The tracking system aids in tracking maintenance history, identifying recurring issues, and planning future maintenance tasks.
9. **Review and Improve:** Regularly review the effectiveness of the maintenance plan and seek feedback from maintenance personnel. Analyze maintenance data and identify areas for improvement, such as optimizing schedules, refining procedures, or investing in additional training or resources.
10. **Maintain Communication and Collaboration:** Foster communication and collaboration among maintenance personnel, production teams, and management. Encourage reporting of equipment issues or abnormalities, feedback on maintenance processes, and suggestions for improvement.

4.9. MAINTAINING SPARE-REORDER LEVEL

Setting a maintenance spare reorder level ensures that an adequate supply of spare parts is maintained to support ongoing maintenance activities for maize processing machineries. The reorder level is the quantity of spare parts that triggers the initiation of the procurement process to replenish the stock. An example of how you can determine the maintenance spare reorder level:

1. **Analyze Historical Usage:** Review historical data on spare parts usage, considering factors such as the frequency of replacements and the lead time for procuring new parts. Identify the average consumption rate for each spare part.
2. **Consider Equipment Criticality:** Assess the criticality of each equipment and its associated spare parts. Equipment that is essential for uninterrupted production or has a higher probability of failure may require a higher reorder level to minimize downtime.
3. **Lead Time for Procurement:** Determine the lead time required to procure spare parts, considering factors such as supplier availability, shipping time, and any customs or regulatory procedures. This information helps in calculating the reorder point to ensure timely availability of spare parts.
4. **Calculate Safety Stock:** Safety stock is a buffer inventory held to account for unexpected variations in demand or lead time. It ensures that spare parts are available even if there are unexpected delays or higher consumption rates. Calculate the safety stock based on factors such as equipment criticality, lead time, and the desired level of risk mitigation.
5. **Calculate Reorder Point:** The reorder point is the inventory level at which a new order should be placed to replenish the stock. It is calculated by adding the average consumption rate (usage per day or per week) to the lead time multiplied by the safety stock. The formula for reorder point is:

$$\text{Reorder Point} = (\text{Average Consumption Rate} \times \text{Lead Time}) + \text{Safety Stock}$$
6. **Set Reorder Level:** The reorder level is the inventory level at which the procurement process should be initiated. It is typically set slightly above the reorder point to account for any variations or unexpected consumption rates. The reorder level should be determined based on factors such as the frequency of ordering, procurement process lead time, and storage capacity.
7. **Monitor Inventory Levels:** Regularly monitor the spare parts inventory levels to ensure they do not fall below the reorder level. Initiate the procurement process once the inventory reaches the reorder level to maintain an adequate supply of spare parts.
8. **Review and Adjust:** Periodically review the spare parts usage, lead times, and equipment criticality to ensure the reorder level is still appropriate. Adjust the reorder level if necessary, based on changes in equipment performance, maintenance requirements, or any other relevant factors.

4.10. IN-HOUSE AND OUTSOURCING CRITERIA

4.10.1. IN-HOUSE MAINTENANCE CRITERIA

1. **Expertise and Resources:** Assess whether your organization has the necessary expertise, skills, and resources to handle maintenance tasks effectively. This includes having trained personnel, access to tools and equipment, and the capability to address a wide range of maintenance needs.
2. **Equipment Knowledge:** Consider the level of familiarity your in-house team has with the specific maize processing machineries. If your team is highly knowledgeable about the equipment, they may be better equipped to identify issues and perform maintenance tasks efficiently.
3. **Cost:** Evaluate the cost implications of maintaining an in-house maintenance team. This includes salaries, benefits, training, tools, and equipment. Compare these costs to potential savings achieved through timely maintenance, reduced downtime, and optimized equipment performance.
4. **Control and Flexibility:** In-house maintenance offers greater control over scheduling, prioritization, and decision-making. It allows you to tailor maintenance activities to your specific needs and adjust plans as necessary. Having an in-house team also provides more immediate response to maintenance emergencies.

4.10.2. OUTSOURCED MAINTENANCE CRITERIA

1. **Specialized Expertise:** Determine if there are specific maintenance tasks or specialized skills required for your maize processing machineries that your in-house team may lack. Outsourcing to specialized maintenance service providers can ensure that experts with in-depth knowledge and experience in the field handle critical maintenance tasks.
2. **Cost Efficiency:** Consider the potential cost savings of outsourcing maintenance. Outsourced maintenance can provide access to shared resources, bulk purchasing power, and economies of scale, potentially reducing overall maintenance costs compared to maintaining an in-house team.
3. **Focus on Core Competencies:** Outsourcing maintenance allows your organization to focus on its core competencies and primary business activities. By entrusting maintenance tasks to external experts, you can allocate more resources and attention to your primary operations and strategic goals.
4. **Scalability and Flexibility:** Outsourcing offers the advantage of scalability, allowing you to adjust the level of maintenance support based on your needs. You can engage maintenance service providers for specific tasks, periodic support, or comprehensive maintenance contracts, providing flexibility to adapt to changing demands.
5. **Access to Advanced Technology:** Maintenance service providers often invest in advanced technologies, diagnostic tools, and software systems that may be cost-prohibitive for an individual organization. By outsourcing, you can leverage their access to such technologies, which can enhance the effectiveness and efficiency of maintenance activities.
6. **Reduced Administrative Burden:** Outsourcing maintenance can relieve your organization of administrative tasks associated with managing an in-house maintenance team. This includes recruitment, training, performance management, and compliance with labor regulations.

4.11. HYGIENE DURING MAINTENANCE

Maintaining proper hygiene during maintenance activities is essential to ensure food safety and prevent contamination. Some guidelines for promoting hygiene during maintenance:

1. **Personal Hygiene:** Ensure that maintenance personnel adhere to good personal hygiene practices. This includes wearing clean and appropriate protective clothing, such as gloves, hairnets, and clean uniforms. Encourage regular handwashing with soap and water before and after maintenance tasks.
2. **Cleaning and Sanitization:** Before starting maintenance work, clean the surrounding area to remove any dirt, debris, or contaminants. Use appropriate cleaning agents and sanitizers to maintain cleanliness. Pay extra attention to areas that come into direct contact with the maize processing machinery or food contact surfaces.
3. **Separation of Tools and Equipment:** Maintain separate sets of tools and equipment for maintenance activities that involve different areas or stages of maize processing. This helps prevent cross-contamination between different processing zones.
4. **Containment of Contaminants:** Use appropriate containment measures to prevent the spread of contaminants during maintenance. For example, use plastic sheeting or barriers to isolate the maintenance area and prevent dust, debris, or other particles from entering the processing zone.
5. **Equipment Disassembly and Cleaning:** If maintenance tasks require disassembly of equipment, follow proper procedures for dismantling and cleaning. Thoroughly clean and sanitize all parts that come into direct contact with maize or food products. Ensure that all cleaning agents used are food-grade and approved for use in food processing environments.
6. **Allergen Control:** If your maize processing facility handles allergenic substances, take extra precautions during maintenance to prevent cross-contact. Clearly identify and label equipment or areas that may contain allergens, and ensure that maintenance personnel are aware of the allergenic risks and necessary preventive measures.

7. **Waste Management:** Properly dispose of any waste generated during maintenance, including used cleaning materials, lubricants, or damaged parts. Use designated waste disposal containers and follow the appropriate waste management procedures to prevent contamination and maintain a clean environment.
8. **Post-Maintenance Cleaning:** After completing maintenance tasks, conduct a thorough cleaning of the work area and the equipment involved. Remove any cleaning agents, residues, or debris to restore the cleanliness of the processing environment.
9. **Training and Awareness:** Provide training to maintenance personnel on the importance of hygiene during maintenance activities. Ensure they understand the potential risks of contamination and the specific procedures and precautions to follow to maintain hygiene standards. Encourage open communication and reporting of any hygiene concerns or incidents.
10. **Documentation and Auditing:** Maintain records of maintenance activities, including cleaning procedures, cleaning agents used, and any deviations or incidents that occur during maintenance. Regularly conduct internal audits to assess compliance with hygiene practices and identify areas for improvement.

4.12. MACHINE REPLACEMENT AND UPGRADE

Machine replacement and upgrades are important considerations in maintaining efficient and productive maize processing operations. Here are some factors to consider when deciding whether to replace or upgrade machinery:

1. **Age and Condition:** Evaluate the age and overall condition of the machinery. Older machines may be more prone to breakdowns, inefficiencies, and increased maintenance needs. If the machinery is nearing the end of its expected lifespan or requires frequent repairs, it may be a sign that replacement or upgrade is necessary.
2. **Technological Advances:** Assess the technological advancements in the industry and determine if newer machines offer improved capabilities, efficiency, or safety features. Upgrading to more advanced machinery can result in higher productivity, better quality output, and reduced operating costs.
3. **Capacity and Scalability:** Consider the capacity of the existing machinery and whether it aligns with current and future production needs. If the maize processing demand is increasing or if the machinery is operating at full capacity, upgrading to larger or more efficient equipment may be beneficial.
4. **Cost Analysis:** Conduct a thorough cost analysis that compares the expenses associated with replacing or upgrading machinery against the potential benefits. Consider the initial investment, installation costs, ongoing maintenance and operating expenses, and the expected return on investment (ROI) in terms of increased productivity, reduced downtime, or improved product quality.
5. **Regulatory Compliance:** Stay updated on any changes in regulatory requirements related to maize processing machinery. If new regulations are implemented that impact the safety, efficiency, or environmental aspects of the machinery, it may be necessary to replace or upgrade the equipment to ensure compliance.
6. **Energy Efficiency:** Evaluate the energy consumption of the existing machinery. Upgrading to more energy-efficient equipment can result in long-term cost savings through reduced energy expenses and may align with sustainability goals.
7. **Vendor Reputation and Support:** Research and evaluate the reputation, reliability, and support services of potential equipment vendors or manufacturers. Consider factors such as warranty coverage, maintenance agreements, spare parts availability, and customer reviews. Choose vendors that have a proven track record of delivering quality equipment and reliable after-sales support.
8. **Training and Operator Familiarity:** Assess the training requirements for operators and maintenance personnel when considering machine replacement or upgrades. Determine the level of training needed to operate and maintain the new equipment effectively. Consider whether the learning curve and training costs can be managed within the transition period.

9. **Maintenance and Availability of Spare Parts:** Consider the availability of spare parts and the maintenance requirements of the existing machinery. If spare parts are difficult to source or if maintenance is becoming a challenge, it may be more practical to replace the machinery with newer models that have better support and accessibility to spare parts.

4.13. POST MAINTENANCE CHECK CRITERIA

After completing maintenance tasks on maize processing machinery, it is important to perform post-maintenance checks to ensure that the equipment is functioning properly and ready for operation. Here are some criteria to consider during post-maintenance checks:

1. **Visual Inspection:** Conduct a visual inspection of the machinery to look for any signs of damage, loose or missing parts, leaks, or abnormalities. Check for proper alignment of belts, chains, and other moving components.
2. **Functionality Testing:** Test the machinery to ensure that it is functioning correctly. Run the equipment through its various operational modes or cycles and observe its performance. Check if all controls, sensors, and safety devices are working as intended.
3. **Lubrication:** Verify that all lubrication points have been properly lubricated as per manufacturer recommendations. Ensure that lubricants are at the appropriate levels and that there are no leaks or excessive grease accumulation.
4. **Electrical Systems:** Inspect electrical connections, cables, and wiring for any signs of damage, wear, or loose connections. Verify that all electrical components, such as motors, switches, and control panels, are operating correctly.
5. **Calibration and Adjustment:** If applicable, check and calibrate any sensors, meters, gauges, or measuring devices that were adjusted or replaced during maintenance. Ensure that they are accurate and provide reliable readings.
6. **Safety Checks:** Test the safety features of the machinery, such as emergency stop buttons, interlocks, and guarding systems, to ensure they are functional and providing adequate protection.
7. **Performance Evaluation:** Assess the performance of the machinery by comparing it to pre-maintenance benchmarks or expected performance standards. Check if any issues identified during maintenance have been effectively resolved and if the equipment is meeting the required specifications.
8. **Documentation and Recordkeeping:** Maintain accurate records of the maintenance activities performed, including details of repairs, replacements, adjustments, and any issues encountered. Update maintenance logs or management systems accordingly.
9. **Operator Training:** If significant changes were made to the machinery or operating procedures during maintenance, ensure that operators receive appropriate training and instruction on the updated equipment or processes.
10. **Post-Maintenance Testing:** Depending on the nature of the maintenance performed, conduct additional tests or inspections specific to the equipment to ensure it meets operational requirements and quality standards.

4.14. FOOD GRADE MAINTENANCE MATERIAL

When conducting maintenance on maize processing machinery in a food processing environment, it is crucial to use food-grade maintenance materials to prevent contamination and ensure food safety. Here are some common food-grade maintenance materials:

1. **Lubricants:** Choose food-grade lubricants specifically designed for use in food processing equipment. These lubricants are formulated to be non-toxic, odorless, and safe for incidental contact with food. They should meet regulatory standards.
2. **Cleaning Agents:** Select food-grade cleaning agents suitable for removing grease, dirt, and residues from equipment surfaces. These cleaning agents should be non-toxic, non-corrosive, and approved for use in food processing environments. Follow the manufacturer's instructions for proper dilution and application.

3. **Sealants and Adhesives:** Use food-grade sealants and adhesives when repairing or replacing gaskets, seals, or joints in maize processing machinery. Ensure that these materials are suitable for food contact and compliant with relevant food safety regulations.
4. **Coatings and Paints:** If equipment surfaces require coating or painting, choose food-grade coatings that are resistant to moisture, corrosion, and wear. These coatings should be free of harmful substances and provide a smooth, easy-to-clean surface.
5. **Welding Materials:** If welding repairs or modifications are necessary, use food-grade welding materials that do not introduce contaminants into the food processing environment. Welding materials should be specifically labeled as suitable for food contact applications.
6. **Filters and Strainers:** When replacing filters or strainers in processing equipment, select food-grade materials that are safe for use with food products. Ensure that the filters and strainers meet hygiene and filtration requirements.
7. **Spare Parts:** When sourcing spare parts for maize processing machinery, choose parts made from food-grade materials, such as stainless steel or food-safe plastics. These parts should be durable, corrosion-resistant, and compliant with food safety regulations.
8. **Personal Protective Equipment (PPE):** Provide maintenance personnel with food-grade PPE, such as gloves, aprons, and safety glasses, to prevent contamination of equipment surfaces during maintenance activities. Ensure that the PPE materials do not pose a risk to food safety.
9. **Storage Containers:** Store maintenance materials, such as lubricants, cleaning agents, and spare parts, in food-grade containers or designated storage areas that are clean and free from contaminants. Use properly labeled containers to avoid confusion and cross-contamination.
10. **Supplier Certifications:** Work with reputable suppliers who can provide documentation and certifications to confirm that the maintenance materials meet food-grade standards. Look for certifications such as NSF International certification or other recognized food safety certifications.
11. It is essential to follow the manufacturer's recommendations and guidelines when using food-grade maintenance materials. Regularly check and verify that the materials used are suitable for food contact and comply with relevant food safety regulations in your specific region.

B - MANUFACTURING PROCESSES: ENVIRONMENT AND CONTROL

MODULE 4: PROCESS ENVIRONMENT

4.15. PROCESS ENVIRONMENT REQUIREMENTS

Creating an appropriate process environment is crucial in a maize processing facility to ensure food safety, maintain product quality, and comply with regulatory standards. Key considerations for process environment requirements include:

1. **Temperature Control:** Proper temperature control is essential to prevent microbial growth, maintain product quality, and ensure food safety. Maintain appropriate temperature ranges for different stages of maize processing, including storage, milling, drying, and packaging, as specified by industry guidelines and regulatory requirements.
2. **Humidity Management:** Control humidity levels in the processing environment to prevent moisture-related issues such as mold growth, caking, or degradation of maize quality. Implement measures such as ventilation, dehumidification, or moisture barriers to maintain optimal humidity levels throughout the process.
3. **Air Quality:** Maintain clean and filtered air within the processing area to minimize the risk of contamination. Implement effective air filtration systems to remove airborne particles, dust, and allergens. Regularly inspect and clean ventilation systems to ensure proper airflow and reduce the presence of contaminants.

4. **Ventilation:** Ensure proper ventilation to control odors, remove excess heat, and maintain a comfortable working environment. Adequate ventilation helps dissipate moisture, fumes, and airborne contaminants, contributing to a healthier and safer process environment.
5. **Lighting:** Proper lighting is important for ensuring a safe and productive process environment. Use appropriate lighting levels that enable clear visibility for operators to perform their tasks effectively. Ensure that lighting fixtures are designed for food processing areas, resistant to breakage, and easily cleanable.
6. **Cleanliness and Sanitation:** Implement strict cleanliness and sanitation practices throughout the process environment. Regularly clean and sanitize processing equipment, surfaces, floors, and walls to prevent cross-contamination and maintain hygienic conditions. Follow industry-standard cleaning procedures and use approved cleaning agents for food contact surfaces.
7. **Pest Control:** Implement robust pest control measures to prevent infestations and minimize the risk of product contamination. Establish a pest management program that includes regular inspections, proper waste management, exclusion measures, and, if necessary, the use of safe and approved pesticides.
8. **Waste Management:** Implement proper waste management practices to ensure the timely removal and disposal of waste generated during the processing operations. Separate and dispose of waste in designated containers to prevent cross-contamination and maintain a clean and organized process environment.
9. **Facility Design and Layout:** Ensure that the facility design and layout are optimized for efficient workflow and food safety. Consider factors such as adequate space for equipment, proper segregation of processing areas, clear separation of raw and finished product zones, and the inclusion of designated handwashing and sanitation stations.
10. **Compliance with Regulatory Standards:** Adhere to all applicable regulatory standards, guidelines, and certifications related to food processing. Stay updated with industry best practices and regulatory changes to ensure ongoing compliance with food safety requirements.

4.16. STANDARD OPERATING PROCEDURES

Standard Operating Procedures (SOPs) are detailed, step-by-step instructions that outline the specific processes and activities required to be followed in a food factory. SOPs provide consistency, ensure compliance with regulations, promote safety, and maintain quality standards.

It is crucial to customize SOPs to the specific processes, equipment, and requirements of each food factory. SOPs should be regularly reviewed, updated, and communicated to all relevant personnel. Additionally, training programs should be conducted to ensure employees understand and follow the SOPs consistently. Some examples of processes that require SOPs include:

- Raw material reception
- Different Quality assurance processes
- Production access protocol
- Machine maintenance
- Cleaning procedures
- Pest control procedures
- Machine operation procedures etc.

4.17. MANUFACTURING AND PRODUCTION AREA ACCESS CONTROL

Access control for process in food factories refers to the implementation of security measures and protocols to control and restrict access to specific areas within the factory where food processing takes place. This is done to ensure food safety, prevent contamination, maintain quality standards, and comply with regulatory requirements. Some common practices for access control in food factories:

1. **Physical Barriers:** Install physical barriers such as fences, walls, and locked gates to limit access to authorized personnel only. Clearly mark restricted areas and use signage to indicate the need for authorization.
2. **Access Cards and Key Systems:** Implement an access control system that requires employees to use access cards or keys to enter restricted areas. These systems can track and record entry and exit times, providing a log of who accessed the area.
3. **Biometric Authentication:** Use biometric technologies like fingerprint or iris scanners to verify the identity of individuals before granting access to sensitive areas. Biometrics offer a higher level of security and prevent unauthorized use of access cards or keys.
4. **Video Surveillance:** Install surveillance cameras at entry points and throughout the facility to monitor activity and deter unauthorized access. Video footage can also be used for investigations and audits.
5. **Visitor Management:** Implement a visitor management system that requires visitors to sign in, wear identification badges, and be accompanied by authorized personnel while in restricted areas. Escorting visitors helps ensure they do not enter unauthorized areas.
6. **Employee Training:** Provide comprehensive training to employees on access control procedures, including the importance of not sharing access credentials, reporting suspicious activities, and following proper protocols when accessing restricted areas.
7. **Access Control Policies:** Develop and enforce access control policies that clearly outline the rules and procedures for accessing restricted areas. Regularly review and update these policies to align with changing requirements and best practices.
8. **Audit Trails and Monitoring:** Implement systems to track and monitor access events, including failed access attempts. Regularly review audit trails to identify any anomalies or potential security breaches.
9. **Regular Maintenance and Inspections:** Conduct regular maintenance and inspections of access control systems to ensure they are functioning properly. Address any issues promptly to maintain the integrity of the access control measures.
10. **Compliance with Regulations:** Ensure that access control measures align with relevant food safety regulations, such as those set by local health departments, food safety agencies, and industry standards like Hazard Analysis and Critical Control Points (HACCP).

4.18. USE OF PPE WITHIN PRODUCTION AREA

The use of personal protective equipment (PPE) within the production area of a rice processing facility is essential to ensure the safety and well-being of employees. Here are some key considerations for the use of PPE:

1. **Risk Assessment:** Conduct a thorough risk assessment to identify potential hazards within the production area. Consider factors such as equipment operation, handling of materials, exposure to chemicals or allergens, noise levels, and any other potential risks to employee safety and health.
2. **PPE Selection:** Based on the identified risks, select appropriate PPE that provides protection against the specific hazards present in the production area. Common types of PPE used in food processing facilities include:
 - **Safety Glasses or Goggles:** Protect the eyes from flying particles, dust, or chemicals.
 - **Face Shields:** Provide additional protection for the face against splashes, impacts, or airborne contaminants.
 - **Hearing Protection:** Use earplugs or earmuffs to reduce exposure to excessive noise levels.

- **Gloves:** Choose gloves made of suitable materials for the specific tasks and potential exposures, such as cut-resistant gloves, heat-resistant gloves, or chemical-resistant gloves.
 - **Aprons or Protective Clothing:** Wear aprons or protective clothing to shield against spills, splashes, or contact with hazardous substances.
 - **Respiratory Protection:** Use respiratory protection, such as masks or respirators, in areas where there is a risk of exposure to airborne contaminants or harmful particles.
 - **Safety Footwear:** Use safety shoes or boots that provide protection against slips, falls, impact, and punctures.
3. **Proper Fit and Maintenance:** Ensure that PPE fits properly and comfortably to ensure maximum effectiveness. Train employees on how to properly wear, adjust, and maintain their PPE. Inspect PPE regularly for damage or wear and replace it as needed to maintain its protective capabilities.
 4. **Training and Education:** Provide comprehensive training to employees on the proper use of PPE. Train them on why PPE is necessary, how to wear it correctly, its limitations, and how to properly care for and store it. Reinforce the importance of using PPE consistently and appropriately.
 5. **Accessibility and Availability:** Make sure that the required PPE is readily available and easily accessible within the production area. Provide designated storage areas for PPE to ensure that employees can quickly retrieve and use it when needed.
 6. **Compliance with Standards and Regulations:** Ensure that the selected PPE meets relevant safety standards and regulatory requirements. Familiarize yourself with local regulations and guidelines pertaining to PPE usage in food processing facilities to ensure compliance.
 7. **Regular Evaluation and Improvement:** Continuously evaluate the effectiveness of PPE usage and seek feedback from employees regarding comfort, fit, and any potential issues. Use this information to improve PPE selection, training, and overall safety measures.
 8. **Integration with Other Safety Measures:** PPE should be viewed as a supplementary safety measure and not a substitute for engineering controls or other safety protocols. Implement additional safety measures, such as machine guards, proper ventilation, and effective maintenance procedures, to complement the use of PPE.

4.19. MONITORING AND CONTROL POINTS

Monitoring and control points are specific stages or locations within the food production process where critical control measures are applied to ensure food safety, quality, and regulatory compliance. These points are identified based on potential hazards that could occur during processing and are critical to preventing or minimizing those hazards

Examples of monitoring and control points commonly implemented in food factories include:

- Temperature Control Points
- Time Control Points
- pH Control Points
- Acidic Control Points
- Chemical Control Points
- Allergen Control Points
- Metal Detection or X-ray Inspection Points
- Packaging Control Points
- Record-Keeping Points
- Supplier Verification Points

4.20. QUALITY ASSURANCE FLASH POINTS

Flashpoints typically refer to critical areas or activities that require special attention to ensure product quality and adherence to quality standards. These flashpoints are often associated with potential risks or vulnerabilities that can impact the safety, integrity, or quality of the final food products. It is important to continuously assess and review these flashpoints to identify areas for improvement and implement appropriate corrective and preventive actions. Examples of quality assurance flashpoints in food factories include:

1. Raw Material Inspection:
 - Thoroughly inspecting incoming raw materials to ensure they meet quality specifications, including visual appearance, sensory attributes, and adherence to regulatory requirements.
 - Sampling and testing for contaminants, such as pesticides, heavy metals, or microbiological hazards.
2. Allergen Control:
 - Preventing cross-contamination and ensuring proper segregation of allergenic ingredients throughout the production process.
 - Implementing effective cleaning procedures and verifying the absence of allergens on shared equipment or surfaces.
3. Processing Parameters:
 - Monitoring and controlling critical processing parameters, such as temperature, time, pressure, pH, or water activity, to ensure they are within specified limits.
 - Verifying that process deviations are addressed promptly, and corrective actions are taken to maintain product quality and safety.
4. Packaging Integrity:
 - Conducting regular checks to ensure the integrity and functionality of packaging materials, seals, and closures to prevent product contamination, spoilage, or tampering.
 - Implementing quality control measures to detect and address packaging defects or issues that could compromise product quality or safety.
5. Hygiene and Sanitation:
 - Enforcing stringent hygiene practices, including handwashing, proper use of personal protective equipment (PPE), and sanitation of production areas and equipment.
 - Conducting routine inspections and swab testing to verify cleanliness and microbial control.
6. Quality Control Testing:
 - Performing regular quality control tests and analysis on in-process samples and finished products, including sensory evaluation, microbiological testing, chemical analysis, or physical measurements.
 - Ensuring compliance with internal quality standards, regulatory requirements, and customer specifications.
7. Traceability and Recall Management:
 - Establishing robust traceability systems to track and identify the origin of raw materials, ingredients, and finished products.
 - Developing effective recall procedures and conducting mock recall exercises to ensure swift and accurate product retrieval in case of quality or safety issues.
8. Documentation and Record-Keeping:
 - Maintaining comprehensive and accurate documentation of quality control activities, including test results, inspection reports, batch records, and deviations.

- Regularly reviewing records to identify trends, assess product quality, and drive continuous improvement.
9. Training and Competence:
- Providing ongoing training and education to employees regarding quality standards, food safety practices, and adherence to standard operating procedures.
 - Ensuring employees are knowledgeable and competent in their roles to maintain product quality and safety.

4.21. ROLES AND RESPONSIBILITIES IN PROCESS ENVIRONMENT

In a process environment, such as a food factory, various roles and responsibilities are assigned to different individuals to ensure smooth operations, maintain quality standards, and promote safety. The specific roles and responsibilities may vary depending on the size and complexity of the facility.

The different responsibilities must be well defined and the roles to carry out these responsibilities must be clearly assigned. For example, the operator of machinery must be known, the personnel assigned to a particular function must be known and all these documented.

Roles such as Production Manager or Quality Assurance Manager are to be assigned to qualified professionals in terms of Training, Education and Experience. The roles can be communicated through Job descriptions, appointment letters or through Standard Operating Procedures where roles are defined and assigned to personnel.

4.22. USE OF FORKLIFT AND HEAVY-DUTY MACHINERY

The use of forklifts and heavy-duty machines in food factories can greatly enhance efficiency, productivity, and material handling capabilities. However, their usage in such environments requires careful consideration and adherence to safety guidelines to prevent accidents, product contamination, and damage to equipment or facilities. Some key points regarding the use of forklifts and heavy-duty machines in food factories:

1. **Operator Training:** Only trained and authorized personnel should operate forklifts and heavy-duty machines. Operators should receive comprehensive training on equipment operation, safety procedures, load handling techniques, and emergency protocols.
2. **Safety Equipment:** Operators should wear appropriate personal protective equipment (PPE) such as helmets, safety shoes, high-visibility vests, and gloves. Seat belts must be worn when operating vehicles equipped with them.
3. **Maintenance and Inspections:** Regular maintenance and inspections are essential to ensure the safe operation of forklifts and heavy-duty machines. This includes checking brakes, tires, steering, lights, and other critical components. Any faults or malfunctions should be promptly addressed.
4. **Load Capacity and Stability:** Operators must be aware of the load capacity of the equipment and ensure that loads are within safe limits. Proper load distribution and securing methods should be followed to maintain stability during transport.
5. **Traffic Management:** Establish designated traffic routes and ensure clear signage to separate forklift and heavy machine operations from pedestrian areas. Traffic rules, including speed limits and right-of-way, should be enforced to prevent accidents.
6. **Hazard Identification:** Conduct a thorough assessment of the workspace to identify potential hazards such as low clearance areas, uneven surfaces, slippery floors, or overhead obstructions. Mitigation measures should be implemented to minimize risks.

7. **Material Handling Procedures:** Implement proper material handling procedures to prevent product contamination. This includes using clean and sanitized forks or attachments, avoiding contact between the equipment and food products, and preventing spills or leaks.
8. **Fire Safety:** Ensure that forklifts and heavy-duty machines are equipped with fire extinguishers, and operators should be trained on how to use them. Strict no-smoking policies should be enforced in designated areas.
9. **Emergency Preparedness:** Establish emergency response plans and provide training to operators on how to respond to accidents, spills, or equipment failures. Emergency exits and evacuation routes should be clearly marked.
10. **Environmental Considerations:** Proper waste disposal procedures should be followed, and any spills or leaks of hazardous materials should be immediately reported and addressed.

MODULE 5: PEST CONTROL IN PROCESS ENVIRONMENT

4.23. PREVENTIVE AND CORRECTIVE CONTROL

Preventive pest control involves taking proactive measures to prevent pests from entering and infesting a facility before they become a problem. By implementing preventive strategies, food factories can reduce the reliance on reactive pest control measures and minimize the risk of contamination and damage caused by pests. Here are some key approaches for preventive pest control:

1. **Facility Maintenance and Structural Exclusion:**
 - Regularly inspect the facility for cracks, gaps, and other potential entry points that pests can use to gain access. Seal or repair any openings in walls, floors, doors, windows, and utility penetrations.
 - Install door sweeps, weather stripping, and screens to prevent pests from entering through openings.
 - Maintain a well-maintained and clean facility to eliminate potential pest habitats and food sources.
2. **Sanitation and Waste Management:**
 - Establish and enforce strict sanitation protocols throughout the facility, including proper cleaning and removal of food debris, spills, and waste promptly.
 - Store and dispose of garbage in sealed containers and ensure proper waste management practices to reduce pest attraction.
3. **Landscape and Exterior Management:**
 - Maintain the surrounding landscape, ensuring that it is well-trimmed, free of overgrown vegetation, and kept away from the building to minimize pest harborage areas.
 - Properly store outdoor equipment, materials, and pallets away from the building to reduce potential pest habitats.
4. **Storage and Product Handling:**
 - Store raw materials, ingredients, and finished products off the floor and away from walls to facilitate cleaning and reduce pest access.
 - Use proper storage containers and tightly sealed packaging to prevent pests from infesting stored products.
 - Implement a first-in, first-out (FIFO) inventory system to minimize the storage time of materials and reduce the risk of pest infestation.
5. **Employee Education and Training:**
 - Train employees on the importance of preventive pest control, their role in identifying and reporting potential pest issues, and the proper handling of materials to prevent pest introduction.
 - Foster a culture of awareness and accountability, encouraging employees to promptly report any signs of pests or conditions conducive to pest infestations.
6. **Regular Inspections and Monitoring:**

- Conduct regular inspections of the facility, both internally and externally, to identify any signs of pest activity or conditions that could attract pests.
- Implement monitoring tools, such as insect traps, pheromone traps, or electronic monitoring systems, to detect early signs of pest presence and take timely action.

7. Pest Control Partnership:

- Establish a relationship with a professional pest control provider who specializes in preventive strategies.
- Collaborate with the pest control provider to develop and implement a customized preventive pest control program based on the specific needs and challenges of the food factory.

Corrective control refers to the actions taken to address and rectify issues related to pest infestations or other non-compliance with pest control measures. While preventive pest control focuses on proactive measures to prevent pests, corrective control comes into play when pests have already been detected or when there are breaches in the preventive measures. Here are some key aspects of corrective control:

1. Pest Identification and Assessment:

- Properly identify the pests present in the facility to determine the extent of the infestation and potential risks associated with them.
- Assess the areas affected by the infestation, including identifying the source of the problem and evaluating the extent of damage or contamination caused.

2. Immediate Action:

- Take prompt action to eliminate the pests and address the specific issues identified during the assessment.
- Depending on the severity of the infestation, this may involve measures such as targeted pesticide application, trapping, removal of pest habitats, or physical removal of pests.

3. Root Cause Analysis:

- Conduct a thorough investigation to identify the underlying causes that allowed the pest infestation to occur.
- Determine if there were any gaps or failures in the preventive pest control measures, such as structural deficiencies, sanitation lapses, or employee practices.

4. Corrective Measures and Remediation:

- Develop and implement corrective actions to address the identified root causes and prevent future pest infestations.
- This may include repairing structural issues, improving sanitation protocols, enhancing employee training, or modifying processes to eliminate pest-attracting conditions.

5. Documentation and Record-Keeping:

- Maintain accurate records of the pest infestation incident, actions taken, and the effectiveness of corrective measures.
- Documentation should include details of pest control treatments, inspection reports, employee training records, and any changes made to preventive measures.

6. Monitoring and Follow-up:

- Regularly monitor and inspect the facility to ensure that the corrective actions have effectively resolved the pest issue.
- Implement follow-up inspections to verify that the identified root causes have been addressed and that preventive measures are being properly implemented.

7. Continuous Improvement:

- Use the pest infestation incident as an opportunity for learning and continuous improvement.

- Review and update preventive pest control protocols, employee training programs, and facility maintenance practices to prevent similar issues in the future.

4.24. FUMIGATION AND PESTICIDE CONTROL IN PROCESS ENVIRONMENT

Fumigation and pesticide control are two methods used in pest management to control and eliminate pests in food factories. However, it's important to note that the use of fumigation and pesticides should be carefully considered and conducted by trained professionals following regulatory guidelines and best practices. Fumigation is a method of pest control that involves the use of gaseous pesticides, known as fumigants, to eliminate pests in an enclosed space or within certain commodities. It is typically used to control pests such as stored product insects, rodents, and insects that infest structures or equipment.

- Fumigation requires specialized knowledge and equipment, and it is usually performed by licensed professionals.
- The process involves sealing the area or commodity to be fumigated, introducing the fumigant gas, and allowing sufficient time for the gas to penetrate and kill the pests.
- Fumigated areas or commodities need to be properly aerated to remove the fumigant gas residue and ensure it is safe for workers and consumers.

Pesticides are chemical substances designed to control or eliminate pests, including insects, rodents, and other pests that can pose a threat to food safety and product quality.

- Pesticide control in food factories involves the strategic application of approved pesticides to target pests and minimize their impact on the facility and products.
- It is crucial to use pesticides approved for use in food processing facilities and comply with regulatory requirements regarding their application and usage.
- Pesticides should only be applied by trained and licensed personnel following label instructions, safety precautions, and appropriate application methods.
- Integrated Pest Management (IPM) principles should be considered to minimize reliance on pesticides and employ a comprehensive approach that includes prevention, monitoring, and non-chemical control methods.

4.25. PHYSICAL CONTROL – BUILDING AND TRAP MAPS

Physical and building controls are important components of a comprehensive pest control program in food factories. These controls involve implementing measures and practices that prevent pests from entering the facility or accessing food storage and processing areas. Here are some key aspects of physical and building controls for pest management:

1. Facility Design and Construction:
 - Design and construct the facility with pest control in mind, incorporating features that minimize potential entry points for pests.
 - Ensure that walls, floors, and ceilings are constructed with materials that are resistant to pest intrusion and easy to clean.
 - Install tight-fitting doors and windows and use screens to prevent pests from entering through openings.
2. Entry Point Management:
 - Seal or screen all openings, gaps, and cracks in the building structure, including utility penetrations, vents, and piping.
 - Install door sweeps, weather stripping, and air curtains to prevent pests from entering through doors and dock areas.
 - Regularly inspect and maintain exterior areas, including loading docks, to prevent pest entry.
3. Ventilation and Airflow Control:
 - Design and maintain a ventilation system that minimizes the entry of pests.

- Use screens or filters on air intakes to prevent insects and other pests from entering through HVAC systems.
- Ensure proper airflow in food processing areas to prevent the accumulation of odors or food particles that can attract pests.

4. Drainage Management:

- Maintain proper drainage systems to prevent the accumulation of water, which can attract pests.
- Regularly clean and inspect drains to remove debris and organic matter that can serve as food sources for pests.
- Install drain covers or screens to prevent pests from entering through drains.

5. Lighting Management:

- Use lighting fixtures that are designed to minimize attracting pests, such as insects.
- Position lights away from entrances or areas where pests can be attracted to the light source.

6. Waste Management:

- Implement effective waste management practices, including proper storage, disposal, and cleaning of waste containers.
- Keep waste storage areas clean, secure, and located away from the main facility to minimize pest attraction.

7. Storage and Shelving:

- Store materials and products off the floor and away from walls on clean, well-maintained shelving.
- Use pallets or racks with gaps to facilitate inspection and cleaning.
- Regularly inspect and clean storage areas to prevent pest harborage.

8. Pest Monitoring Devices:

- Install and regularly monitor pest control devices, such as insect traps or pheromone monitors, to detect and monitor pest activity in critical areas.
- Analyze the data from monitoring devices to identify trends and take appropriate preventive actions.

9. Employee Education and Training:

- Train employees on the importance of physical and building controls for pest management.
- Educate them on proper sanitation practices, waste management, and their role in reporting and addressing potential pest entry points.

MODULE 6: PERSONNEL

4.26. MINIMUM REQUIREMENTS TO WORK IN FOOD FACTORY

Any personnel working in a food factory must have the necessary education, training, or experience to do so.

- Having a biological science degree was seen as enough in the time past
- A new law was signed in 2019 for the establishment of a Nigerian Council for Food Science and Technologists. This may require being licensed to work in the Food industry soon.
- Personnel that will handle food must be healthy and whole with no open sore or communicable disease.
- Personnel working in the food processing areas must understand the process flows and the Standard Operating Procedures (Training and Experience can achieve this).

4.27. FOOD HANDLERS TEST

A food handler is any personnel in the food industry who is involved in processing and packaging of the product directly. personnel such as drivers and cleaners as well as other ad-hoc staff may not be classified as food handlers if they have no access to the processed food or primary packaging material.

- A food handlers test is expected to be carried out biannually (Every six months) to confirm that food handlers do not carry any pathogen that can be transmitted to consumers through the food they handle
- A Certified Medical laboratory is expected to carry out the test or the Hygiene department of the Ministry of Health in Nigeria also carries out this test (either of the two results are acceptable)
- NAFDAC, SON, Ministry of Health and other regulators will request for this per time
- It is also a requirement for food registration and Certification

4.28. PRINCIPLE REGARDING SORE, NURSING MOTHERS, AND CROSS CONTAMINATION

Personnel working in the food processing area have capacity to contaminate the products

- Contamination can be from external contacts or habits inside the production Environment
- Contamination can also be from poor maintenance, poor cleaning, or chemical residue from activities such as fumigation.
- The personnel must use all hygiene and sanitation points within the production area when necessary
- They are not allowed to bring any item (including food material) not involved in production into the food processing area
- They are expected to put on Protective clothing that is meant for the production areas only
- Protective Equipment should be used based on the requirement of production Environment
- PPE that is common to use will include gloves, nose masks, Protective foot covering, head covering as well as eye goggles.
- Access control to ensure personnel who are not food handlers do not have access to the processing area.
- Protective clothing should not be taken outside the production premises (cloak room for changing should be available)
- PPE being used must be always clean

4.29. SUITABLE USE OF PPE WITHIN PLANT

The use of personal protective equipment (PPE) is essential in the production area of a maize processing facility to protect workers from potential hazards and ensure their safety. PPEs commonly used in the production area:

1. **Safety Helmets/Hard Hats:** Safety helmets or hard hats are worn to protect the head from falling objects, impact hazards, or overhead structures. They provide protection against potential head injuries in areas where there is a risk of falling debris or equipment.
2. **Safety Glasses/Goggles:** Safety glasses or goggles are used to protect the eyes from dust, flying particles, chemicals, or other hazards that may cause eye injuries. They should have impact resistance and may also offer protection against liquid splashes or harmful vapors.
3. **Face Shields:** Face shields provide full-face protection and are typically used in conjunction with safety glasses or goggles. They shield the face from impact hazards, splashes, sparks, or chemical exposure. Face shields are commonly used when working with machinery, grinding, or handling hazardous substances.
4. **Respiratory Protection:** Depending on the specific tasks and potential exposure to airborne contaminants, respiratory protection may be required. This can include dust masks, particulate respirators, or air-purifying respirators. These devices protect the respiratory system from inhaling dust, fumes, gases, or harmful substances.
5. **Protective Clothing/Coveralls:** Protective clothing, such as coveralls or disposable suits, is worn to protect the body from direct contact with hazardous materials, chemicals, or biological agents. They should be made of durable and chemical-resistant materials, covering the entire body and providing an extra layer of protection.

6. **Gloves:** Depending on the tasks involved, workers may require different types of gloves. For example, cut-resistant gloves protect against sharp objects, heat-resistant gloves provide protection from high temperatures, and chemical-resistant gloves protect against harmful substances. Gloves should be selected based on the specific hazards present in the production area.
7. **Hearing Protection:** In areas with high noise levels, such as machinery operation or grain processing, hearing protection should be provided. This can include earplugs or earmuffs designed to reduce the risk of noise-induced hearing loss.
8. **Safety Footwear:** Safety footwear, such as steel-toe boots, is worn to protect the feet from heavy objects, falling objects, or crushing hazards. They should have slip-resistant soles and provide adequate support and protection for the feet.
9. **Aprons and Sleeves:** Aprons and sleeves made of durable materials can provide protection against chemical splashes, hot liquids, or other liquid hazards. They are commonly used when handling chemicals, cleaning equipment, or working with hot liquids.
10. **Fall Protection Equipment:** In areas where there is a risk of falls from heights, fall protection equipment such as safety harnesses, lanyards, and anchor points should be provided to prevent workers from falling and sustaining serious injuries.

4.30. KNOWLEDGE UPDATE

Training and experience are important for any industry to survive.

- Experience can lead to oversight and trivializing of important processes by long standing staff of the company (familiarity to processes may make experienced staff to over-look food safety risk)
- Constant training and monitoring of personnel is important to ensure processes are followed as required
- When there is a change in process, equipment, legislation, regulatory requirement, or any changes that may affect production (including consumer change in preference), Personnel should undergo a knowledge update training to bring them to speed on these developments
- When a personnel is being introduced to a new section or changing roles, proper induction training should be done even if they are familiar with the operations of such section.
- Organization can develop a routine training/Awareness plan that should be strictly followed to ensure personnel are aware of requirements and updated all the time
- Resources should be allocated to training by the Management either through budget or through approved expenses

4.31. PERSONAL HYGINENE

Personnel should be trained on Hygiene requirement during induction or before they join the team

- Ensure each personnel goes through the Food handlers test before they join the team
- Discourage unhealthy practices such as using fingers to pick the nostrils
- Personnel Hair should be short and covered
- Personnel should not wear flowing jewelries especially around machines
- Personnel should have short nails that cannot harbor dirt
- Personnel should learn to limit handshakes, touching of surfaces or contact with machine parts that can lead to product contamination
- Personnel should wash their hands before entering production premises, when necessary, within production premises and after they have contact with surfaces or machine parts that can contaminate production premises.
- No Use of excessive Make up when coming to work in the factory premises

- Lactating mothers can be restricted to non-production areas except when hygiene can be ascertained.
- No Personnel with open wound should be allowed into Production areas
- Personnel with symptoms of coughing, sneezing, drooling nose, red eyes or fatigue should be immediately exempted from production areas
- Personnel with dysentery, or with evidence of “running stomach” should be exempted from production premises immediately.

5. FINISHED PRODUCT HANDLING: STORAGE AND PACKAGING TO MEET REGULATORY STANDARDS

MODULE 1: PRODUCT-SPECIFIC REQUIREMENTS

5.1. INTRODUCTION TO STANDARDS

Standards are consensus documents used to determine the criteria for products and services. It involves all stakeholders within an industry including consumers, regulators, and industry players to agree on the criteria for a product. All Standards in Nigeria are in custody of Standards Organization of Nigeria as a secretariat. Standards in Nigeria are mandatory and requires full implementation by all stakeholders.

Codex is the International Organization in charge of Food Standardization. Codex has developed limit for important limits such as heavy metal, aflatoxin, and codes of hygiene for food product environment. These standards are fundamentals for food factory set up. Each product has a standard that specifies the requirement of the product. These requirements are general as recommended by Codex Standard.

5.2. SPECIFIC REQUIREMENT LIMITS AND NATIONAL STANDARDS FOR QUALITY ASSURANCE

Product standard highlights the specific requirement for each product. Specific requirement may include PH range, acidity, moisture, microbial load, Heavy metal limit, pesticide limit and Aflatoxin limit. Specifically, for Biofortified Cassava and all Cassava products, level of cyanogenic compounds in the cassava must be within limit. Heavy metals and aflatoxin requirements in rice have strict limit. Each specification should be followed as stated in the National Industrial Standards (NIS). General codex limits for Heavy Metals and aflatoxin usually applies for the different food products.

S/NO	Parameters	Considered Limit
1	Moisture	% should not be more than 10 in a dry product
2	Ash Content	Depends on type and variety of Products
3	Crude fibre	Depends on the type and Variety of Products
4	Hydrogen Cyanide	0.01mg/100g
5	Protein	Depends on type and variety of Products
6	Carbohydrate as Sugar	Depends on type and Variety of Product

7	PH	Depends on type of Product-lower for fermented products
8	Metallic Contaminants	

5.3. NATIONAL CERTIFICATION

National Food and Drug Administration and Control (NAFDAC)

Food Products are to be registered with the National Food and Drug Administration and Control (NAFDAC). The procedure includes inspection, testing, ensuring personnel are competent before registration is granted. A registered number unique to a product is released for the product to be used. The number/registration is renewed every five years subject to confirmation of product requirements and positive inspection feedback. NAFDAC will also monitor the distribution and sales of the products and can conduct market survey of product within the five years. NAFDAC is responsible for regulating food products adverts in Nigeria and all adverts for food products are expected to be approved by them first. NAFDAC is a member of the National Codex committee and works with other members to contribute to International Food Standardization.

Standards Organization of Nigeria (SON)

Standards Organization of Nigeria (SON) is responsible for the drafting of National Standards and as Secretariat for same. SON is the Secretariat for Codex activities in Nigeria and works with other agencies to arrive at a position for Nigeria in International Food Standardization. SON enforces National Standard under the Mandatory Conformity Assessment Programme (MANCAP) Scheme. SON offers Certification using the national or relevant international standards to determine conformity. SON certification includes testing, inspection, third party testing and quarterly inspection of facility. This also includes machinery, arrangement, preventive maintenance, and inventory. SON certification allows Nigerian products to be accepted in Almost all African Countries without query. SON Certification is more cumbersome to achieve and is valid for only three years before renewal. SON will carry out quarterly inspection and testing of products under certification. The Federal and State Ministry of Health are involved in facility and personnel conformance. The unit involved in food factory inspection monitors the hygiene of production environment as well as personnel hygiene. They also regulate the environment and pest control of the facility

National Quarantine Service

The National Quarantine service under the Ministry of Agriculture monitors food and agricultural produce conformity. They issue Phytosanitary license to products for exports. This requirement allows a lot of Nigerian produce to gain acceptance to other countries

5.4. NUTRITIVE COMPONENT PRESERVATION

Major food nutritive components can be destroyed during processing. Example of processing and nutritive loss is the leaching of Vitamin C from wastewater in food. Vitamin A is also light sensitive and can easily be degraded upon excess exposure to light.

Other food nutritive components such as proteins and minerals are sensitive to heat, fermentation, acidic content, and microbial action. Controlled fermentation in a suitable environment has been established to not only preserve the nutrient but also to enhance it

Drying to a low moisture content will also reduce the possibility of microbial activity and nutrient loss. Ensuring that heat, light and moisture regulation is monitored to avoid nutritive loss. Over pressing and leaching should also be minimized.

5.5. WATER TREATMENT AND USAGE

Water to be used in maize food processing must be safe and not contaminate the product. Water treatment must be taken as a complete process on its own. Water treatment required will include filtration, sanitation, removal of chemical contaminants as well as removal of taste odor and color.

Use sand filters, carbon filter, UV sterilizer, micron filters as well as antimicrobial agent to remove all microbial load. Storage tanks should be disinfected and cleaned properly to avoid contamination of already treated water

Quality assurance testing should be carried out on all raw water and finished water to be used for production. Result of testing should be available towards regulatory requirements.

5.6. THIRD-PARTY TESTING – INTRODUCTION TO IPAN

Third party analysis is carried out by an independent laboratory using Regulatory and National Standard Criteria. It is called comprehensive analysis because it covers all requirements stated in the standard beyond what the in-house capacity can test.

Product testing can be carried out in any laboratory as far as they meet necessary requirement. For local testing, ensure that the product is tested in a laboratory with at least one IPAN certified personnel. For international testing, ensure that you test in a Laboratory with an ISO 17025 certification for specific parameters.

The Institute of Public Analyst of Nigeria (IPAN) is the body responsible for regulating the testing of chemical and food products in Nigeria. The Institute regulates the personnel as well as laboratory functionality. Results of analysis from any laboratory with IPAN personnel is expected to carry the seal of the Institute. Regulatory agencies may reject Laboratory results that does not carry the seal of the Institute.

5.7. RELEASE OF PRODUCT – CRITERIA AND METHOD (BATCHING)

Ensure product batching is done using characteristics of the raw material, date and time of production and other relevant information. Product batch should be labeled accordingly and identifiable both by personnel and the customer. Each batch should be tested to ensure they meet physical, chemical, and microbial requirement before they are passed for release.

A dedicated personnel must be responsible for final release of product before it is allowed for sales. A dedicated record must be available for the evidence of release of product. Reference samples should be kept for each batch of released product to serve as reference in cases of complaint or recall

Products that fail to meet release criteria should be treated as nonconforming product. A product that failed critical parameters should either be reworked or discarded. If reworked, the approved authority required to allow rework should be clear and records of such presented to regulatory authorities as necessary.

Common criteria for release of product include:

- Sealing integrity
- Moisture content
- PH
- Microbial load-E.Coli, Salmonella and Total Viable Count
- Chemical requirement
- Acceptable colour (for rice)

- Acceptable odour and flavour (especially for fermented foods)
- Evidence of batch codes on final products
- Weight and volume accuracy

MODULE 2: PRODUCT PACKAGING

5.8. SELECTION OF PACKAGING

When it comes to selecting packaging, there are several factors to consider, including the nature of the product, its requirements, branding, sustainability, and cost. Some considerations for selecting packaging are

1. **Product Protection:** The primary function of packaging is to protect the product during storage, transportation, and handling. Consider the fragility, perishability, and sensitivity of the product to determine the appropriate packaging material and design.
2. **Packaging Material:** Choose packaging materials that are suitable for the product and align with your sustainability goals. Common options include cardboard, paperboard, plastic, glass, metal, or a combination thereof. Consider factors like durability, recyclability, biodegradability, and composability.
3. **Size and Shape:** The packaging should be appropriate in size and shape to accommodate the product effectively. Oversized packaging can lead to excessive material waste and increased shipping costs, while undersized packaging may not provide adequate protection.
4. **Branding and Design:** Packaging plays a crucial role in conveying your brand's identity and attracting consumers. Consider incorporating your brand's colors, logo, and messaging into the packaging design to enhance recognition and create a memorable experience.
5. **Regulatory Compliance:** Ensure that the packaging complies with relevant industry regulations, safety standards, and labeling requirements. Depending on the product, you may need to meet specific guidelines for food, pharmaceuticals, hazardous materials, or other regulated items.
6. **Sustainability:** Increasingly, consumers are looking for environmentally friendly packaging options. Consider using recyclable, biodegradable, or compostable materials. You can also explore innovative packaging solutions like eco-friendly alternatives to plastic or reduced packaging waste.
7. **Cost:** Packaging costs can significantly impact your overall product expenses. Evaluate the cost-effectiveness of different packaging options while considering factors like material, production, transportation, and storage. Balance your budget with the desired level of quality and functionality.
8. **Consumer Convenience:** Consider the ease of use and convenience for the end consumer. Packaging should be user-friendly, easy to open, and provide relevant information such as instructions, ingredients, and nutritional facts.
9. **Supply Chain Considerations:** Assess the entire supply chain when selecting packaging. Consider factors like compatibility with automated packaging systems, storage requirements, transportation efficiency, and any special handling or labeling requirements.
10. **Market Trends:** Stay updated on the latest packaging trends and innovations in your industry. This includes emerging technologies, smart packaging, interactive designs, or any other features that can enhance the consumer experience.

5.9. STORAGE OF PACKAGING MATERIALS

When it comes to selecting storage packaging materials, the primary considerations are durability, protection, and organization. Some commonly used storage packaging materials:

1. **Cardboard Boxes:** Cardboard boxes are versatile, affordable, and widely used for storage purposes. They come in various sizes and strengths to accommodate different items. They provide good protection against light impacts and can be stacked for efficient use of space.
2. **Plastic Bins and Totes:** Plastic bins and totes are durable and offer better protection against moisture and pests compared to cardboard. They are available in different sizes and styles, often with lids that provide secure closure. Plastic bins are reusable and can be stacked to optimize storage space.
3. **Shelving Units:** While not strictly packaging materials, shelving units are essential for organizing and storing items. They can be made of materials like metal, wood, or plastic. Shelving units provide efficient vertical storage and easy access to items.
4. **Bubble Wrap and Foam:** For delicate or fragile items, bubble wrap or foam sheets provide cushioning and protection. They are used to wrap individual items or line the inside of boxes to absorb shocks and prevent damage during storage and transportation.
5. **Plastic Wrap and Stretch Film:** Plastic wrap or stretch film is useful for bundling or wrapping multiple items together. It secures loose items, prevents dust accumulation, and offers some level of protection against moisture and dirt.
6. **Pallets:** Pallets are used for storing and transporting heavy or bulky items. They provide a stable base and make it easier to move items using forklifts or pallet jacks. Pallets can be made of wood, plastic, or metal, and they are often combined with stretch wrap for secure packaging.
7. **Vacuum-sealed Bags:** Vacuum-sealed bags are useful for storing clothing, bedding, and other textiles. They remove air from the bags, reducing bulk and providing protection against moisture, dust, and pests. Vacuum-sealed bags can save storage space and help keep items organized.
8. **Corrugated Plastic Sheets:** Corrugated plastic sheets, also known as Coroplast, are lightweight, durable, and water-resistant. They are often used as dividers, partitions, or protective layers between items during storage. Corrugated plastic sheets are reusable and can be easily cut to size.
9. **Labels and Markers:** Labels and markers are crucial for organizing and identifying stored items. They help you quickly locate specific items and maintain an organized storage system. Use waterproof markers and adhesive labels for durability.

IMAGE COLLAGE OF SUITABLE MAIZE PACKAGING MATERIALS

5.10. PACKAGING ACCORDING TO PRODUCT CHARACTERISTICS

The packing of processed maize products should be done according to the product characteristics to ensure the quality and safety of the products. The following are some of the factors that should be considered when packing processed maize products:

- **Product type:** The type of processed maize product will determine the type of packaging that is needed. For example, whole grain cornmeal will need a different type of packaging than corn chips.
- **Product size:** The size of the processed maize product will also affect the type of packaging that is needed. For example, small popcorn kernels will need a different type of packaging than large tortilla chips.
- **Product shape:** The shape of the processed maize product will also affect the type of packaging that is needed. For example, flaked cornmeal will need a different type of packaging than tortilla chips.

- **Product moisture content:** The moisture content of the processed maize product will also affect the type of packaging that is needed. For example, high-moisture products, such as cornbread mix, will need a different type of packaging than low-moisture products, such as cornmeal.
- **Product shelf life:** The shelf life of the processed maize product will also affect the type of packaging that is needed. For example, products with a short shelf life, such as fresh popcorn, will need a different type of packaging than products with a long shelf life, such as cornmeal.
- **Product cost:** The cost of the packaging will also be a factor to consider. For example, high-cost products, such as organic cornmeal, may require more expensive packaging than low-cost products, such as conventional cornmeal.

It is also important to consider the following:

- **Product branding:** The packaging should be designed to reflect the brand of the product.
- **Product marketing:** The packaging should be designed to promote the product to consumers.
- **Product safety:** The packaging should be designed to protect the product from contamination and spoilage.
- **Product environmental impact:** The packaging should be designed to have a minimal environmental impact

5.11. PACKAGING AS ADVERTORIAL

Packages can serve as advertorial tools to boost brand recognition, create a memorable unboxing experience, and engage customers. Here are some approaches to using packages as advertorials:

1. **Branding Elements:** Incorporate your brand's logo, colors, and tagline on the packaging to reinforce brand identity and ensure consistency with your visual identity.
2. **Customization:** Design unique packaging that reflects your brand or product's distinctiveness. This can include innovative shapes, personalized messages, or custom prints to make a lasting impression.
3. **Storytelling:** Utilize packaging to tell your brand's story, values, or the narrative behind the product. Consider adding informative inserts, product guides, or personal letters to foster an emotional connection with customers.
4. **Unboxing Experience:** Create packaging that offers an exciting unboxing experience. This can involve multiple layers, hidden surprises, or interactive elements that captivate customers during the unwrapping process.
5. **Samples and Promotions:** Include product samples, promotional items, or exclusive offers within the package to incentivize repeat purchases and cultivate customer loyalty.
6. **QR Codes or NFC Tags:** Incorporate QR codes or NFC tags on the packaging for customers to scan with their smartphones. These can be linked to interactive content, special offers, or additional product information, enhancing customer engagement.
7. **Social Media Integration:** Encourage customers to share their unboxing experiences on social media by incorporating relevant hashtags, handles, or instructions within the packaging. This can expand your brand's reach and generate user-generated content.
8. **Sustainable Packaging:** Demonstrate your commitment to sustainability by utilizing eco-friendly packaging materials and highlighting their environmental benefits, such as recyclability or renewable sources.
9. **Personalized Touches:** Add a personal touch to the packaging by including handwritten thank-you notes, customized stickers, or personalized packaging inserts. This creates an authentic connection with customers and shows appreciation for their support.
10. **Customer Feedback:** Include a feedback card or QR code to encourage customers to provide feedback or reviews about their experience with the product and packaging. This helps gather valuable insights, improve customer satisfaction, and enhance your brand's reputation

5.12. HERMETIC PACKAGING AND BREATHABLE PACKAGING REQUIREMENTS

Hermetic packaging is a type of packaging that is designed to prevent the entry or exit of air, moisture, and other gases. This type of packaging is often used for food products that are sensitive to moisture or oxygen, such as processed maize products. Breathable packaging is a type of packaging that allows for the controlled exchange of air and moisture. This type of packaging is often used for food products that need to breathe, such as fresh produce.

The requirements for hermetic and breathable packaging will vary depending on the specific product being packaged. However, there are some general requirements that apply to all types of hermetic and breathable packaging. These requirements include:

- The packaging must be made from a material that is impermeable to air, moisture, and other gases.
- The packaging must be sealed tightly to prevent the entry or exit of air, moisture, and other gases.
- The packaging must be designed to allow for the controlled exchange of air and moisture, if necessary.

An example of a processed maize product that requires hermetic packaging is popcorn. Popcorn is a high-moisture product that is sensitive to moisture and oxygen. If popcorn is not packaged properly, it will become stale and lose its flavor. An example of a processed maize product that requires breathable packaging is corn chips. Corn chips are a low-moisture product that needs to breathe to prevent them from becoming stale. If corn chips are not packaged properly, they will become hard and brittle.

5.13. PACKAGING AGAINST PEST CONTROL

Packaging plays a crucial role in protecting products from pests during storage and transportation. Here are some strategies for packaging against pest control:

1. **Choose Pest-Resistant Materials:** Select packaging materials that are less susceptible to damage from pests. For example, consider using sturdy materials such as thick cardboard, plastic, or metal that are less prone to infestation or penetration by pests.
2. **Seal Packaging Securely:** Ensure that packaging is tightly sealed to prevent pests from accessing the product. Use adhesive tapes, straps, or secure closures to create a barrier that pests cannot easily breach.
3. **Implement Barriers:** Introduce additional barriers to deter or prevent pests from reaching the product. This could include using shrink wrap, plastic bags, or airtight containers to create an extra layer of protection.
4. **Consider Insect-Repellent Materials:** Incorporate insect-repellent materials or coatings into the packaging to discourage pests. Certain materials, such as insect-repellent films or treated papers, can help repel or inhibit the presence of pests.
5. **Proper Storage and Handling:** Store packaged products in areas that are clean, dry, and well-ventilated. Keep the storage facility free from debris, food residue, and other factors that could attract pests. Implement good inventory management practices to rotate products and prevent prolonged storage.
6. **Regular Inspection and Maintenance:** Conduct routine inspections of packaging and storage areas to identify signs of pest activity. Look for holes, gnaw marks, or any indications of infestation. If pests are detected, take appropriate action to eradicate them and repair or replace damaged packaging.
7. **Implement Pest Control Measures:** Employ preventive pest control measures in the storage facility to minimize the risk of infestation. This can include regular cleaning, pest monitoring, use of traps or baits, and, if necessary, the application of approved pesticides by trained professionals.
8. **Educate and Train Staff:** Provide training to employees involved in packaging and storage processes on proper pest control practices. Educate them about early detection, reporting procedures, and the importance of maintaining a pest-free environment.

9. **Traceability and Quality Control:** Implement traceability systems to identify and track any potential sources of pest infestation. Establish quality control processes to ensure that incoming products or materials are free from pests before packaging.
10. **Collaborate with Pest Control Professionals:** Seek advice from pest control experts or engage professional pest control services to develop a comprehensive pest management plan tailored to your specific packaging and storage needs.

5.14. STANDARDS REQUIREMENTS ON PACKAGING

The Standard Organization of Nigeria (SON) is responsible for establishing and enforcing product packaging regulations in Nigeria. While specific requirements may vary depending on the product category, there are general standards that businesses should adhere to when packaging their products in Nigeria. Some key considerations are:

1. **Labeling Requirements:** Products should be labeled in accordance with SON's guidelines. The label should include essential information such as product name, manufacturer's name and address, batch/lot number, manufacturing/expiry dates (where applicable), net weight or volume, ingredients (if applicable), usage instructions, warnings, and any other information required by specific regulations.
2. **Language:** All labeling, including text, instructions, and warnings, should be in English or a language that consumers can easily understand.
3. **Nutritional Information (if applicable):** Food products should display accurate nutritional information, including the composition of ingredients, nutritional values, and allergen information, as required by SON's guidelines.
4. **Packaging Material Safety:** Packaging materials should comply with relevant safety standards to ensure that they do not pose a risk to the product or consumer's health. This includes ensuring that packaging materials are free from contaminants and do not transfer harmful substances to the product.
5. **Weight and Volume Accuracy:** Products sold by weight or volume should comply with SON's guidelines regarding accuracy in measurement. It is important to use calibrated weighing and measuring equipment to ensure the declared weight or volume is correct.
6. **Child-Resistant Packaging (if applicable):** Certain products, such as medications or household chemicals, may require child-resistant packaging to reduce the risk of accidental ingestion. Packaging for such products should meet the relevant child-resistant packaging standards.
7. **Packaging Material Recycling and Disposal:** Consideration should be given to the recyclability and environmental impact of packaging materials. It is advisable to use packaging materials that are recyclable or environmentally friendly, and provide appropriate disposal instructions on the packaging.
8. **Packaging Stability and Durability:** Packaging should be designed to protect the product during handling, storage, and transportation. It should be robust enough to withstand foreseeable stresses and environmental conditions to maintain the quality and integrity of the product.
9. **Packaging Graphics and Branding:** Any graphics, logos, or branding elements on the packaging should comply with applicable trademark and copyright laws. It is important to avoid misleading or deceptive packaging that may misrepresent the product or confuse consumers.
10. **It is crucial to consult the Standard Organization of Nigeria (SON) or seek legal advice to ensure compliance with the specific packaging requirements for your product category. Regulations may evolve, so staying updated with the latest guidelines and standards is essential to ensure compliance with Nigerian packaging regulations.**

5.15. LABELING AND DATE CODING

Labelling and coding are essential aspects of product packaging that provide important information to consumers, facilitate traceability, and ensure regulatory compliance. Here's an overview of labelling and coding considerations:

1. Mandatory Labeling Information:

- **Product Name:** Clearly indicate the name of the product on the label.
- **Manufacturer Information:** Include the name and address of the manufacturer, packager, or distributor.
- **Net Quantity:** Provide the accurate net weight, volume, or count of the product.
- **Ingredients:** If applicable, list all ingredients or components used in the product.
- **Allergen Information:** Highlight any potential allergens present in the product.
- **Batch/Lot Number:** Assign a unique identifier to each batch or lot for traceability.
- **Manufacturing/Expiry Dates:** Clearly display the manufacturing date and, if applicable, the expiration or best before date.
- **Usage Instructions:** Provide clear instructions for proper use, storage, or handling of the product.
- **Warnings and Precautions:** Include any necessary warnings, precautions, or usage restrictions for consumer safety.
- **Country of Origin:** Specify the country of origin for the product.
- **Barcodes:** Include barcodes for easy scanning and inventory management.

2. Language and Legibility:

- Use clear and legible fonts to ensure that the information on the label is easily readable.
- Labels should be in a language that the target market can understand, typically in English or the official language of the country.

3. Label Placement and Size:

- Labels should be prominently displayed on the product packaging, ensuring visibility and legibility for consumers.
- Ensure that the label size is appropriate to accommodate all mandatory information without compromising readability.

4. Labeling Regulations and Standards:

- Familiarize yourself with the specific labeling regulations and standards applicable to your product category, which may vary depending on the industry and country.
- Adhere to any specific requirements related to font size, color, positioning, or information placement.

5. Coding and Traceability:

- Implement coding systems, such as batch or lot numbers, to enable traceability and recall management.
- Codes should be clear, durable, and easily readable, typically printed directly on the packaging or via labels or tags.

6. Regulatory Compliance:

- Ensure compliance with relevant local and international regulations, such as those set by government agencies or industry-specific standards organizations.

7. Design and Branding:

- Consider the overall design and branding elements of the label to align with your brand identity and enhance product appeal.

8. Update and Review:

- Regularly review and update labels to comply with any changes in regulations or standards.
- It is important to consult applicable regulatory bodies, industry associations, or legal professionals to ensure compliance with specific labelling and coding requirements for your product category and target market.

5.16. PRIMARY AND SECONDARY PACKAGING REQUIREMENTS

Primary packaging refers to the immediate packaging that directly contains the product. It is the layer of packaging that is in direct contact with the product itself. The specific requirements for primary packaging can vary depending on the nature of the product and the industry. However, here are some common considerations for primary packaging requirements:

1. **Product Protection:** The primary packaging should effectively protect the product from physical, chemical, and biological damage. It should prevent contamination, moisture ingress, light exposure, and other factors that could compromise the quality, safety, or efficacy of the product.
2. **Material Compatibility:** The materials used for primary packaging should be compatible with the product and not react or interact with it in a way that could cause harm or degradation. This is particularly important for food, pharmaceuticals, and other sensitive products.
3. **Safety and Regulatory Compliance:** Primary packaging should comply with relevant safety and regulatory standards specific to the product category. This includes considerations such as child-resistant packaging for certain medications or safety seals for food and beverages.
4. **Quality and Durability:** Primary packaging should be of high quality and designed to withstand handling, transportation, and storage conditions without being easily damaged. It should maintain its integrity throughout the product's shelf life.
5. **Convenience and User-Friendliness:** Primary packaging should be designed with user convenience in mind. It should be easy to open, close, dispense, or use, ensuring a positive user experience.
6. **Branding and Product Presentation:** Primary packaging often serves as a marketing tool and should be designed to effectively represent the brand and attract consumers. It should reflect the brand's identity, communicate product information, and enhance the visual appeal of the product.
7. **Labeling and Information Display:** Primary packaging should provide sufficient space for required labeling information, such as product name, manufacturer details, ingredients, usage instructions, and any regulatory information.
8. **Environmental Considerations:** Primary packaging should be designed with sustainability in mind, considering the use of eco-friendly materials and minimizing waste generation. It should align with relevant environmental standards and regulations.
9. **Manufacturing Efficiency:** Primary packaging should be designed for efficient and cost-effective manufacturing processes, considering factors such as ease of filling, sealing, labeling, and integration with automated packaging systems.
10. **Transportation and Storage Considerations:** Primary packaging should be designed to facilitate easy stacking, handling, and transportation. It should also consider storage requirements, such as stack-ability or space optimization.

Secondary packaging refers to the outer packaging that contains multiple units of the product or holds the primary packaging together. It serves various purposes, such as providing additional protection, facilitating transportation, and enhancing the presentation of the product. Here are some common considerations for secondary packaging requirements:

1. **Product Protection:** Secondary packaging should provide an extra layer of protection to the primary packaging and the product within. It should safeguard against physical damage, moisture, dust, and other potential hazards during handling, transportation, and storage.

2. **Unitization and Grouping:** Secondary packaging often involves grouping multiple units of the product together for convenience and efficiency. It should securely hold the individual units, preventing movement or shifting that could lead to damage.
3. **Compatibility with Primary Packaging:** Secondary packaging should be compatible with the size, shape, and design of the primary packaging. It should be able to accommodate the dimensions and configurations of the primary packaging units without compromising their integrity.
4. **Labeling and Information Display:** Secondary packaging should have sufficient surface area for labeling, including important product information, barcodes, logos, and branding elements. It should allow for clear visibility and legibility of the labels to facilitate easy identification and scanning.
5. **Stacking and Palletization:** Secondary packaging should be designed to allow for efficient stacking and palletization during transportation and storage. It should have structural integrity to support the weight of multiple units and withstand the pressure of stacking without collapsing or damaging the product.
6. **Transportation and Handling:** Secondary packaging should be designed to withstand the rigors of transportation, including impacts, vibrations, and potential rough handling. It should be durable enough to protect the product throughout the supply chain, from manufacturing to distribution to retail.
7. **Sustainability and Environmental Considerations:** Secondary packaging should take into account environmental sustainability by using recyclable or biodegradable materials whenever possible. It should align with relevant environmental standards and regulations.
8. **Branding and Marketing:** Secondary packaging provides an opportunity to enhance brand visibility and promote the product. It should be designed to reflect the brand's identity, communicate key messages, and attract consumer attention on store shelves.
9. **Ease of Opening and Re-closing:** Secondary packaging should be designed for easy opening by consumers while maintaining its integrity during transportation and storage. Consideration should also be given to re-closing features, if applicable, to allow for convenient resealing of the package.
10. **Cost Efficiency and Manufacturing Considerations:** Secondary packaging should be designed for cost-effective manufacturing and assembly processes. It should optimize material usage, minimize waste, and integrate well with automated packaging systems.

5.17. FOOD RECALL AND PRINCIPLES

Food recall refers to the process of removing and recalling food products from the market due to safety concerns or non-compliance with regulatory requirements. It is an important measure taken to protect consumers from potential health risks associated with contaminated or unsafe food.

Key principles and considerations for food recall:

1. **Consumer Safety:** The primary objective of a food recall is to protect consumer safety and minimize the risk of adverse health effects. The recall should be initiated promptly when there is evidence or reasonable suspicion that a food product poses a safety hazard.
2. **Effective Communication:** Clear and timely communication is crucial during a food recall. The responsible party, typically the manufacturer or distributor, should promptly notify relevant stakeholders, including regulatory agencies, retailers, and consumers. Communication channels should be established to reach consumers who may have purchased the affected product.

3. **Traceability and Documentation:** Maintaining accurate records and implementing effective traceability systems are essential for efficient and targeted recalls. Manufacturers should be able to identify the affected product batches or lots, track their distribution, and communicate this information to relevant parties.
4. **Risk Assessment:** A thorough risk assessment should be conducted to evaluate the potential hazards associated with the product and determine the appropriate level of recall. Factors such as the nature of the hazard, the likelihood of exposure, and the severity of potential health consequences should be considered.
5. **Recall Strategy and Plan:** A well-defined recall strategy and plan should be developed in advance to ensure an organized and effective recall process. The plan should outline roles and responsibilities, communication procedures, methods of retrieval, disposal or correction of affected products, and mechanisms for monitoring the effectiveness of the recall.
6. **Regulatory Compliance:** Food recalls should comply with applicable laws, regulations, and guidelines set by regulatory authorities. Close coordination with relevant regulatory agencies is crucial to ensure compliance and cooperation throughout the recall process.
7. **Removal from Distribution:** Affected products should be promptly removed from the distribution chain, including warehouses, retailers, and other points of sale. This may involve working closely with distributors, wholesalers, and retailers to retrieve the products.
8. **Consumer Notification and Instructions:** Clear instructions should be provided to consumers on how to identify the affected product, return or dispose of it, and seek any necessary medical attention if required. Communication should be conducted through various channels, including product labeling, websites, social media, and press releases.
9. **Investigation and Corrective Actions:** A thorough investigation should be conducted to identify the root cause of the safety issue and implement appropriate corrective actions. This may involve analyzing production processes, ingredient sourcing, quality control measures, and supplier evaluations to prevent similar issues in the future.
10. **Continuous Improvement:** Following a food recall, it is important to evaluate the effectiveness of the recall process and make improvements as necessary. Lessons learned should be incorporated into future prevention, monitoring, and response strategies to enhance food safety measures.

5.18. PRODUCT STORAGE

Proper product storage is crucial for maintaining the quality, freshness, and safety of maize products. The specific storage requirements may vary depending on the type of maize product. Here are some common examples of maize products and their recommended storage methods:

1. **Maize Flour:** Maize flour should be stored in a cool, dry place to prevent moisture absorption and spoilage. It is best stored in airtight containers or sealed plastic bags to maintain freshness and prevent infestation by pests. Avoid exposure to direct sunlight or high temperatures, as they can affect the quality of the flour.
2. **Cornmeal:** Cornmeal, like maize flour, should be stored in a cool, dry place. It is recommended to store cornmeal in airtight containers or sealed plastic bags to prevent moisture absorption and maintain its texture. Like maize flour, protect it from direct sunlight and high temperatures.
3. **Cornstarch:** Cornstarch should be stored in a cool, dry, and dark place to prevent moisture absorption and maintain its fine texture. Airtight containers or sealed plastic bags are suitable for storing cornstarch. It is important to keep it away from strong odors, as cornstarch easily absorbs odors from its surroundings.
4. **Popcorn:** Popcorn kernels should be stored in airtight containers or sealed plastic bags to maintain their moisture content and ensure they pop properly. Store popcorn in a cool, dry place away from moisture and humidity. It is important to keep popcorn away from strong odors and prevent exposure to oil, as it can affect its popping quality.

5. **Corn Oil:** Corn oil should be stored in a cool, dark place to prevent oxidation and maintain its freshness. Choose airtight bottles or containers made of opaque materials to protect the oil from light exposure. Store corn oil away from heat sources and fluctuations in temperature.
6. **Canned Corn:** Canned corn should be stored in a cool, dry place. Ensure the cans are intact and free from bulges or leaks. Label and organize canned corn according to their expiration dates to ensure proper rotation and usage.
7. **Corn Snacks (e.g., popcorn snacks, corn chips):** Store corn snacks in airtight containers or resealable bags to maintain their crispness and prevent moisture absorption. Keep them in a cool, dry place away from direct sunlight and sources of heat.

5.19. PRODUCT TRANSPORTATION AND DISTRIBUTION REQUIREMENTS

There are several important requirements to ensure the quality and safety of the product. Some recommendations for transporting and distributing biofortified maize are:

1. **Packaging:** Use appropriate packaging materials that protect the maize from physical damage, moisture, pests, and contamination during transportation. Strong, durable bags made of materials like polypropylene or jute are commonly used. Ensure that the bags are clean, properly sealed, and free from any previous chemical or contaminant exposure.
2. **Handling and loading:** Train personnel involved in handling and loading the maize to follow proper procedures. Avoid rough handling, excessive stacking, and dropping of bags to prevent damage to the maize. Ensure that loading areas are clean and free from contaminants.
3. **Transportation vehicles:** Choose transportation vehicles that are clean, well-maintained, and suitable for carrying maize. Trucks or containers used for transporting maize should be dry, free from pests, and adequately ventilated to prevent moisture buildup. Regularly inspect and clean the vehicles to maintain hygiene.
4. **Temperature control:** If possible, consider using refrigerated trucks or insulated containers for long-distance transportation to control temperature fluctuations. Temperature-sensitive biofortified maize can maintain its quality and nutritional value better when transported under controlled conditions.
5. **Pest control:** Implement measures to prevent insect and pest infestation during transportation. Regularly inspect vehicles and ensure proper cleaning before loading the maize. Consider using insect-repellent materials or fumigation methods to discourage pests.
6. **Transportation duration:** Minimize transportation time to avoid prolonged exposure of maize to adverse conditions. Plan efficient routes and schedules to reduce the time taken from harvest to delivery. Minimizing delays helps preserve the freshness and quality of the biofortified maize.
7. **Documentation and traceability:** Maintain proper documentation and records throughout the transportation and distribution process. This includes information on the origin, quantity, quality, and handling of the maize. Proper traceability helps identify and address any issues that may arise during transportation or distribution.
8. **Collaboration with logistics partners:** Work closely with logistics partners and transportation companies to ensure they understand the specific requirements for transporting biofortified maize. Establish clear communication channels and provide them with guidelines on handling, storage, and transportation practices.
9. **Compliance with regulations:** Adhere to all relevant local, national, and international regulations and standards for the transportation and distribution of agricultural products. This includes compliance with food safety regulations, labeling requirements, and any specific regulations for biofortified products.
10. **Quality control and monitoring:** Regularly monitor the condition of the maize during transportation and distribution. Conduct quality checks at various stages to ensure that the maize meets the required standards. Promptly address any issues or concerns to maintain the integrity of the product.