



Questions

Which method should be used to:

- Get data?
- Create data?
- Update data?
- Delete data?

What is the difference between PUT and PATCH?

Is this RESTful? Why/why not? /getAllRides



1. Can we use POST to fetch data? Why/why not?
2. Can GET request have a body?
3. Which method is safest to use repeatedly?
4. Which method changes data on the server?
5. Can two endpoints return the same data? Should they?
6. Fix this: /createBooking
7. What is wrong here? GET /rides/delete/123



1. Design endpoint to:

- Delete all rides of a particular user
- Delete a booking
- Get all users for a particular ride

9 How would you design:

- “Get all bookings of a ride”?

10. Where should token be sent?

11. Why should we not send passwords in every request?

12. Can REST API send HTML?

13. Why is JSON preferred over XML?

14. What happens if Content-Type is wrong?



19. What should we return when:
- Ride is not found?
 - User is not logged in?
 - Data is created successfully?
 - Forbidden?
20. Is returning 200 always correct?

21. Is this RESTful?

`/rides/123/delete`

23. Can REST API exist without HTTP?

24. Is REST only used with JavaScript?

25. Convert to proposal Apis

`/getUser`

`/addRide`

`/removeBooking`

Convert these into proper REST APIs



Which one is correct?

POST /rides/:id/book

POST /rides/:id/bookings

Can a REST API exist without JSON?

Give one example of RESTful filtering

What format soap uses?

How many main parts are in a SOAP message

SOAP vs REST ? Which is more secure

WS-Security?

User shallow where required



1. Is this nesting correct? Why/why not?

GET /users/123/posts/456/comments/789/likes

Write routes for:

- Get all posts of a user
- Create a post for a user
- Delete a specific post

Write routes for:

- Get all orders of a customer
- Get a single order
- Get all orders (admin view)

Write routes for:

- Get all lessons of a module in a course

Write routes for:

- Get all students in a course of a department
- Delete student

Find mistake

```
<Envelope>
  <Body>
    <Header>
      <auth>token</auth>
    </Header>
  </Body>
</Envelope>
```



Soap Vs REST

- ▶ Food Delivery App
- ▶ Social Media Platform
- ▶ Legacy Enterprise Systems
- ▶ Government Systems (Tax systems, national databases)
- ▶ Payment Gateways (Enterprise Level)