

National University of Computer and Emerging Sciences

Quiz 1 [BS(Computer Science)] Spring 2026

13

OS Lab (BSCS-4H)

Date: March 2, 2026

Total Marks: 15

Duration: 15 Minutes

Name

Roll #

Q1. Which command displays the full path of the current working directory?

- A) ls ☒ B) pwd C) whoami D) cd

Q2. Which command is used to monitor a file in real-time as it grows?

- A) tail ☒ B) tail -f C) cat D) less

Q3. Which keyboard shortcut immediately terminates a running process in the terminal?

- A) Ctrl + Z B) Ctrl + D ☒ C) Ctrl + C D) Ctrl + W

Q4. What is the correct command to compile a C++ file named program.cpp?

- A) gcc program.cpp -o program ☒ B) g++ program.cpp -o program
C) compile program.cpp D) cc program.cpp

Q5. In command-line arguments, what does argc represent?

- A) Argument vector B) Argument character ☒ C) Argument count D) Argument code

Q6. If a program is executed as: ./a.out 10 20

What will be the value of argc?

- A) 1 ☒ B) 2 C) 3 D) 0

Q7. Which function converts a string argument into an integer?

- ☒ A) atoi() B) itoa() C) atof() D) strlen()

Q8. What is returned in the child process after a successful fork()?

- A) -1 ☒ B) 0 C) Child PID D) Parent PID

✓ Q9. Which system call is used by a parent to wait for its child process to terminate?

- A) exit() B) fork() ☒ C) wait() D) sleep()

✓ Q10. What happens if a parent does NOT call wait() for a terminated child?

- A) The child restarts B) The child becomes an orphan
☒ C) The child becomes a zombie D) System crashes

✓ Q11. Which exec function searches for the executable in the system PATH?

- ☒ A) execv() B) execl() ☒ C) execvp() D) execvfull()

✓ Q12. Which system call replaces the current process image with a new program?

- A) fork() B) wait() ☒ C) exec() D) getpid()

✓ Q13. What does the system call getppid() return?

- A) Process ID ☒ B) Parent Process ID C) Child Process ID D) Exit Status

Q14. What numeric permission represents Read + Write + Execute?

- A) 5 ☒ B) 6 C) 7 D) 4

✓ Q15. In multi-process programming, which function is used to collect the exit status of a specific child?

- A) wait() ☒ B) waitpid() C) exit() D) sleep()