


S4
Salem Solomon
IT 214-004

Task 1: ERD MODEL



Task 2: Create a Database

```
1 # Task 2 Create database by Salem Solomon
2 • drop database if exists league;
3 • create database league;
4 • use league;
5 • show databases;
```

Database	
▶ FITNESS	
HR	
information_schema	
league	
mysql	
performance_schema	
sys	

Task 3: Create Tables

```
7      # Task 3 Create Tables by Salem Solomon
8      ● SHOW TABLES;
9      ● CREATE TABLE SEASON_SS(
10         SEASON_ID_SS INT PRIMARY KEY,
11         REGISTRATION_START_SS DATE NOT NULL,
12         REGISTRATION_END_SS DATE NOT NULL,
13         SEASON_START_SS DATE NOT NULL,
14         SEASON_END_SS DATE NOT NULL,
15         FALL_SS VARCHAR(45),
16         SPRING_SS VARCHAR(45),
17         SUMMER_SS VARCHAR(45),
18         WINTER_SS VARCHAR(45));
19
20      ● CREATE TABLE DIVISION_SS(
21         DIVISION_ID_SS INT PRIMARY KEY,
22         AGE_SS VARCHAR(25) NOT NULL,
23         SEX_SS VARCHAR(10) NOT NULL,
24         RANK_SS INT NOT NULL,
25         DIVISION_EMAIL_SS VARCHAR(30) NOT NULL UNIQUE,
26         DIVISION_PHONE_SS CHAR(12) NOT NULL UNIQUE,
27
28      ● CREATE TABLE DIVISION_SS(
29         DIVISION_ID_SS INT PRIMARY KEY,
30         AGE_SS VARCHAR(25) NOT NULL,
31         SEX_SS VARCHAR(10) NOT NULL,
32         RANK_SS INT NOT NULL,
33         DIVISION_EMAIL_SS VARCHAR(30) NOT NULL UNIQUE,
34         DIVISION_PHONE_SS CHAR(12) NOT NULL UNIQUE,
35         SEASON_ID_SS INT,
36         FOREIGN KEY (SEASON_ID_SS) REFERENCES SEASON_SS(SEASON_ID_SS));
37
38      ● CREATE TABLE CLUB_SS(
39         CLUB_ID_SS INT PRIMARY KEY,
40         CLUB_NAME_SS VARCHAR(22) NOT NULL,
41         CLUB_EMAIL_SS VARCHAR(30) NOT NULL UNIQUE,
42         CLUB_PHONE_SS CHAR(12) NOT NULL UNIQUE,
43         CLUB_ABBREV_SS VARCHAR(5) NOT NULL);
44
45      ● CREATE TABLE TEAM_SS(
46         TEAM_ID_SS INT PRIMARY KEY,
```

```

38 ● - CREATE TABLE TEAM_SS(
39     TEAM_ID_SS INT PRIMARY KEY,
40     TEAM_NAME_SS VARCHAR(25) NOT NULL,
41     PLAYER_BIRTH_YEAR_SS INT NOT NULL,
42     PLAYER_GENDER_SS VARCHAR(10) NOT NULL,
43     TEAM_EMAIL_SS VARCHAR(25) NOT NULL UNIQUE,
44     DIVISION_ID_SS INT,
45     FOREIGN KEY (DIVISION_ID_SS) REFERENCES DIVISION_SS(DIVISION_ID_SS));
46
47 ● - CREATE TABLE ASSIGNMENT (
48     CLUB_ID_SS INT,
49     TEAM_ID_SS INT,
50     FOREIGN KEY (CLUB_ID_SS) REFERENCES CLUB_SS (CLUB_ID_SS),
51     FOREIGN KEY (TEAM_ID_SS) REFERENCES TEAM_SS (TEAM_ID_SS));
52
53 ● - CREATE TABLE PLAYER_SS(
54     PLAYER_ID_SS INT PRIMARY KEY,
55     FIRST_NAME_SS VARCHAR(15) NOT NULL,
56     LAST_NAME_SS VARCHAR(15) NOT NULL,
57     DOB_SS DATE NOT NULL.

```

```

CREATE TABLE PLAYER_SS(
54     PLAYER_ID_SS INT PRIMARY KEY,
55     FIRST_NAME_SS VARCHAR(15) NOT NULL,
56     LAST_NAME_SS VARCHAR(15) NOT NULL,
57     DOB_SS DATE NOT NULL,
58     JERSEY_NUMBER_SS CHAR(2) NOT NULL,
59     PARENT_EMAIL_SS VARCHAR(20) NOT NULL,
60     TEAM_ID_SS INT,
61     FOREIGN KEY (TEAM_ID_SS) REFERENCES TEAM_SS(TEAM_ID_SS));
62
63 ● - CREATE TABLE COACH_SS(
64     COACH_ID_SS INT PRIMARY KEY,
65     COACH_FNAME_SS VARCHAR(15) NOT NULL,
66     COACH_LNAME_SS VARCHAR(15) NOT NULL,
67     COACH_DOB_SS DATE NOT NULL,
68     START_YEAR_SS INT NOT NULL,
69     COACH_PHONE_SS CHAR(12) NOT NULL UNIQUE);
70
71

```

71
72 • SHOW TABLES;
73 • DESCRIBE DIVISION_SS;
74 • DESCRIBE SEASON_SS;
75 • DESCRIBE CLUB_SS;
76 • DESCRIBE TEAM_SS;
77 • DESCRIBE PLAYER_SS;
78 • DESCRIBE COACH_SS;
79
80

Result Grid  Filter Rows: Export: 

Tables_in_league

Result Grid  Filter Rows: Export: 

Tables_in_league

► ASSIGNMENT
CLUB_SS
COACH_SS
DIVISION_SS
PLAYER_SS
SEASON_SS
TEAM_SS

Result Grid  Filter Rows: Export: 

Field	Type	Null	Key	Default	Extra
► DIVISION_ID_SS	int	NO	PRI	NULL	
AGE_SS	varchar(25)	NO		NULL	
SEX_SS	varchar(10)	NO		NULL	
RANK_SS	int	NO		NULL	
DIVISION_EMAIL_SS	varchar(30)	NO	UNI	NULL	
DIVISION_PHONE_SS	char(12)	NO	UNI	NULL	
SEASON_ID_SS	int	YES	MUL	NULL	

Result Grid



Filter Rows:

Export:



Field	Type	Null	Key	Default	Extra	
▶ SEASON_ID_SS	int	NO	PRI	NULL		
REGISTRATION_START_SS	date	NO		NULL		
REGISTRATION_END_SS	date	NO		NULL		
SEASON_START_SS	date	NO		NULL		
SEASON_END_SS	date	NO		NULL		
FALL_SS	varchar(45)	YES		NULL		
SPRING_SS	varchar(45)	YES		NULL		
SUMMER_SS	varchar(45)	YES		NULL		
WINTER_SS	varchar(45)	YES		NULL		

Result Grid



Filter Rows:

Export:



Field	Type	Null	Key	Default	Extra	
▶ CLUB_ID_SS	int	NO	PRI	NULL		
CLUB_NAME_SS	varchar(22)	NO		NULL		
CLUB_EMAIL_SS	varchar(30)	NO	UNI	NULL		
CLUB_PHONE_SS	char(12)	NO	UNI	NULL		
CLUB_ABBREV_SS	varchar(5)	NO		NULL		

Result Grid



Filter Rows:

Export:



Field	Type	Null	Key	Default	Extra	
▶ TEAM_ID_SS	int	NO	PRI	NULL		
TEAM_NAME_SS	varchar(25)	NO		NULL		
PLAYER_BIRTH_YEAR_SS	int	NO		NULL		
PLAYER_GENDER_SS	varchar(10)	NO		NULL		
TEAM_EMAIL_SS	varchar(25)	NO	UNI	NULL		
DIVISION_ID_SS	int	YES	MUL	NULL		

Result Grid							Filter Rows:	Q Search	Export:
Field	Type	Null	Key	Default	Extra				
▶ PLAYER_ID_SS	int	NO	PRI	NULL					
▶ FIRST_NAME_SS	varchar(15)	NO		NULL					
▶ LAST_NAME_SS	varchar(15)	NO		NULL					
▶ DOB_SS	date	NO		NULL					
▶ JERSEY_NUMBER_SS	char(2)	NO		NULL					
▶ PARENT_EMAIL_SS	varchar(20)	NO		NULL					
▶ TEAM_ID_SS	int	YES	MUL	NULL					
Result Grid							Filter Rows:	Q Search	Export:
Field	Type	Null	Key	Default	Extra				
▶ COACH_ID_SS	int	NO	PRI	NULL					
▶ COACH_FNAME_SS	varchar(15)	NO		NULL					
▶ COACH_LNAME_SS	varchar(15)	NO		NULL					
▶ COACH_DOB_SS	date	NO		NULL					
▶ START_YEAR_SS	int	NO		NULL					
▶ COACH_PHONE_SS	char(12)	NO	UNI	NULL					

Task 4: Add data

```

81  # TASK 4 ADD DATA BY SALEM SOLOMON
82  ● SELECT * FROM SEASON_SS;
83  ● SELECT * FROM DIVISION_SS;
84  ● SELECT * FROM CLUB_SS;
85  ● SELECT * FROM PLAYER_SS;
86  ● SELECT * FROM COACH_SS;
87  ● INSERT INTO SEASON_SS
88      (SEASON_ID_SS, REGISTRATION_START_SS, REGISTRATION_END_SS, SEASON_START_SS, SEASON_END_SS, FALL_SS, SPRING_SS, SUMMER_SS, WINTER_SS)
89      VALUES
90      (1, '2017-03-01', '2017-08-01', '2017-09-21', '2017-12-21', 'Fall 2017', NULL, NULL, NULL),
91      (2, '2019-07-01', '2019-09-01', '2019-09-21', '2019-12-21', NULL, NULL, NULL, 'Winter 2019'),
92      (3, '2020-07-01', '2020-09-01', '2020-09-21', '2020-12-21', NULL, 'Spring 2019', NULL, NULL),
93      (4, '2022-07-01', '2022-09-01', '2022-09-21', '2022-12-21', NULL, null, NULL, NULL),
94      (5, '2023-07-01', '2023-09-01', '2023-09-21', '2023-12-21', NULL, 'Spring 2023', NULL, NULL);
95
96  ● INSERT INTO DIVISION_SS (DIVISION_ID_SS, AGE_SS, SEX_SS, RANK_SS, DIVISION_EMAIL_SS, DIVISION_PHONE_SS, SEASON_ID_SS)
97      VALUES
98      (1, 'Under 13', 'female', 2, 'abc@gmail.com', '555-666-7777', 1),
99      (2, 'Under 13', 'male', 2, 'number2@gmail.com', '553-646-7747', 1),
100     (3, 'Over 13', 'male', 3, 'number3@gmail.com', '532-226-1177', 1),
101     (4, 'Over 13', 'female', 1, 'number4@gmail.com', '112-633-7123', 1),
102     (5, 'Under 13', 'female', 1, 'number5@gmail.com', '525-166-2345', 2),
103     (6, 'Under 13', 'male', 1, 'number6@gmail.com', '522-636-7717', 2),
104     (7, 'Over 13', 'female', 1, 'number7@gmail.com', '324-616-3327', 2);
105
106  ● INSERT INTO CLUB_SS (CLUB_ID_SS, CLUB_NAME_SS, CLUB_EMAIL_SS, CLUB_PHONE_SS, CLUB_ABBREV_SS)
107      VALUES
108      (1, 'Falcons', 'falcons@gmail.com', '444-443-5678', 'FA'),
109      (2, 'Eagles', 'eagles@gmail.com', '423-223-7890', 'EA'),
110      (3, 'Dragons', 'dragons@gmail.com', '571-455-7865', 'DA'),
111      (4, 'Bulls', 'bulls@gmail.com', '877-241-0090', 'BA'),
112      (5, 'Seahawks', 'seahawks@gmail.com', '800-645-0987', 'SA');

```

```

114 • INSERT INTO TEAM_SS (TEAM_ID_SS, TEAM_NAME_SS, PLAYER_BIRTH_YEAR_SS, PLAYER_GENDER_SS, TEAM_EMAIL_SS, DIVISION_ID_SS)
115 VALUES
116 (1, 'Green', 2009, 'female', 'green@gmail.com', 1),
117 (2, 'Red', 2003, 'female', 'red@gmail.com', 2),
118 (3, 'Blue', 2012, 'female', 'blue@gmail.com', 3),
119 (4, 'Orange', 2011, 'male', 'orange@gmail.com', 1),
120 (5, 'Yellow', 2009, 'female', 'yellow@gmail.com', NULL);
121
122 • INSERT INTO PLAYER_SS VALUES
123 (560, 'ROBERT', 'GARCIA', '1982-09-12', '35', 'MELLY@GMAIL.COM', 1),
124 (561, 'DELTA', 'BOWMAN', '1980-02-11', '35', 'SANDY@GMAIL.COM', 3),
125 (562, 'SANDRA', 'KESTON', '1972-05-17', '20', 'FERNANDEZ@GMAIL.COM', 2),
126 (563, 'MICHAEL', 'KWART', '1990-10-12', '21', 'BOWMAN@GMAIL.COM', 4),
127 (564, 'PAMELA', 'KEATON', '1975-08-10', '17', 'MATHERS@GMAIL.COM', 5);
128
129 • INSERT INTO COACH_SS VALUES
130 (350, 'JOHN', 'BEKELE', '1972-02-03', '2020', '571-445-9980'),
131 (351, 'SEBAH', 'KHIAR', '1986-09-09', '2020', '556-990-8978'),
132 (352, 'LIDIYA', 'MUSSE', '1974-03-10', '2017', '334-675-7687'),
133 (353, 'ALLYSA', 'ASSEFA', '1973-10-04', '2015', '443-543-2345'),
134 (354, 'MELODIA', 'PEMBROOKE', '1977-03-09', '2014', '703-009-0912');
135

```

38:170

SEASON_ID_SS	REGISTRATION_START_SS	REGISTRATION_END_SS	SEASON_START_SS	SEASON_END_SS	FALL_SS	SPRING_SS	SUMMER_SS	WINTER_SS
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

SEASON_ID_SS	REGISTRATION_START_SS	REGISTRATION_END_SS	SEASON_START_SS	SEASON_END_SS	FALL_SS	SPRING_SS	SUMMER_SS	WINTER_SS
NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

DIVISION_ID_SS	AGE_SS	SEX_SS	RANK_SS	DIVISION_EMAIL_SS	DIVISION_PHONE_SS	SEASON_ID_SS
NULL	NULL	NULL	NULL	NULL	NULL	NULL

CLUB_ID_SS	CLUB_NAME_SS	CLUB_EMAIL_SS	CLUB_PHONE_SS	CLUB_ABBREV_SS
NULL	NULL	NULL	NULL	NULL

PLAYER_ID_SS	FIRST_NAME_SS	LAST_NAME_SS	DOB_SS	JERSEY_NUMBER_SS	PARENT_EMAIL_SS	TEAM_ID_SS
NULL	NULL	NULL	NULL	NULL	NULL	NULL

COACH_ID_SS	COACH_FNAME_SS	COACH_LNAME_SS	COACH_DOB_SS	START_YEAR_SS	COACH_PHONE_SS
NULL	NULL	NULL	NULL	NULL	NULL

Task 5: Query Data

```
136
137 # Task 5 Query the Data by Salem Solomon
138 # Query 1
139 #SELECT TEAM_NAME_SS AS name, TEAM_EMAIL_SS AS email
140 #FROM TEAM_SS
141 #JOIN SEASON_TEAM_SS ON TEAM_SS.TEAM_ID_SS = SEASON_TEAM_SS.TEAM_ID_SS
142 #JOIN SEASON_SS ON SEASON_TEAM_SS.SEASON_ID_SS = SEASON_SS.SEASON_ID_SS
143 #ORDER BY TEAM_NAME_SS ASC;
144 # QUERY 2
145 #SELECT DIVISION_PHONE_SS AS "Division Phone", SEASON_ID_SS AS "Season", DIVISION_NAME_SS AS "Division Name"
146 #FROM DIVISION
147 #JOIN TEAM ON TEAM.DIVISION_ID_SS = DIVISION.DIVISION_ID_SS
148 #WHERE TEAM.TEAM_NAME_SS = 'Red'
149 #ORDER BY SEASON_SS;

151 # query 3
152 #SELECT TEAM_NAME_SS AS "TEAM NAME", AGE_SS AS "PLAYER AGE", RANK_SS AS "PLAYER RANK"
153 #FROM CLUB
154 #JOIN DIVISION ON DIVISION.CLUB_ID_SS = CLUB.CLUB_ID_SS
155 #JOIN TEAM ON TEAM.DIVISION_ID_SS = DIVISION.DIVISION_ID_SS
156 #WHERE CLUB_NAME_SS = 'EAGLES';
157 #QUERY 4
158 #SELECT TEAM.TEAM_NAME_SS AS "TEAM NAME", CLUB.CLUB_NAME_SS AS "CLUB NAME", PLAYER.DOB_SS AS "DATE OF BIRTH"
159 #FROM CLUB_SS
160 #JOIN TEAM_SS ON CLUB.CLUB_ID_SS = TEAM.CLUB_ID_SS
161 #JOIN PLAYER_SS ON TEAM.TEAM_ID_SS = PLAYER.TEAM_ID_SS
162 #WHERE TEAM.SPRING = '2019' AND PLAYER.AGE_SS <= 12;

163 # QUERY 1
164 #SELECT COUNT(LAST_NAME_SS)
165 #FROM PLAYER_SS
166 #WHERE SEASON_SS = 'FALL 2020';
167 # Query 2
168 #SELECT COUNT (COACH_LNAME_SS)
169 #FROM COACH_SS
170 #WHERE SEASON_SS = 'SPRING 2020';
171 #QUERY 3
172 # SELECT CONCAT( FIRST_NAME_SS, LAST_NAME_SS) AS PLAYER
173 # FROM PLAYER_SS
174 # WHERE JERSEY_NUMBER_SS =(SELECT MAX(JERSEY_NUMBER_SS) FROM PLAYER);
175 #QUERY 4
176 # SELECT CONCAT(COACH_FNAME_SS, ' ', COACH_LNAME_SS) AS 'COACH'
177 # FROM COACH_SS
178 #WHERE START_YEAR_SS =(SELECT MIN(START_YEAR_SS) FROM COACH_SS;
```