

5. On the Cycle Count Products screen, enter the quantity you counted for each product (for products without serial numbers) or tap the Barcode Scanner icon (for products with serial numbers).

If your count only has products without serial numbers, you can skip to step 9.

6. Use the barcode scanner to scan your products.



**Tip** Make sure to keep your mobile device steady and have only one barcode in the scanner's focus area. If you have too many codes in the focus area, the scanner doesn't recognize them.

7. After you're done scanning barcodes, tap **Done** to see the list of serial numbers you scanned. You can also add serial numbers manually, scan more serial numbers, or remove serial numbers on this screen.
8. When you're sure that you have the required serial numbers for the product you counted, tap **Save**.



**Warning** Make sure that you've recorded all the serial numbers for the product before saving. You can't make changes to this list after you save it. If you need to make changes, you have to start from scratch.

9. After you've recorded the quantities for every product, tap **Complete Count** and select **Complete**. If your admin has configured any custom flows for visit actions, such as marking lost inventory or transferring products, tap the **Actions** icon to launch that flow. If there aren't any compatible flows configured in your org, the Actions icon doesn't work.
10. After all required tasks are complete, tap **End Visit**.
11. Enter any comments you have and select **Complete Visit** to close the count. And that's it, you're done! You can find the numbers for the expected quantities and the counted quantities in the Key Performance Indicator records associated with the cycle count visit record.

## Set Up Life Sciences Cloud Features for Customer Engagement

---

After you install the Life Sciences Cloud for Customer Engagement managed package, configure Customer Engagement features for use on web and mobile platforms. Within each feature group (Account Management, Engagement Execution etc), we've grouped the features in alphabetical order.

### Account Management

Manage your relationships with healthcare organizations (HCOs) and healthcare professionals (HCPs). Gain a comprehensive view of HCPs and HCOs, including their contact and social network details, specialties, affiliations, business licenses, ratings, as well as territory and product, and team-specific details.

### Engagement Planning

Optimize daily schedules, prioritize key events, and manage routines with Calendar. Log and manage time away from your territory with Time Off Territory. Improve your plans' chances of success with reusable goal definition templates. Personalize action plan templates for Key Account Management. Identify growth opportunities and adapt to evolving customer needs with Account Plans. Drive initiatives targeted at key accounts in a region with Territory Business Plans.

### Engagement Execution

Streamline scheduling, pre-visit planning, in-visit execution, and post-visit reporting processes with

Visit Management. Capture, manage, and honor consent and communication preferences of healthcare professionals with Consent Management. Use Remote Engagement to host virtual meetings with customers. Use Medical Inquiries to deliver fast, compliant, and trusted responses to every HCP inquiry. Use Surveys to collect feedback from customers.

### Intelligent Content

Equip field teams with a comprehensive content library so they can deliver impactful presentations and monitor engagement. Enable personalized communications with healthcare professionals and organizations by providing your field team with preapproved, customizable email templates.

### Product Management

In the Life Sciences industry, delivering value to customers—healthcare professionals, organizations, and patients—depends on making sure that the right products are available, accessible, and aligned with regulatory requirements. In Life Sciences Cloud, Product Management supports this goal by making it easier to configure, classify, and manage the products that your organization discusses, markets, sells, and distributes. The product hierarchy view helps teams structure portfolios according to SKU-level organization, while product territory alignments make sure that users access only the products approved for their designated regions and purpose, supporting compliance and reducing risk. Product messages and objectives enable personalized and effective engagement by equipping users with targeted guidance tailored to the needs of the customer.

### Sample Management

Enable pharmaceutical companies to efficiently handle and distribute drug samples to healthcare providers. Enhance drug sales and keep healthcare providers informed about the safe and effective use of products, leading to quicker treatments. Track and manage sales representative inventories of samples, ensuring compliance with regulations, and maintaining accurate records of distribution. Effective sample management is crucial for supporting healthcare providers and low-income patients, and ensuring ethical practices and regulatory compliance.

### Common Customer Engagement Components

Notify users of critical updates with App Alerts. Prevent legal and regulatory violations by making informed decisions with License Validation Checks. Manage complex business processes and guide users through their tasks with clear steps with multi-step workflows and related lists. Maximize customer engagement efficiency with Multi-Object Components and Dynamic Tree Views. Create Quick and Custom Actions for smoother workflows. Visualize Sales Data for effective customer interactions.

## Account Management

Manage your relationships with healthcare organizations (HCOs) and healthcare professionals (HCPs). Gain a comprehensive view of HCPs and HCOs, including their contact and social network details, specialties, affiliations, business licenses, ratings, as well as territory and product, and team-specific details.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### Account Address

Account Address helps manage addresses for diverse accounts like healthcare professionals (HCPs) and organizations (HCOs). Accurate address tracking and grouping are important for effective engagement, compliance, logistics, and data integrity. Accounts often have multiple addresses for different purposes (for example billing, shipping). Sales reps use this to tailor outreach, ensuring targeted deliveries and optimized efficiency.

### Account Merge

Merge duplicate accounts to create a single, accurate view of customer data. Doing this brings consistency, and improves business decisions and customer satisfaction.

### Account Search

Customize how users find and manage accounts by configuring various settings in the Admin Console. You can define search criteria and results and adjust the appearance and behavior of search options. You can manage this setup at both the org and profile levels, and further refine it by record type.

### Account Summarization

Prepare for smoother and more efficient customer interactions with the highly customizable Account Summarization solution. Help users save the time that's lost while switching between tabs to find the latest and most relevant information about an account before any customer interaction. Provide contextual information about provider accounts in a territory, including key account details and updates made to the account and the account's related records since the user's last interaction with the account. Help users access account summaries on the web and on mobile devices, even when the user is offline.

### Agentforce for Account Summarization

Optimize visit-planning measures and improve provider engagement by leveraging the power of AI-generated summarization. Get real-time, data-driven insights and contextual information about an account's latest updates, historical interactions, and related records, tailored for the current user's assigned territory. Use natural language utterances to interact with persona-based agents in the intuitive and conversational Agent window to easily get account summaries on the go, on the web and on the iPad.

### Create an Account Team

Let team members view details of all the collaborators of an account across different territories. Choose which fields to display to the account team.

### Activity Timeline

The Activity Timeline in Life Sciences Cloud gives you a 360-degree view of all activities for an account. It helps sales representatives, Key Account Managers (KAM), and Medical Science Liaisons (MSLs) visualize past and upcoming interactions with healthcare providers (HCPs) and healthcare organizations (HCOs). Activity Timeline helps you work more effectively by consolidating relevant account activities in one place, enabling better collaboration, informed decision-making, and smarter preengagement planning.

### Affiliations

Use the Affiliations feature to understand and map the connections between Healthcare Professionals (HCPs) and Healthcare Organizations (HCOs). Mapping these relationships in the healthcare ecosystem provides insights that help you target your engagement and improve outcomes.

#### **Bulk Update for Account-Related Records from Related Lists**

Give your users an efficient way to update multiple account-related records in a single action from a related list. To allow bulk updates from related lists, enable bulk edits for the user profile, create a custom button, and add the custom button to the account page layout.

#### **Data Change Request**

Use Data Change Request to manage how data changes are submitted, validated, and implemented across the Life Sciences Cloud for Customer Engagement app. Reduce manual corrections, prevent unapproved changes from being applied, and make sure that data consistency across both web and mobile apps.

#### **Lists and Filters**

Use Lists and Filters to organize and prioritize accounts and associated data in the Life Sciences Cloud for Customer Engagement app. Sales reps manage and refine large volumes of accounts into meaningful segments, helping them to focus on accounts that align with specific criteria based on business priorities, territory requirements, or engagement strategies.

#### **Next Best Action**

Set up Next Best Action to equip your sales reps with AI-driven weekly action plans. Help your sales reps achieve better time management and strategic engagement by recommending actions, such as visits, meetings, and emails for accounts, in the optimal sequence.

#### **Next Best Customer**

With the Next Best Customer scores, your field reps can identify the highest priority accounts for their next engagement. Using data such as engagement history and territory alignment, Next Best Customer ranks the accounts that are most likely to respond, so your reps can maximize the impact of each interaction.

#### **Provider Cards for Life Sciences**

Provider Cards in Life Sciences Cloud consolidates an account's information that's scattered across various objects and fields, such as the provider's locations and specialties and the user's scheduled visits, and displays it all in a one place on the mobile. You can choose which records to show in the card. To create provider cards, you can use the predefined template or create them from scratch.

#### **Ratings**

Ratings help prioritize and organize customer accounts into meaningful segments. Sales reps can use ratings to focus on the right customers, align on relevant accounts, and adjust strategies for maximum efficiency.

#### **Territory Management Batch Jobs**

Territory management relies on dedicated batch jobs to handle large-scale data processing. These jobs automate the critical task of aligning accounts to specific territories, whether through explicit mappings loaded from external systems or based on geographical representations like zip/postal codes or bricks.

## Account Address

Account Address helps manage addresses for diverse accounts like healthcare professionals (HCPs) and organizations (HCOs). Accurate address tracking and grouping are important for effective engagement, compliance, logistics, and data integrity. Accounts often have multiple addresses for different purposes (for example billing, shipping). Sales reps use this to tailor outreach, ensuring targeted deliveries and optimized efficiency.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## Primary Address

The Primary Address is the single, main contact point for an account, which is used for all official correspondence and regulatory filings. An HCP's main practice location or an HCO's headquarters is their primary address.

An account can have only one primary address at a time to provide a clear and consistent point of contact. The Primary address is stored on the Contact Point Address object, where users can select the Is Primary checkbox to designate a record as primary. Understanding the Primary Address helps you know the established main point of contact for an account.

## Preferred Address

A preferred address is a specific location that an account designates for particular interactions or communications within a territory. For instance, a healthcare professional (HCP) might prefer product samples sent to their home. Or, a healthcare organization (HCO) might specify a delivery address for certain supplies. With this distinction, life sciences companies can tailor their outreach. It ensures targeted information, product samples, or deliveries reach the most desired location. It also optimizes engagement and operational efficiency. The preferred address is a field on the Provider Account Territory Information object. It stores territory-based account addresses. Only the user within the territory can access the data. This helps keep the data personal to the user in that territory and the healthcare professional (HCP). Sales reps can access an account's preferred address in the Account Territory Field component on an account dashboard.

### Custom Formula Fields for Account Address

Configure how addresses are shown across the Life Sciences Commercial app by creating custom formula fields. Use the custom fields for both Contact Point Addresses and Sample Management Addresses. For example, Sample Management Addresses appear when you create a sample order or sample transfer. You can apply this custom field usage across the entire organization or for individual

profiles.

### Field-Level Security Configuration for Account Address

For your users to create and manage account addresses, grant them access to the Parent field on the Contact Point Address object for all relevant profiles.

### Configure Addresses for an Account

Configure how account addresses appear in the accounts list view by using Admin Console. This configuration defines the display format for Contact Point Addresses and Sample Management Addresses, enhancing their visibility for users in critical areas such as the Ship To field on a Sample Order. Optimized address views aid sales representatives in quickly identifying important account locations for better engagement and streamlined workflows.

### Set Up Best Time for Account Address

Customize the Best Time feature to help sales reps identify the optimal times for contacting healthcare providers (HCPs) at their addresses.

### Configure Provider Territory Fields Information on Account Pages

Help sales reps access and manage their assigned provider accounts in the context of the territories that the providers operate in. Customize the provider's account page to show territory-specific information in the account's dashboard.

### Configure Search Before Creating for Contact Point Addresses

Configure the account page layout to enable users to check for duplicate contact point addresses before they create a record. Users can search for duplicate addresses for business and person accounts.

### Batch Jobs for Account Address

Account Address batch jobs are designed to process large volumes of records and help you overcome the governor limits faced by trigger handlers.

## Custom Formula Fields for Account Address

Configure how addresses are shown across the Life Sciences Commercial app by creating custom formula fields. Use the custom fields for both Contact Point Addresses and Sample Management Addresses. For example, Sample Management Addresses appear when you create a sample order or sample transfer. You can apply this custom field usage across the entire organization or for individual profiles.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

For the account's list view, you can configure how the address is listed for each account.

| Object                | task                                                                                                                                           | related admin console setting            |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| Contact Point Address | Create a custom formula field that returns a text data type to format the account address to be displayed in the Accounts List view.           | Contact Point Address Formula Field      |
| Address               | Create a custom formula field that returns a text data type to format the sample management address to be displayed in the Accounts List view. | Samples Management Address Formula Field |

**See Also**

[Salesforce Help: Build a Formula Field](#)

## Field-Level Security Configuration for Account Address

For your users to create and manage account addresses, grant them access to the Parent field on the Contact Point Address object for all relevant profiles.

**REQUIRED EDITIONS**


---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

On the Contact Point Address object, set the access level of the Parent field to Visible. Make this change for all relevant user profiles. See [Set Field-Level Security for a Field on All Profiles](#).

## Configure Addresses for an Account

Configure how account addresses appear in the accounts list view by using Admin Console. This configuration defines the display format for Contact Point Addresses and Sample Management Addresses, enhancing their visibility for users in critical areas such as the Ship To field on a Sample Order. Optimized address views aid sales representatives in quickly identifying important account locations for better engagement and streamlined workflows.

**REQUIRED EDITIONS**


---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

---

---

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

#### USER PERMISSIONS NEEDED

---

|                                    |                                               |
|------------------------------------|-----------------------------------------------|
| To access account address settings | Life Sciences Commercial Admin permission set |
|------------------------------------|-----------------------------------------------|

---

Before you begin, create the required custom formula fields. See [Custom Formula Fields for Account Address](#).

1. From App Launcher, find and select **Admin Console**.
2. Select **Address**, and then select **Account Address**.
3. Under the Account Address section, for the Contact Point Address Formula Field, select the custom formula field you created for Contact Point Address.
4. Under Sample Management Address, for the Address Formula Field, select the formula field you created on the Address object.
5. Save your changes.

## Set Up Best Time for Account Address

Customize the Best Time feature to help sales reps identify the optimal times for contacting healthcare providers (HCPs) at their addresses.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

#### USER PERMISSIONS NEEDED

---

|                     |                                               |
|---------------------|-----------------------------------------------|
| To set up best time | Life Sciences Commercial Admin permission set |
|---------------------|-----------------------------------------------|

---

## Configure Best Time Parameters

Set up Best Time parameters and manage how sales reps can view and edit their personal best times, the provider's best times, unavailable times, appointments, and set appointment duration.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Address Administration**, and then select **Best Time Setup**.
3. For Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
  - a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.



4. Under Availability Settings, configure these settings as needed.
    - Let users edit the unavailable time.
    - Let users edit the healthcare provider's best time.
    - Let users edit appointments.
    - Let users edit their best time.
    - Select an appointment duration.
  5. Under General Settings, select whether you want to allow users to filter accounts by best time or not.
  6. Save your changes.
-  **Note** If you apply availability settings at a profile level, repeat steps 4 and 5 for all the relevant profiles.

## Enable Planner Settings

Configure Planner settings for the Best Times tab's calendar view.

1. From the App Launcher, find and select **Admin Console**.
2. Select the Planner Administration tile.
3. For First Day of Work Week, select a day.
4. For Work Day Start Time, select a start time for the workday.
5. For Hourly Slots Viewable on Calendar, select the number of slots you want to display on the calendar.
6. For Time Format, enter a time format for the calendar.
7. Save your changes.

## Configure Provider Territory Fields Information on Account Pages

Help sales reps access and manage their assigned provider accounts in the context of the territories that the providers operate in. Customize the provider's account page to show territory-specific information in the account's dashboard.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                 |                                               |
|---------------------------------|-----------------------------------------------|
| To edit an account record page: | Life Sciences Commercial Admin permission set |
|---------------------------------|-----------------------------------------------|

---

1. From the App Launcher, find and select **Accounts**.
2. Select the assigned account's record page.
3. Go to Setup, and then click **Edit Page**.
4. Select the account's Dashboard tab.



**Note** If the tab isn't available, create a tab by selecting **Add Tab** on the right pane. You can select an existing tab label from the provided options or create a custom label.

- From the left panel, select **Components**. Drag the Account Territory Fields and Territory Switcher components on to the Account Dashboard.
- Save your changes.

## Configure Search Before Creating for Contact Point Addresses

Configure the account page layout to enable users to check for duplicate contact point addresses before they create a record. Users can search for duplicate addresses for business and person accounts.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

### USER PERMISSIONS NEEDED

To edit a page layout:

Life Sciences Commercial Admin permission set

- From Setup, go to Object Manager.
- To add the **New** button for a person account record page, find and select **Person Account**.
- Click **Page Layouts**, and then select the page layout that's currently active for the profile.
- Go to the Contact Point Addresses related list, and click the  icon.
- To enable search before users create contact point addresses, in the Buttons section, configure the button.
  - Deselect the **New** standard button.
  - From Available Buttons, move the **New** custom button to Selected Buttons.
- Save your changes. To see the button, refresh the account page.
- To configure the **New** button for business accounts, from Object Manager, find and select **Account**, and then follow the same procedure.

## Batch Jobs for Account Address

Account Address batch jobs are designed to process large volumes of records and help you overcome the governor limits faced by trigger handlers.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

---

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## Account Address Primary Batch

This batch job marks a single primary address for an account and is an alternative to the Account Address Primary Handler Trigger. If there are multiple addresses present, then the last modified address is marked as primary.

## Provider Account Territory Information Job

This batch job creates provider account territory information records. It also calculates year-to-date visits, next visit, and last visit values for those records.

After the batch job creates provider account territory records, it automatically populates the preferred address field based on associated contact point address records.

- If an associated contact point address record is marked as primary, the job uses that address.
- If multiple contact point address records are marked as primary, the job uses the last modified record marked as primary.
- If no contact point address record is marked as primary, the job uses the last modified non-primary record.
- If no associated contact point address records exist, the preferred address field remains blank.

## Account Merge

Merge duplicate accounts to create a single, accurate view of customer data. Doing this brings consistency, and improves business decisions and customer satisfaction.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

When you merge accounts, the account records are consolidated into one unified record. The account that remains is the Consolidated Account (also called the winner account), and the account that's removed is the Merged Account (also called the loser account). All associated child records, transactions, and other account references from the Merged Account are realigned to the Consolidated Account. With a quick action, you can merge two accounts from the account record page. To merge more than two accounts at once, use Connect APIs or batch jobs.

### Configure Manual Account Merge

Let your users manually merge two accounts by adding the Account Merge quick action to account record pages. First, create the Account Merge action, and then add it to the Account page layout.

### Merge Multiple Accounts by Using Connect APIs

The Account Merge feature provides Connect APIs to merge customer accounts in real time. You can integrate these APIs with any Salesforce capability or an external application to automate your merge processes.

### Merge Multiple Accounts by Using a Batch Job

Use the Merge Account batch job to efficiently merge multiple accounts at once. This job retrieves all merge request records in Requested status and merges the corresponding accounts.

### Merge Two Accounts Manually

Combine two duplicate account records from the account record page. Select a consolidated (winner) account, choose which field values to keep from each record, and merge them into a single, unified record.

## Configure Manual Account Merge

Let your users manually merge two accounts by adding the Account Merge quick action to account record pages. First, create the Account Merge action, and then add it to the Account page layout.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                                  |                                               |
|--------------------------------------------------|-----------------------------------------------|
| To create the quick action and edit page layouts | Life Sciences Commercial Admin permission set |
|--------------------------------------------------|-----------------------------------------------|

---

## Create an Action

Set up the Account Merge quick action on the Account object by using a Lightning web component.

1. From Setup, go to Object Manager, find and select **Accounts**.
2. Click **Button, Links, and Actions**, and then click **New Action**.
3. Select the action type as **Lightning Component**.
4. Select **Life Sciences Customer Merge** as the Lightning web component.
5. Enter Account Merge as the label and, if needed, add a description.
6. Save your changes.

## Add Account Merge Action to Account Page Layout

Give your users the option to merge accounts by adding the Account Merge action to the highlights panel on the Account layout and the Person Account page layout.

1. From Setup, go to Object Manager, find and select **Account**.
2. Select **Page Layout**, and then select **Account Layout**.
3. In the palette at the top, select **Mobile & Lightning Actions**.
4. If prompted, click the link to override the predefined actions.
5. From the Mobile & Lightning Actions category in the palette, drag the **Account Merge** action to the Salesforce Mobile and Lightning Experience Actions section.
6. Save your changes.
7. Repeat these steps to add the action to the Person Account Page layout.

### Merge Multiple Accounts by Using Connect APIs

The Account Merge feature provides Connect APIs to merge customer accounts in real time. You can integrate these APIs with any Salesforce capability or an external application to automate your merge processes.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

Choose the API that best fits your integration's error-handling and data integrity requirements based on the details in the table.

| Connect API                         | Transaction Type | Error Handling                                                                                | Best For                                                                                 |
|-------------------------------------|------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Merge Customer Accounts             | Atomic           | The entire transaction is rolled back if a single merge fails. All or nothing.                | Scenarios where every merge in a batch must succeed together to ensure data consistency. |
| Merge Customer Accounts With Status | Non-Atomic       | Partial success is allowed. Successful merges are committed even if others in the batch fail. | Processing large batches where individual failures don't affect the entire operation.    |

## Merge Customer Accounts API

This API performs an atomic transaction. When you submit multiple account merges in a single request, the entire operation succeeds or fails as a single unit. If even one merge request is unsuccessful, the entire transaction is rolled back, and no accounts are merged. This ensures complete data integrity.

To use this API, provide values for the `winningId` and `losingId` fields, along with other required fields of the Merge Request object.

## Merge Customer Accounts with Status API

This API performs a non-atomic transaction to allow partial success. It processes each winning and losing account pair in a request independently. Successful merges are committed to the database, while any that fail don't stop the others from completing.

The API response returns the processing status for each individual merge attempt, allowing you to identify which specific merges succeeded or failed.

To identify accounts, you must provide values for one of these valid ID combinations for each merge request:

- `winningId` and `losingId`
- `winningId` and `losingExternalId`
- `winningExternalId` and `losingId`
- `winningExternalId` and `losingExternalId`

## Merge Multiple Accounts by Using a Batch Job

Use the Merge Account batch job to efficiently merge multiple accounts at once. This job retrieves all merge request records in Requested status and merges the corresponding accounts.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

To create merge requests and run the Merge Account batch job

---

Life Sciences Commercial Admin permission set

---

## Create a Merge Request

Each merge request record represents a mapping of consolidated and merged accounts. You can create multiple mappings by creating merge request records. These records are further used in batch job processing.

1. From App Launcher, find and select **Merge Requests**.
2. Click **New**.
3. Select **Account** as object type.
4. For status, select **Requested**.
5. Enter a value for Winning Record Identifier or Winning External Record Identifier.
6. Enter a value for Losing Record Identifier or Losing External Record Identifier.
7. To include field values from a merged account when the corresponding fields in the consolidated account are blank, select **Override Blank Values**.
8. Save your changes.

## Run the Merge Account Batch Job

Run the Merge Accounts batch job to merge multiple accounts into one so that your users can access the correct accounts. You can run the job manually on an ad hoc basis, or you can schedule the job to run later or at a regular interval. For example, schedule the merge account job to run daily to make sure that new sales reps have access to the unique accounts.

1. From App Launcher, find and select **Admin Console**.
2. Select **Account Management**, and then select **Merge Account**.
3. Run the batch job or schedule it for later. See [Run Batch Jobs](#)

## Merge Two Accounts Manually

Combine two duplicate account records from the account record page. Select a consolidated (winner) account, choose which field values to keep from each record, and merge them into a single, unified record.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

To merge accounts

Life Sciences Commercial Admin permission set

---

1. From the App Launcher, find and select **Accounts**.
2. Select the account record you want to keep as the consolidated account.
3. Under Quick Actions, select **Account Merge**.
4. In the Merge Account window, search for and select the duplicate account to merge.
5. If needed, select **Retain merged account field values when consolidated account field values are blank**, and click **Next**.
6. On the Select Fields to Retain window, select the field values that you want to see in the consolidated account, and click **Next**.
7. Click **Confirm**.

## Account Search

Customize how users find and manage accounts by configuring various settings in the Admin Console. You can define search criteria and results and adjust the appearance and behavior of search options. You can manage this setup at both the org and profile levels, and further refine it by record type.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

Locate and manage accounts efficiently with Account Search. Focus on strategic, high-value tasks by using an extensive search functionality with customizable search options and result layouts.

Account Search makes it easier for users to find accounts efficiently in the Salesforce org. Users can find accounts across the entire Salesforce ecosystem or even search external systems such as a master data management (MDM) system or IQVIA's OneKey database. Users can focus on the right accounts by downloading and aligning accounts to a specific territory.

Users begin their workflow with an internal Salesforce search by using keywords. The search checks for accounts not in their territory. If users don't find the account they're looking for, they have the option to search externally to identify potential accounts. Users can also use advanced search to further refine their search by using attributes. If the required account doesn't exist, the user confirms its absence before initiating the account creation process. This flow prevents duplicates, thus maintaining data integrity and reducing redundancy.

#### Define Sharing Settings for Account Search

Ensure the automatic update of searchable HCP data in the batch job runs successfully by configuring the Care Specialty object's sharing settings.

#### Configure User-Specific Country Settings

Narrow the account search scope by configuring the user-specific country settings. Define countries accessible by a user, and designate a country preferred by the user for specific interactions.



### Customize Account Search Preferences

Customize the appearance and behavior of account search options available to users by configuring settings in the Admin Console. You can do this at the org and profile level.

#### Configure External Search

Customize the behavior of external search functionality for users. You can configure these settings at the org and user levels.

#### Configure Advanced Search

Configure the criteria for performing advanced account search and the search results based on the record type. You can apply these configurations at the org and profile level.

#### Set up External Search by Using Built-In MuleSoft Integration

Integrate Life Sciences Cloud with configured external data sources, such as an MDM or IQVIA's OneKey, to extend account searches beyond Salesforce. This integration helps sales reps find and add accounts that aren't yet available in Salesforce.

#### Configure Search Before Account Creation

Enable users to search for matching accounts before creating a new record in the standard Accounts tab. This prevents the creation of duplicate account records.

#### See Also

[Search for Accounts and Align Accounts with Your Territory](#)

[Refine Account Search Results by Using Advanced Search Criteria](#)

## Define Sharing Settings for Account Search

Ensure the automatic update of searchable HCP data in the batch job runs successfully by configuring the Care Specialty object's sharing settings.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

#### USER PERMISSIONS NEEDED

---

|                                                |                                               |
|------------------------------------------------|-----------------------------------------------|
| To define sharing settings for account search: | Life Sciences Commercial Admin permission set |
|------------------------------------------------|-----------------------------------------------|

---

1. From Setup, in the Quick Find box, find and select **Sharing Settings**.
2. In the Organization-Wide Defaults section, click **Edit**.
3. For the Care Specialty object, set the default internal access to Public Read Only.
4. Save your changes.

## Configure User-Specific Country Settings

Narrow the account search scope by configuring the user-specific country settings. Define countries accessible by a user, and designate a country preferred by the user for specific interactions.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                              |                                               |
|----------------------------------------------|-----------------------------------------------|
| To configure user-specific country settings: | Life Sciences Commercial Admin permission set |
|----------------------------------------------|-----------------------------------------------|

---

1. From the App Launcher, find and select **User Additional Info**.
2. Find and select the UAI record of a user.
3. To set the user's country preferences, click the  icon in the information section.
  - a. For Available Countries, select a country from Available and move them to Chosen.
  - b. For Preferred Country, select a country from the dropdown.
4. Save your changes.
 

If you don't find a record for a user, you can create a User Additional Info record. You can also upload these records in bulk by using [data loader](#).

## Customize Account Search Preferences

Customize the appearance and behavior of account search options available to users by configuring settings in the Admin Console. You can do this at the org and profile level.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                          |                                               |
|------------------------------------------|-----------------------------------------------|
| To customize account search preferences: | Life Sciences Commercial Admin permission set |
|------------------------------------------|-----------------------------------------------|

---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Account Management**, and then select **Account Search Preferences**.
3. Under the Search Outside Territory section, enable users to search outside their territories and show

active accounts in the internal search results.

Users can manually align an affiliated account only after you've enabled the option to search for accounts outside their territory.

4. Configure country-based settings for external search.
  - To configure search across all countries, don't select country-based search.
  - To default search to user's available countries, select country-based search.
  - To provide users a dropdown with specific countries, select the country-based search and the country filter.
5. Select the record types available for filtering to include in a search outside the territory and move them to Selected Values.
6. Under the Advanced Search section, enable business license-based searching and limit the search scope by a user's available countries.
7. If necessary, under the Additional Search Preferences section, further customize your search preferences.
  - a. Enable users to view accounts in a map view (LSC Mobile app only) and automatically align affiliated accounts after a primary account is aligned to a territory.
  - b. Select a default customer filter and an additional provider territory field for searching. The selected filter applies to account searches performed outside the Life Sciences Commercial Accounts tab.
  - c. To configure the record types of accounts available for filtering during search, select the required record types and move them to Selected Values.

## Configure External Search

Customize the behavior of external search functionality for users. You can configure these settings at the org and user levels.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                               |                                               |
|-------------------------------|-----------------------------------------------|
| To configure external search: | Life Sciences Commercial Admin permission set |
|-------------------------------|-----------------------------------------------|

---

1. From the App Launcher, find and select **Admin Console**. Then, select **Account Management**.
2. Select **External Search** and then select **Enable users to download out-of-contract accounts**.
3. Configure settings at the user level.
  - a. Select **External Search User Settings**.
  - b. Set the user's limit for downloading out-of-contract accounts for the org or for a particular user.
4. Configure settings at the org level.
  - a. Select **External Search Org Settings**.

- b. Select an active external system for search from the dropdown.  
If you don't select an option, users can't perform external search.
- c. Specify the integration definition API to connect with the external system for external search.
- d. Set the org's limit for downloading out-of-contract accounts.  
If you exceed the org limit when you download out-of-contract accounts from an external system, all out-of-contract downloads are blocked for all users. If the org limit is available, the user limit is checked before downloading.

## Configure Advanced Search

Configure the criteria for performing advanced account search and the search results based on the record type. You can apply these configurations at the org and profile level.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                               |                                               |
|-------------------------------|-----------------------------------------------|
| To configure advanced search: | Life Sciences Commercial Admin permission set |
|-------------------------------|-----------------------------------------------|

---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Search Before Create** and then select **Field Set Mapping**.  
The field sets for the HCO and HCP record types are set by default.
3. To associate custom field sets based on your preferences, [create custom field sets](#) and select them for the required record type.
4. To customize the advanced search layout further, select **Search Before Create** on the Admin Console page and then select **General Settings**.
  - a. To show external search results and internal search results simultaneously, under General Settings customize the advanced search.
  - b. To customize the fields that appear in the business license search, its results, and the details for affiliations and specialties during account creation, select the required field sets.
  - c. If necessary, set the sorting criteria used to display contact point addresses in the search results.
  - d. To populate searchable fields on healthcare provider records by using the data from associated records, run the Update HCP Records with Searchable Data job from the Search Before Create Jobs section, or activate the Update Healthcare Provider with Searchable Data data processing engine (DPE) definition from Setup.  
You can create data change requests while creating an account that requires approval.

### See Also

[Data Change Request](#)

[Salesforce Help: Create and Edit Field Sets](#)

[Salesforce Help: Run Data Processing Engine Definitions](#)

## Set up External Search by Using Built-In MuleSoft Integration

Integrate Life Sciences Cloud with configured external data sources, such as an MDM or IQVIA's OneKey, to extend account searches beyond Salesforce. This integration helps sales reps find and add accounts that aren't yet available in Salesforce.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

Use prebuilt integration applications, including the Provider Services API and Onekey System API, which are deployed via MuleSoft Direct to facilitate interaction with external data sources.

To address end-to-end business needs, integrate Salesforce apps with external systems by using Integration Solutions with MuleSoft Direct.

To set up MuleSoft Direct, see [Integrate Solutions with Mulesoft Direct](#).

To set up integration for external search, see [Explore MuleSoft Direct Integration Apps](#).

### Create an Integration Definition

Use integration definitions to quickly set up integrations with different external endpoints by using a low-code interface. Create integration definitions for Apex classes used to integrate with third-party systems.

## Create an Integration Definition

Use integration definitions to quickly set up integrations with different external endpoints by using a low-code interface. Create integration definitions for Apex classes used to integrate with third-party systems.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                      |                       |
|--------------------------------------|-----------------------|
| To create an integration definition: | Customize Application |
|--------------------------------------|-----------------------|

---

Before you create an integration definition, make sure your named credential is set up. This named credential is typically auto-created as part of the MuleSoft integration and Connected App setup. Find the named credential in the {MuleSoft Application Name}\_provider-services-impl format.

1. From Setup, in the Quick Find box, enter *Integration Definitions*, and then select **Integration Definitions**.
2. Click **New**.
3. For Type, select **Apex Defined**.
4. For Name, enter the name of the integration definition.  
The Developer Name is auto-populated.
5. For Apex Class, select **Isc4ce.ExternalSearchCalloutService**.
6. For Attribute Value, enter the API Name of your named credential.
7. Click **Save and Activate**.

## Configure Search Before Account Creation

Enable users to search for matching accounts before creating a new record in the standard Accounts tab. This prevents the creation of duplicate account records.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                              |                                               |
|----------------------------------------------|-----------------------------------------------|
| To configure search before account creation: | Life Sciences Commercial Admin permission set |
|----------------------------------------------|-----------------------------------------------|

---

1. From Setup, go to Object Manager, and select **Account**.
2. Click **Buttons, Links, and Actions**.
3. Select **New** action from the list.
4. Click the  icon, and select **Edit**.
5. For Lightning Experience Override, select **Lightning component**, and then select **SbcCreateAccount** component from the dropdown.
6. Save your changes.

## Account Summarization

Prepare for smoother and more efficient customer interactions with the highly customizable Account Summarization solution. Help users save the time that's lost while switching between tabs to find the latest and most relevant information about an account before any customer interaction. Provide contextual information about provider accounts in a territory, including key account details and updates

made to the account and the account's related records since the user's last interaction with the account. Help users access account summaries on the web and on mobile devices, even when the user is offline.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

Also, generate separate summaries for different profiles by configuring profile-specific graphs in the admin console. Customize and extend the Account Summarization solution to generate summaries of objects and records of your choice.

### Permissions and Admin Settings for Account Summarization

Make sure your admins and users have the right permissions and licenses to access the Account Summarization solution. Enable the admin settings that grant access to Einstein Generative AI and Cross-Object Field History settings.

### Account Summarization Data Setup

Account Summarization relies on data set up in your org. Review these prerequisites before setting up Account Summarization.

### Account Summarization Workflow

Account Summarization helps sales reps stay informed and prepared for provider visits with agent-generated summaries of the latest changes that have taken place in account since the user's last interaction with the account. The agent-generated summaries are available on both on the web and in the mobile, and supports both online and offline viewing in the mobile.

### Configure History Tracking for Account Summarization

Account Summarization informs sales reps of the latest changes in a provider account since their last interaction. Choose which fields to include in the information summary.

### Create a Cross-Object Graph for Account Summarization

A cross-object graph represents a set of objects and the relationship between the objects. In Account Summarization, the Account object is the root node in the graph. The Account Summarization graph template references the objects related to the provider's account. You can configure graphs for different profiles by customizing the related objects and fields. You can also create a graph from scratch.

### Assign a Cross-Object Graphs to an Org or Profile

Choose the cross-object graph that's relevant for performing account summaries, and configure the graph for the org or for a specific profile.

### Account Summarization Customizations

Achieve more personalized solutions that cater to the unique needs of your organization by customizing each component of the Account Summarization capability.

## Permissions and Admin Settings for Account Summarization

Make sure your admins and users have the right permissions and licenses to access the Account Summarization solution. Enable the admin settings that grant access to Einstein Generative AI and Cross-Object Field History settings.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

- Assign these permission sets to Account Summarization admins.
  - Health Cloud Starter
  - Life Sciences Commercial Admin
  - Prompt Template Manager
  - Access Life Sciences Customer Engagement Agentforce
- Assign these permission sets to users.
  - Health Cloud Starter
  - Life Sciences Field Sales Representative
  - Access Life Sciences Customer Engagement Agentforce
- These admin settings must be turned on in Life Sciences for Customer Engagement Setup.
  - Account Summarization
  - Territory-Based Derived Sharing
- To create prompts using Einstein Generative AI, turn on Einstein Setup.
- To create object relationship graphs that store historical data of associated records, turn on Cross-Object Field History.

## Account Summarization Data Setup

Account Summarization relies on data set up in your org. Review these prerequisites before setting up Account Summarization.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

- Make sure you're assigned the Life Sciences Commercial Admin permission set.
- Configure [territory models and activate the models](#).



- [Assign users and accounts to territories.](#)
- Set up data in the Account object and in these related objects.
  - Accreditation
  - Award
  - Party Publication
  - Healthcare Provider Specialty
  - Provider Visit Request Sample
  - Contact Point Address
  - Provider Account Territory Info
  - Provider Affiliation
  - Provider Visit Product Detailing
  - Provider Visit Detail Product Message
  - Provider Activity Goal
  - Inquiry
  - Inquiry Question
- If you're adding other objects to the graph, make sure that you have access to the objects and set up the data.
- Configure the Provider Summary Lightning App Builder component to enable history tracking for the fields that you want to include in the information summary.
- To provide offline access to account summaries in the mobile app, create [the object metadata cache configuration](#) for the Provider Account Territory Summary object.

#### See Also

[Generate Metadata Cache](#)

[Set Up Sales Territories for Life Sciences Cloud](#)

[Track Object Field History](#)

## Account Summarization Workflow

Account Summarization helps sales reps stay informed and prepared for provider visits with agent-generated summaries of the latest changes that have taken place in account since the user's last interaction with the account. The agent-generated summaries are available on both on the web and in the mobile, and supports both online and offline viewing in the mobile.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

By default, when the user interacts with the account for the first time, the summary generated shows the account's key information and all the updates that have taken place in the record in the last 90 days.



**Note** You can configure the period of time for which summary changes are captured by customizing the Generate Provider Account Territory Summary autolaunched flow.

The Account Summarization solution consists of flows, invocable actions, batch jobs, prompt templates, and cross-object graphs that all work together to summarize a provider account and its related records for the current user and the territory the account is part of.

The batch job and object meta data cache configurations help ensure that users have access to account summaries at all times. The batch job generates summaries at regular intervals, while the object meta data cache configurations sync the Provider Account Territory Summary records across the web and mobile devices, thereby enabling users to view the summaries even when they're offline.

## Account Summarization Cross-Object Graph Template

Cross-object graphs represent a set of objects, and relationship between the objects, where the account-related information is stored. The graphs also contain information about the specific fields whose updates are fetched in the summarization flow.

Account Summarization cross-object graphs have the Account object as the root node. The records of the objects that are configured in the cross-object graph are sorted by the descending order of the last modified date.

You can create cross-object graphs with a predefined Account Summarization template that offer a complete view of the account and all its related objects. To get summaries of the latest changes in a record, you must enable history tracking for the fields configured in the template. To pass on relationship information to the Summarization flow, you must configure the graph as the org default or for specific profiles.

## Run Account Summarization Batch Job Flow

The Run Account Summarization Batch Job schedule-triggered flow runs on a daily cadence and calls an action to run the Summarize Provider Accounts batch job. You can customize the date, time, and frequency of the flow according to your preference.



**Note** The Run Account Summarization Batch Job is a template flow. As a prerequisite for generating summaries, you must save it as a new flow, and give it a label and API name.

## Summarize Provider Accounts Batch Job

The Summarize Provider Accounts batch job helps summarize the active provider accounts in bulk by launching the Generate Provider Account Territory Summary flow.

## Generate Provider Account Territory Summary Flow

The Generate Provider Account Territory Summary flow calls the Get Object Relationship Data invocable action and the Get Life Sciences Configuration Field Names and Values invocable action to fetch data from the cross-objects graphs configured for Account Summarization. The output from the invocable action is passed into the Summarize Provider Account Related Information prompt template to generate the account summary.

## Summarize Provider Account Related Information Prompt

The Summarize Provider Account Related Information prompt template generates summaries of the objects and fields configured in the cross-object graph, and formats and categorizes the output in the following JSON format.

```
{
  "keyInfo": [
    {
      "sectionName": "",
      "sectionData": [
        {
          "data": ""
        }
      ]
    }
  ],
  "changeInfo": [
    {
      "sectionName": "",
      "sectionData": [
        {
          "data": ""
        }
      ]
    }
  ]
}
```

The summary information is stored in the Provider Account Territory Summary records and displayed on the account's record page on the web, and in the account's profile on the iPad.

### See Also

[View a Smart Summary of an Account](#)

## Configure History Tracking for Account Summarization

Account Summarization informs sales reps of the latest changes in a provider account since their last interaction. Choose which fields to include in the information summary.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

To enable history-tracking for fields:

Life Science Commercial Admin permission set

---



**Note** You can't enable history tracking for the formula, text area, and derived fields.

1. In the management settings for the object that you want to monitor, go to Fields & Relationships.
2. Click **Set History Tracking**.

3. Select fields for which you want to view both past and new values.
4. Select fields for which you want to monitor only the most recent value.
5. Save your changes.

## Create a Cross-Object Graph for Account Summarization

A cross-object graph represents a set of objects and the relationship between the objects. In Account Summarization, the Account object is the root node in the graph. The Account Summarization graph template references the objects related to the provider's account. You can configure graphs for different profiles by customizing the related objects and fields. You can also create a graph from scratch.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                |                                               |
|--------------------------------|-----------------------------------------------|
| To create cross-objects graph: | Life Sciences Commercial Admin permission set |
|--------------------------------|-----------------------------------------------|

---



**Note** Make sure you enable cross-objects field history.

1. From Setup, in the Quick Find box, enter and select **Cross-Object Field History Graphs**.
2. In Feature Settings, select **Cross-Object Field History Graphs**.
3. Click **New Graph**.
4. To use the predefined template, select **Account Summarization**, and then click **Create Graph**.  
You can also create a graph from scratch.
5. In Graph Properties, enter a label for the graph.  
The developer name is automatically populated. Make note of graph's developer name for related tasks, such as assigning the graph to the org or to a profile.
6. Customize the template as needed.
7. Save your changes.

Next, assign the graph to a profile or to the org.

### See Also

[Create a Cross-Object Field History Graph](#)

## Assign a Cross-Object Graphs to an Org or Profile

Choose the cross-object graph that's relevant for performing account summaries, and configure the graph for the org or for a specific profile.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

## USER PERMISSIONS NEEDED

---

To assign the cross-object graph to the org or to a Life Science Commercial Admin permission set profile:

---

1. From App Launcher, find and select **Admin Console**, and then select **Account Management**.
2. Select **Account Summarization Graph Settings**.
3. Choose whether the graph applies to the org or to a specific profile.
4. For Provider Account Related Relationship Graph, select the cross-object graph to assign.
5. Save your changes.

## Account Summarization Customizations

Achieve more personalized solutions that cater to the unique needs of your organization by customizing each component of the Account Summarization capability.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

Here's a list of the various ways in which each of the Account Summarization components can be customized and configured to suit your unique needs.

- Create different relationship graphs for different profiles, or create custom graphs to capture additional information. You can add any object to the cross-object graph, but the object must have a direct or indirect lookup to the Account object. You can add a maximum of three levels of relationships in the graph, and up to five nodes at each level in the graph. By default, you create different graph definitions for different profiles, so that the summaries are tailor-made for each persona's unique business needs. For example, to create separate summaries for key account managers and medical science liaison, configure two different cross-object graphs and associate the relevant graph with the target profile. You can further customize the graph definitions to create cross-object graphs for specific purposes, such as a graph with a set of objects and fields that are configured only for summaries of key information without the details of the changed information.
- Create custom batch jobs to summarize account records for a subset of accounts, determined by

condition logic. You can add filter conditions based on the account's standard fields, such as account type, or including custom fields representing the category, tier, or segment that the account belongs to. For example, you can choose to generate summaries in bulk only for premium accounts.

- The Account Summarization solution uses the flexible Generate Provider Account Territory Summary flow that can be customized to fetch data from multiple graphs and feed the data into multiple prompt templates, based on your requirements.
- Create a custom prompt template based on the default template, and add custom instructions to categorize the data. Make sure you display the prompt output in the following format.

```
{ "keyInfo": [ {"sectionName": "", "sectionData": [ {"data": ""} ] }, "changeInfo": [ {"sectionName": "", "sectionData": [ {"data": ""} ] } ] }
```

The highly configurable solution can be customized in multiple ways using various components, such as with custom graphs, flows, batch jobs, prompts, invocable actions, and context definitions.

### Customize How and When an Account Summary is Generated

Customize the Generate Provider Account Territory Summary flow to fetch records of objects other than the Account object. Choose when to capture summary changes.

### Customize the Batch Job for Summarizing Provider Accounts

The Summarize Provider Accounts batch job summarizes the active provider accounts in bulk at regular intervals. Customize the batch size, criteria, and retry count and interval.

### Customize When to Run a Summarization Batch Job

Choose when and how often to perform summarizations by customizing the Run Account Summarization Batch Job flow.

### Create a Custom Prompt Template for Account Summarization

Configure a custom prompt template to modify the summarization guidelines, add input data, and update the categorization details. When you modify the objects and fields in the cross-object graph, you must update the prompt to summarize the details of the objects and fields you added.

## Customize How and When an Account Summary is Generated

Customize the Generate Provider Account Territory Summary flow to fetch records of objects other than the Account object. Choose when to capture summary changes.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for LifeSciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

---

**USER PERMISSIONS NEEDED**


---

To use Account Summarization:

Life Science Commercial Admin permission set

AND

Access Life Sciences Customer Engagement  
Agentforce

To open, edit, or create a flow in Flow Builder:

Manage Flow

- 
1. From Setup, in the Quick Find box, enter and select **Flows**.
  2. Select **Generate Provider Account Territory Summary** to open Flow Builder.
  3. To change the time period to generate summaries, edit the GetLastVisitStartDateTime element.
  4. To fetch specific objects records in the associated cross-object graph, add a Get Records element and add the filter conditions.
  5. To pass the data onto custom prompt templates, clone the GetRetrieveKeyInformationSummaryandChangedInformationSummary action, and associate it with the custom prompt template. Add customizations as needed.
  6. In the top-right corner, click  and select **Save as New Version**.
  7. Activate the flow.

**See Also**[Get Started Automating a Business Task with a Flow](#)

## Customize the Batch Job for Summarizing Provider Accounts

The Summarize Provider Accounts batch job summarizes the active provider accounts in bulk at regular intervals. Customize the batch size, criteria, and retry count and interval.

**REQUIRED EDITIONS**

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for LifeSciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---



---

**USER PERMISSIONS NEEDED**


---

To use Account Summarization:

Life Science Commercial Admin permission set

AND

Access Life Sciences Customer Engagement  
Agentforce

---

**USER PERMISSIONS NEEDED**

---

To create a batch job: System Administrator profile

---



**Note** For large number of records, make sure that the batch job operates within the specified [execution limits](#).

1. From Setup, in the Quick Find box, enter and select **Batch Management**.
2. Click **New** and enter a name for the batch job.  
The API name is automatically populated.
3. For the process type, select **Flow**.
4. For Execution Process, enter *prvd\_sum\_\_ProviderSummarization*.
5. For Group, enter *Provider Summarization*.
6. Specify the batch size, retry count, and retry interval.
7. For the flow input variable, select **accountId**.
8. For the object that you want to run the batch job for, select **Account**.
9. Add criteria to run the batch job.
10. Save your changes.
11. Activate the batch job.

Make sure you associate the custom batch job with the Run Account Summarization Batch Job schedule-triggered flow.

**See Also**

[Create a Batch Job](#)

[Execution Governors and Limits](#)

**Customize When to Run a Summarization Batch Job**

Choose when and how often to perform summarizations by customizing the Run Account Summarization Batch Job flow.

**REQUIRED EDITIONS**

---

Available in: Lightning Experience

---

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

---

**USER PERMISSIONS NEEDED**

---

To use Account Summarization: Life Science Commercial Admin permission set  
  
AND

---



---

**USER PERMISSIONS NEEDED**


---

|                                                  |                                                     |
|--------------------------------------------------|-----------------------------------------------------|
|                                                  | Access Life Sciences Customer Engagement Agentforce |
| To open, edit, or create a flow in Flow Builder: | Manage Flow                                         |

---



**Note** The Run Account Summarization Batch Job is a template flow. Regardless of whether you use the default configuration or customize the flow, you must first save it as a new flow.

1. From Setup, in the Quick Find box, enter and select **Flows**.
2. Select the new flow you saved the template Run Account Summarization Batch Job flow as.
3. In Flow Builder, select the first element.
4. Enter the date and time to start the flow and the frequency.
5. Click  and select **Action**.
6. Select the batch job that you want to associate with the action.
7. For userType, select **All Users**.
8. Enter the territory ID used in the original action element.
9. Delete the default action element.
10. Save your changes.

### Create a Custom Prompt Template for Account Summarization

Configure a custom prompt template to modify the summarization guidelines, add input data, and update the categorization details. When you modify the objects and fields in the cross-object graph, you must update the prompt to summarize the details of the objects and fields you added.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement, Agentforce for Life Sciences Cloud, Einstein GPT Prompt Builder, and Einstein GPT Platform Add-on licenses, and the Life Sciences Customer Engagement managed package.

---

**USER PERMISSIONS NEEDED**


---

|                               |                                                     |
|-------------------------------|-----------------------------------------------------|
| To use Account Summarization: | Life Science Commercial Admin permission set        |
| To use prompt templates:      | Prompt Template User permission set                 |
|                               | AND                                                 |
|                               | Access Life Sciences Customer Engagement Agentforce |

---

1. From Setup, in the Quick Find box, enter and select **Prompt Builder**.
2. Select **Summarize Provider Account Related Information**.
3. Click the dropdown next to Save As and select click **Save as a New Version**.
4. Make modifications to the prompt as per your preference.  
Make sure that the output of the prompt template is in this format.

```
{"keyInfo": [{"sectionName": "", "sectionData": [{"data": ""}]], "changeInfo": [{"sectionName": "", "sectionData": [{"data": ""}]]}
```

5. In Template Settings, choose a model.
6. Activate the prompt.

To use a custom prompt, you must override the autolaunched Generate Provider Account Territory Summary flow and associate the custom prompt with a new version of the flow.

#### See Also

[Create a Prompt Template](#)

## Agentforce for Account Summarization

Optimize visit-planning measures and improve provider engagement by leveraging the power of AI-generated summarization. Get real-time, data-driven insights and contextual information about an account's latest updates, historical interactions, and related records, tailored for the current user's assigned territory. Use natural language utterances to interact with persona-based agents in the intuitive and conversational Agent window to easily get account summaries on the go, on the web and on the iPad.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud for Customer Engagement Add-on license, Agentforce for Life Sciences Cloud, Flex Credits Metering, Agentforce Employee Agent, Einstein GPT Platform, Einstein GPT Copilot, and Einstein GPT Prompt Builder. Also available with Einstein GPT Trust and Genie Data Platform Starter add-on licenses.

---

The Agentforce for Account Summarization solution consists of a topic, two actions, and a flow.

- The Pre Visit Planning topic helps the agent summarize provider records in the context of the user's territory by using the Generate Healthcare Provider Summary action and the Identify Records By Name action to identify the provider record and the territory of the user.
- The Pre Visit Planning topic also calls the Generate Account Summary flow which generates the account summary.

To tailor the Agentforce for Account Summarization solution to your specific needs, [customize](#) the topic and [related actions](#).

**Set Up Agentforce for Account Summarization**

To start using the Agentforce features, make sure you enable Einstein Setup, visit-specific topics and actions, and account summarization. Also verify that you have records set up in your org.

**Create an Agent for Account Summarization**

Provide key account managers, field sales agents, and medical science liaisons with intelligent agents who summarize information from multiple data points and offer key insights that support planning initiatives before a visit. Use predefined agent templates to configure agents that cater to the specific needs of personas in Life Sciences.

**Account Summarization Flows for Agentforce**

The Generate Healthcare Provider Summary agent action invokes the Generate Account Summary flow, which determines if an existing summary record exists and if the existing summary record captures the latest updates in an account. If there are no summary records or if the account record has updates that haven't been summarized, the flow retrieves the latest summary details.

**Provide Access to Your Pre Visit Planning Agent**

To help users access the Pre Visit Planning agent, create a permission set with agent access enabled, and assign it to the user. Or, provide agent access to your user's current profile.

Set Up Agentforce for Account Summarization

To start using the Agentforce features, make sure you enable Einstein Setup, visit-specific topics and actions, and account summarization. Also verify that you have records set up in your org.

REQUIRED EDITIONS

|                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Available in: Lightning Experience                                                                                                                                                                                                                                                                                                                                                         |
| Available in: <b>Enterprise</b> and <b>Unlimited</b> Editions with Life Sciences Cloud for Customer Engagement Add-on license, Agentforce for Life Sciences Cloud, Flex Credits Metering, Agentforce Employee Agent, Einstein GPT Platform, Einstein GPT Copilot, and Einstein GPT Prompt Builder. Also available with Einstein GPT Trust and Genie Data Platform Starter add-on licenses. |

| USER PERMISSIONS NEEDED          |                                                                                                             |
|----------------------------------|-------------------------------------------------------------------------------------------------------------|
| To enable Agentforce:            | Customize Application                                                                                       |
| To enable Account Summarization: | Life Sciences Commercial Admin permission set<br>AND<br>Access Life Sciences Customer Engagement Agentforce |

Prerequisites

- To use Einstein Generative AI, turn on [Einstein Setup](#).

- [Set up data to summarize accounts.](#)

Licenses

- Assign the following permission sets to your users:
  - Health Cloud Starter
  - Life Sciences Core
  - Prompt Template User
  - Access Life Sciences Customer Engagement Agentforce
- Assign licenses based on the the standard user's persona:
  - Assign the Life Sciences Key Account Management permission set to key account managers.
  - Assign the Life Sciences Field Medical permission set to medical science liaisons.
  - Assign the Life Sciences Field Sales Representative permission set to sales representatives.

1. From Setup, in the Quick Find box, enter *Life Sciences for Customer Engagement Setup*, and select it.
2. In the Enable Life Sciences Cloud for Customer Engagement Features section, turn on Territory-Based Derived Sharing admin settings.
3. In the Configure Account Summarization For Customer Engagement section, turn on the Account Summarization.
4. In the Set Up Agentforce for Visit Planning section, turn on Enable Visit Planning Actions and Topics.

Create an Agent for Account Summarization

Provide key account managers, field sales agents, and medical science liaisons with intelligent agents who summarize information from multiple data points and offer key insights that support planning initiatives before a visit. Use predefined agent templates to configure agents that cater to the specific needs of personas in Life Sciences.

REQUIRED EDITIONS

|                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Available in: Lightning Experience                                                                                                                                                                                                                                                                                                                                                         |
| Available in: <b>Enterprise</b> and <b>Unlimited</b> Editions with Life Sciences Cloud for Customer Engagement Add-on license, Agentforce for Life Sciences Cloud, Flex Credits Metering, Agentforce Employee Agent, Einstein GPT Platform, Einstein GPT Copilot, and Einstein GPT Prompt Builder. Also available with Einstein GPT Trust and Genie Data Platform Starter add-on licenses. |

| USER PERMISSIONS NEEDED              |                                                        |
|--------------------------------------|--------------------------------------------------------|
| To build and manage Employee agents: | Manage AI Agents and Manage Agentforce Employee Agents |
|                                      | OR                                                     |
|                                      | Customize Application                                  |

The Key Account Management agent template, the Medical Science Liaison agent template, and the Life Sciences Field Sales agent template are all based on the Agentforce Employee Agent agent type. All three templates are all provisioned with the Pre Visit Planning topic, and are geared towards the following personas in Life Sciences.

- The Key Account Management agent template helps key account managers obtain a holistic view of a provider in the context of broader organizational goals and strategies.
  - The Medical Science Liaison agent template helps medical science liaisons (MSLs) drive more focused discussions by helping them stay informed about the key opinion leader's profile, research interests, and clinical trials.
  - The Life Sciences Field Sales agent template helps sales reps prepare for visits by helping them gain a deeper understanding of a provider's prescribing habits, past interactions, and key interests.
1. [Create an agent](#) based on the Key Account Management, Medical Science Liaison, or the Life Science Field Sales template.
  2. Verify that Generate Healthcare Provider Summary action and the Identify Record by Name action were added to the agent, and click **Next**.
  3. Enter a name for the company the agent represents, and click **Next**.
  4. Click **Create**.
  5. Activate your agent.

#### Agent Topic: Pre Visit Planning

The Pre Visit Planning topic helps optimize customer interactions by providing informed, personalized insights and summaries. The topic processes the user's utterances to extract the provider's name and the user's territory, and calls the Identify Record By Name action and the Generate Healthcare Provider Summary action to generate account summaries.

Agent Topic: Pre Visit Planning

The Pre Visit Planning topic helps optimize customer interactions by providing informed, personalized insights and summaries. The topic processes the user's utterances to extract the provider's name and the user's territory, and calls the Identify Record By Name action and the Generate Healthcare Provider Summary action to generate account summaries.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud for Customer Engagement Add-on license, Agentforce for Life Sciences Cloud, Flex Credits Metering, Agentforce Employee Agent, Einstein GPT Platform, Einstein GPT Copilot, and Einstein GPT Prompt Builder. Also available with Einstein GPT Trust and Genie Data Platform Starter add-on licenses.

---

## Topic Details

| topic            | description                                                                                                                                         | Included Agent Actions                                                                            |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| PreVisitPlanning | Help key account managers, medical science liaisons, and field sales reps prepare for visits by generating contextual summaries of provider records | <a href="#">Generate Healthcare Provider Summary*</a><br><a href="#">Identify Records By Name</a> |

\*This action executes one or more prompt templates.

## Examples of Utterances Classified to This Topic

- "Give me the summary for the current record."
- "Provide the Healthcare Provider summary for the current record."
- "What is the latest summary for the current record?"

## Account Summarization Flows for Agentforce

The Generate Healthcare Provider Summary agent action invokes the Generate Account Summary flow, which determines if an existing summary record exists and if the existing summary record captures the latest updates in an account. If there are no summary records or if the account record has updates that haven't been summarized, the flow retrieves the latest summary details.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud for Customer Engagement Add-on license, Agentforce for Life Sciences Cloud, Flex Credits Metering, Agentforce Employee Agent, Einstein GPT Platform, Einstein GPT Copilot, and Einstein GPT Prompt Builder. Also available with Einstein GPT Trust and Genie Data Platform Starter add-on licenses.

---

| Flow                     | Definition                                                                                                                                                        |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Generate Account Summary | Generates the summary of a healthcare professional's account by calling a flow that returns the latest summary of the account for users of a specified territory. |

## Provide Access to Your Pre Visit Planning Agent

To help users access the Pre Visit Planning agent, create a permission set with agent access enabled, and assign it to the user. Or, provide agent access to your user's current profile.

## REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud for Customer Engagement Add-on license, Agentforce for Life Sciences Cloud, Flex Credits Metering, Agentforce Employee Agent, Einstein GPT Platform, Einstein GPT Copilot, and Einstein GPT Prompt Builder. Also available with Einstein GPT Trust and Genie Data Platform Starter add-on licenses.

### USER PERMISSIONS NEEDED

|                            |                                     |
|----------------------------|-------------------------------------|
| To create permission sets: | Manage Profiles and Permission Sets |
| To assign permission sets: | Assign Permission Sets              |

Make sure you assign the Health Cloud Starter, Life Sciences Core, Prompt Template User, and the Access Life Sciences Customer Engagement Agentforce permission sets, along with the persona-specific permission set to your users.

1. From Setup, in the Quick Find box, enter *Profile* and then select it.
2. Click **New**, and enter a label and description for the permission set.  
The API name is automatically populated.  
Alternatively, select the profile assigned to the user.
3. Click **Enabled Agent Access**, and then click **Edit**.
4. Move your agent from the Available Agents list to Enabled Agents list.
5. Save your changes.  
In case of new permission sets, assign the permission set to your users.

## Create an Account Team

Let team members view details of all the collaborators of an account across different territories. Choose which fields to display to the account team.

## REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

### USER PERMISSIONS NEEDED

|                          |                                               |
|--------------------------|-----------------------------------------------|
| To create account teams: | Life Sciences Commercial Admin permission set |
|--------------------------|-----------------------------------------------|

To create an account team, you must have territories set up, and accounts and users assigned to each territory.

1. Choose the fields that you want to display.
  - a. From the object management settings for Users, select **Field Set**.
  - b. Click **New**, and enter the field label.  
The field name is automatically populated. Note the field set's API name. You need to add it in the Lightning App Builder.
  - c. Enter where the field set is used.
  - d. Save your changes.
  - e. In the properties panel, move the fields that you want to display onto the editable part of the page.
  - f. Save your changes.
2. On the Account's record page, click  and select **Edit Page**.
3. In the Lightning App Builder, on the Additional Information tab, select the Account Team component.
4. In the Properties pane, for Field Set Name, enter the field set's API name.
5. Save your changes.
6. Activate the page, and assign it as the org default.

#### See Also

[Coordinating with Account Teams Across Territories](#)

## Activity Timeline

The Activity Timeline in Life Sciences Cloud gives you a 360-degree view of all activities for an account. It helps sales representatives, Key Account Managers (KAM), and Medical Science Liaisons (MSLs) visualize past and upcoming interactions with healthcare providers (HCPs) and healthcare organizations (HCOs). Activity Timeline helps you work more effectively by consolidating relevant account activities in one place, enabling better collaboration, informed decision-making, and smarter preengagement planning.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## Key Activity Types

Activity timeline supports a range of activity types, encompassing both standard and custom objects. Standard activities include Inquiries, Visits, Assessment Tasks, LifeScience Emails, and Survey Responses. The timeline can include any custom activities your organization tracks for HCPs and HCOs. It also integrates with intelligent content and tracks products discussed and samples dropped during visits.

## Interacting with the Activity Timeline

- Timeline View: Activities appear in chronological order on the Activity Timeline tab of the account



record page. Users can scroll through past and future interactions to view events. For convenience, users can click Today to quickly go to the current date.

- **Calendar View:** The calendar offers Month and Week views. The Month view uses large dots to show daily activity volume. Clicking a day takes you to the Week view, which provides detailed activity information and links to records. You can customize your view with the same criteria available on the timeline view.

### Understanding Activity Rollup for HCOs

Activity rollup provides a unified view of activities for Healthcare Organizations (HCO). It improves user experience and increases efficiency by combining activities for an HCO and its affiliated Healthcare Professionals (HCPs) in a single place.

### Configure First Day of the Week in Your Calendar

Align the calendar view with your team's workweek. Setting the correct start day in the Planner supports accurate planning and review of time-sensitive activities.

### Configure Email Settings for Activity Timeline

Configure email settings to show scheduled and canceled email activities directly on an account page for your sales team. For the timeline to show email activity, schedule email jobs to update email status.

### Assign Permissions to View Activities on Timeline

Give your users the permissions to view activities that are outside their territory.

### Configure Activity Timeline General Settings

Customize how the Activity Timeline and Calendar views show activities, including default focus, territory and address filters, HCP activity rollup, and the visibility of detailed visit information.

### Configure Activity Timeline Visibility Settings

Control which standard and custom activities appear in the Activity Timeline and Calendar views, and customize the fields for expanded activities to make relevant information easily accessible.

### Manage Timeline Display Text

Customize the text that appears in the header and body of each activity on the Activity Timeline and Calendar views, and manage the options for filtering activities.

### Activity Timeline Objects Access on Mobile

The Activity Timeline provides desktop and mobile app users with a comprehensive view of their activities. Configure key objects to make this feature available on the Life Sciences Cloud mobile app and give your mobile app users access activity-related data.

## Understanding Activity Rollup for HCOs

Activity rollup provides a unified view of activities for Healthcare Organizations (HCO). It improves user experience and increases efficiency by combining activities for an HCO and its affiliated Healthcare Professionals (HCPs) in a single place.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

When configured, the Activity Timeline consolidates and shows activities from affiliated accounts directly within the HCO's activity timeline. On an HCO account, you can see activities from affiliated accounts, such as HCPs and child HCOs. This rollup offers a full picture of interactions at the institutional level.

 **Note** Rollup functionality works in one direction. HCP activities appear on the HCO's Activity Timeline, but HCO activities don't appear on the HCP's timeline.

## Impact on Activity Timeline and Calendar Views Filters

Implementing activity rollup introduces an Affiliations filter on the Activity Timeline and Calendar views. Use this filter to narrow down activities based on affiliated accounts.

The filter appears when provider affiliation records exist where a person account is affiliated with an HCO account. Admins can also configure the filter to only display activities from specific Affiliation Roles, such as Admitting or Staff. You can apply a maximum of five affiliation roles for filtering.

## Customize Display of Rolled-Up Activities

To tell the difference between activities from various affiliated HCPs, you can customize the text for each activity. Salesforce admins set up custom labels that include details like the HCP's name or account ID within the activity's header or body.

The custom label for the rollup activity header takes precedence over the standard header text label when the rollup feature is active. With this feature, you can create specific text customizations for rolled-up activities. With the rollup feature's filters and customization options, you get a more efficient understanding of all engagements tied to an HCO.

 **Note** The Activity Timeline can generate an error if the Rolled-Up Activity Header Custom Label is missing.

## Configure First Day of the Week in Your Calendar

Align the calendar view with your team's workweek. Setting the correct start day in the Planner supports accurate planning and review of time-sensitive activities.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

---

---

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

#### USER PERMISSIONS NEEDED

---

|                            |                                               |
|----------------------------|-----------------------------------------------|
| To access planner settings | Life Sciences Commercial Admin permission set |
|----------------------------|-----------------------------------------------|

---

1. From the App Launcher, find and select **Admin Console**.
2. Click **Planner**, and then click **Planner** again.
3. In Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
  - a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.
4. For First Day of the Week, enter any day you want to set, for example, Monday.
5. Save your changes.

### Configure Email Settings for Activity Timeline

Configure email settings to show scheduled and canceled email activities directly on an account page for your sales team. For the timeline to show email activity, schedule email jobs to update email status.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

#### USER PERMISSIONS NEEDED

---

|                          |                                               |
|--------------------------|-----------------------------------------------|
| To access email settings | Life Sciences Commercial Admin permission set |
|--------------------------|-----------------------------------------------|

---

1. From the App Launcher, find and select **Admin Console**.
2. Click **Email Settings** and then click **Settings**.
3. For Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
  - a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.
4. Select **Schedule emails to send later**.
5. Save your changes.

### Assign Permissions to View Activities on Timeline

Give your users the permissions to view activities that are outside their territory.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

**USER PERMISSIONS NEEDED**

---

|                            |                                               |
|----------------------------|-----------------------------------------------|
| To edit object permissions | Life Sciences Commercial Admin permission set |
|----------------------------|-----------------------------------------------|

---

1. From Setup, in the Quick Find box, find and select **Profiles**.
2. Select the profile associated with your user, and click **Edit**.
3. Under Standard Object Permissions, provide View All Records access to Visits.
4. Save your changes.
5. Similarly, provide View All Records access to all these objects:
  - a. Product Disbursements
  - b. Provider Visits
  - c. Provider Visit Product Detailings

## Configure Activity Timeline General Settings

Customize how the Activity Timeline and Calendar views show activities, including default focus, territory and address filters, HCP activity rollup, and the visibility of detailed visit information.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

**USER PERMISSIONS NEEDED**

---

|                                      |                                               |
|--------------------------------------|-----------------------------------------------|
| To access activity timeline settings | Life Sciences Commercial Admin permission set |
|--------------------------------------|-----------------------------------------------|

---

Prerequisite:

- Set up the picklist values for roles in provider affiliation. See [Customize Picklist Values for Affiliations](#).
- To apply territory filters and view results, enable View All Records access on the Visit object to all your desired profiles.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Activity Timeline**, and then select **Activity Timeline General Settings**.
3. In Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a

specific profile.

- a. To apply the settings to all the profiles in your org, select **SOrg Default**.
- b. To apply the settings to a specific profile in your org, select **Profile**.
4. Under Default View Setting, select **Default to user's last submitted visit**.
  -  **Note** When selected, the activity timeline loads to the last completed visit, which is marked with a red line. If no visit has been submitted, the page defaults to show today's activities, and the summary box for the last submitted visit expands automatically.
5. Under Visit Activity Settings, configure these settings as needed.
  - Let users view products detailed during visit
  - Let users view samples discussed during visit
  - Show territory in visit header
  - Show intelligent content thumbnails
6. Under Territory Filters Settings, configure these settings as needed.
  - Use territory filter
  - Default territory filter to All
  -  **Note** The territory filter doesn't apply to activities that aren't associated with a territory.
7. Under Address Filter Setting, select **Use address filter**.
  -  **Note** On activity timeline and calendar views, if All is selected in the address filter, all records are shown regardless of whether they have an associated Contact Point Address record. If an address became inactive, the activities tied to the address continue to appear in the timeline.
8. Under Activity Rollup Setting, **select Roll up HCP activities to the HCO account**.
9. Under Affiliation Roles Setting, add the affiliation roles from available values to selected values.
  -  **Note** To use the affiliation filter on the timeline and calendar views, you must enable the Activity Rollup Setting and have provider affiliation records.
10. Save your changes.

## Configure Activity Timeline Visibility Settings

Control which standard and custom activities appear in the Activity Timeline and Calendar views, and customize the fields for expanded activities to make relevant information easily accessible.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### Configure Standard Activities for Activity Timeline

Specify which standard activities, such as Visits and Inquiries, are shown in the Activity Timeline and Calendar views, and define the fields that appear when these activities are expanded.

### Custom Activity Setup Overview

Review the tasks you must complete to set up custom activities on your timeline.

#### Configure Custom Activities for the Activity Timeline

Complete essential setup tasks, such as creating custom objects and defining required fields, before you configure custom activities on the activity timeline.

#### Create Custom Activity Records by Using Apex Code

Automatically generate records for your parent custom object. Each such record corresponds to a custom child object that represents an activity to track on the timeline.

#### Add Custom Activities to the Activity Timeline

Configure your custom activities, such as meetings or specific events, and show them in the Activity Timeline and Calendar views for accounts.

### Configure Standard Activities for Activity Timeline

Specify which standard activities, such as Visits and Inquiries, are shown in the Activity Timeline and Calendar views, and define the fields that appear when these activities are expanded.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

#### USER PERMISSIONS NEEDED

---

To access activity timeline settings

Life Sciences Commercial Admin permission set

---

Activity timeline supports these standard activities: Visit, Survey Response, Assessment Task, Life Science Email, and Inquiry.

Before you configure standard activities settings, make sure that you create a field set for each of these objects. These field sets are used to show the field names in the expanded view of an activity timeline view for each standard activity. [Create and Edit Field Sets](#).

- Assessment Task
- Visit
- Life Science Email
- Inquiry
- Survey Response

1. From the App Launcher, find and select **Admin Console**.
2. Select **Activity Timeline**, and then select **Activity Timeline Visibility Settings**.
3. In Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.

- a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.
4. Under Standard Activities Settings, select the field sets corresponding to each object present in Activity Objects list.
 

 **Note** The timeline shows a maximum of 6 fields from the selected field set. If you don't select a field set for an object, the expanded view shows only the Name field.
  5. Deselect Active, if you don't want to include activities related to the selected object.
  6. Save your changes.

## Custom Activity Setup Overview

Review the tasks you must complete to set up custom activities on your timeline.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

Start by configuring a custom object that serves as the parent or the container for child custom objects that represent the individual activities that you want to show on the timeline.

Then, configure the fields of the container object. Make sure the labels and field names of the fields are exactly as follows.

| Field Label    | Field Name        | Data Type        | Description                                                                                       |
|----------------|-------------------|------------------|---------------------------------------------------------------------------------------------------|
| Account        | Account__c        | Lookup (Account) | Represents the account that's related to the activity.                                            |
| Entity Id      | Entity_Id__c      | Text             | Represents the ID of the record to track on the timeline.                                         |
| Entity Type    | Entity_Type__c    | Picklist         | Represents the list of standard or custom objects to track.                                       |
| Entity Subtype | Entity_Subtype__c | Text             | Represents additional grouping of an object by criteria, such as object type or record type name. |

| Field Label                | Field Name                    | Data Type      | Description                                                                                                       |
|----------------------------|-------------------------------|----------------|-------------------------------------------------------------------------------------------------------------------|
| Event Data                 | Event_Data__c                 | Long Text Area | Represents data related to the event in JSON format.                                                              |
| Event Date Time            | Event_Date_Time__c            | Date/Time      | Represents the date and time of the event's occurrence.                                                           |
| Event Title                | Event_Title__c                | Text           | Represents data from related records, and is used as a criteria for adding dynamic filters to account activities. |
| Hide From Activity History | Hide_From_Activity_History__c | Checkbox       | Represents whether a record must be excluded from the account's activity history.                                 |
| Title                      | Title__c                      | Text           | Represents the title of the event.                                                                                |
| Subtitle                   | Subtitle__c                   | Text           | Represents a subtitle for the event.                                                                              |

Lastly, create another custom object to represent the individual custom activities, such as in-person meeting.

Instead of manually setting up records, you can also [use Apex code to generate records](#) of the custom container object that correspond to each custom object.

### Configure Custom Activities for the Activity Timeline

Complete essential setup tasks, such as creating custom objects and defining required fields, before you configure custom activities on the activity timeline.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

### USER PERMISSIONS NEEDED

---

To configure the visibility settings for the activity      Life Sciences Commercial Admin permission set timeline:

---

 **Note** You must create only one custom object to represent the container for all individual custom activities.

1. [Create a custom object](#) to represent the container for all custom activities.  
For example, create a custom object called Account Activity. Enter *Account Activity* as the label of the object. After you save the object, confirm that *Account\_Activity\_\_c* is the final object name.
2. Create custom fields to represent data in the container topics. First, create a lookup to the Account object.  
For more information on each of the fields, see [Custom Activity Setup Overview](#)
  - a. From the object management settings for the custom container object, select **Fields & Relationships**, and click **New**.
  - b. For Data Type, select **Lookup Relationship**, and click **Next**.
  - c. For Related To, select **Account**, and click **Next**.
  - d. For Field Label, enter *Account*.
  - e. This action automatically adds *Account* as the field name. After you save the field, confirm that the final field name is *Account\_\_c*.
  - f. Select **Required** and select **Delete this record also**.
  - g. Select the profiles that can access the custom field.
  - h. Click **Next**, **Next**, and **Save & New**.
3. Create text fields for Entity ID, Entity Subtype, Event Title, Title, and Subtitle.
  - a. For Data Type, select **Text**, and click **Next**.
  - b. For Field Label, enter *Entity ID*.
  - c. This action automatically adds *Entity\_Id* as the field name. After you save the field, confirm that the final field name is *Entity\_Id\_\_c*.
  - d. For Length, enter *255*.
  - e. Select **External ID**.
  - f. Select the profiles that can access the custom field.
  - g. Click **Next**, **Next**, and **Save & New**.
  - h. Similarly, create text fields for Entity Subtype, Event Title, Title, and Subtitle. After you save the fields, confirm that the final field names are *Entity\_Subtype\_\_c*, *Event\_Title\_\_c*, *Title\_\_c*, and *Subtitle\_\_c*.
4. Represent the entity type by creating a picklist type field. Add the names of the objects that you want to show on the timeline as the picklist values.
  - a. For Data Type, select **Picklist**, and click **Next**.
  - b. For Field Label, enter *Entity Type*.
  - c. This action automatically adds *Entity\_Type* as the field name. After you save the field, confirm that the final field name is *Entity\_Type\_\_c*.
  - d. Select **Enter values, with each value separated by a new line**, and enter picklist values of your choice.

- e. Select the profiles that can access the custom field.
  - f. Click **Next**, **Next**, and **Save & New**.
5. Represent the event data by creating a long area text type field.
  - a. For Data Type, select **Text (Long Area)**, and click **Next**.
  - b. For Field Label, enter *Event Data*.
  - c. This action automatically adds *Entity\_Data* as the field name. After you save the field, confirm that the final field name is *Entity\_Data\_\_c*.
  - d. For Length, enter *131,072*.
  - e. For Visible Lines, enter *10*.
  - f. Select the profiles that can access the custom field.
  - g. Click **Next**, **Next**, and **Save & New**.
6. Represent the event date and time by creating a date/time type field.
  - a. For Data Type, select **Date/Time**, and click **Next**.
  - b. For Field Label, enter *Event Date Time*.
  - c. This action automatically adds *Event\_Date\_Time* as the field name. After you save the field, confirm that the final field name is *Event\_Date\_Time\_\_c*.
  - d. Select **Required**.
  - e. Select the profiles that can access the custom field.
  - f. Click **Next**, **Next**, and **Save & New**.
7. Provide users with the option to hide records from the activity history with a checkbox type field
  - a. For Data Type, select **Checkbox**, and click **Next**.
  - b. For Field Label, enter *Hide From Activity History*.
  - c. This action automatically adds *Hide\_From\_Activity\_History* as the field name. After you save the field, confirm that the final field name is *Hide\_From\_Activity\_History\_\_c*.
  - d. For Default Value, select *Unchecked*.
  - e. Select the profiles that can access the custom field.
  - f. Click **Next**, **Next**, and **Save**.
8. [Create a custom object](#) to represent each custom activity. The label and the record details appear on the timeline.  
For example, create a custom object to represent in-person meetings.

### Create Custom Activity Records by Using Apex Code

Automatically generate records for your parent custom object. Each such record corresponds to a custom child object that represents an activity to track on the timeline.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

---

**USER PERMISSIONS NEEDED**


---

To configure activity timeline visibility settings: Life Sciences Commercial Admin permission set

---

Use the following steps as an example to create records for the parent custom object on insert, update, and delete actions, as applicable. Wherever needed, replace *Custom\_Activity\_\_c* with the API name of your custom child object. For example, if you create a custom object to represent in-person meetings, use the *In\_Person\_Meetings* object name to replace *Custom\_Activity\_\_c*, wherever applicable.

1. Create a trigger service apex class to generate records for the parent custom object that each corresponds to the child custom objects.
  - a. From Setup, select **Developer Console**.
  - b. Click **File | New | Apex Class**.
  - c. Enter *CustomActivityTriggerService* as the name.
  - d. In the CustomActivityTriggerService.aptx file, enter the following sample code. Customize the code as needed.

```
public class CustomActivityTriggerService {
    public static void writeAccountActivityRecord(List<Custom_Activity__c> incomeRecords) {
        List<Account_Activity__c> eventRecords = new List<Account_Activity__c>();
        for (Custom_Activity__c objRecord : incomeRecords) {
            eventRecords.add(new Account_Activity__c(
                Account__c = objRecord.Account__c,
                Event_Date_Time__c = Datetime.now(), // value should be in GMT
                Title__c = 'any text you want to use as a Title',
                Subtitle__c = 'another text you want to use as Subtitle',
                Entity_Id__c = objRecord.Id,
                Entity_Type__c = SObjectType.Custom_Activity__c.name,
                Entity_Subtype__c = 'any value that is used to classify ObjectA records, e.g. this can be a record type name',
                Event_Data__c = JSON.serialize(new ObjectEventData(objRecord))
            ));
        }
        insert eventRecords;
    }
    private class ObjectEventData {
        public List<FieldDTO> fields;
        public ObjectEventData(Custom_Activity__c record) {
            fields = new List<FieldDTO>();
            fields.add(new FieldDTO(SObjectType.Custom_Activity__c.field
```

```
s.Status__c.name, String.valueOf(record.Status__c)));
    // fields.add(new FieldDTO(SObjectType.Custom_Activity__c.field
s.FieldB__c.name, String.valueOf(record.FieldB__c)));
    // fields.add(new FieldDTO(SObjectType.Custom_Activity__c.field
s.FieldC__c.name, String.valueOf(record.FieldC__c), record.FieldC__r.Nam
e));

    //example for date time field
    fields.add(new FieldDTO(SObjectType.Custom_Activity__c.field
s.Start_Time__c.name, record.Start_Time__c.formatGMT('yyyy-MM-dd\'T\'HH:m
m:ss.SSS\'Z\'')));
}
}
private class FieldDTO {
    public String fieldAPIName;
    public String fieldValue;
    public String relatedRecordName;
    public FieldDTO(String fieldAPIName, String fieldValue) {
        this.fieldAPIName = fieldAPIName;
        this.fieldValue = fieldValue;
    }
    public FieldDTO(String fieldAPIName, String fieldValue, String rel
atedRecordName) {
        this(fieldAPIName, fieldValue);
        this.relatedRecordName = relatedRecordName;
    }
}
}
```

## 2. Create a trigger for the apex class.

This configuration ensures that after you create a record for a custom activity, such as an in-person meeting, a related parent custom activity record is created.

- From Setup, select **Developer Console**.
- Click **File | New | Apex Trigger |**.
- Enter *CustomActivityTrigger* as the name.
- Select **Custom\_Activity\_\_c** as the sObject.
- In the CustomActivityTrigger.aptx file, enter the following sample code. Customize the code as needed.

```
trigger CustomActivityTrigger on Custom_Activity__c (after insert, after u
pdate) {
    //this check can be skipped if trigger is subscribed only on after insert
    //and after update events and service class method can be called immediate
    ly
    if (Trigger.isAfter && (Trigger.isInsert || Trigger.isUpdate)) {
```

```
CustomActivityTriggerService.writeAccountActivityRecord(Trigger.new);
}
}
```

## Add Custom Activities to the Activity Timeline

Configure your custom activities, such as meetings or specific events, and show them in the Activity Timeline and Calendar views for accounts.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

To access activity timeline settings

Life Sciences Commercial Admin permission set

---

Complete the steps in [Prerequisites to Configure Custom Activities](#).

1. From the App Launcher, find and select **Admin Console**.
2. Select **Activity Timeline**, and then select **Activity Timeline Visibility Settings**.
3. In Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
  - a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.
4. Under Custom Activity Setting, for activity object, select **Account Activity**.
5. Deselect **Active** if you don't want to include this custom activity on the timeline.
6. Save your changes.

After you've set up custom activities, verify if they are listed under the Type filter in the Activity Timeline and Calendar Views.

## Manage Timeline Display Text

Customize the text that appears in the header and body of each activity on the Activity Timeline and Calendar views, and manage the options for filtering activities.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

### Custom Labels for Activity Timeline

Activity Timeline uses custom labels to specify the text that appears in the headers, prefixes, and links of activities displayed on the Activity Timeline and Calendar views.

### Configure Activity Timeline Display Text

Customize how activity headers and bodies appear on the Activity Timeline and Calendar views by mapping custom labels and fields to specific activity types and statuses.

### How Dynamic Text in Custom Labels Works

Use a combination of custom labels, activity settings, and specific field values to control the dynamic text displayed in activity headers and bodies on the Activity Timeline and Calendar views. Build logic that determines what information populates the placeholder fields in your custom labels for the Activity Timeline.

## Custom Labels for Activity Timeline

Activity Timeline uses custom labels to specify the text that appears in the headers, prefixes, and links of activities displayed on the Activity Timeline and Calendar views.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Before you configure the display text, create the custom labels you plan to use. Here are the labels that correspond to the settings in Admin Console.

| task                                                                                                                         | related admin console setting                                                                                            |
|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <p>Create a custom label to include the text for the header of each activity.</p> <p>For example, The visit was planned.</p> | <p>Activity Header Custom Label</p>  |
| <p>Create a custom label to include the prefix text for the body of the activity.</p> <p>For example, Don't forget to.</p>   | <p>Prefix Text for Body</p>          |

| task                                                                                                                                                                         | related admin console setting                                                                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Create a custom label to include the link text for the body. This text generates a clickable URL link to the corresponding activity record.<br><br>For example, Go To Visit. | Link Text for Body<br> |
| Create a custom label to include the text for the header of each rolled-up activity.                                                                                         | Rolled-Up Activity Header Custom Label                                                                   |

## Configure Activity Timeline Display Text

Customize how activity headers and bodies appear on the Activity Timeline and Calendar views by mapping custom labels and fields to specific activity types and statuses.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

### USER PERMISSIONS NEEDED

To access activity timeline settings

Life Sciences Commercial Admin permission set

Before you configure the display text, complete the steps in [Custom Labels for Activity Timeline](#).

1. From the App Launcher, find and select **Admin Console**.
2. Select **Activity Timeline**, and then select **Activity Timeline Display Text Settings**.
3. In Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
  - a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.
4. Click **New**.
5. Enter a name.
6. In Activity Header Custom Label, enter the name of your activity header custom label.
7. In Prefix Text for Body, enter the name of your prefix text for body custom label.
8. In Activity Type Object, enter the name of the object to customize.
9. In Assessment Task Type to Exclude, enter the value of the task type field on the Assessment Task object to exclude the assessment task activities.
10. In Field to Display in Header, enter the field API name of the selected object.  
This field is used in the parameters of the custom label created for the activity header.
11. In Link Text for Body, enter the name of your link text for body custom label .

12. In Rolled-Up Activity Header Custom Label, enter the name of your rolled-up activity header custom label.



**Note** In the case of rolled-up activities, Rolled-Up Activity Header Custom Label takes precedence over Activity Header Custom Label.

13. In Status, enter the API names of the Status field values for the selected object to filter activities based on their status.



**Note** Use the API names of the Status field values for the Visit, Inquiry, and Assessment Task objects. For Life Sciences Email object, use the API value of Email Status field.

14. In Body Text Field, enter the field API name to be shown in the activity body.

After you complete these configurations, create a metadata cache to complete the setup.

### How Dynamic Text in Custom Labels Works

Use a combination of custom labels, activity settings, and specific field values to control the dynamic text displayed in activity headers and bodies on the Activity Timeline and Calendar views. Build logic that determines what information populates the placeholder fields in your custom labels for the Activity Timeline.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

To customize the display text, understand how the activity rollup setting affects your labels. This section explains the logic for how placeholder values are replaced in your custom labels.

### How Activity Rollup Affects Placeholders

The number of available placeholders in a custom label depends on whether you roll up Healthcare Professional (HCP) activities to the Healthcare Organization (HCO) account.

- When activity rollup is enabled: Custom labels can have up to two placeholders ({0} and {1}).
- When activity rollup is disabled: Custom labels for Inquiry, Life Science Email, Assessment Task, and Survey Response activities can have only one placeholder ({0}).

### How Placeholder Fields Are Populated

The custom label used, and the value that replaces its first parameter, varies based on the activity type and specific conditions. Take a look at some such scenarios.



| Activity Type                                    | Condition                                                                                    | custom label used         | first parameter is replaced with                     |
|--------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------|------------------------------------------------------|
| Inquiry, Life Science Email, and Assessment Task | Roll up HCP activities to the HCO account is enabled.                                        | Rolled-Up Activity Header | The value of this field: Field to Display in Header. |
|                                                  | Roll up HCP activities to the HCO account is disabled.                                       | Activity Header           |                                                      |
| Survey Response                                  | Roll up HCP activities to the HCO account is enabled.                                        | Activity Header           |                                                      |
|                                                  | Roll up HCP activities to the HCO account is disabled.                                       |                           |                                                      |
| Visit                                            | Show territory setting and Roll up HCP activities to the HCO account are both enabled.       |                           | The name of the user who created the visit.          |
|                                                  | Show territory setting is enabled but Roll up HCP activities to the HCO account is disabled. |                           |                                                      |
|                                                  | Show territory setting and Roll up HCP activities to the HCO account are both disabled.      |                           |                                                      |
|                                                  | Show territory setting is disabled but Roll up HCP activities to the HCO account is enabled. | Rolled-Up Activity Header |                                                      |

The first parameter of custom labels for Link Text for Body is replaced by the Body Text Field value. If there's no value for Link Text for Body field, the Body Text Field value is used as the link text. For Life Science Email, the Link Text for Body is always replaced by the Body Text Field.

Here's which custom label applies and what value replaces its second parameter based on the activity and certain conditions.

| Activity Type                | Condition                                | custom label used         | second parameter is replaced with        |
|------------------------------|------------------------------------------|---------------------------|------------------------------------------|
| Inquiry, and Assessment Task | NA                                       | Rolled-Up Activity Header | The account name.                        |
| Visit                        | If show territory is enabled.            | Activity Header           | The territory associated with the visit. |
|                              | If show territory is disabled.           | Rolled-Up Activity Header | The account name.                        |
| Life Science Email           | If the Email Status is Opened or Closed. |                           |                                          |
|                              | Any other Email Status.                  |                           | The sender of the email.                 |



**Note** If Roll up HCP activities to the HCO account is enabled, and Field to Display in Header is empty, the second parameter's value is displayed as the first parameter, and the second parameter becomes null. If a visit has a parent visit associated with it, the visit link on the activity timeline redirects you to the parent visit record.

## Activity Timeline Objects Access on Mobile

The Activity Timeline provides desktop and mobile app users with a comprehensive view of their activities. Configure key objects to make this feature available on the Life Sciences Cloud mobile app and give your mobile app users access activity-related data.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

For the timeline to function on mobile, create an [object metadata cache configuration](#) with the type set to Data for key objects. These objects support the mobile Activity Timeline:

- Visit
- LifeScience Email
- Inquiry
- Survey Response
- Assessment Task

These objects are required to create the metadata cache to make other features work in the activity timeline, but these objects don't show up as activities on the timeline:

- Provider Visit
- Provider Visit Product Detailings
- Product Disbursements
- Presentations

After completing database schema configuration, [generate metadata cache](#) for all supported objects.

## Affiliations

Use the Affiliations feature to understand and map the connections between Healthcare Professionals (HCPs) and Healthcare Organizations (HCOs). Mapping these relationships in the healthcare ecosystem provides insights that help you target your engagement and improve outcomes.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

Hard affiliations connect a person to a specific location or organization, like an HCP who is affiliated with a hospital. Soft affiliations are based on influence rather than a physical location, such as HCPs who significantly influence other doctors through their research or network.

You can choose from multiple dynamic views accessible from the Affiliations tab on an account record page: List View, Hierarchy View, and Network View.

To identify crucial insights, tailor the relationship visualization by using the advanced filtering and search capabilities.

#### [Views for Managing Affiliations](#)

Life Sciences Cloud provides distinct views for affiliations, each designed to help you visualize account relationships for different purposes. The Table View presents data in a structured list, the Hierarchy View shows relationships in an org-chart format for mobile users, and the Network View visualizes connections as a graph. Understanding each view helps you choose the one that best fits your workflow.

#### [Territory Alignment for Affiliated Accounts](#)

A user's territory determines which accounts they can view and manage. With territory alignment for affiliations, users can manually align an affiliated account from outside their territory to their current one.

#### [Create Field Sets and Custom Fields for Affiliation Settings](#)

Create the necessary field sets and custom fields on affiliation objects that are required to configure affiliation settings in the Admin Console.

#### [Field-Level Security for Affiliations](#)

To manage affiliations, users need access to certain fields that aren't available to them by default.

#### **Picklist Values Customization for Affiliations**

To make it easier for your sales rep to select the appropriate options, customize the picklist values for fields in the Provider Affiliation object.

#### **Customize How Affiliations Are Displayed**

Customize the appearance and behavior of account affiliations in the list, network, and hierarchy views by configuring Affiliation settings. Use these settings to also manage data relationships, enforce data validation rules, and streamline address management.

#### **Map Direct and Reverse Affiliation Roles**

Simplify relationship management by automatically creating a reverse role for every direct role you define. For instance, when you map a healthcare professional (HCP) as an employee of a healthcare organization (HCO), Life Sciences Cloud automatically creates the reverse relationship, designating the HCO as the HCP's Employer. This automation eliminates manual inverse entries and ensures consistent, efficient relationship management.

#### **Streamline Address Management**

Keep practitioner addresses up-to-date by automatically adding the primary address from their affiliated organization whenever a hard affiliation is created. This makes sure that the practitioner's workplace address is always listed, without manual updates.

#### **Affiliated Account Summary**

The Affiliated Account Summary modal provides a customizable view that surfaces essential information about affiliated accounts. Users get immediate access to key details without having to navigate away from their current screen. The feature also includes a quick action button to help users create a visit directly from the summary.

#### **Manage Affiliation Alignment Rules**

Define affiliation alignment rules to automatically align affiliated accounts to specific territories. Create rules based on criteria such as account type, affiliation role, and specialty to ensure accounts are assigned correctly.

#### **Batch Jobs for Affiliations**

Affiliation batch jobs efficiently process large volumes of records at once by bypassing the governor limits faced by trigger handlers. These batch jobs automate tasks such as setting affiliation types, creating reciprocal affiliations, and establishing primary affiliations between accounts and parent organizations.

## Views for Managing Affiliations

Life Sciences Cloud provides distinct views for affiliations, each designed to help you visualize account relationships for different purposes. The Table View presents data in a structured list, the Hierarchy View shows relationships in an org-chart format for mobile users, and the Network View visualizes connections as a graph. Understanding each view helps you choose the one that best fits your workflow.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## Affiliations Table View

The Affiliations Table View presents account relationships in a structured table format. This view is also called the list or grid view. This view lists all active affiliations with a start date that falls within the effective start and end dates of the Provider Affiliation. Configure columns to show the key details for each affiliation. Users can use a search box to filter accounts by name, and the view includes out-of-the-box filters such as Strength, Healthcare Professionals (HCPs), Healthcare Organizations (HCOs), and Territories. The table view shows accounts both within and outside the user's territory. Clicking an affiliated account in the table view opens a profile panel that displays details about the account. Create new affiliations and update existing ones directly within the view.



**Note** The affiliations table view is available on both web and mobile.

## Affiliations Hierarchy View

The Hierarchy view gives mobile users an org chart style view of affiliations based between HCPs and HCOs. This view shows only an account's Hard Affiliations. It presents these relationships in a structured hierarchy that can be viewed for accounts within the current territory or outside it. If an account has multiple hard affiliations, the view will display separate tiles for each. Filtering options available in the Hierarchy view include Record Type, Role, Show Inactive, and Show Outside Territory. Unlike the List and Network views, the Hierarchy view doesn't support configurable filters. Show Inactive filter depends on the Effective Start and End Dates of the Provider Affiliation. Tapping an account name within the Hierarchy opens the Account Summary for that account.



**Note** The affiliations hierarchy view is available only on mobile.

## Affiliations Network View

The Network View visualizes affiliations as a graph. In the graph, lines (or connectors) link account nodes to represent the affiliations. You must enable this view in the Admin Console. The appearance of the connectors is configurable. This view shows Hard or Soft types of affiliations. Both Hard and Soft affiliations are displayed in the view. The Network View includes configurable filters such as Record Type and Role. Show Inactive filter depends on the Effective Start and End Dates of the Provider Affiliation. Opening an account node in the network diagram expands the view to show its related affiliations. Use the network diagram to view affiliations. To edit an affiliation, use the Table View.

Depending on the affiliation's direction, the graph connecting accounts shows either a one-way or two-way arrow. A one-way arrow indicates a unidirectional affiliation, while a two-way arrow represents a bidirectional affiliation.



**Note** The affiliations network view is available on both web and mobile.

## Territory Alignment for Affiliated Accounts

A user's territory determines which accounts they can view and manage. With territory alignment for affiliations, users can manually align an affiliated account from outside their territory to their current one.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

To enable this functionality, select **Enable users to search for accounts outside the user's territory** in Account Search Preferences of Account Management. See [Customize Account Search Preferences](#).

From the Salesforce mobile app's Affiliations view, an account outside a user's current territory is identifiable by the absence of an edit action next to its name. Tapping this account record shows a window with an Align option. Selecting this option aligns the affiliated account with the user's current territory.

## Create Field Sets and Custom Fields for Affiliation Settings

Create the necessary field sets and custom fields on affiliation objects that are required to configure affiliation settings in the Admin Console.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

### USER PERMISSIONS NEEDED

To create custom fields and field sets: Life Sciences Commercial Admin permission set

| Object               | task                                                                  | related admin console setting         |
|----------------------|-----------------------------------------------------------------------|---------------------------------------|
| Provider Affiliation | Create a field set to uniquely identify provider affiliation records. | Provider Affiliation Unique Field Set |

| Object                       | task                                                                                                                                                                                                                                                                                                                                                                                                                                    | related admin console setting                  |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
|                              | Create a field set to show a list of columns in the table view of affiliations.                                                                                                                                                                                                                                                                                                                                                         | Provider Affiliation Columns Field Set         |
|                              | Create a custom or formula field that stores value in hexadecimal format to show the color of connectors in the network view of affiliation. For example, #FF0000.                                                                                                                                                                                                                                                                      | Connector Color Field                          |
|                              | Create a custom or formula field that stores numeric values to show the thickness of connectors in the network view of affiliation.                                                                                                                                                                                                                                                                                                     | Connector Thickness Field                      |
| Account                      | Create a text field to search for an account in the table view of affiliations.                                                                                                                                                                                                                                                                                                                                                         | Account Search Field                           |
| Provider Affiliation Product | <p>Create a field set to filter provider affiliations in the network view of affiliations. To enable product filter in network view, add the Product field. You can also include Provide Affiliation fields in the field set.</p> <p>After you enable the Product filter, all the active products from the LifeSciMarketableProduct and the Product2 objects are shown the Product filter picklist in the Affiliation network view.</p> | Provider Affiliation Product Filters Field Set |

[Create a Custom Field](#) and [Define Field Sets](#).

### Considerations for Affiliations Field Sets

Make sure your implementation is successful by reviewing the considerations for affiliation field sets. These field sets directly control the appearance and functionality of the affiliation views, such as the columns in the table view and the filters in the network view. Understanding these limitations beforehand helps you tailor the experience for your users.

## Considerations for Affiliations Field Sets

Make sure your implementation is successful by reviewing the considerations for affiliation field sets. These field sets directly control the appearance and functionality of the affiliation views, such as the columns in the table view and the filters in the network view. Understanding these limitations beforehand helps you tailor the experience for your users.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## Provider Affiliation Unique Field Set

Keep these limitations in mind for the Provider Affiliation Unique Field Set:

- Fields from the Provider Affiliation object are supported.
- In addition to the default Account and Related Account fields, you can add up to five more fields.
- One multi-select picklist field is supported.
- Text area fields aren't supported.

## Provider Affiliation Product Filters Field Set

For the Provider Affiliation Product Filters Field Set, only single-select picklist and checkbox fields are supported.

### See Also

[Salesforce Help: Define a Field Set](#)

## Field-Level Security for Affiliations

To manage affiliations, users need access to certain fields that aren't available to them by default.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

You must manually grant your users access to these fields.



| Object               | Field                          |
|----------------------|--------------------------------|
| Provider Affiliation | Account Name                   |
|                      | Related Account Name           |
|                      | Account Person Account         |
|                      | Related Account Person Account |
| Healthcare Provider  | Primary Provider               |

See [Set Field-Level Security for a Field on All Profiles](#).

## Picklist Values Customization for Affiliations

To make it easier for your sales rep to select the appropriate options, customize the picklist values for fields in the Provider Affiliation object.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

Here are some recommended values, but you can configure any values to fit your business needs.

| Object                                         | Field             | Recommended Picklist Values                                                                                                                             |
|------------------------------------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Provider Affiliation                           | Affiliation Title | <ul style="list-style-type: none"> <li>Board Member</li> <li>Chairman</li> <li>Specialist</li> <li>Surgery Specialist</li> <li>Vice Chairman</li> </ul> |
|                                                | Role              | <ul style="list-style-type: none"> <li>Attending</li> <li>Admitting</li> <li>Co-Business</li> <li>Consulting</li> <li>Staff</li> </ul>                  |
| Territory Provider Affiliation Assignment Rule | Affiliation Role  |                                                                                                                                                         |



**Note** We recommend that you define default values for the Role field on the Provider Affiliation

object. This default value is used in the HealthcareProviderAffiliationHandler trigger handler.

#### See Also

[Salesforce Help: Add or Edit Picklist Values](#)

[Salesforce Help: Define Default Field Values](#)

## Customize How Affiliations Are Displayed

Customize the appearance and behavior of account affiliations in the list, network, and hierarchy views by configuring Affiliation settings. Use these settings to also manage data relationships, enforce data validation rules, and streamline address management.

### Configure Core Affiliation Behavior

Use General Settings in the Admin Console to configure core behaviors and views for the Affiliations tab on an account record page. These settings control aspects such as the creation of reverse affiliations and how the affiliation type, hard or soft, is determined. The settings also manage the visibility of the network graph view, and the fields used for uniqueness validation.

### Customize the Table View Appearance

Configure the appearance and search capabilities of the Affiliations table view. Customize the view on the account record page by adjusting pagination and defining the sort order for columns.

### Customize the Network View Appearance

Customize the color and thickness of connectors (edges) between accounts in the network view of affiliations by using Use Network View Settings. You can also configure the filters available to users within the network view by referencing field sets on the Provider Affiliation Product object.

## Configure Core Affiliation Behavior

Use General Settings in the Admin Console to configure core behaviors and views for the Affiliations tab on an account record page. These settings control aspects such as the creation of reverse affiliations and how the affiliation type, hard or soft, is determined. The settings also manage the visibility of the network graph view, and the fields used for uniqueness validation.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## USER PERMISSIONS NEEDED

---

To access account management

Life Sciences Commercial Admin permission set

---

Prerequisite: [Create Field Sets and Custom Fields for Affiliation Settings](#)

1. From the App Launcher, find and select **Admin Console**.
2. Select **Account Management**, and then select **Affiliations**.
3. For Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
  - a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.
4. Under General Settings, configure these settings as needed.
  - Disable reverse: Select to disable the creation of reverse provider affiliation records.
  - Set affiliation type for provider affiliations: Select to set the affiliation type as Soft or Hard for provider affiliation records based on predefined criteria in HardAffiliationHandler trigger. If the trigger is enabled, it updates the affiliation type field according to its logic; otherwise, the user-selected value is retained.

 **Note** Admins must enable this trigger in the setup.

  - Enable network view: Select to enable the network view on the affiliation tab.
  - Provider Affiliation Unique Field Set: Select the field set from the Provider Affiliation object that includes a combination of values to uniquely identify a provider affiliation record based on predefined criteria in the AffiliationUniquenessGenericHandler trigger.
5. Save your changes.

#### See Also

[Salesforce Help: Define a Field Set](#)

[Salesforce Help: Map Direct and Reverse Affiliation Roles](#)

#### Customize the Table View Appearance

Configure the appearance and search capabilities of the Affiliations table view. Customize the view on the account record page by adjusting pagination and defining the sort order for columns.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

#### USER PERMISSIONS NEEDED

---

To access account management

Life Sciences Commercial Admin permission set

---

#### [Create Field Sets and Custom Fields for Affiliation Settings](#)

1. From the App Launcher, find and select **Admin Console**.
2. Select **Account Management**, and then select **Affiliations**.
3. For Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.

- a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.
4. Under Table View Settings, configure these settings as needed.

**Provider Affiliation Columns Field Set:** Select the field set from the Provider Affiliation object that includes fields to display as columns in the affiliations table view.



**Records per Page:** Enter the default number of records to show on each page.

**Fields and Order for Sorting:** Enter comma-separated API names of the fields and their sort order (ASC or DESC). For example, `CreatedDate ASC, EffectiveStartDate DESC`. This setting applies only to the web version of the affiliations table.



**Note** To find a field's API name, go to the object management settings for the Provider Affiliation object.

**Records per Page Dropdown Values:** Enter comma-separated values for the Records per Page dropdown. For example, 10, 15, 20, 25. The default values are 5, 10, 20, 30.



**Account Search Field:** Select text fields from the Account object to use for searching for accounts in the affiliations table view.

#### See Also

[Salesforce Help: Define a Field Set](#)

#### Customize the Network View Appearance

Customize the color and thickness of connectors (edges) between accounts in the network view of affiliations by using Use Network View Settings. You can also configure the filters available to users within the network view by referencing field sets on the Provider Affiliation Product object.

#### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

#### USER PERMISSIONS NEEDED

To access account management settings

Life Sciences Commercial Admin permission set

Prerequisite: [Create Field Sets and Custom Fields for Affiliation Settings](#).

1. From the App Launcher, find and select **Admin Console**.
2. Select **Account Management**, and then select **Affiliations**.
3. For Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
  - a. To apply the settings to all the profiles in your org, select **SOrg Default**.
  - b. To apply the settings to a specific profile in your org, select **Profile**.
4. Under Network View Settings, configure these settings as needed.

**Connector Color Field:** Select a custom or formula field containing a hexadecimal code to determine the connector color in the network view. The default value is **#808080** (gray).



**Connector Thickness Field:** Select a custom or formula number field to determine the thickness of the connectors in the network view. The default is Affiliation Strength Type.



**Provider Affiliation Product Filters Field Set:** Select the field set from the Provider Affiliation Product object. The fields in this set are available as filters in the network view.



5. Save your changes.

#### See Also

[Salesforce Help: Define a Field Set](#)

## Map Direct and Reverse Affiliation Roles

Simplify relationship management by automatically creating a reverse role for every direct role you define. For instance, when you map a healthcare professional (HCP) as an employee of a healthcare organization (HCO), Life Sciences Cloud automatically creates the reverse relationship, designating the HCO as the HCP's Employer. This automation eliminates manual inverse entries and ensures consistent, efficient relationship management.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

### USER PERMISSIONS NEEDED

To access account management settings

Life Sciences Commercial Admin permission set

Prerequisite: [Picklist Values Customization for Affiliations](#).

Reverse Affiliations are only created if the Influence Type field on the Provider Affiliation object is selected as either Unidirectional, Bidirectional, or Neutral.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Account Management**, and then select **Affiliation Reverse Role Mapping**.
3. Click **New**.
4. Enter a name.
5. Select a direct role.
6. Select a reversed role.
7. Save your changes.

## Streamline Address Management

Keep practitioner addresses up-to-date by automatically adding the primary address from their affiliated organization whenever a hard affiliation is created. This makes sure that the practitioner's workplace address is always listed, without manual updates.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

To access search before create settings

Life Sciences Commercial Admin permission set

---

Make sure that the HardAffiliationHandler trigger is active.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Search Before Create** and then select **General Settings**.
3. Select **Enforce Workplace Address Dependency**.
4. Save your changes.

## Affiliated Account Summary

The Affiliated Account Summary modal provides a customizable view that surfaces essential information about affiliated accounts. Users get immediate access to key details without having to navigate away from their current screen. The feature also includes a quick action button to help users create a visit directly from the summary.

## REQUIRED EDITIONS



**Note** Healthcare Provider (HCP) details are shown in the account summary only if the HCP is the primary provider for the account. Address details for an account are shown only if these two conditions are met: the account has an active provider account territory info (PATI) record, and it's linked to an active user territory record. The address is fetched from the preferred address field of the PATI record, which stores the associated contact point address.

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

On the web, the Affiliated Account Summary modal only displays information related to the account. On the iPad, the Affiliated Account Summary modal consists of two tabs: Account and Account Plans.

#### Account tab

Both the default modal on the web and the Account tab on the mobile show account details and a "New Visit" quick action button. If needed, you can tailor the information that's shown in the Account tab by editing the Account Summary Columns field set on the Healthcare Provider and Contact Point Address objects. Before you [add fields to the field set](#), make sure that the user has the appropriate access.

#### Account Plans tab

On the iPad, the Account Plans tab displays the list of active account plans associated with the account, if any. However, as a prerequisite, you must set up [object metadata cache settings for account plans](#).

### Manage Affiliation Alignment Rules

Define affiliation alignment rules to automatically align affiliated accounts to specific territories. Create rules based on criteria such as account type, affiliation role, and specialty to ensure accounts are assigned correctly.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

#### USER PERMISSIONS NEEDED

---

To define affiliation alignment rule

Life Sciences Commercial Admin permission set

---

### Prerequisites:

- - Add picklist values for the Affiliation Role field on the Territory Provider Affiliation Assignment Rule object. See [Picklist Values Customization for Affiliations](#).
- [Create Care Specialty Records](#).

1. From the App Launcher, find and select **Admin Console**.
2. Select **Territories**, and then select **Affiliation Rules**.
3. Click **New**.
4. Select the required territory and its subordinates from the appropriate level in the territory hierarchy, and click **Next**.
5. To apply the rule to child territories, select **Apply Rule to Child Territories**.
6. Select an account type, and select an affiliation role.
7. Optionally, select **Specialty**, and click **Submit**.
8. Save your changes.

When you delete an affiliation alignment rule for a parent territory that has the Apply Rule to Child Territories option enabled, all the corresponding child affiliation alignment rules are also deleted.

Similarly, if you edit an affiliation alignment rule and deselect Apply Rule to Child Territories, the child affiliation alignment rules are deleted.

After you define the affiliation alignment rules, run the territory management jobs to align affiliated accounts according to those rules. See [Run Territory Management Jobs](#).

### Batch Jobs for Affiliations

Affiliation batch jobs efficiently process large volumes of records at once by bypassing the governor limits faced by trigger handlers. These batch jobs automate tasks such as setting affiliation types, creating reciprocal affiliations, and establishing primary affiliations between accounts and parent organizations.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## AffiliationDataLoadProcessorBatch

This batch job is an alternative to the HardAffiliationHandler and AffiliationReciprocalHandler trigger handlers. It performs these primary functions:

- It sets the affiliation type on provider affiliation records to hard or soft when the necessary conditions are met, without requiring explicit user input.



- It creates the corresponding reverse affiliation for a given affiliation record. The batch job determines the reverse role for this reverse affiliation by referring to the mapping configured in the Affiliation Reverse Role Mapping.

## AccountPrimaryAffiliationBatch

This batch job provides an alternative to the HealthcareProviderAffiliationHandler trigger handler. When a parent account is specified on the provider's record, the job creates a primary affiliation between the healthcare provider's account and its parent organization account. If an affiliation already exists, it updates the primary flag accordingly.

### Run Affiliation Batch Apex Jobs

Run batch Apex jobs from the Developer console to automate tasks such as setting affiliation types, creating reciprocal affiliations, and establishing primary affiliations between accounts and parent organizations. Track the status and health of your batch Apex jobs and terminate them from Setup when necessary.

#### See Also

[Salesforce Help: Batch Apex](#)

### Run Affiliation Batch Apex Jobs

Run batch Apex jobs from the Developer console to automate tasks such as setting affiliation types, creating reciprocal affiliations, and establishing primary affiliations between accounts and parent organizations. Track the status and health of your batch Apex jobs and terminate them from Setup when necessary.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

#### USER PERMISSIONS NEEDED

---

|                                                       |                                               |
|-------------------------------------------------------|-----------------------------------------------|
| To create, edit, and delete Life Sciences Cloud data: | Life Sciences Commercial Admin permission set |
|-------------------------------------------------------|-----------------------------------------------|

---

Before you run the AffiliationDataLoadProcessorBatcha batch job, turn off the HardAffiliationHandler and the AffiliationReciprocalHandler trigger handlers. Before you run the AccountPrimaryAffiliationBatch batch job, turn off the HealthcareProviderAffiliationHandler trigger handler.

Run the batch Apex job using this Apex code: `Map<String, Object> paramMap = new Map<String, Object>{ 'batchName' => '{your_batch_name}', 'batchSize' =>`

```
{your_batch_size}', 'isCreatedByCurrentUser' =>
'{your_is_created_by_current_user_boolean}', 'createdAfter' =>
'{your_datetime}', 'whereClause' => '{your_where_clause_string}' }; // Call
Boolean result =
(Boolean) (lsc4ce.LifeScienceApi.getInstance(lsc4ce.LifeScienceApi.Command.AffiliationBatchJ
System.debug('Result: ' + result);
```

The batchSize, createdAfter, isCreatedByCurrentUser, and whereClause parameters are optional. For instructions on how to run batch Apex jobs, see [Executing Anonymous Apex Code](#).



**Example**

```
Map<String, Object> paramMap = new Map<String, Object>{ 'batchName' =>
'AffiliationDataLoadProcessorBatch', 'batchSize' => 200, 'isCreatedByCurrentUser' => true,
Datetime.newInstance(2025, 8, 1, 0, 0, 0), 'whereClause'=> 'AffiliationStrengthType = \'
result =
(Boolean) (lsc4ce.LifeScienceApi.getInstance(lsc4ce.LifeScienceApi.Command.AffiliationBat
System.debug('Result: ' + result);
```

 This code runs the AffiliationDataLoadProcessorBatch job, setting the type as high.

## Bulk Update for Account-Related Records from Related Lists

Give your users an efficient way to update multiple account-related records in a single action from a related list. To allow bulk updates from related lists, enable bulk edits for the user profile, create a custom button, and add the custom button to the account page layout.

### Enable Users to Make Changes in Bulk

Allow users to edit multiple account-related records at from the mobile app once by enabling the bulk edit capability for a specific user profile or all user profiles in your org.

### Create a Custom Button for Bulk Update

Create a custom button that enables users to perform bulk updates on records directly from a related list.

### Add the Custom Button to Account Layout

To make the custom button accessible to users from a related list, add it to the account page layout.

## Enable Users to Make Changes in Bulk

Allow users to edit multiple account-related records at from the mobile app once by enabling the bulk edit capability for a specific user profile or all user profiles in your org.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed

---

package.

#### USER PERMISSIONS NEEDED

To enable Bulk Edit:

Life Sciences Commercial Admin permission set

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **Profile Based App Settings**.
3. Select **Let users perform bulk edit**.
4. Save your changes.

### Create a Custom Button for Bulk Update

Create a custom button that enables users to perform bulk updates on records directly from a related list.

#### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

#### USER PERMISSIONS NEEDED

To create or change custom buttons or links:

Customize Application

1. From Setup, in the Quick Find box, enter *Object Manager*, and then select **Object Manager**.
2. Search for and select the object to which you want to add the custom button.
3. Select **Buttons, Links, and Actions**, and then select **New Button or Link**.
4. Provide a label and name for the button. For example, Bulk Update.
5. For Display Type, select **List Button**.
6. If **Display Checkboxes (for Multi-Record Selection)** is selected, clear it.
7. For Behavior, select a behavior for the button.
8. Select the content source as **URL**, and provide the URL in this format: `{!URLFOR("/lightning/n/LS4CE__BulkUpdate?c__parentRecordId="+{ParentObjectName}.Id+"&c__relatedObject={RelatedObject}__r",0)}`
9. Check syntax.
10. Save your changes.

### Add the Custom Button to Account Layout

To make the custom button accessible to users from a related list, add it to the account page layout.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## USER PERMISSIONS NEEDED

---

|                                       |                       |
|---------------------------------------|-----------------------|
| To customize buttons on page layouts: | Customize Application |
|---------------------------------------|-----------------------|

---

1. From Setup, in the Quick Find box, find and select **Object Manager**.
2. Search for and select the object you want to edit. The related list is shown on this object's record page.
3. Select Page Layouts, and then select the page layout you want to edit.
4. From the palette, select **Related Lists**.
5. Drag the related list you want to edit from the palette to the layout.
6. In the layout, click  to edit the related list.
7. From the related list properties, click  to expand the Buttons section.
8. Move the custom button from the Available Buttons list to the Selected Buttons list.
9. Click **OK**.
10. Save your changes to the layout.

## Data Change Request

Use Data Change Request to manage how data changes are submitted, validated, and implemented across the Life Sciences Cloud for Customer Engagement app. Reduce manual corrections, prevent unapproved changes from being applied, and make sure that data consistency across both web and mobile apps.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### Set Up Data Change Request by User Profile

Control how data updates are governed for various objects in the Life Sciences Cloud for Customer Engagement app. Specify whether changes apply immediately or require review before finalization. This set up makes sure that data updates comply with your organization's review policies and support profile-specific handling of data changes.

### Set Up Data Change Request Validation Types

Use validation types to define how data change requests are validated for different record types.

Configure each request to go through internal validation, which your organization manages, or external validation, managed by OneKey. Select the option that aligns with your organization's quality requirements.

### Create Life Science Data Change Definition Managed Fields

Managed fields determine which updates trigger a Data Change Request for supported objects. Creating records for each object makes sure that changes to critical data are reviewed, validated, and approved through the Data Change Request workflow.

### Approve or Reject a Data Change Request

Review and act on Data Change Requests submitted by users directly from the Life Sciences Cloud for Customer Engagement app. Use the built-in Lightning component to create a new tab to approve or reject a change request.

### Mobile App Configuration for Data Change Request

Configure database schema for the supported Data Change Request objects. Generate a metadata cache to package the object scheme configuration into a downloadable metadata cache that the mobile app uses for online and offline access.

## Set Up Data Change Request by User Profile

Control how data updates are governed for various objects in the Life Sciences Cloud for Customer Engagement app. Specify whether changes apply immediately or require review before finalization. This set up makes sure that data updates comply with your organization's review policies and support profile-specific handling of data changes.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                                                   |                                |
|-------------------------------------------------------------------|--------------------------------|
| To set up and configure Data Change Request features and objects: | Life Sciences Commercial Admin |
|-------------------------------------------------------------------|--------------------------------|

---



**Important** Data Change Request is supported for these objects: Account, HealthcareProvider, HealthcareProviderSpecialty, HealthcareProviderNPI, ContactPointAddress, ContactPointPhone, ContactPointSocial, ContactPointEmail, BusinessLicense, and ProviderAffiliation.

- Create object metadata cache configuration for LifeSciDataChgDefMngFld object. Add one record per field or multiple records for the same field when different configurations are required. See [Create Object Metadata Cache Configuration](#).
- Create records for UserAdditionalInfo object for the authenticated user with preferred country and available country sets. In addition, create associated LifeSciCountry records.

- Configure DCRHandler trigger handler. See [Trigger Handler Administration](#).
1. From the App Launcher, find and select **Life Sciences Commercial**.
  2. Click **Admin Console**.
  3. In the Life Sciences Customer Engagement Setup page, click **Account Management**.
  4. In the navigation pane, click **Data Change Request**.
  5. To activate the Account object and its related Data Change Request object, turn on **Object Status**.
  6. In the Profile Settings section, select a default behavior from the **Default Settings** dropdown to determine when the changes reflect across web and mobile apps.  
On the mobile app, the changes reflect immediately if the configuration is set to apply immediately.  
The mobile users can see the changes made on the web app only after the app's next sync.
    - Don't apply changes immediately: Sends DCR for approval first on the web app. Changes appear on the mobile app after approval on the next sync.
    - Apply changes to each field individually: Applies all the changes on the mobile app immediately. Creates a data change request for review. If the changes are later rejected by the authorizer, the updates will be reverted on the next sync.
    - Apply changes immediately: Applies changes at the field level; controls how changes are applied to each field. On the web app, if the changes are rejected then the changes are reverted on the mobile app on the next sync.
  7. To apply the selected default behavior, turn on **Active**.
  8. Configure different behaviors for specific profiles.
    - a. In the Profile section, click **Add**.
    - b. Select a profile.  
For example, select **System Administrator**.
    - c. Select the field update type for the profile.
    - d. To apply the rule, turn on **Active**.
  9. Save your changes.
  10. Similarly, set up Data Change Request for the other objects.

## Set Up Data Change Request Validation Types

Use validation types to define how data change requests are validated for different record types. Configure each request to go through internal validation, which your organization manages, or external validation, managed by OneKey. Select the option that aligns with your organization's quality requirements.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

---

### USER PERMISSIONS NEEDED

---

To set up and configure Data Change Request features and objects: Life Sciences Commercial Admin

---

1. From the App Launcher, in the Quick find and select **Life Sciences Commercial**.
2. Click **Admin Console**.
3. In the Life Sciences Customer Engagement Setup page, click **Account Management**.
4. In the navigation pane, click **Data Change Request Validation Types**.
5. In the Data Change Request Validation Types Setup page, add record types for a specific country or for all countries, and provide the validation type.
  - a. Select the type of the account.  
For example, Person Account or Institution.
  - b. Select the country.  
The default selection is All.
  - c. Select the validation type.  
For example, Internal or External.
  - d. For internal validation, turn on **Requires Approval** to restrict the creation of records, either through the related list or SBC, without approval.  
If this option is disabled, it creates records but doesn't create a data change request.
  - e. For external validation, enter the name of the external validation system.  
Uses OneKey by default. If your organization uses a OneKey contract, restrict external DCR configuration (Record Types and Managed Fields) to only the regions supported by that contract. Including unsupported regions can cause access issues and prevent DCR records from being processed. In such cases, manually update the status of the DCR records for unsupported regions.
  - f. To add a specific country, click **Add Country**.  
Adding a specific country is useful when you have different configurations for multiple countries.
6. Save your changes.
7. Similarly, set up Data Change Request validation types for the other objects as needed.

#### External Validation Requirements for Data Change Requests

Prevent downstream OneKey rejections and rework by making sure your setup is aligned from the start. Before enabling external validation for Data Change Requests, make sure your data model and integration mappings meet specific requirements.

#### External Validation Requirements for Data Change Requests

Prevent downstream OneKey rejections and rework by making sure your setup is aligned from the start. Before enabling external validation for Data Change Requests, make sure your data model and integration mappings meet specific requirements.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

---

---

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

#### USER PERMISSIONS NEEDED

---

To configure App Alerts:

Life Sciences Commercial Admin

---

## Supported Operations

External validation via OneKey supports Create and Update operations. Delete operations aren't supported out of the box. If a delete request is submitted for external validation, the request is rejected before it reaches the external provider. Handle the delete operation through manual data governance processes or custom logic.

For the Create operation to succeed, follow this sequence:

- Create a business account. When creating a business account, make sure these objects and their respective fields are created: Account, ContactPointAddress, HealthcareProvider, and HealthcareProviderSpecialty.
- After it's approved, create a Person account associated with the business account. When creating a Person Account, make sure these objects and their respective fields are created: Account, ContactPointAddress, HealthcareProvider, HealthcareProviderSpecialty, and ProviderAffiliation.

## Minimum Data Thresholds

To pass validation, records must meet specific minimum data thresholds. If these are missing, the Data Change Request will be rejected before it reaches the external provider.

- A Person Account record must include at least one primary Provider Affiliation and one primary Healthcare Provider Specialty.
- A Business Account record must include at least one primary Healthcare Provider Specialty.

Only workplace-to-individual (Hard) affiliations are supported for Data Change Request syncing.

## Mandatory External Managed Fields

Mandatory External Managed Fields for the Create operation to succeed:

- Account: Name, Phone, Fax, PersonGender, PersonMobilePhone, and PersonBirthdate
- ContactPointAddress: Name and Address
- HealthcareProvider: Name, Status, ProfessionalTitle, TotalLicensedBeds, ProviderType, and ProviderClass
- HealthcareProviderSpecialty: Name and SpecialtyId
- ProviderAffiliation: Role, EffectiveStartDate, and EffectiveEndDate



## Integration & Mapping (MuleSoft)

- **Picklist Alignment:** Each picklist value in Salesforce must have a corresponding mapping in your MuleSoft transformation layer.
- **Failure Risk:** If a user selects a value in Salesforce that isn't mapped, the Data Change Request will fail with a Missing Fields error, even if the field itself is populated.

### Create Life Science Data Change Definition Managed Fields

Managed fields determine which updates trigger a Data Change Request for supported objects. Creating records for each object makes sure that changes to critical data are reviewed, validated, and approved through the Data Change Request workflow.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

#### USER PERMISSIONS NEEDED

---

|                                                                   |                                |
|-------------------------------------------------------------------|--------------------------------|
| To set up and configure Data Change Request features and objects: | Life Sciences Commercial Admin |
|-------------------------------------------------------------------|--------------------------------|

---

Create managed field records for all the supported Data Change Request objects: Account, HealthcareProvider, HealthcareProviderNpi, HealthcareProviderSpecialty, ContactPointAddress, ContactPointEmail, ContactPointPhone, ContactPointSocial, BusinessLicense, and ProviderAffiliation.

1. From the App Launcher, find and select **Life Sciences Data Change Definition Managed Fields**.
2. Click **New**.
3. Enter the name of the record.  
Use [object name\_field name] format, for example, HealthCareProvider\_SourceSystemIdentifier.
4. In the Life Science Data Change Definition field, select an object that it applies to.  
For example, Account.
5. Enter the Field API name.
6. To apply the data changes immediately, select **Apply Change Immediately**.  
This option is relevant when Default Settings is set to Apply changes to each field individually. It makes sure that changes appear on the mobile app immediately and a DCR is created. If the changes are later rejected by the approver, those changes are reverted on the mobile app after the next sync.
7. Select the validation type.  
For example, select **Internal** or **External**. Make sure the validation type matches the one configured in the validation types setup in the admin console.
8. If needed, search for and select the country.
9. Save your changes.

## Approve or Reject a Data Change Request

Review and act on Data Change Requests submitted by users directly from the Life Sciences Cloud for Customer Engagement app. Use the built-in Lightning component to create a new tab to approve or reject a change request.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

To approve or reject a Data Change Request:

Life Sciences Commercial Admin

Life Sciences Key Account Manager

---

1. In Setup, search for **Tabs** and select it.
2. In the Custom Tabs page, under the Lightning Component Tabs, click **New**.
3. In the New Lightning Component Tab page, select **lsc4ce:dataChangeListWithApproveReject**.
4. Enter the tab label.
5. Enter the name of the tab.
6. For Tab Style, click the **Search** icon, and select the style for the tab.
7. Click **Next**.
8. Choose the user profiles for which the new Lightning Component tab will be available. You may also examine or alter the visibility of tabs from the detail and edit pages of each profile.  
By default, Apply one tab visibility to all profiles is enabled.
9. Apply for different tab visibility for each profile.
10. Save your changes.

## Mobile App Configuration for Data Change Request

Configure database schema for the supported Data Change Request objects. Generate a metadata cache to package the object scheme configuration into a downloadable metadata cache that the mobile app uses for online and offline access.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

package.

#### USER PERMISSIONS NEEDED

To set up and configure Data Change Request features and objects: Life Sciences Commercial Admin

When you create database schema configurations for Data Change Request, make sure that you select the type as mentioned in the table.

| Object                            | Type          |
|-----------------------------------|---------------|
| DbSchema_LifeSciDataChangeDef     | Configuration |
| DbSchema_LifeSciDataChgDefRecType | Configuration |
| DbSchema_LifeSciDataChgPersonaDef | Configuration |
| DbSchema_LifeSciDataChangeRequest | Data          |
| DbSchema_LifeSciDataChgDefMngFld  | Data          |
| DbSchema_UserAdditionalInfo       | Data          |
| DbSchema_LifeSciCountry           | Data          |

 **Important** After you create these configurations, make sure to generate a metadata cache. This step is important because it makes sure that the mobile app accesses the latest metadata definitions, including any schema changes for supported objects.

## Lists and Filters

Use Lists and Filters to organize and prioritize accounts and associated data in the Life Sciences Cloud for Customer Engagement app. Sales reps manage and refine large volumes of accounts into meaningful segments, helping them to focus on accounts that align with specific criteria based on business priorities, territory requirements, or engagement strategies.

#### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud and the Life Sciences Cloud for Customer Engagement Add-On license

Lists are static. Once you add accounts to a list, they remain there until you manually remove or add more accounts. Filters are dynamic. They automatically update the results to show accounts that match the defined criteria. For example, a filter that selects accounts by speciality shows only accounts that belong to that speciality.

Users can create and refine lists and filters using specific criteria, such as account specialty, recent interactions, or location by zip code. These lists can be saved and used to plan visits, schedule follow-ups, or launch actions from the user's workflow. If needed, generate reports and export the data to a CSV file.

### Lists and Filters Data Model

Lists and Filters data model stores and makes data interoperable, helping users organize and prioritize large volumes of account-related data.

### Enable Actions for Lists

Give users access to perform various actions on lists: select multiple accounts, run actions on the selected accounts, update actions for different accounts, and export lists to a CSV file.

### Configure Filters

Give sales reps access to the available filter-related actions and features. Enable sales reps to create, edit, and manage large volumes of account data to identify and focus on target accounts.

### Configure Columns for Lists

Create a configuration set to define the fields and columns structure for Lists. Configure the fields that appear as columns, the fields that support sorting, and the default filter columns available in the Life Sciences Cloud for Customer Engagement app.

### Account Search Preferences for Lists and Filters

Define account search preferences to control how accounts appear in the Life Sciences Cloud for Customer Engagement app. Enable map view to let users view accounts, set default filters, and use searchable fields to enhance their search results.

### Mobile App Configuration for Lists and Filters

Create object metadata cache configuration for supported List and Filter objects. Generate a metadata cache to make the feature available for users in the Life Sciences Cloud Mobile app.

## Lists and Filters Data Model

Lists and Filters data model stores and makes data interoperable, helping users organize and prioritize large volumes of account-related data.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud and the Life Sciences Cloud for Customer Engagement Add-On license

---

| Object                   | description                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| LifeSciAccountListColumn | Represents the information of the columns selected from accounts or its supported direct relationship objects in account filters. |
| LifeSciAccountListMember | Represents information about account static lists and routines.                                                                   |

| Object                       | description                                                                                                                                    |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| LifeSciAcctListFilterCrit    | Stores the rules and conditions derived from the Account object or its supported direct relationship objects to filter Life Sciences accounts. |
| LifeScienceAccountList       | Represents the type of account lists, such as filter, static list, and routine.                                                                |
| LifeScienceAccountListObject | Represents the object that is referenced in the provider account list.                                                                         |

## Enable Actions for Lists

Give users access to perform various actions on lists: select multiple accounts, run actions on the selected accounts, update actions for different accounts, and export lists to a CSV file.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud and the Life Sciences Cloud for Customer Engagement Add-On license

---

### USER PERMISSIONS NEEDED

---

|                                 |                                |
|---------------------------------|--------------------------------|
| To configure Lists and Filters: | Life Sciences Commercial Admin |
|---------------------------------|--------------------------------|

---

1. From the App Launcher, find and select **Admin Console**.
2. Click **Lists and Filters**.
3. On the navigation panel, click **Accounts List Actions**.
4. From the Select Type field, select the profile that you want to apply this action to.  
For example, you can assign a Medical Sales Representative profile if you want them to perform this action.
5. In the List Export section, select **Let users export account lists to CSV files**.  
Users can now see the option in the Lists and Filters settings.
6. Save your changes.

## Configure Filters

Give sales reps access to the available filter-related actions and features. Enable sales reps to create, edit, and manage large volumes of account data to identify and focus on target accounts.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud and the Life Sciences Cloud for Customer Engagement Add-On license

---



---

#### USER PERMISSIONS NEEDED

---

|                                 |                                |
|---------------------------------|--------------------------------|
| To configure Lists and Filters: | Life Sciences Commercial Admin |
|---------------------------------|--------------------------------|

---

1. From the App Launcher, find and select **Admin Console**.
2. Click **Lists and Filters**.
3. On the navigation panel, click **Filters**.
4. In the Select Type field, select an option to control filter access.
5. In the Select Profile field, select a profile.  
For example, you can assign a Medical Sales Representative profile if you want them to perform this action.
6. In the General Settings section, enable the required checkboxes to customize filter behavior.
  - a. To let users create account filters, select **Let users create account filters**.
  - b. To let users share filters, select **Let users share filters**.
  - c. To let users search for and view shared accounts on the web, select **Let users view and search shared accounts**.
  - d. To let users view and apply advanced filters, select **Let users view Advanced Filters**.
7. In the Available Fields section, define the fields that users can use when creating account filters.  
If no fields are defined, all fields the user has access to will be available by default.
8. To help users see the recommended accounts on the Life Sciences Cloud for Customer Engagement mobile app, in the Next Best Customer Settings, select Let users view the next best customer filter.
9. To determine the default number of days to snooze an account, enter a number in the Days to Mute field.
10. Save your changes.

### Configure Columns for Lists

Create a configuration set to define the fields and columns structure for Lists. Configure the fields that appear as columns, the fields that support sorting, and the default filter columns available in the Life Sciences Cloud for Customer Engagement app.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud and the Life Sciences Cloud for Customer Engagement Add-On license

---



---

#### USER PERMISSIONS NEEDED

---

|                                 |                                |
|---------------------------------|--------------------------------|
| To configure Lists and Filters: | Life Sciences Commercial Admin |
|---------------------------------|--------------------------------|

---

1. From the App Launcher, find and select **Life Sciences Commercial**.

2. Click **Admin Console**, and then click **Lists & Filters**.
3. On the navigation panel, click **Accounts List**.
4. Click **New**.
5. Enter a name for the accounts list configuration.
6. Select the user profiles to which the configuration applies.
7. Select the type of accounts list configuration.
  - a. Default: Shows aligned accounts.
  - b. Search: Shows all Accounts.
  - c. Static: Shows static lists and routines.



**Note** On mobile, the Default is applied to all accounts, and Static is used for lists. The Search configuration type isn't supported on mobile.

8. Select the type of account this configuration is associated with.  
For example, Person Account, Business Account, Institution, or Medical Professional.
9. Configure the columns for the list view.
  - a. Enter the field name using the Object Name.Field Name format to display it as the second column in the list view.
  - b. Enter the field name using the Object Name.Field Name format to display it as the third column in the list view.
  - c. Enter the field name using the Object Name.Field Name format to display it as the fourth column in the list view.
  - d. Enter the field name using the Object Name.Field Name format to display it as the fifth column in the list view.
    - Only field API names from these objects are supported: Account, HealthcareProvider, ContactPointAddress, ProviderAcctTerritoryInfo, ContactPointPhone (Use de-normalized field in HCP), ContactPointEmail (Use de-normalized field in HCP), ContactPointSocial (Use de-normalized field in HCP), HealthcareProviderNpi (Use de-normalized field in HCP), HealthcareProviderSpecialty (Use de-normalized field in HCP).
    - If you don't provide an object prefix, for example, ContactPointAddresses.Name, the system assumes the field belongs to the Account object. For example, PersonEmail (query from Account); ContactPointAddresses.Name (query from ContactPointAddress).
    - You can also provide multi-level queries. For example, ProviderAccountTerritoryInfoAccount.NextProviderVisit.ShippingAddress.Id will query ContactPointAddressId.
    - If you do not configure these columns in the additional search preferences section of Account Management in the admin console, then the list will show these default columns: Column1: Account Name and Address, Column2: Last Provider Visit, Column3: Target Value, Column4: Activity Plan, Column5: Progress Bar.
    - On mobile, only the two most recently created records for denormalized fields are displayed. Additional values are grouped into a +N counter that tells how many more records exist beyond the visible ones.
    - On the web, only the three most recently created records for denormalized fields are displayed. Additional values are grouped into a +N counter.
10. Select the checkbox to override the second column field with the previous and next visit details.
11. Select an option from the dropdown to override the fifth column field with the Activity Plan field.

The values in this dropdown are sourced from the Provider Activity Measure Type object.

12. In the Sort Column Field Set, select an option to sort column fields.  
Select fields from the Provider Account Territory Information object. If the field set is empty, fields available for filtering by default are: First Name, Last Name, Full Name, Address, State or Province, City, Zip or Postal Code, Next Provider Visit Date, Last Provider Visit Date, and Specialty.
13. To activate the configuration, select **Is Active**.
14. Save your changes.

## Account Search Preferences for Lists and Filters

Define account search preferences to control how accounts appear in the Life Sciences Cloud for Customer Engagement app. Enable map view to let users view accounts, set default filters, and use searchable fields to enhance their search results.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud and the Life Sciences Cloud for Customer Engagement Add-On license

---

### USER PERMISSIONS NEEDED

---

|                                 |                                |
|---------------------------------|--------------------------------|
| To configure Lists and Filters: | Life Sciences Commercial Admin |
|---------------------------------|--------------------------------|

---

1. From the App Launcher, find and select **Life Sciences Commercial**.
2. Click **Admin Console**, and then click **Account Management**.
3. In the Account Management Setup page, click **Account Search Preferences**.
4. Select the Apply Settings To as Profile.
5. Select the profile.
6. Configure the Advanced Search Preferences section.
  - a. To enable the map view (LSC Mobile app only) so users can visualize accounts on a map, select **Show accounts in a map view**.
  - b. To improve the search results, select the default account type filters.
  - c. To help users find accounts with greater precision, select an additional field from the Provider Account Territory Info record that can be used to search accounts with.  
The field value is also shown in the search results.
  - d. To configure account record types available for filtering during search, select the required record types and move them to Selected Values.
  - e. To align affiliated accounts, select **Align affiliated accounts automatically after an account is aligned with a territory**.
7. Save your changes.



## Mobile App Configuration for Lists and Filters

Create object metadata cache configuration for supported List and Filter objects. Generate a metadata cache to make the feature available for users in the Life Sciences Cloud Mobile app.

### REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

### USER PERMISSIONS NEEDED

To configure Lists and Filters: Life Sciences Commercial Admin

Configure object metadata cache configuration for these objects.

| DataBase Schema Name                  | Type |
|---------------------------------------|------|
| Dbschema_LifeSciAccountListColumn     | Data |
| Dbschema_LifeSciAccountListMember     | Data |
| Dbschema_LifeSciAcctListFilterCrit    | Data |
| Dbschema_LifeScienceAccountList       | Data |
| Dbschema_LifeScienceAccountListObject | Data |
| Dbschema_Report                       | Data |
| Dbschema_Folder                       | Data |
| Dbschema_TerritoryAccountScore        | Data |
| Dbschema_ActivityPlan                 | Data |

 **Important** Generate a metadata cache after you create these configurations. This step is critical to make sure that the mobile app uses the latest metadata definitions, including any schema changes for supported objects.

## Next Best Action

Set up Next Best Action to equip your sales reps with AI-driven weekly action plans. Help your sales reps achieve better time management and strategic engagement by recommending actions, such as visits, meetings, and emails for accounts, in the optimal sequence.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



---

USER PERMISSIONS NEEDED

---

|                                     |                       |
|-------------------------------------|-----------------------|
| To add components to a record page: | Customize Application |
|-------------------------------------|-----------------------|

---

Before you set up Next Best Action, complete the following prerequisites.

- Configure First Day of Work Week in Planner.
  - Activate the required trigger handlers:
    - TerrAcctRcmdActionSharingHandler
    - TerrAccRcmActStatusUpdateHandler
  - Create a standard user with the Field Sales Representative profile.
  - Make sure that the standard user has access to the required Apex classes:
    - Isc4ce.LogACallController
    - Isc4ce.NextBestActionsController
    - Isc4ce.VisitCreationCallbackController
  - Create a metadata cache for the profile.
  - Create a territory.
  - Create a user with the Field Sales Representative profile.
  - Assign these permissions to the user:
    - Industries Visit
    - Life Sciences Commercial User
    - Life Sciences Field Sales Representative
    - LSC Rep
  - Create Territory Account Recommended Action (TARA) records.
-  **Note** You can create the TARA records of type Visit and Email. The Email type TARA records apply only to the mobile app.

See Also

[Trigger Handler Administration](#)

## Add Life Sciences Next Best Action Component to Account Record Page

Show sales reps recommended actions, which they can use to create visits or send emails directly from an account record page.



1. On an account record page, click , and then select **Edit Page**.
2. From the Components pane, in the Search field, enter *Next Best Actions*.
3. Drag and drop the Life Sciences Next Best Actions component from the left pane to the Dashboard tab on the record page.
4. Save your changes.
5. Activate the page.

## Next Best Customer

With the Next Best Customer scores, your field reps can identify the highest priority accounts for their next engagement. Using data such as engagement history and territory alignment, Next Best Customer ranks the accounts that are most likely to respond, so your reps can maximize the impact of each interaction.

Show your users a list of prioritized accounts in the Next Best Customer component on the Life Sciences Cloud for Customer Engagement home page. Users can easily see the recommended accounts by filtering with Next Best Customer in the Account list view and on the Planner tab.

### Set Up Next Best Customer

To help your sales reps understand and work with the top accounts in their territory, set up the Next Best Customer component, quick actions, and scores.

### Account Scores for Next Best Customer

On Territory Account Score records, the Score Explainability Information field stores the details about the various metrics used to calculate and evaluate an account's score in the Next Best Customer component.

## Set Up Next Best Customer

To help your sales reps understand and work with the top accounts in their territory, set up the Next Best Customer component, quick actions, and scores.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### Set Up Top Next Best Customers Component

Configure the Life Sciences Next Best Customers component to show prioritized accounts with clear scoring, intuitive rationale explanations, and rich account insights on the Life Sciences Cloud for

Customer Engagement home page.

### [Configure Next Best Customer Settings for Mobile App](#)

Customize the sorting and rationale display settings for the Next Best Customer components in the Life Sciences Cloud mobile App.

### [Set Up the Data Required for Next Best Customer](#)

Configure the data required to show the accounts on the Top Next Best Customer component and calculate the account scores.

#### See Also

[Get Help for Lightning App Builder](#)

## Set Up Top Next Best Customers Component

Configure the Life Sciences Next Best Customers component to show prioritized accounts with clear scoring, intuitive rationale explanations, and rich account insights on the Life Sciences Cloud for Customer Engagement home page.

#### REQUIRED EDITIONS



**Note** If you've already added the NbcTopResults component to your home page, remove it before adding the Life Sciences Next Best Customers component.

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

#### USER PERMISSIONS NEEDED

---

To configure the Next Best Customer component, Life Sciences Commercial Admin permission set actions, and scores:

---

To create and save Lightning pages in Lightning App Builder: Customize Application

---

1. [Create a card-view type relationship graph](#). You can use the prebuilt graph as is or customize it according to your business needs.
2. Add the Life Sciences Next Best Customers component to the home page by using Lightning App Builder. See [Customize the Home Page](#).
3. Update the component properties.
  - a. For Wrapper Label, enter a label for the component.
  - b. For Relationship Graph, select the name of the card-view type relationship graph.
  - c. For Cards to Display, enter the number of cards you want to show on the home page. Enter a value from 5 through 10.

## Configure Next Best Customer Settings for Mobile App

Customize the sorting and rationale display settings for the Next Best Customer components in the Life Sciences Cloud mobile App.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

To configure the Next Best Customer component, Life Sciences Commercial Admin permission set actions, and scores:

---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Next Best Customer**, and then select **Next Best Customer Settings**.
3. For Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
  - To apply the settings to all the profiles in your org, select **SOrg Default**.
  - To apply the settings to a specific profile in your org, select **Profile**.
4. Configure the Next Best Customer Sorting settings.
  - Select whether you want to allow sorting of top customers by distance.
  - Enter the account score threshold value that determines the number of top customers to show on the component.
5. Select whether you want to show the rationale for prioritizing an account as a standard Salesforce chart.

## Set Up the Data Required for Next Best Customer

Configure the data required to show the accounts on the Top Next Best Customer component and calculate the account scores.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

---

### USER PERMISSIONS NEEDED

---

To configure the Next Best Customer component, Life Sciences Commercial Admin permission set actions, and scores:

To create and save Lightning pages in Lightning App Builder: Customize Application

---

1. Create Territory Account Score records for each combination of account and territory.
2. On each Territory Account Score record, update the Score Explainability Information field with the metrics and data that the Next Best Customer logic uses to calculate account scores. See [Account Scores for Next Best Customer](#).
3. To make sure that users can see the recommended accounts in their territories, grant access to Territory Account Score records in one of these ways.
  - Share Territory Account Score records with users manually.
  - [Create owner-based sharing rules](#) for Territory Account Score. To specify which users' records are shared and the users who get access to the data, select **Territories**.

## Account Scores for Next Best Customer

On Territory Account Score records, the Score Explainability Information field stores the details about the various metrics used to calculate and evaluate an account's score in the Next Best Customer component.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

For data to appear correctly in the Next Best Customer component, you must use the required JSON structure in the Score Explainability Information field. There are three sections in the JSON structure: scores, metrics, and custom labels.

## Scores

The scores section represents the calculated score for each metric used in the Next Best Customer scoring logic. Depending on your scoring model, the values can reflect the unadjusted value or the weighted contribution that reflects how much the metric counts toward the overall score.

The format is `"scores": "metric": value`, and each score must be separated with a comma. Only integer values are supported. For example:

```
"scores": {
```

```
"Last Visit": 40,
"Plan Coverage This Week": 35,
"Days Since Last Visit": 30
}
```

## Metrics

The metrics section captures the raw value of each metric that's evaluated for the account's score. The metric data determines the score.

The format is `"metrics": "metric": value`, and each metric must be separated with a comma. Only string and integer values are supported. For example:

```
"metrics": {
  "Last Visit": "Visited on 07/22",
  "Plan Coverage This Week": "3/5 tasks planned",
  "Days Since Last Visit": 30
}
```

## Custom Labels

The custom labels section is optional. Use this section only when custom fields are used to calculate an account's score. Custom labels map the custom fields to the labels that you want to show users in the Next Best Customer components.

The format is `"customLabels": "custom[DataType]-[Entity].[Field]": value`, and each custom label must be separated with a comma. For example:

```
"customLabels": {
  customPicklist-Account.Segmentation__c": "Segmentation",
  customNum-Account.Order_Amount_Current_Year__c": "Order Amount Current Year"
}
```

## Example 1: Score Explainability Information with Custom Labels

This example shows how scores, metrics, and custom labels work together for a single recommended account.

```
{
  "scores": {
    "Last Visit": 35,
```

```

    "Growth Potential": 15,
    "Plan Coverage This Week": 5,
    "customPicklist-Account.Segmentation__c": 10
  },
  "metrics": {
    "Last Visit": "Visited on 07/22",
    "Growth Potential": "+12% TRx vs last quarter",
    "Plan Coverage This Week": "3/5 tasks planned",
    "customPicklist-Account.Segmentation__c": "Tier A High Priority Doctor"
  },
  "customLabels": {
    "customPicklist-Account.Segmentation__c": "Segmentation"
  }
}

```

## Example 2: Score Explainability Information Without Custom Labels

This example shows how scores and metrics work together for a single recommended account, without any custom field labels defined.

```

{
  "scores": {
    "Last Visit": 30,
    "Message Engagement": 20,
    "Immunexis TRx Growth": 15,
    "Immunexis NRx Trend": 15,
    "Open Opportunities": 10,
    "Market Share Growth": 5
  },
  "metrics": {
    "Last Visit": "Visited on 07/22",
    "Message Engagement": "Discussed Immunexis on 08/05",
    "Immunexis TRx Growth": "+12% last quarter",
    "Immunexis NRx Trend": "+8% month over month",
    "Open Opportunities": "2 in pipeline",
    "Market Share Growth": "+5% YoY"
  }
}

```

## Provider Cards for Life Sciences

Provider Cards in Life Sciences Cloud consolidates an account's information that's scattered across



various objects and fields, such as the provider's locations and specialties and the user's scheduled visits, and displays it all in a one place on the mobile. You can choose which records to show in the card. To create provider cards, you can use the predefined template or create them from scratch.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---



**Note** Provider Cards are displayed only in the mobile interface.

To enable users to access Provider Cards in offline mode in the mobile app, [create object metadata cache configurations](#) of type Data for these objects.

- Account
- Healthcare Provider
- Contact Point Address
- Business License
- Contact Point Best Contact Time
- Provider Account Territory Information
- Healthcare Provider Specialty

If you add objects to your card, create object metadata cache configurations for the addition objects.

### [ARC Components for Provider Card](#)

Provider Cards help you get a head start on configuring cards by providing a provider-specific template and a builder where you can choose how you want to render the card interface at run-time.

### [Nodes and in Retrieval Limits in Provider Cards](#)

Find out about how nodes and retrieval limits are used in the card interface.

### [Configure a Provider Card](#)

To capture the record details that you want to show in the provider card, define the relationships between the account-related objects in an actionable relationship center (ARC) graph. Get started by using the Provider Card template, which includes a customizable graph with nodes related to commonly used objects. You can also create a graph from scratch.

### [Add a Provider Card to a Record Page](#)

Help users access the provider card on the account tab in the iPad.

### [Customizing a Provider Card](#)

Explore the different ways in which you can showcase your account's information by configuring pills, repeaters, or a combination of both. Configure pills to display information only when it's available. Also, customize the information displayed within a repeater by configuring pills or text blocks. Choose to display the card's sections, elements, and items by configuring the visibility criteria for each component. Make sure your users always have the relevant information at hand by configuring the

visibility conditions to dynamically display data from preferred sources or alternate sources if the preferred source isn't populated.

#### See Also

[Create Object Metadata Cache Configuration](#)

## ARC Components for Provider Card

Provider Cards help you get a head start on configuring cards by providing a provider-specific template and a builder where you can choose how you want to render the card interface at run-time.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## Graph Components for Cards

Here's a list of components in the ARC graph that support the provider card.

- **Provider Card Template:** A predefined, customizable graph with 10 nodes that capture information related to records of the following objects:
  - Account
  - Healthcare Provider
  - Contact Point Address
  - Business License
  - Contact Point Best Contact Time
  - Provider Account Territory Information
  - Healthcare Provider Specialty
- **Card View graph type:** A card-specific graph type that displays the Switch to Card button, through which you can access the card builder.
- **Record Retrieval Limit:** Helps you select the maximum number of records to fetch for a node.
- **Switch to Card and Switch to Graph buttons:** To help you easily toggle between the graph and the card builder.

## Card Builder

Provider Cards supports a card builder that consists of sections, elements, and items. Each section is made up of elements, while each element is made up of individual items.

Here's a breakdown of the provider card's interface.

- Sections store information about an object's related records, such as information about the provider's specialties, ratings, preferred address, best time to contact the provider, etc.
- Elements help you configure the display of record details specific to a section. Choose how you want to show each element type by using pill groups or repeaters. You can add multiple elements within a section.
- Items represent fields, separators, and display texts. In pill groups, you can represent fields and add a label for the field by using display texts. In repeaters, you add multiple fields that are linked by separators.
- A pill group contains an assortment of pills from multiple data sources (node objects). Each pill can display a text or show information about a field.
- A repeater displays multiple records belonging to the same data source (node object) in a series. Within a repeater, you can further display your data by using a pill or a text block.

#### See Also

[Create a Custom ARC Relationship Graph](#)

## Nodes and in Retrieval Limits in Provider Cards

Find out about how nodes and retrieval limits are used in the card interface.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## Nodes

- Nodes represents objects in the ARC graph. A root node is the primary node in the ARC graph. A root node can have several child nodes. Child nodes have a lookup to the root node.
- You can add any object to the root node but you can add the ARC Relationship Graph Lightning App Builder component only on the record page of the object that you select as the root node. To configure cards in Life Sciences Cloud, the root node must be the account object, and the card must be added to the account's record page.
- A key difference between a pill group and a repeater is that a repeater fetches records (data fields) from only one node (source object) in an element, whereas pill group can fetch records from multiple nodes in an element. For example, in a repeater element, you fetch the specialty name, effective start date, and the date of creation of a healthcare provider's specialty. In a pill group element, you fetch data about whether the account is a target account (Provider Account Territory Information's Targeted Account field), key opinion leader (Healthcare Provider's Classification field), and speaker (Healthcare Provider's Speaker field).

## Retrieval Limits

- The record retrieval limit indicates the maximum number of records that you can fetch for a node and whether you can use operators for your elements. The retrieval limit also determines whether you can use a pill group or a repeater.
- The record retrieval limit is only available for graphs of type Card View.
- The record retrieval limit doesn't apply to the root node of a graph, as the graph automatically retrieves the record details of the record page it is added to.
- The pill group can only be applied to the root node and nodes that have the record retrieval limit of 1. The repeater can be applied to records of all nodes, irrespective of the retrieval limit.
- For field items in a pill group type element, you can add visibility conditions for all nodes, regardless of the retrieval limit. However, if the node has retrieval limit of none or more than 1, you can only check whether records were fetched.
- You can use operators to add filter conditions only if the node has a retrieval limit of 1. If a node doesn't have a record retrieval limit or the limit is more than 1, you can only check whether records were fetched at a section, element, or item level.

## Configure a Provider Card

To capture the record details that you want to show in the provider card, define the relationships between the account-related objects in an actionable relationship center (ARC) graph. Get started by using the Provider Card template, which includes a customizable graph with nodes related to commonly used objects. You can also create a graph from scratch.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                               |                                              |
|-------------------------------|----------------------------------------------|
| To configure a provider card: | Life Science Commercial Admin permission set |
|-------------------------------|----------------------------------------------|

---

1. From Setup, in the Quick Find box, find and select **Actionable Relationship Center**.
2. Create an ARC graph.
  - a. Click **New Relationship Graph**.
  - b. Create a graph from scratch or apply the provider card template, and click **Create Graph**.
  - c. In the properties pane, enter a label for the graph.  
The API name is automatically populated.
  - d. For the graph type, select **Card View**.  
The Switch to Builder button appears.
  - e. Add nodes to the graph as needed.

You can add the same node object multiple times. To differentiate between them, customize their display labels in the graph's Display tab.

- f. For Record Retrieval Limit, enter the maximum number of records to fetch for a node. To understand how retrieval limits affect your graph, see [Nodes and Retrieval Limits in Provider Cards](#).

3. Configure the card interface.

- a. From the top left corner of the page, select **Switch To Card**.
- b. Create a section, and add a section header label.
- c. To display record details in the section, click **Add Element**.  
You can add more than one element to a section.
- d. To display the record details, select a pill group or a repeater.
  - Use a pill group to combine attributes from multiple data sources. You can configure a pill group only for nodes that have a record retrieval limit of 1.
  - Use a repeater to display multiple records that belong to the same node object. You can include a pill or a text block in a repeater.

4. Configure the card's visibility. See [Set the Visibility Conditions for Provider Card Component](#)

You can't configure visibility conditions for items in a repeater.

- a. To configure the visibility conditions for sections and elements, select the section or element, and go to the Visibility Conditions tab.  
The visibility conditions for pill group items are on the Properties tab.
- b. Click **Add Condition**.
- c. Select the node object and field that you want to display, and select an operator.
- d. Enter the condition logic.

5. Save your changes.

Next, you add the ARC Relationship Graph Lightning App Builder component to the record page of the object that you configure as your root node.

## Add a Provider Card to a Record Page

Help users access the provider card on the account tab in the iPad.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                            |                                              |
|--------------------------------------------|----------------------------------------------|
| To add the provider card to a record page: | Life Science Commercial Admin permission set |
|--------------------------------------------|----------------------------------------------|

---

1. From the App Launcher, find and select the Account record.
2. In the top-right corner, click  and select **Edit Page**.

3. Move the Actionable Relationship Graph component onto the record page.  
If you create a graph with a root node of your choice, make sure you add the ARC Relationship Graph Lightning App Builder component to the root node's record page.
4. In the properties pane, enter a label for the graph.
5. For Graph Name, select the label of the graph.
6. Create a filter for the card to appear only in the mobile.
  - a. In the Set Component Visibility section, click **Add Filter**.
  - b. Select **Device** as the filter type.
  - c. In Field, select **Form Factor**.
  - d. In Operator, select **Equals**.
  - e. In Value, select **Phone**.
  - f. Save your changes.

#### See Also

[Add ARC Relationship Graph Component to Record Pages](#)

## Customizing a Provider Card

Explore the different ways in which you can showcase your account's information by configuring pills, repeaters, or a combination of both. Configure pills to display information only when it's available. Also, customize the information displayed within a repeater by configuring pills or text blocks. Choose to display the card's sections, elements, and items by configuring the visibility criteria for each component. Make sure your users always have the relevant information at hand by configuring the visibility conditions to dynamically display data from preferred sources or alternate sources if the preferred source isn't populated.

### Display Multiple Object Fields in a Provider Card

A repeater displays individual field details of a node object in the same element in the form of a pill or a text block. For example, configure multiple fields of the Healthcare Provider Specialty, such as Specialty Name, Specialty Role, Effective From, Effective To, and so on.

### Set the Visibility Conditions for Provider Card Components

Configure the provider card by using visibility conditions for sections and elements. Show boolean records by configuring the visibility of text items and field items.

### Show Preferred and Alternate Fields in a Provider Card by Using Visibility Conditions

Configure a provider card to dynamically show data from alternative sources when a preferred field isn't populated. For example, make the Healthcare Provider object's Provider Type field your preference, but if the field isn't populated, the card dynamically shows your selected alternate field source, such as the Specialty Role field in the Healthcare Provider Specialty.

#### See Also

[Get a Quick Snapshot of an Account](#)

## Display Multiple Object Fields in a Provider Card

A repeater displays individual field details of a node object in the same element in the form of a pill or a

text block. For example, configure multiple fields of the Healthcare Provider Specialty, such as Specialty Name, Specialty Role, Effective From, Effective To, and so on.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## USER PERMISSIONS NEEDED

---

|                                      |                                              |
|--------------------------------------|----------------------------------------------|
| To add repeaters to a provider card: | Life Science Commercial Admin permission set |
|--------------------------------------|----------------------------------------------|

---

## Configure Repeaters By Using Pills

Display multiple record details by using repeaters of type Pill.

1. From Setup, in the Quick Find box, find and select **Actionable Relationship Center**.
2. Edit the provider card template, and click **Switch to Card**
3. Create a section, and enter a name for the section.
4. Create an element, and select **Repeater** as the element type.
5. Select the source object, for example, the Healthcare Provider Specialty object.
6. For the display type, select **Pill**.
7. Add the fields to include in a pill.
  - a. Click **Add Field**, and then select a source field.  
For example, select the Specialty Name field
  - b. Select a separator.
  - c. Continue adding the fields that you want to include.  
For example, select the Specialty Role field.
8. Save your changes.



## Configure Repeaters By Using Text

Render multiple records in a text block by configuring repeaters of type Text.

1. From Setup, in the Quick Find box, find and select **Actionable Relationship Center**.
2. Edit the provider card template, and click **Switch to Card**
3. Create a section, and enter a name for the section.
4. Create an element, and select **Repeater** as the element type.
5. Select the source object, for example, the Healthcare Provider Specialty object.
6. For the display type, select **Text**.
7. Add the fields to include in a text.

- a. Click **Add Field**, and then select a source field.  
For example, select the Specialty Name field
  - b. Select a separator.
  - c. Continue adding the fields that you want to include.  
For example, select the Specialty Role field.
8. Save your changes.



## Set the Visibility Conditions for Provider Card Components

Configure the provider card by using visibility conditions for sections and elements. Show boolean records by configuring the visibility of text items and field items.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                         |                                              |
|-----------------------------------------|----------------------------------------------|
| To use pill groups in the card builder: | Life Science Commercial Admin permission set |
|-----------------------------------------|----------------------------------------------|

---

## Add Visibility Conditions for Sections and Elements

1. From Setup, in the Quick Find box, find and select **Actionable Relationship Center**.
2. Edit the provider card template, and click **Switch to Card**
3. Add a visibility condition for a section.  
For example, display a section named Account Details only when the account name is valid.
  - a. Click **Add Section**, and enter a section label.  
For example, enter Details.
  - b. On the Visibility Conditions tab, click **Add Condition**.
  - c. Select the node object and related field, such as Account and Account Name.
  - d. Configure operators to define the section's visibility condition.  
For example, select Is Not Null.
4. Add a visibility condition for an element.  
For example, display an element only when the account is active.
  - a. Click **Add Element**, and enter an element label.
  - b. On the Visibility Conditions tab, click **Add Condition**.
  - c. Select the node object and related field, such as Account and Active.
  - d. Configure operators for the element's visibility condition.  
For example, select Equals, and select True.





## Configure Boolean Records with Pill Group Item Visibility

Display a boolean record in two ways. Configure different display texts for each the boolean value. Or, display the field and add Yes or No values according to the boolean value.

You can add visibility conditions only for items that are part of a pill group. However, you can add visibility conditions for the element and the section that contain the repeater.

1. From Setup, in the Quick Find box, find and select **Actionable Relationship Center**.
2. In the provider card's graph, click **Switch to Card**.
3. Create a section, and add a Pill Group element.
4. Configure separate display texts for each the boolean value.
  - a. Click **Add Display Text**, and enter the text to display when the boolean value equals Yes. For example, enter Dispenses Medication.
  - b. Configure when the display text item is displayed. Click **Add Condition**.
  - c. Select the record's source object and field, such as Healthcare Provider and Dispenses Medication.
  - d. Configure operators to define the display text's visibility. For example, select Equals and True.
  - e. Save your changes.
  - f. Configure the boolean value when the source field's operator equals false. For example, create a display text item called Doesn't Dispense Medication, and add the visibility conditions.
5. Display the field and add Yes or No values according to the boolean value.
  - a. To configure the label to display on the card, click **Add Display Text**, and enter the label that represents the boolean field. For example, enter Speaker?.
  - b. To display boolean values, click **Add Display Text**, and enter a value, such as Yes.
  - c. Configure the condition for the item to be visible, click **Add Condition**.
  - d. Select the record's source object and field, such as Healthcare Provider and Speaker.
  - e. Configure operators to define the display text's visibility. For example, select Equals and True.
  - f. Save your changes.
  - g. Similarly, configure the boolean value when the source field's operator equals false.



### Show Preferred and Alternate Fields in a Provider Card by Using Visibility Conditions

Configure a provider card to dynamically show data from alternative sources when a preferred field isn't populated. For example, make the Healthcare Provider object's Provider Type field your preference, but if the field isn't populated, the card dynamically shows your selected alternate field source, such as the Specialty Role field in the Healthcare Provider Specialty.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## USER PERMISSIONS NEEDED

---

|                               |                                              |
|-------------------------------|----------------------------------------------|
| To add visibility conditions: | Life Science Commercial Admin permission set |
|-------------------------------|----------------------------------------------|

---

By default, the provider card displays a provider's preferred address based on the Provider Account Territory Info record. However, if the record's Preferred Address field isn't populated, the card shows the preferred address in the Contact Point Address field.

1. From Setup, in the Quick Find box, find and select **Actionable Relationship Center**.
2. Edit the provider card template, and click **Switch to Card**
3. Create a section, and enter a section name.
4. Add the preferred field.
  - a. In Element Type, select **Pill Group**, and add a field item.
  - b. Select the source object and source field.  
For example, select Healthcare Provider as the object, and select Provider Type as the field.
  - c. On the element's Visibility Conditions tab, select the object and field, and set the operation to **Is Not Null**.
5. Add the alternate field.
  - a. In Element Type, select **Pill Group**, and add a field item.
  - b. Select a source object and field that represents your alternate data source.  
For example, select Healthcare Provider Specialty as the object and select Specialty Role as the field.
  - c. On the element's Visibility Conditions tab, select the object and field, and set the operation to **Is Null**.
6. Save your changes.

## Ratings

Ratings help prioritize and organize customer accounts into meaningful segments. Sales reps can use ratings to focus on the right customers, align on relevant accounts, and adjust strategies for maximum efficiency.

## REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

## Supported Rating Segments

Configure Ratings on different objects to match how sales reps work and where segmentation delivers the most value. Sales reps view these rating segments directly in the Life Sciences Cloud for Customer Engagement app:

- **General (Account):** Displays all fields configured at the account level and applies to all user profiles linked to an account.
- **Product (Provider Account Product Info):** Displays ratings of individual products linked to an account for product-level targeting. Helps users understand a product's association to an account by showing key rating information about it.
- **Territory (Provider Account Territory Info):** Displays territory-specific ratings linked to an account. Helps users view territory-specific product preferences or scores aligned with the account's assigned territory.
- **Team (Provider Account User Group Info):** Displays team-specific product ratings that helps users to see preferences or scores based on the group they belong to.
- **Address (Contact Point Address):** Displays location-specific ratings based on where a healthcare provider operates. Helps users view the account's location-specific ratings when an address exists. The default address is sourced from either the ProviderAcctTerritoryInfo object or the primary address on the Account.

## Supported Rating Segments

Configure Ratings on different objects to match how sales reps work and where segmentation delivers the most value. Sales reps view these rating segments directly in the Life Sciences Cloud for Customer Engagement app:

- **General (Account):** Shows all the fields configured at the account level and applies to all the user profiles linked to an account.
- **Product (Provider Account Product Info):** Shows ratings of individual products linked to an account for product-level targeting. Helps users understand a product's association to an account by showing key rating information about the product.
- **Territory (Provider Account Territory Info):** Shows territory-specific ratings linked to an account. Helps users view territory-specific product preferences or scores aligned with the account's assigned territory.
- **Team (Provider Account User Group Info):** Shows team-specific product ratings that helps users to see preferences or scores based on the group they belong to.
- **Address (Contact Point Address):** Shows location-specific ratings based on where a healthcare provider operates. It helps users quickly view and assess an account's ratings for a particular location. The default address is sourced from either the ProviderAcctTerritoryInfo object or the primary address on the Account.

## Visibility and Access Control

Control the visibility of specific ratings by setting permissions based on user roles and profiles. This flexibility enables sharing a single layout across multiple user profiles while ensuring users see only the ratings they are authorized to access. This access control method helps maintain data security and

supports targeted user actions.

### Create a Ratings Layout

In the Life Sciences Cloud for Customer Engagement web and mobile app, rating layouts visually represent ratings on an account's record page. Create a rating layout and add rating fields at various levels, including account, territory, product, team, or address. These layouts make sure that users see only the ratings relevant to their role and permissions.

### Add Ratings Layout to the Account Record Page

Show visual insights about account activity by adding the ratings layout to healthcare professional (HCP) and healthcare organization (HCO) accounts. Embed the Ratings component to the custom tab in the Lightning page and link it to the configured layout.

### Mobile App Configuration for Ratings

Create object metadata cache configuration for supported Ratings objects in the Life Sciences for Customer Engagement mobile app. Generate a metadata cache to package the object metadata cache configuration into a downloadable metadata cache that the mobile app can use for online and offline access.

## Create a Ratings Layout

In the Life Sciences Cloud for Customer Engagement web and mobile app, rating layouts visually represent ratings on an account's record page. Create a rating layout and add rating fields at various levels, including account, territory, product, team, or address. These layouts make sure that users see only the ratings relevant to their role and permissions.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                  |                                |
|----------------------------------|--------------------------------|
| To set up and configure Ratings: | Life Sciences Commercial Admin |
|----------------------------------|--------------------------------|

---

1. From the App Launcher, find and select **Life Sciences Commercial**.
2. Click **Admin Console**
3. In the Life Sciences Customer Engagement Setup page, click **Ratings**.
4. On the Ratings Layouts page, click **New Layout**.
5. Enter the name for your layout, and click **Create**.
6. Enter the details for a new rating.
  - a. In the layout builder, click  next to the Ratings label.
  - b. From the dropdown list, select the object the rating applies to.  
For example, Account, Territory, or Product.

- c. In the Display Type section, choose how the rating should appear on the layout.  
Based on your selection, a dialog box shows additional options, such as Field, Show Percentage Change, Ranges, or Format.
- d. Complete the required fields, including the source field and a custom name for the rating.
- e. Save your changes.
7. Add fields from the selected object to the ratings layout.
  - a. To add the fields to the layout, click the available fields listed under the Ratings section in the pane.
  - b. On the layout canvas, drag and position the rating cards on the layout as needed.
  - c. Hover over the rating card and click  to adjust its size.
  - d. When you add product ratings, they appear grouped under the Ratings column at the bottom. The layout supports one column per product.  
Similarly, drag and arrange team ratings within the appropriate column in the layout.
8. Reorder columns within the ratings card.
  - a. Hover over the section you want to rearrange.
  - b. Click .
  - c. Drag the columns to reposition them as necessary.
  - d. To close the configuration pane and return to the layout builder, click .
9. To remove a rating from the layout, click  on the rating card.
10. Save your changes.

The layout is created in the admin console. Next, configure object schema to activate supported objects for Ratings and generate a metadata cache to make this layout available in the mobile app.

## Add Ratings Layout to the Account Record Page

Show visual insights about account activity by adding the ratings layout to healthcare professional (HCP) and healthcare organization (HCO) accounts. Embed the Ratings component to the custom tab in the Lightning page and link it to the configured layout.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                  |                                |
|----------------------------------|--------------------------------|
| To set up and configure Ratings: | Life Sciences Commercial Admin |
|----------------------------------|--------------------------------|

---

1. From the App Launcher, find and select **Accounts**.
2. In the Accounts list view page, click the name of the HCP or HCO account.
3. To edit the page layout, click the  icon, and then click **Edit Page**.  
The Lightning App Builder opens.
4. Click the section where you want to add a Ratings tab.

The Properties pane opens on the pane.

5. Click **Add Tab**.
6. After the new tab is added, click the tab to customize it.
  - a. Select tab label as **Custom**.
  - b. Enter a custom label. For example, Ratings.
  - c. Click **Done**.
7. From the Components pane, in the Search field, enter the name of the Lightning component.
8. Drag the Ratings component to the page layout.
 

Customize the record page layout by dragging components to rearrange them within the page.
9. Add properties to the Ratings component.
  - a. Click the Ratings component you added earlier.
  - b. In the Properties pane, from the dropdown, select the layout you created.
  - c. Select **Group Product Ratings by Detail Type**.
10. Save your changes, and then click **Activation**.
11. In the Activation window, select whether to Assign or Remove your org as default, and follow the prompts to continue. You can also leave it as is and complete your activation.

To make this tab available in the mobile app, generate a metadata cache.

#### See Also

[Mobile App Configuration for Ratings](#)

## Mobile App Configuration for Ratings

Create object metadata cache configuration for supported Ratings objects in the Life Sciences for Customer Engagement mobile app. Generate a metadata cache to package the object metadata cache configuration into a downloadable metadata cache that the mobile app can use for online and offline access.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

Configure object metadata cache configuration for these objects.

| Object                    | Type |
|---------------------------|------|
| Account                   | Data |
| ProviderAcctTerritoryInfo | Data |
| LifeSciMarketableProduct  | Data |

| Object                   | Type |
|--------------------------|------|
| ContactPointAddress      | Data |
| PrvdAccountUserGroupInfo | Data |
| Group                    | Data |
| GroupMember              | Data |

 **Important** Generate a metadata cache after you create these configurations. This step is critical because it makes sure that the mobile app accesses the latest metadata definitions, including any schema changes for supported objects.

#### See Also

[Add Ratings Layout to the Account Record Page](#)  
[Create Object Metadata Cache Configuration](#)  
[Generate Metadata Cache](#)

## Territory Management Batch Jobs

Territory management relies on dedicated batch jobs to handle large-scale data processing. These jobs automate the critical task of aligning accounts to specific territories, whether through explicit mappings loaded from external systems or based on geographical representations like zip/postal codes or bricks.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

After the Account to Territory, Zip to Territory, and Brick to Territory jobs are run, the Affiliation Alignment job runs automatically if Affiliation Rules have been created in the org. The job looks at the rule criteria Account Type, Affiliation Role, and Specialty that have been created and aligns any Accounts based on Provider Affiliations that meet the criteria for the specified territory(s).

## Align Account to Territory

This batch job processes and synchronizes large volumes of manual account-to-territory assignments created by users directly through Salesforce's standard territory management tools or loaded from external systems. It carries out two primary functions:

- It automatically generates or updates corresponding Provider Account Territory Info records and sharing permissions to match manual territory assignments when accounts are manually linked.
- It generates territory-based sharing records and removes orphaned territory assignments and sharing

records for inactive accounts or removed manual assignments. Additionally, a Provider Account Territory Info record without a corresponding Object Territory Association record is inactivated and unshared from the territory. This automates cleanup and avoids separate manual maintenance of accurate sales representative access.

## Align Zip to Territory

This batch job automates account assignment to territories using predefined Postal/Zip code mappings. A Postal/Zip code defines a postal region, primarily used in the United States. The job processes account and address information to link providers to territories by applying configured geographic assignment rules. It automatically creates and updates the necessary records, providing sales reps with proper access.

## Align Brick to Territory

This batch job establishes territory-to-account alignments using preconfigured brick mappings. A brick is a distinct geographical segment, predominantly used in Europe. The job systematically analyzes account and address data. Then, it applies established geographic assignment rules to integrate providers into sales territories. This process leads to the automatic creation and updating of essential records, guaranteeing sales reps appropriate access without manual effort.

### Run Territory Management Jobs

Automate the processing of large record volumes by running the Align Account to Territory, Align Zip to Territory, and Align Brick to Territory batch Apex jobs from the Admin Console. You can track their status and terminate them from Setup as needed.

## Run Territory Management Jobs

Automate the processing of large record volumes by running the Align Account to Territory, Align Zip to Territory, and Align Brick to Territory batch Apex jobs from the Admin Console. You can track their status and terminate them from Setup as needed.

### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---

### USER PERMISSIONS NEEDED

---

|                                   |                                               |
|-----------------------------------|-----------------------------------------------|
| To run territory management jobs: | Life Sciences Commercial Admin permission set |
|-----------------------------------|-----------------------------------------------|

---

Before you get started with running territory management jobs, make sure that the required mapping or



rule records are in place. For aligning account to territory, populate the account's territory mappings as Object Territory Association records. For aligning zip and brick to territory, create the Territory Geo Assignment Rule records with the UsageType set as ZipToTerritory and BrickToTerritory respectively.

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Territories**, and then select **Territory Management**.
3. Select the batch jobs as per requirements:
  - a. Align Account to Territory
  - b. Align Zip to Territory
  - c. Align Brick to Territory
4. To run the batch job now, click **Run Now**.
5. Select the required territory and its subordinates from the appropriate level in the territory hierarchy.
6. You can drag the slider handle to select the batch size of the job. The default value is 200.
7. Click **Run**.
8. You can schedule the job for later.
  - a. Select the frequency from the dropdown. You can run the job:
    - **Weekly**, to recur every time on the selected day, by selecting the preferred start time from the dropdown.
    - **Daily** by selecting the preferred start time from the dropdown.
    - **Hourly**, every selected hours, by selecting the hour from the dropdown.
  - b. Use the slider handle to select the batch's size. The default value is 200.
  - c. Save your changes.

You can view the details of the different jobs that run in a table. These include Job Name, Job ID, Job Type, Status, Start Date/Time, Completion Date/Time, and Number of Failures. You can also sort batch jobs in the table by these details.

#### See Also

[Salesforce Developer Guide: ObjectTerritory2Association](#)

## Engagement Planning

Optimize daily schedules, prioritize key events, and manage routines with Calendar. Log and manage time away from your territory with Time Off Territory. Improve your plans' chances of success with reusable goal definition templates. Personalize action plan templates for Key Account Management. Identify growth opportunities and adapt to evolving customer needs with Account Plans. Drive initiatives targeted at key accounts in a region with Territory Business Plans.

#### REQUIRED EDITIONS

---

Available in: Lightning Experience

---

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

---