

We release patches periodically. Check back here for information on each Winter '26 patch release for the Life Sciences Cloud mobile app.

Customize the Life Sciences Cloud Mobile App

Customize the Life Sciences Cloud mobile app to your organization's needs by configuring the required settings.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Create Object Metadata Cache Configuration

Create a configuration that can be used to generate metadata cache. The mobile app uses this metadata cache to sync with your Salesforce org, enabling users to access the object in both online and offline modes.

Validate Object Metadata Cache Configurations

Before you generate the metadata cache, validate the object metadata cache configurations to make sure that they're set up correctly. This prevents failures during the metadata generation process.

Cancel Validation of Object Metadata Cache Configurations

Cancel the validation of object metadata cache configurations while the validation is in progress.

Assign Profiles to Object Metadata Cache Configurations

Assign profiles to a new object metadata cache configuration to make the configuration available to users with that specific profiles.

Generate Metadata Cache

To apply an object metadata cache configuration to your mobile app, you must first generate the metadata cache. The mobile app uses this metadata cache to sync with your Salesforce org, enabling users to access Customer Engagement features in both online and offline modes.

Configure Application Settings

Configure the essential settings for the mobile app to manage a wide range of settings, including default browser behavior, security features such as password type, and user access to various functionalities. By using these settings, you can also control notifications, search capabilities, and the overall user interface to customize the app to your needs.

Set Up Profile-Based App Settings

Configure parameters to customize the mobile app for specific profiles.

Configure UI Settings

Configure custom UI components for the mobile app. Create and manage records that define how tabs and static resources are shown in the mobile app.

See Also[Set Up Consent Management](#)[Mobile App Configuration for App Alerts](#)

Create Object Metadata Cache Configuration

Create a configuration that can be used to generate metadata cache. The mobile app uses this metadata cache to sync with your Salesforce org, enabling users to access the object in both online and offline modes.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create metadata cache configuration:	Life Sciences Commercial Admin permission set
---	---

The LifeSciConfigCategory and LifeSciConfigRecords metadata types must have records populated in order to generate metadata.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **Object Metadata Cache Configuration**.
3. For Name, enter a unique name that describes the object.
4. Select **Is Active** if the entity is currently active.
5. For Type, select the type of the object.

Data	A database for the mobile app.
Configuration	A database with queried records. The records contain configuration data that can't be synced or queried from the mobile app.

6. For SObject, select an object or a configuration record.
7. For Assignments, select the profile that this configuration is assigned to.
8. For Delta Sync Date Field, enter the name of the field on the selected object that's used for syncing the change to the object.
9. To allow data sync only from the object to the mobile app, select **Web-to-Mobile Sync**.
10. For Attachment Download Method, select how the attachments are downloaded.
11. For SOQL Filter Condition, enter the condition for generating the metadata using the simple editor or advanced editor. Make sure you enter the conditions without any additional SOQL statements. If you don't enter a SOQL filter condition, the metadata is generated for all the rows of the selected object.
12. To test the SOQL query, click **Test SOQL**.

13. Save your changes.

[Creating SOQL Filter Condition Using Simple Editor](#)

To create a basic SOQL filter condition that's used to generate the metadata, use the simple editor.

[Creating SOQL Filter Condition Using Advanced Editor](#)

To create SOQL filter condition with variables, use the advanced editor.

See Also

[Mobile App Configuration for Ratings](#)

[Mobile App Configuration for Consent Management](#)

[First-Generation Managed Packages: Life Science Config Category](#)

[First-Generation Managed Packages: Life Science Config Record](#)

[Developer Guide: LifeSciConfigCategory](#)

[Developer Guide: LifeSciConfigRecord](#)

Creating SOQL Filter Condition Using Simple Editor

To create a basic SOQL filter condition that's used to generate the metadata, use the simple editor.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create filter conditions:	Life Sciences Commercial Admin permission set
------------------------------	---

1. In the New Object Metadata Cache Configuration window, under Simple Editor, click **Add Condition**.
2. Complete the fields for the condition.
 - a. For Field, select a field.
 - b. For Operator, select an operator.
 - c. For Type, select the type of the value.
 - d. For Value, enter a value for the condition.
Make sure strings and IDs are encased in single quotes.
3. Add more conditions, if required.
4. Select a logical operator for the condition.
 - All of the conditions are met (AND)
 - Any of the conditions are met (OR)
 - Customize the logic
5. Click **Add SOQL Expression**.
6. Save your changes.

Creating SOQL Filter Condition Using Advanced Editor

To create SOQL filter condition with variables, use the advanced editor.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create filter conditions:	Life Sciences Commercial Admin permission set
------------------------------	---

1. Enter the SOQL query in the SOQL Filter Condition field.
Make sure strings and IDs are encased in single quotes.
2. From the Insert dropdown, select a variable to insert in the SOQL query.
3. Test the SOQL filter condition.
4. Save your changes.

Validate Object Metadata Cache Configurations

Before you generate the metadata cache, validate the object metadata cache configurations to make sure that they're set up correctly. This prevents failures during the metadata generation process.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage validations of metadata configurations:	Life Sciences Commercial Admin permission set
---	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **Object Metadata Cache Configuration**.
3. Select the configuration records that you want to validate.
4. Click **Validate**.
You'll get a notification stating that the validation is queued.

To monitor the validation status, click the link in the notification. After the validation is complete, the

status of the object metadata cache configuration changes to Valid.

Cancel Validation of Object Metadata Cache Configurations

Cancel the validation of object metadata cache configurations while the validation is in progress.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage validations of metadata configurations: Life Sciences Commercial Admin permission set

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **Object Metadata Cache Configuration**.
3. Select the configuration records that you want to cancel the validation for.
4. Click **Abort**.
5. In the confirmation window, click **Yes**.

Assign Profiles to Object Metadata Cache Configurations

Assign profiles to a new object metadata cache configuration to make the configuration available to users with that specific profiles.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To assign profile and permission sets to metadata configurations: Life Sciences Commercial Admin permission set

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **Object Metadata Cache Configuration**.
3. Select the configuration records for which you want to assign a profile.
4. Click **Assign**.

5. In the Select Assignment window, select whether you want to assign a profile.
6. Select a profile.
7. Click **Submit**.

Generate Metadata Cache

To apply an object metadata cache configuration to your mobile app, you must first generate the metadata cache. The mobile app uses this metadata cache to sync with your Salesforce org, enabling users to access Customer Engagement features in both online and offline modes.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To generate metadata cache:	Life Sciences Commercial Admin permission set
-----------------------------	---

To get notifications when a metadata cache is generated, complete these tasks.

- Enable Read Access for the Metadata Generated platform event.
 - Activate the Metadata Active trigger handler.
1. From the App Launcher, find and select **Admin Console**.
 2. Select **Mobile** and then select **Metadata Cache**.
 3. Click **New**.
 4. For Profiles, select a profile for which you want to generate the metadata for. If you don't select a profile, the metadata is generated for all the profiles in your org.
 5. For Update Due Date, select the date by when the mobile app users must update the metadata. Users won't be able to postpone the update after this date.
 6. For Update Alert Date, select the date on which the mobile app users are notified about the new metadata. Users can see these alerts only if notifications for new metadata are enabled.
 7. Save your changes.

An entry with the status Validating is added to the metadata cache list. You'll receive a notification after the metadata cache is generated.

Refresh your browser to check whether the metadata cache is validated. If the validation is successful, the status changes to Published, In Progress, and then Active.

See Also

[Mobile App Configuration for Ratings](#)
[Set Up Consent Management](#)

[Mobile App Configuration for Consent Management](#)
[Add a Tab for Consent Management on a Record Page](#)
[Add a Logo to the Consent Page](#)
[Mobile App Configuration for App Alerts](#)

Configure Application Settings

Configure the essential settings for the mobile app to manage a wide range of settings, including default browser behavior, security features such as password type, and user access to various functionalities. By using these settings, you can also control notifications, search capabilities, and the overall user interface to customize the app to your needs.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To configure application settings:	Life Sciences Commercial Admin permission set
------------------------------------	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **Application Settings**.
3. For Default Browser, select the default browser to show content in web view in the mobile app.
4. For Password Type, select the type of password for the mobile app.
5. For Hourly Dashboard Refresh Limit, select the number of times the mobile app dashboard can be refreshed in an hour.
6. For App Download URL, enter the full URL to download the latest version of the mobile app from the App Store.
7. Configure these settings as needed:
 - Let users use View Online option on the home screen
 - Let users view reports
 - Enable Background Notifications
 - Enable advanced search
 - Use Advanced Search for lookups
 - Use Advanced Search for account lookups
 - Let users override the lookup search fields
 - Enable Dynamic Actions
 - Let users publish platform events
 - Hide app upgrade notifications
 - Show persistent help text
 - Enable Survey Branching Single Page

- Enable Survey Confirmation

8. Save your changes.

Set Up Profile-Based App Settings

Configure parameters to customize the mobile app for specific profiles.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To configure profile-based settings:	Life Sciences Commercial Admin permission set
--------------------------------------	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **Profile Based App Settings**.
3. For Apply Settings To, select whether you want to apply the settings to all the profiles in your org or to a specific profile.
 - To apply the settings to all the profiles in your org, select **SOrg Default**.
 - To apply the settings to a specific profile in your org, select **Profile**.
4. To show tasks in the Kanban view for the selected profile, select **Use kanban view for assessment tasks**.
5. To restrict the execution batch jobs when the org is in maintenance, select **Don't allow batch job execution when the org is in maintenance mode**.
6. For Time Interval, enter the time interval in minutes for datetime fields in the mobile app. For example, enter 10 to display 10-minute intervals in the datetime fields: 12:10, 12:20, 12:30.
7. For Mobile App, select the lightning app that you want to show by default for the selected profile.
8. To let users perform bulk edit operations, select **Let users perform bulk edit**.
9. Save your changes.

Configure UI Settings

Configure custom UI components for the mobile app. Create and manage records that define how tabs and static resources are shown in the mobile app.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To configure custom components:

Life Sciences Commercial Admin permission set

Create a Custom Tab

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **UI Settings**.
3. Click **New**.
4. For Label, enter a display name for the custom UI component.
5. For Name, enter a unique API name for the custom UI component.
6. For Mobile UI Type, select **Tab**.
7. For Tab Name, enter a display name for the tab.
8. For Tab Order, enter a number that determines the tab's position on the dashboard.
9. Select the profile that you want to assign this custom component to.
10. Select **Is Active** to make the component available on the mobile app.
11. Save your changes.

Create a Static Resource Component

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **UI Settings**.
3. Click **New**.
4. For Label, enter a display name for the custom UI component.
5. For Name, enter a unique API name for the custom UI component.
6. For Mobile UI Type, select **Static Resource**.
7. For Resource Name, select one of these options:
 - To use an existing static resource, select **Select Static Resource**.
 - To create a static resource, select **New Static Resource**.
8. Select the profile you want to assign this custom component to.
9. Select **Is Active** to make the component available on the mobile app.
10. Save your changes.

Assign Profiles to Custom UI Components

1. From the App Launcher, find and select **Admin Console**.
2. Select **Mobile** and then select **UI Settings**.
3. Select the custom components for which you want to assign a profile.
4. Click **Assign**.
5. On the Select Assignment window, select a profile.
6. Click **Submit**.

Synchronization Management

Define device synchronization settings between the Life Sciences Cloud mobile app and your Salesforce org to support data management and control. Help your mobile app users keep their data current so they can make well-informed decisions.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Synchronization Types

Synchronization between the Life Sciences Cloud mobile app and your Salesforce org can happen in a few different ways: Full, Delta, and Upload Only.

Sync Type	What it Does	When it Happens
Full	Downloads all territory-specific data and metadata to the user's mobile device and then uploads their transactions, logs, and statistics to Salesforce.	- Initial Sync: This happens after a user's first login and territory selection (if applicable). - Territory Switch Sync: This happens after a user switches to a different territory. - Extended Offline Work: If a user works offline for longer than the configured Days Offline Limit (without an initial or territory switch). - Admin-Forced Sync: If an admin has enabled the Is Force Full Sync Enabled option in a user's profile, a full sync is performed during the next Delta Sync.
Delta	Refreshes the app's database, downloads the latest information and sends the user's changes to the server, and	- During Manual Sync after a user taps Sync Database. - After a user unlocks the app

Sync Type	What it Does	When it Happens
	downloads list views. This process can run in the foreground (which requires the user to wait before using the app) or in the background.	with their passcode. If metadata has changed, the user is prompted to download the metadata (or skip).
Upload Only	Uploads mobile app data, such as transactions, logs, and statistics, to Salesforce. It's a one-way process, so no metadata or other data is downloaded to the user's device.	After a user saves or deletes a record, the app initiates the upload in the background to sync all transactions currently in the queue. If a Wi-Fi connection isn't available, the transaction stays in the queue until the next synchronization attempt.

Synchronization Management Data Model

Synchronization Management uses many objects and fields to help users synchronize data your Salesforce org and the Life Sciences Cloud mobile app. To learn about these objects and fields, see the Synchronization Management data model.



Note Synchronization management objects aren't accessible in Object Manager. However, you can access them through data tools.

Synchronization Management Guidelines and Best Practices

To secure data in the Life Sciences Cloud mobile app, manage object sharing and DBSchema records. For optimal performance, always include a WHERE clause in DBSchema settings and monitor the Transactions queue daily. Ensure efficient synchronization by quickly resolving errors and using Simulation Mode to proactively find and fix potential problems before they affect users. Limit record access to necessary users only and keep all required DBSchema settings enabled for the mobile app.

Clone and Activate the Sync Processor Scheduler Flow

To automate data synchronization from the Life Sciences Cloud mobile app to your Salesforce org, clone and activate the Sync Processor Scheduler flow. This flow automates the scheduling of the Sync Processor batch management job. The Scheduler flow runs daily at 1:00 AM UTC, processing Device Sync Transaction records from the past 60 days.

Manage Synchronization Transactions

View completed synchronization records and manually update or retry synchronization transactions in the Synchronization Admin Console.

Configure Mobile Sync Settings

Set the mobile sync settings at the org default or user profile level to determine the record synchronization details.

Configure Sync Processor Settings

Define comprehensive guidelines for managing records throughout their lifecycle. Descriptive record handling rules are crucial for data integrity, regulatory compliance, efficient information management, and risk mitigation.

Synchronization Management Guidelines and Best Practices

To secure data in the Life Sciences Cloud mobile app, manage object sharing and DBSchema records. For optimal performance, always include a WHERE clause in DBSchema settings and monitor the Transactions queue daily. Ensure efficient synchronization by quickly resolving errors and using Simulation Mode to proactively find and fix potential problems before they affect users. Limit record access to necessary users only and keep all required DBSchema settings enabled for the mobile app.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Objects and Security

Life Sciences Cloud includes several objects preconfigured to download data to the mobile app. Each object has a DBSchema setting that is active and named with the prefix: DbSchema_. These settings are accessible through the Admin Console under the Mobile tile and then Object Metadata Cache Configuration in the left navigation. If you don't need to transfer data for a certain object, deselect Is Active on the associated DBSchema record.

To enhance data security, configure the sharing settings for objects regularly synced from the mobile device to Salesforce.

Daily Monitoring

Review the Transactions queue daily in the Admin Console to make sure no transactions remain in the New status for more than one day. If transactions for a user remain in the New status for an extended period, contact the user and instruct them to do a full manual sync by selecting Sync Database from the gear icon in the Life Sciences Cloud mobile app.

Error Handling

Transaction failures require thorough error analysis. Common causes include record locking, processing

timeouts, heap size exceptions, and CPU time limit exceptions. These problems often arise from hitting governor limits due to high loads or nonbulkified code. Validation rules can cause additional errors. Database validation rules differ from UI logic and include field-level uniqueness or non-null constraints. When a transaction encounters an error and remains pending, all subsequent transactions will be placed in the New status.

Proactively identify potential issues with Simulation Mode. Use Simulation Mode to test transactions in a virtual environment and assess the probability of transaction success or failure. Correct the identified problem and start a new transaction using the Admin Console.

Clone and Activate the Sync Processor Scheduler Flow

To automate data synchronization from the Life Sciences Cloud mobile app to your Salesforce org, clone and activate the Sync Processor Scheduler flow. This flow automates the scheduling of the Sync Processor batch management job. The Scheduler flow runs daily at 1:00 AM UTC, processing Device Sync Transaction records from the past 60 days.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To activate or deactivate a flow:	Manage Flows
-----------------------------------	--------------

1. From Setup, in the Quick Find box, enter *Flows*, and then select **Flows**.
2. Open the Sync Processor Scheduler flow template.
3. In Flow Builder, select **Save as New Flow**.
4. Enter a flow label and a description.
5. Save and activate the flow.

Manage Synchronization Transactions

View completed synchronization records and manually update or retry synchronization transactions in the Synchronization Admin Console.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage synchronization transaction: Life Sciences Commercial Admin

To view synchronization transactions, from the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**. Select **Synchronization**, and then **Transactions**.

Use the filter options to narrow transaction results. Find specific transactions by choosing the view (success or failed), the transaction name, record ID, period, and the user who made the transaction.

Transactions in the Admin Console have several possible statuses.

Status	Description
New	The transaction is in the processing queue.
Retry	The transaction is queued for a subsequent processing attempt.
Success	The transaction processed successfully.
Failed	The transaction encountered an error and processing failed.
Canceled	The transaction was canceled.

A green Success label indicates successful transactions. To update transaction details, select **Edit**. The Edit dropdown menu provides options to view related items and dependencies or add comments regarding the transaction.

A red Failed label indicates failed transactions. To update transaction details, select **Edit**. Select **Ignore** to stop the transaction from being processed again, or **Retry** to attempt processing one more time. The **Simulate** option records the transaction in the logs without committing any actions. The Simulate dropdown menu provides options to view related items or dependencies, add a comment about the transaction, or manually log the record.

Configure Mobile Sync Settings

Set the mobile sync settings at the org default or user profile level to determine the record synchronization details.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage mobile sync settings: Life Sciences Commercial Admin

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Synchronization**, and then select **Mobile Sync Settings**.
3. From the Select Type dropdown, select the type of settings to configure. You can configure mobile sync settings for the org default or specific user profiles.
4. Select processing options and enter values to meet your business needs.

Setting	Description	Recommended Value
Related Record Retrieve	Enables showing related record names for inaccessible records. The related record is read-only, preventing users from opening the inaccessible object.	Selected
Mobile Non Wifi Data Limit in Megabytes	The limit in MB a user can download when not on wifi before a warning message is shown.	25
Mobile Offline Days Limit	The maximum number of days a user can stay offline before they're forced to synchronize.	30
Mobile Timeout Period in Minutes	The number of minutes before the mobile app times out and returns the user to the PIN screen.	60
Number of Items per Transaction	The maximum number of items to include in a transaction.	10

5. Save your work.
6. To push your changes to the Life Sciences Cloud mobile app, create a metadata cache.

See Also

[Create a Metadata Cache](#)

Configure Sync Processor Settings

Define comprehensive guidelines for managing records throughout their lifecycle. Descriptive record

handling rules are crucial for data integrity, regulatory compliance, efficient information management, and risk mitigation.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage sync processor settings: Life Sciences Commercial Admin

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Synchronization**, and then select **Sync Processor Settings**.
3. Select processing options and enter a number of retry attempts to meet your business needs.

Setting	Description	Recommended Value
Optimize performance by grouping items	Automatically group transaction items by order within a single transaction. When activated, transaction items sharing the same Operation and Object Type values receive an identical Order field value. Items with the same order value process together as a single batch, which reduces the number of SOQL queries.	Selected
Cancel sync for deleted records	Automatically cancel transactions that try to delete previously deleted records.	Selected
Cancel sync when record isn't found	Automatically cancel transactions attempting to update nonexistent records.	Selected
Retry sync for locked rows	Automatically retry sync transaction if the Unable to Lock Row error occurs. Retries continue until the transaction is successful or a different error occurs.	Selected

Setting	Description	Recommended Value
Number of Retry Attempts	The number of retries when a transaction fails.	3

4. Save your work.
5. To push your changes to the Life Sciences Cloud mobile app, create a metadata cache.

See Also

[Create a Metadata Cache](#)

Deep Linking for the Life Sciences Cloud Mobile App

Your sales reps rely on their mobile devices to perform complex tasks and navigate between multiple tabs, records, or actions. With deep linking, you can use supported URL schemes to send users directly to the right spot in the Life Sciences Cloud mobile app from a third-party or web app. For example, deep links can open specific records, create a record with prepopulated data, or perform a specific action when the app opens.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

With Salesforce-supported URL schemes, your users can open the Life Sciences Cloud mobile app and perform one of several actions.

- View a specific record.
- Create or update a record with prepopulated data.
- Open a specific tab in the Life Sciences Cloud mobile app.
- Start an action on a specific record page.
- Create an email with a predefined email template and recipients.

Life Sciences deep links work only for users who have the right access to that action, record, or area of the app. If an unauthenticated user taps a deep link, they're taken to the login page. When the app is locked, users are prompted to enter their PIN. After users log in or enter their PIN, they must tap the link again to view the linked page.

[Deep Linking Format for Life Sciences](#)

Use the predefined URL scheme for the Life Sciences Cloud mobile app on iOS.

[Deep Linking for Visits](#)

The Life Sciences Cloud mobile app supports more URL schemes for visits. Deep links for visits support actions such as opening the Visit Engagement page to create or edit a visit.

Considerations for Life Sciences Deep Links

When you create deep links to open the Life Sciences Cloud mobile app from external and third-party apps, keep these considerations in mind.

Deep Linking Format for Life Sciences

Use the predefined URL scheme for the Life Sciences Cloud mobile app on iOS.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

URL Scheme Name

The Life Sciences Cloud mobile app supports this value for scheme name in deep link URLs.

```
lsc://deeplink/lightning
```

Common Parameters

Here are some of the common parameters that the Life Sciences deep link URL scheme format supports.

- **sObject** –indicates the API name of a Salesforce object. This value is case-sensitive. For example, use Account, not account.
- **id** –the unique single instance of a Salesforce object. ID lengths of 15 and 18 characters are supported.
- **actionName** –an action that’s available on the specified object’s record detail page.
- **field_api_name** –indicates the API name of a Salesforce field.

To use deep links, users must have the correct permissions for that action, record, or area of the app.

View a Record by Using a Salesforce ID

This URL scheme goes to the object tab and then opens a record detail page by using a Salesforce record ID.

```
lsc://deeplink/lightning/r/{sObject}/{id}/view
```

This example uses a Salesforce ID to go to a healthcare provider record detail page.

```
lsc://deeplink/lightning/r/healthcareprovider/001XXXXXXXXXXXXXIAM/view
```

View a Record by Using an External ID

This URL scheme goes to the object tab and then opens a record detail page by using an external ID.

```
lsc://deeplink/lightning/r/{sObject}/{external_id_field_api_name}:::value/view
```

This example uses an external ID to go to a healthcare provider record detail page.

```
lsc://deeplink/lightning/r/healthcareprovider/sourcesystemidentifier:::1234/view
```

Create a Record

This URL scheme creates a record without populating fields.

```
lsc://deeplink/lightning/o/{sObject}/new
```

This example creates an inquiry record without populating any fields.

```
lsc://deeplink/lightning/o/Inquiry/new
```

Create a Record and Populate Fields

This URL scheme creates a record and populates fields.

```
lsc://deeplink/lightning/o/{sObject}/new?{field_api_name}=value&{field_api_name}=value&{field_api_name}=value
```

This URL scheme creates a record with a specific record type and populates fields.

```
lsc://deeplink/lightning/o/{sObject}/new?RecordTypeId={record_type_id}&{field_api_name}=value&{field_api_name}=value
```

These field types are supported as URL parameters. To pass more than one parameter, use an ampersand (&) between them.

- Checkbox
- Date

- DateTime
- Email
- Lookup
- Number
- Picklist
- Picklist (Multiselect)
- Reference
- Text
- Text Area
- Text Area (Rich)

For field values with spaces or special characters, use these encoded values.

Character	Encoded Value
Space	%20
&	%26
=	%3D
?	%3F

This example creates an inquiry record and populates some fields.

```
lsc://deeplink/lightning/o/Inquiry/new?Type=Medical%20Inquiry&IsSignatureCopyRequested=true
```

Create or Edit a Record and Its Related Record

This URL scheme upserts a record by creating or editing a record and its related record together. You can specify records by using either Salesforce IDs or external IDs. Format the record data in JSON format, and then convert it to Base64 format.

```
lsc://deeplink/lightning/o/{sObject}/upsert?referenceId={id}&data=JSONConvertedToBase64Format
```

Go to an Object List

Use this URL scheme to go to an object list.

```
lsc://deeplink/lightning/o/{sObject}/list
```

This example goes to the list of accounts.

```
lsc://deeplink/lightning/o/Account/list
```

Go to a Lightning Page

Use this URL scheme to go to a Lightning page.

```
lsc://deeplink/lightning/page/{page_name}
```

This example goes to the home page.

```
lsc://deeplink/lightning/page/Home
```

Go to a Lightning Component

Use this URL scheme to go to a Lightning component within a tab.

```
lsc://deeplink/lightning/n/{component_name}
```

This example goes to the AccountFilter Lightning component.

```
lsc://deeplink/lightning/n/lsc4ce__AccountFilter
```

Initiate an Action for an Account

This URL scheme initiates an action for a specific account on the record detail page.

```
lsc://deeplink/lightning/r/{sObject}/{id}/action/{actionName}
```

This example opens a survey for the specified account.

```
lsc://deeplink/lightning/r/account/001XXXXXXXXXXXXIAC/action/lsc4ce__Survey
```

Start an Email

This URL scheme starts an email by specifying one or more email templates and account IDs.

```
lsc://deeplink/lightning/cmp/lsc4ce:WebEmail?lifesciemailtemplate-id={id}&account-id={id}&account-id={id}
```

This example opens the Send Email window with the specified template selected and the selected account as the recipient.

```
lsc://deeplink/lightning/cmp/lsc4ce:WebEmail?lifesciemailtemplate-id=1LLXXXXXX  
XXXXXX4A2&account-id=001XXXXXXXXXXXXXXYAI
```

Deep Linking for Visits

The Life Sciences Cloud mobile app supports more URL schemes for visits. Deep links for visits support actions such as opening the Visit Engagement page to create or edit a visit.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

View a Visit Record

This URL scheme opens a visit record detail page without opening the Visit tab first.

```
lsc://deeplink/lightning/r/Visit/{id}/view?modal=1
```

This example goes to the specified visit record detail page without opening the Visit tab first.

```
lsc://deeplink/lightning/r/Visit/001XXXXXXXXXXXXXKAG/view?modal=1
```

Create a Visit

This URL scheme creates a visit with no parameters.

```
lsc://deeplink/lightning/o/Visit/new
```

Create a Visit for an Account

This URL scheme creates a visit for an account.

```
lsc://deeplink/lightning/o/Visit/new?accountid={id}
```

This example creates a visit for the specified account.

```
lsc://deeplink/lightning/o/Visit/new?accountid=001XXXXXXXXXXXXYAI
```

Create a Visit for a Product

This URL scheme creates a visit with one or more product IDs. This scheme works only for product detail item records. To validate product restrictions, pass both the account and the product detail items as parameters in the URL.

```
lsc://deeplink/lightning/o/Visit/new?product-id={id}
```

This example creates a visit for the specified product detail item.

```
lsc://deeplink/lightning/o/Visit/new?product-id=1KeXXXXXXXXXXXX0AM
```

Edit a Visit

This URL scheme opens an existing visit in edit mode. Submitted visits open on the record detail page. Planned visits open on the Visit Engagement page.

```
lsc://deeplink/lightning/r/Visit/{id}/edit
```

This example opens the specified visit in edit mode.

```
lsc://deeplink/lightning/r/Visit/0Z5XXXXXXXXXXXX0AG/edit
```

Create or Edit a Record and Its Related Record

This URL scheme upserts a visit by creating or editing a visit and its related record together. Specify records by using either Salesforce IDs or external IDs. Format the record data in JSON format, and then convert it to Base64 format.

```
lsc://deeplink/lightning/o/{sObject}/upsert?referenceId={id}&data=JSONConvert  
edToBase64Format
```

When you configure upsert deep links for visits, keep these considerations in mind.

- Upsert deep links can add products and attendees to the visit or edit visit fields.
- The visit record must exist and be editable.

- To reference fields and objects, use the API names.
- If the URL doesn't contain a record ID, a new record is created.
- When you use an upsert deep link for visits, validations don't run for required fields, restricted products, or on the Visit Engagement page. On the Visit Engagement page, validations run when you submit the visit.

Considerations for Life Sciences Deep Links

When you create deep links to open the Life Sciences Cloud mobile app from external and third-party apps, keep these considerations in mind.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Best Practices for Deep Links

- Always pass the record type as a parameter for objects that have record types.
- Make sure that all fields that you include as parameters in a deep link are available on the object page layout.

Limitations for Deep Links

- Deep links to create records support a single object and its related fields.
- If your Salesforce org uses [multi-object components](#) to show fields from multiple objects on a single record page, deep links work only for the parent objects—account, inquiry, and visit.
- Deep links to initiate an action are available only for the account object.
- Deep links to open a window are available only for the visit object and for emails.

Global Search in the Life Sciences Cloud Mobile App

Quickly find information in the Life Sciences Cloud mobile app by using the Global Search feature to search across a predefined set of objects and fields within the iPad database. You can instantly access recently viewed records via Global Search.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

There's no configuration required for Global Search. It's available within the Life Sciences Cloud mobile app via the Search icon in the top navigation menu.

Global Search shows results based on the fields defined in the Search Layouts for each object. Clicking a record in the search results opens the record page, which helps you transition swiftly between different types of records.

Supported Objects

These objects are eligible for global search.

- Account + Healthcare Provider
- Inquiry
- Presentation
- Visit + Provider Visit

Supported Field Types

These field types are eligible for global search:

- Email
- Formula (with return type Text)
- Picklist (with i18n support for labels)
- Text.

Compare the Life Sciences Cloud Mobile App and Desktop Site

Here are some highlights of how the Life Sciences Cloud mobile app compares with the desktop site.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Account Management

Feature	Where	Life Sciences Cloud Mobile App	Desktop Site
Account Address field map	Contact Point Address records	The map isn't available. The field displays as plain text.	Available. The field includes a clickable address hyperlink or the Google Maps preview functionality.
Affiliations	Affiliated Account Summary modal	Both the Account tab and the Account Plans tab is available in the mobile.	Only the Account tab is available on the web.

Engagement Planning

Feature	Where	Life Sciences Cloud Mobile App	Desktop Site
Account Plan	Account Plan Stakeholder related list	Not Available	Available
Account Plan	Account Plan Stakeholder related list	Not Available	Available
Account Plan	Rich area text fields	Not Available. Rich area text fields are displayed in plain text format with HTML tags.	Available
Assign or Unassign Participant button	Account Plan Stakeholder related list dropdown	Available	Not Available. If configured , the Assign or Unassign Participant button is available on the highlights panel of the Account Plan Stakeholder record page.

Feature	Where	Life Sciences Cloud Mobile App	Desktop Site
Assign or Unassign Stakeholder button	Account Plan Participant related list columns dropdown	Available	Not Available. If configured , the Assign or Unassign Stakeholder button is available on the highlights panel of the Account Plan Participant record page.
Activity Plan Review tab	Home page	Not Available	Available. Admins must configure the tab.

Intelligent Content

Feature	Where	Life Sciences Cloud Mobile App	Desktop Site
Search, tag, and filter presentations	Content Library	Available	Available
Search by using conceptual terms and phrases while online with Data 360	Content Library	Available	Available
Mark presentations as favorites	Content Library	Available	Not Available
Create custom presentations	Content Library	Available	Not Available
Get recommended presentations	Content Library	Available	Not Available
Send presentations as links in emails	Content Library	Available	Available
Send presentations as email attachments	Content Library, Presentation Player	Available	Not Available
Use drawing tools	Presentation Player	Available	Not Available
Capture healthcare professional (HCP) feedback	Presentation Player	Available	Not Available
View presentations in preview and training mode	Presentation Player	Available	Available
View interactive presentations	Presentation Player	Available	Available

Feature	Where	Life Sciences Cloud Mobile App	Desktop Site
View presentations with simple dynamic content, such as variables	Presentation Player	Available	Available
View presentations with advanced dynamic presentation content, such as embedded surveys, querying records, and updating records	Presentation Player	Available	Not Available
Track presentation metrics	Presentation Player	Available	Not Available

Patch Releases Winter `26

We release patches periodically. Check back here for information on each Winter `26 patch release for the Life Sciences Cloud mobile app.

Patch 258.15.0

This patch contains fixes to ensure that the Life Sciences Cloud mobile app features work correctly.

Feature	Issue	Description
Visit Management	In the Advanced Account Search from the Switch Account link on a Visit Engagement page, the Type, Lists, and Filters weren't displayed.	The issue is fixed so that the appropriate lists and filters selectors are displayed in Advanced Account Search.
	Creating a visit with over 20 attendees resulted in this error: "common.exception.ApiException: We couldn't perform the action because this visit is signed and locked."	Visits with more than 20 attendees now save correctly.
	After capturing a signature, the Floating Action Button (FAB) incorrectly disappears from the bottom-right corner of the page.	The floating action button remains at the bottom of the page after a signature is captured.
General	The mobile app was crashing at startup because Intelligent Content was attempting to	Delayed the initialization of the Intelligent Content until the user manually opens the tab to

Feature	Issue	Description
	access database and background services before they had finished initializing.	ensure all required services are ready for use.
Key Account Management	The Account Plan Participant records on the mobile weren't syncing with the web.	The issue has been fixed and Account Plan Participant records on the mobile are now syncing with the web as expected.

Patch 258.13.0

This patch contains fixes to ensure that the Life Sciences Cloud mobile app features work correctly.

Feature	Issue	Description
Home Page	In the Up Next component on the home page, all day general events didn't appear on the correct date.	All day general events now show up on the correct date in the Up Next agenda on the home page.
Visit Management	When creating a visit, validation was skipped when the Time Off Territory Rules setting was turned off, causing all appointments that overlapped with scheduled downtime to be blocked.	The Time Off Territory Rules setting is now checked when creating a visit.
	Trying to start a visit a few minutes early failed with the error "Visit Date and Time cannot be in the future."	Visits can now be started in advance.
	Creating a visit with many activities could take 40-50 seconds.	The time to create a visit is significantly shorter.
	Updating visit attendees and deleting visits on mobile would cause Device Sync Transaction (DST) errors even though the operations were successful.	Errors are no longer shown when a visit is successfully updated.
	A Device Sync Transaction (DST) error would occur when a user	Field level access is now checked correctly for custom fields. Also,

Feature	Issue	Description
	had only read access to custom fields on a record, or if the Private API was enabled in a client org.	client orgs should not have the Private API enabled in order to prevent this issue from happening with fields such as MayEdit and IsLocked which are added to pages automatically.
	Reps could delete an attendee visit that's already signed from the Attendee section of the Visit.	The option to delete an attendee is no longer available after the visit is signed.
	Custom objects weren't being displayed on mobile.	The mobile app now correctly displays custom objects.
Medical Inquiry	Even after an Inquiry record was submitted, the record stayed in draft status. "Contact Info" was erroneously displayed as "Response Contact Point Record ID". Users were also unable to scroll through Contact Point Email and Contact Point Phone records and select the last two records.	These issues have been fixed. The label has been corrected, the Inquiry record displays the correct status, and users can scroll through and select Contact Point Email and Contact Point Phone records as expected.
Lists and Filters	When users sorted accounts by next visit or last visit date, the list showed no results.	The sort criteria for Next Visit or Last Visit date was fixed, and the correct accounts now display when these options are selected.
General	When users changed the user language and device language, translations didn't load in the Life Sciences Cloud mobile app on iPads.	Now translations load in the Life Sciences Cloud mobile app on iPads.

Patch 258.12.0

This patch contains fixes to ensure that the Life Sciences Cloud mobile app features work correctly.

Feature	Issue	Description
Agentforce	The Agentforce window is missing in the Tableau Next metrics view.	The Agentforce window is now available in the Tableau Next metrics view.

Feature	Issue	Description
Visit Management	For General Events, if the event was set to All Day the wrong date and time would be displayed.	The correct date and time is now displayed for All Day General Events.
	It was possible to schedule a visit during the Visit Conflict Validation Period even when the validation mode is set to error.	Visits can no longer be scheduled during a Visit Conflict Validation Period if the Visit Conflict Validation Mode is set to Error.
	Even if a Sample Limit Template wasn't assigned to a sample product, you could still see a sample limit error on the Visit Engagement.	An error is no longer shown for products if the Sample Limit Template isn't assigned.
	Links shown by Agentforce in the Agentforce conversational window didn't work.	Links shown in the Agentforce conversational window are now clickable.
	An SDL License Validation error would occur for Life Science Marketable Products that didn't have a State Distributor License Category populated.	An SDL License Validation no longer occurs for sample products that don't have SDL categories.
	The View Online quick action on the Visit record page would fail with the message "This Action is only meant for Mobile App".	The View Online quick action now works correctly on mobile.
	The Inquiry quick action from the Visit record page didn't display the Case ID, or allow users to modify the Case field manually.	The Inquiry quick action now works correctly, displaying the Case ID and allowing users to modify the Case field manually.
General	Users didn't always know when new versions of the Life Sciences Cloud Mobile app were available.	Users now get alerts when there's a new version of the Life Sciences Cloud Mobile app available in the app store, and they have 7 days to upgrade to the latest version.
Home Page	On the home page in the Life Sciences Cloud Mobile app, the incorrect date shows for general	Now, general events show the correct date on the home page in the Life Sciences Cloud

Feature	Issue	Description
	events.	Mobile app.

Patch 258.11.0

This patch contains fixes to ensure that the Life Sciences Cloud mobile app features work correctly.

Feature	Issue	Description
Synchronization Management	Text in the DeviceSyncSummary payload was mislabeled as OCEDBSize.	In the DeviceSyncSummary payload, text is now correctly labeled DBSize.
Account Plan	Users couldn't import goal definitions onto account plans or create account plan objectives.	Users can now import goal definitions onto account plans and create account plan objectives.
Activity Timeline	When the Address filter was applied on the Activity Timeline tab, no records were displayed.	The Address filter on the Activity Timeline tab has been fixed and now correctly returns all relevant activity records that match the selected address criteria.
Activity Plans	The Activity Plans widget wasn't appearing in the mobile app.	The Activity Plans widget now appears in the mobile app.
	In the Activity Plans widget, the Non-Product Cumulative value wasn't appearing in the dropdown.	The Non-Product Cumulative value now appears in the dropdown for Activity.
Affiliations	The Affiliation tab was taking too long to load.	Fixed the underlying issue. Now the Affiliations tab loads immediately.
Planner	When creating a visit from the Calendar, the visit duration incorrectly defaults to 30 minutes even though a specific default duration has been defined.	The visit now correctly uses the defined default visit durations when creating a visit from the Calendar. • If a default duration is defined, the defined duration is used. • If no default duration is

Feature	Issue	Description
		defined, the visit duration defaults to 30 minutes.
Visit Management	Labels for "Content & Samples" weren't shown in the sidebars of visit screens for Medical Science Liaison (MSL) users.	Labels for "Content & Samples" are now shown correctly on visit screens for MSL users.
	Custom fields weren't displayed on the edit page and on Visit records.	Custom fields are now shown correctly on the edit page and on Visit records.
	When a Child Visit contained a sample or DTP with a Mandatory Signature requirement and user selected Submit on the Parent Visit, an error was shown indicating the signature or DocumentId wasn't captured for the attendee.	Selecting Submit on a Parent Visit works correctly when a Child Visit contains a sample or DTP with a Mandatory Signature requirement.
	When a remote visit was created with a child attendee, after the remote session ended the child attendee visit and any added products were deleted.	The child attendee visit record is now retained along with the added products.
	The signature screen wasn't displayed as a full window, allowing HCPs to see part of the application when they sign.	The signature screen now displays as a full window.
	Mobile Visits with large transactions such as more than twenty attendees, would fail with these messages. • SYNC_SAVE_FAILED • Something went wrong while saving the target record. We couldn't perform the action because this visit is signed and locked.	Mobile Visits with large transactions are now processed correctly.

Feature	Issue	Description
	When a user submitted an ad hoc, remote visit, a second, duplicate visit record for the same time and channel would be created in completed status but containing no information, despite the original planned visit being correctly updated to completed status.	A single Visit record is now created following a remote engagement.
	The New Inquiry window would become unresponsive when launched from Inquiry action on a Visit Engagement page.	The New Inquiry window now functions correctly.
	After an Attendee Visit Engagement was signed, the Direct to Practitioner sample details were still editable.	After signing an Attendee Visit Engagement, sample details can't be changed.
	When the Contact Point Address Formula Field was set to None, the Place ID would display an ID instead of a complete address.	The Place ID displays a complete address when the Contact Point Address Formula Field is set to None.
	For remote engagements, digital signatures weren't being saved correctly.	Digital signatures are now saved correctly for remote engagements.
	Surveys completed from Mobile for Visits would appear under the Completed section of the corresponding records on the web, but not on mobile.	Completed surveys now appear correctly on mobile.
	Samples and Direct to Practitioner related lists were displayed to Key Account Manager (KAM) users even when they shouldn't have been able to see them.	KAM users no longer see the Samples and Direct to Practitioner related lists.
	When samples were added to the visit, license information related to the visit's place and	The signature page now displays the correct license information when samples and Direct to

Feature	Issue	Description
	shipping address were displayed on the signature page. When Direct to Practitioners (DTPs) were added to the visit, license information related to the visit's place and shipping address were displayed.	Practitioners are added to a visit.
General	The Life Sciences Cloud Mobile app wasn't available for distribution in France.	The Life Sciences Cloud Mobile app is now available in France.
	Logging out of the Life Sciences Cloud Mobile app takes 2 minutes or longer.	Users can now log out of the Life Sciences Cloud Mobile app without delay.
Home Page	In some cases, the home page crashes when trying to refresh data for maps.	The home page no longer crashes when refreshing map data.

Patch 258.9.0

This patch contains fixes to ensure that the Life Sciences Cloud mobile app features work correctly.

Feature	Issue	Description
Search Before Create	When users click the Search Online button from the Accounts page, a blank screen appears instead of the search interface.	Updated the configuration to permanently enable the advanced search layout, ensuring that the search page loads properly and consistently.
Data Change Request	When records are updated from the mobile app, Data Change Request (DCR) are created. Admins encountered an error while approving these DCRs.	Fixed the DCR approval logic to correctly process requests created from record updates made through the mobile app, enabling admins to approve them successfully.
Home Page	In the Up Next component on the home page, the Edit Visit action opened the visit details in view mode instead of edit mode.	The Edit Visit action now opens the page to edit visit details.
Remote Engagement	Ending a remote engagement	The selected presentation and

Feature	Issue	Description
	session resulted in the loss of the selected presentation and a failure to capture presentation metrics.	associated metrics are saved and recorded properly.
Account Address	The State License Number shield icon appears on the Account List only if a contact point address is set on the Business License record, which was incorrect.	Fixed the logic so the icon now correctly appears when a Business License record exists.
External Search	Search for Business License records in Salesforce failed due to an outdated API endpoint.	The code is updated to use the correct search API, resolving the endpoint failure and restoring a smooth search experience.
Visit Management	Validations were missing for sample limits when signing child visits.	Added sample limits validations for child visits.
	Manual sync is failing after users created a visit or inquiry.	Fixed the underlying database error that prevented syncs. Manual syncs for visits and inquiries are now succeeding.
	Visit creation is failing with an incorrect validation error. The user is prompted to select a batch, even though the Batch field is not required.	Users can now create visits without a batch.
Mobile-to-Web Sync	Transactions on the mobile app were failing to sync automatically to the web, requiring manual intervention.	Fixed the sync issue.
Time Off Territory	An incorrect validation error is shown when a user tries to create an overlapping event.	Fixed the validation logic to show relevant errors.
Activity Timeline	Field sets were not visible in the activity timeline.	Fixed the visibility of field sets in the activity timeline.
Planner	The Day View field set values aren't shown in the Visit tile on the calendar.	Ensured that the Day View field set now picks fields from the Visit object.

Feature	Issue	Description
	Incorrect warnings or errors are shown when a user tries to create a visit for an account that already has one scheduled within the period specified by the admin.	Fixed the validation logic to show relevant warnings and errors.
	Incorrect best time values are shown when a user drags an account or account address to the calendar grid.	Fixed the incorrect time values and resolved display errors in the calendar.
Consent Management	When selecting consent for the first time, no channels were displayed until values were selected, leading to a confusing user experience.	Reverted the feature to its previous state, displaying all configured channels from each subscription regardless of channel values being selected.
Email	Consent subscriptions were opted out incorrectly after users sent an email.	Fixed the issue to ensure that consent subscriptions remain intact, preventing unintended opt-outs after users send an email.
Provider Card	In the Account tab, the provider card shows “Account Snapshot” instead of the graph name, and shows the NextProviderVisitDate field name instead of the visit details. It doesn’t show the preferred address, the sample eligibility details, and hides the best time to contact the provider when the corresponding record details aren’t available. Also, the card shows the KOL text item even if the conditions aren’t met.	The provider card now displays the name of the ARC graph, upcoming visit details, preferred address, and the sample eligibility details. It no longer hides the Best Time to Contact element name when the corresponding record details aren’t available. Also, the card no longer shows the KOL text item when the specified conditions aren’t met.
General	The mobile app is crashing when a user attempts to log out after entering the PIN.	Fixed the issue to prevent the app from crashing when users log out after entering the PIN.
Agentforce Home	Tapping the primary chat box in the iOS Agentforce Home Welcome component resulted in an error on the Agentforce chat	Now the chat box works as expected.