
USER PERMISSIONS NEEDED

To manage time off territory settings:	Life Sciences Commercial Admin permission set
--	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Time Off Territory** and then select **Time Slot Intervals**.
3. Select the profile for which you want to apply the Time Slot Interval settings. To apply the settings to all the profiles in the org, select **Default**.
4. To allow users to create time-off spanning across multiple days, select **Let users create time-off slots across multiple days**.
5. For the All Day, Morning, Afternoon, and Evening time slots, select the time interval during which you want to allow users to create time-off entries.
If users select a slot when creating a time off territory record, the corresponding start and end times are automatically populated.
6. Save your changes.

Engagement Execution

Streamline scheduling, pre-visit planning, in-visit execution, and post-visit reporting processes with Visit Management. Capture, manage, and honor consent and communication preferences of healthcare professionals with Consent Management. Use Remote Engagement to host virtual meetings with customers. Use Medical Inquiries to deliver fast, compliant, and trusted responses to every HCP inquiry. Use Surveys to collect feedback from customers.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Consent Management

Consent Management enables users to capture, synchronize, and honor the communication preferences of healthcare professionals across different subscription types and channels. This feature helps limit outreach to healthcare professionals who have provided consent, which helps organizations stay compliant with data privacy regulations.

Medical Inquiries

Capture, manage, and respond to critical questions from healthcare professionals (HCPs). Help your sales representatives and medical science liaisons streamline the inquiry creation process, provide accurate and timely responses, and handle a variety of inquiry types, including general medical inquiries, adverse events, and product quality complaints. Leverage configurable workflows and robust compliance capabilities to ensure that all medical inquiries are handled quickly and in accordance with medical, legal, and regulatory standards.

Medical Insights

Use Medical Insights to provide field teams a structured way to capture and share insights from their engagements with HCPs and HCOs. Show relevant insight data for collaboration through customized record pages with specific field sets and related lists. Streamline the user workflow by creating quick actions and defining granular permissions to control how users interact with insights.

Remote Engagement

Remote engagement facilitates virtual meetings by providing tools to start and manage remote visits with healthcare professionals. When users schedule remote visits, healthcare professionals receive invitations with the necessary details such as the meeting link and passcode. During the meeting, users can manage participants, share screens, and end the session, streamlining virtual interactions and eliminating the need for in-person visits.

Surveys

Surveys enable you to design and distribute questionnaires to gather structured feedback from healthcare professionals. Use this data to analyze behavioral trends, monitor patient-related outcomes, and strengthen provider relationships. These insights support innovation, treatment planning, and strategic decision-making.

Visit Management

Visit Management optimizes the face-to-face visit experience for your field users and clients by simplifying visit scheduling, planning, visit engagement, and postvisit reporting. Because this reduces administrative tasks, field users can focus on building strong relationships with healthcare providers. Engage seamlessly with accounts across all channels by using intelligent content and remote capabilities. Manage sample distribution and direct-to-practitioner requests confidently with built-in compliance controls.

Consent Management

Consent Management enables users to capture, synchronize, and honor the communication preferences of healthcare professionals across different subscription types and channels. This feature helps limit outreach to healthcare professionals who have provided consent, which helps organizations stay compliant with data privacy regulations.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud and the Life Sciences Cloud for Customer Engagement Add-On license

Add a Tab for Consent Management on a Record Page

Provide a central location for viewing a healthcare professional's (HCP) consent status, subscriptions, and communication preferences by adding a custom tab for Consent Management on the account's record page. This Consent page provides sales reps with immediate visibility into their HCPs' subscription and channel preferences.

Manage Subscriptions and Channels

Quickly create a record from an object's homepage that is necessary to use the features within

Consent Management.

Set Up Consent Management

Use Consent Management to capture, manage, and track a healthcare professional's (HCP) consent for various communication channels and subscription preferences. Define consent statuses, signature requirements, geolocation settings, and filtering rules to make sure that outreach activities comply with applicable regulatory requirements.

Add a Logo to the Consent Page

Use static resources to upload a logo or image that you can reference in the Life Sciences Cloud for Customer Engagement app. This logo appears in the signature section when sales reps collect consent from healthcare professionals, helping your organization maintain brand consistency.

Mobile App Configuration for Consent Management

Create object metadata cache configuration for supported Consent Management objects and generate a metadata cache to make sure your sales reps can view and update consents on the Life Sciences Cloud Mobile app.

Send a Confirmation Email

Send a personalized follow-up email to a healthcare professional (HCP) after you capture their consent or signature.

Batch Jobs for Consent Management

When account and territory mapping is changed, Consent Management batch jobs help in aligning the sharing records for Communication Subscription Consent and Communication Subscription Compliance Snapshot objects.

Add a Tab for Consent Management on a Record Page

Provide a central location for viewing a healthcare professional's (HCP) consent status, subscriptions, and communication preferences by adding a custom tab for Consent Management on the account's record page. This Consent page provides sales reps with immediate visibility into their HCPs' subscription and channel preferences.

REQUIRED EDITIONS

Available in: Lightning Experience
Available in: Enterprise and Unlimited Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED	
To set up and configure Consent Management features and objects:	Life Sciences Commercial Admin
To create and save Lightning pages in the Lightning App Builder:	Customize Application

1. From the App Launcher, find and select **Life Sciences Commercial**.
2. Click **Accounts**.
3. On the Accounts list view page, select a record to add the tab.
4. From the Setup Menu, click **Edit Page**.
5. To add a tab, click the **Tabs** pane on the canvas, and in the properties section, click **Add Tab**.
6. To customize a tab, select the newly added tab component in the properties pane, then select a standard label, or click **Custom** to enter the tab name you want.
For example, Consent.
7. In the components pane, find **Consent**, and then drag it to the newly created tab.
8. Similarly, in the Components pane, find the Related List - Single component, and drag it to the newly created tab.
9. If you can't find the related-list component, go to Object Manager from Setup, and click the **Account** and **Person Account** page layout.
See [Add the Files Related List to Page Layouts](#).
10. In the Related List properties pane, in the Related List field, find and select **Communication Subscription Consents**.
11. Save your changes.
12. To make your customized record page available to your Lightning Experience web and mobile users, click **Activate** in the activation window.
 - a. In the confirmation window, select **App, Record Type, and Profile** tab, and then click **Assign to App, Record Type, and Profile**.
 - b. Select the **Life Sciences Commercial** Lightning app, and click **Next**.
 - c. Select the Form Factor as **Desktop and Mobile**, and click **Next**.
 - d. Select the Record Type as **Person Account**, and click **Next**.
 - e. Select the **Standard User** and **System Administrator** profiles, and click **Next**.
 - f. Save your changes.

Based on your business needs, you can also set the page as an Org Default to show it for all account records or as an App Default for the specific app.

To see this tab on the Life Sciences Cloud Mobile app, generate a metadata cache.

See Also

[Generate Metadata Cache](#)

Manage Subscriptions and Channels

Quickly create a record from an object's homepage that is necessary to use the features within Consent Management.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed

package.

Add a New Subscription

Create a Communication Subscription record to add new subscription topics to the Consent page on the Life Sciences Cloud for Customer Engagement app.

Create a Data Use Purpose Record

Associate a Life Sciences Marketable Product to a Communication Subscription by creating a Data Use Purpose record to manage and organize consents for specific products.

Add a Channel to the Subscription

Create Communication Subscription Channel types to add new communication channels to a subscription. These records define the channel types, such as Email, SMS, or Direct Mail, that healthcare professionals can choose from as their primary mode of communication.

Add a New Engagement Channel Type

Create a new channel type by creating an Engagement Channel Types record. Adding new channel types makes these options available on the Consent page.

See Also

[Set Up Consent Management](#)

Add a New Subscription

Create a Communication Subscription record to add new subscription topics to the Consent page on the Life Sciences Cloud for Customer Engagement app.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Consent Management features and objects:	Life Sciences Commercial Admin
--	--------------------------------

To update and create a new communication subscription:	Life Sciences Field Sales Representative
--	--

1. From the App Launcher, find and select **Communication Subscriptions**.
2. Click **New**.
3. Enter the name of the new Subscription.
4. Select a Data Use Purpose.
This record creates the link between a Life Sciences Marketable Product and a Communication

Subscription. If no records exist, create a Data Use Purpose record.

5. In the Filter Attribute List field, enter comma-separated attributes to filter subscriptions.
The values must match the values of an Account or Account Territory field that was configured in the Admin Console for Subscription Filtering Fields.
For example, if you select Account Name as a filtering field in the setup, you enter specific account names, separated by a comma, in the Filter Attribute List field. Subscriptions will then only appear for those specific accounts. If the Filter Attribute List field is empty, the system shows subscriptions for all accounts.
6. Save your changes.

See Also

[Create a Data Use Purpose Record](#)

Create a Data Use Purpose Record

Associate a Life Sciences Marketable Product to a Communication Subscription by creating a Data Use Purpose record to manage and organize consents for specific products.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Consent Management features and objects:	Life Sciences Commercial Admin
--	--------------------------------

1. From the App Launcher, find and select **Data Use Purpose**.
2. Click **New**.
3. Enter the name of the new Data Use Purpose.
4. In the Purpose field, select Life Sciences Marketable Product from the dropdown menu, and then search for the corresponding product record to link it to the Data Use Purpose for the communication subscription.
5. Save your changes.

See Also

[Add a New Subscription](#)

Add a Channel to the Subscription

Create Communication Subscription Channel types to add new communication channels to a subscription. These records define the channel types, such as Email, SMS, or Direct Mail, that healthcare

professionals can choose from as their primary mode of communication.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Consent Management features and objects: Life Sciences Commercial Admin

1. From the App Launcher, find and select **Communication Subscription Channel Types**.
2. Click **New**.
3. Enter the name of the new Data Use Purpose.
4. Select the Communication Subscription that you want to align a channel to.
5. Select the Engagement Channel Type.
If you want to create a new channel type, see [Add a New Engagement Channel Type](#).
6. Save your changes.

Add a New Engagement Channel Type

Create a new channel type by creating an Engagement Channel Types record. Adding new channel types makes these options available on the Consent page.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Consent Management features and objects: Life Sciences Commercial Admin

1. From the App Launcher, find and select **Engagement Channel Types**.
2. Click **New**.
3. Enter the name of the new channel type.
 **Note** This name appears as the channel name that is shown on the Consent page.
4. Select the contact point type that this channel applies to.

5. Select the engagement channel type.
This selection determines the Contact Point object from which the values are populated on the consent page.
6. To activate the engagement channel type, select **Active**.
7. Save your changes.

Set Up Consent Management

Use Consent Management to capture, manage, and track a healthcare professional's (HCP) consent for various communication channels and subscription preferences. Define consent statuses, signature requirements, geolocation settings, and filtering rules to make sure that outreach activities comply with applicable regulatory requirements.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Consent Management features and objects:	Life Sciences Commercial Admin
--	--------------------------------

- The Consent page in the Life Sciences Cloud for Customer Engagement app works by creating a series of connected Communication Subscription records and related object data: Communication Subscription, Engagement Channel Types, Communication Subscriptions Channel Types, Data Use Purpose, Compliance Statement Definition, Communication Subscription Consent, Communication Subscription Compliance Snapshot, Contact Point Address, Contact Point Phone, Contact Point Email, Contact Point Social, Digital Signatures.
 - [Add the Consent component to the Account page layout in a new tab.](#)
1. From the App Launcher, find and select **Life Sciences Commercial**.
 2. Click **Admin Console**.
 3. In the Life Sciences Customer Engagement Setup page, find and select **Consent Administration**.
 4. Configure general settings based on your requirements.
 - a. Enable users to add multiple values for consent channels.
Users see an Add More option on the consent tab.
 - b. Allow users to select Not Asked as the consent status in addition to Opt In and Opt Out.
 -  **Note** Only the Opt-in and Opt-out statuses are supported when saving the consent.
 - c. Allow sales reps to lock the consent capture screen.
Prevents healthcare professionals from navigating to other pages while signing the consent.
 - d. Allow users to view the signature captured in the consent's last update.

5. In the Signature Section, specify the signature requirement.
 - Required
 - Not Required
 - Optional
6. To capture geolocation data during consent signing, select **Capture geolocation during consent signing**.
7. Configure the attachment requirements for desktop and mobile.
 - a. In the Attachment Requirement for Desktop Site field, select an option to determine whether an attachment is required or not when capturing consent on a desktop site.
 - b. In the Attachment Requirement for Mobile App field, select an option to determine whether an attachment is required or not when capturing consent on the Life Sciences Cloud Mobile app.
8. In the Product Restriction section, select **Show restricted products**.
Show or hide disabled subscriptions associated with the restricted products.
9. Configure the subscription filtering fields.
 - a. For Account Territory Fields, select a field to filter the subscriptions available for the account.
 - b. For Account, select the field from the account object to filter subscriptions shown to the account when a provider account territory info record isn't available.
10. Configure the disclaimer filtering fields.
 - a. For Account Territories, select the field from the provider account territory info object to filter the disclaimer.
 - b. For Account, select the field from the provider account territory info object to filter the disclaimer when a provider account territory info record isn't available.
11. Configure terms & conditions filtering fields.
 - a. For Account Territories, select the fields from the provider account territory info object to filter the terms and conditions.
 - b. For Account, select the field from the provider account territory info object to filter the terms and conditions when a provider account territory info record isn't available.
12. Save your changes.

See Also

[Manage Subscriptions and Channels](#)

[Generate Metadata Cache](#)

[Customize the Life Sciences Cloud Mobile App](#)

[Consent Management Trigger Handlers](#)

Add a Logo to the Consent Page

Use static resources to upload a logo or image that you can reference in the Life Sciences Cloud for Customer Engagement app. This logo appears in the signature section when sales reps collect consent from healthcare professionals, helping your organization maintain brand consistency.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Consent Management features and objects:	Life Sciences Commercial Admin
--	--------------------------------

To create static resources:	Customize Application
-----------------------------	-----------------------

1. From Setup, create a static resource, and enter the name as *SignatureAreaLogo*.
See [Create a Static Resource](#).
2. Configure the logo in the Life Sciences Cloud Mobile app's UI.
 - a. From the App Launcher, find and select **Life Sciences Commercial**.
 - b. Click **Admin Console**.
 - c. In the Life Sciences Customer Engagement Setup page, click **Mobile**.
 - d. In the navigation pane, click **UI Settings**.
 - e. For the Filter field, select **Static Resource**.
 - f. Click **New**, and enter a label for the UI.
 - g. Enter a unique name for this configuration.
 - h. Enter a label that describes the purpose.
For example, Consent Logo for Users.
 - i. Select **Static Resource** as the Mobile Type, and in the Resource Name, select the static resource that you created earlier.
For example, **SignatureAreaLogo**.
 - j. Select the profile this configuration applies to.
For example, **System Administrator**.
 - k. To activate the configuration, select **IsActive**.
 - l. Save your changes.

To see the logo on the Life Sciences Cloud Mobile app, generate a metadata cache.

See Also

[Generate Metadata Cache](#)

Mobile App Configuration for Consent Management

Create object metadata cache configuration for supported Consent Management objects and generate a metadata cache to make sure your sales reps can view and update consents on the Life Sciences Cloud Mobile app.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Consent Management features and objects: Life Sciences Commercial Admin

Here's the list of objects used for managing consents.

Name	Type
DbSchema_EngagementChannelType	Data
DbSchema_DigitalSignature	Data
DbSchema_DataUsePurpose	Data
DbSchema_ComplianceStatementDef	Data
DbSchema_CommSubscriptionConsent	Data
DbSchema_CommSubscriptionChannelType	Data
DbSchema_CommSubscription	Data
DbSchema_CommSubConsentCmplSnpsht	Data

 **Important** After you create these configurations, make sure to generate a metadata cache. This step is important because it makes sure that the mobile app accesses the latest metadata definitions, including any schema changes for supported objects.

See Also

[Create Object Metadata Cache Configuration](#)
[Generate Metadata Cache](#)

Send a Confirmation Email

Send a personalized follow-up email to a healthcare professional (HCP) after you capture their consent or signature.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Consent Management features and objects: Life Sciences Commercial Admin

Consent confirmation emails confirm the subscriptions and channels that the HCP selected. Configure the feature to send the email automatically or only when the Request receipt option is selected during consent capture.

To send the email to the correct recipient, Life Sciences Cloud for Customer Engagement automatically selects the primary Contact Point Email associated with the account that has the highest preference rank. Sent emails appear in the account's Activity History.

1. [Create an email template](#).
2. To use the email template for consent confirmation, select **Template for consent acknowledgment**.
3. [Create a metadata cache configuration](#) for the LifeSciEmailTemplate object.
4. For consent confirmation emails, when creating the configuration set, add this condition in the Where Clause.

```
AND HasSendConsentAcknowledgement = FALSE
```

5. Create and run the code for the Send SDK method, or add the code to the previously implemented one. Here's the code sample.

```
Map<String, Object> paramMap = new Map<String, Object>
{ 'emailTemplateId' => '1LLWs000000YtbZOAS',
  'accountId' => '001Ws00004MXTqvIAH',
  'attachmentIds' => new Set<Id>{'', ''},
  'relatedId' => 'relatedId', 'relatedLookupApiName' => 'relatedLookupA' };
Boolean result = (Boolean)
(lsc4ce.LifeScienceApi.getInstance
(lsc4ce.LifeScienceApi.Command.EmailSendService).execute(paramMap));
```

Batch Jobs for Consent Management

When account and territory mapping is changed, Consent Management batch jobs help in aligning the sharing records for Communication Subscription Consent and Communication Subscription Compliance Snapshot objects.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Available Batch Jobs

- **CommSubscriptionConsentShareMgmtBatch:** Realigns sharing for Communication Subscription Consent records.
- **CommSubConsentCmplSnpshtShareMgmtBatch:** Realigns sharing for Communication Subscription Compliance Snapshot records.

Run and Schedule a Batch Job

To make sure that new sharing records stay aligned with the latest account and territory changes, use this Apex code snippet in the Developer Console. See [Run Batch Jobs for Life Sciences Cloud for Customer Engagement app].

```
// Create Map of Input Parameters
Map<String, Object> paramMap = new Map<String, Object>{
  'batchName' => 'CommSubscriptionConsentShareMgmtBatch', // mandatory field
  'territoryName' => 'California', // optional field
  'batchSize' => '200' // optional field , default is 200
};
// Call
Boolean result = (Boolean) (LifeScienceApi.getInstance(LifeScienceApi.Command.ConsentBatchJob).execute(paramMap));
System.debug('Result: ' + result);
```

To schedule a batch job, create a scheduled flow based on your business needs. See [Schedule a Batch Job](#).

See Also

[Salesforce Help: Batch Apex](#)

Medical Inquiries

Capture, manage, and respond to critical questions from healthcare professionals (HCPs). Help your sales representatives and medical science liaisons streamline the inquiry creation process, provide accurate and timely responses, and handle a variety of inquiry types, including general medical inquiries, adverse events, and product quality complaints. Leverage configurable workflows and robust compliance capabilities to ensure that all medical inquiries are handled quickly and in accordance with medical, legal, and regulatory standards.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Here's a summary of the key capabilities of Medical Inquiries.

- Improves response times and HCP satisfaction through an efficient inquiry process.
- Offers intuitive web and mobile interfaces for easy submission, documentation attachment, and status tracking.
- Features robust workflows and queues for prompt inquiry assignment.
- Enhances security and data integrity with a dedicated data model and role-based access permissions.
- Reduces noncompliance risks with an effective approval process for non-standard responses.
- Enforces organizational policies, such as mandatory signatures, with custom validation rules.
- Manages different statuses, actions, and records for each stage and role.

Get Your Org Ready for Medical Inquiries

Before you set up Medical Inquiry in Life Sciences Cloud, make sure you have the required user profiles, licenses, and permission sets.

Define Statuses for Medical Inquiries

Medical inquiries move through a series of steps from creation to closure. To get a clear understanding of the progress and assignment of requests, it's critical to track the real-time status of inquiries. Define appropriate status values to help your sales representatives and medical science liaisons use the Medical Inquiry workflow efficiently.

Set Up the Inquiry Record Page for Medical Inquiries

Add tabs and Lightning components to the Inquiry record page so that your sales representatives can easily create and submit medical inquiry requests, and medical science liaisons can submit their response to the inquiry questions.

Configure Action Buttons on the Inquiry Record Page

Help your users to handle medical inquiries in an efficient and timely manner by customizing the target action of the New and Edit buttons on the Inquiry record page. This setup configures a multi-object Lightning component that enables users to manage both inquiry and case records in one go.

Set Up the Account Record Page for Medical Inquiries

Add tabs and Lightning components to the Account record page so that your sales representatives and medical science liaisons can easily manage and track all inquiries related to the healthcare professional.

Configure Action Buttons on the Account Record Page

Let users create medical inquiries directly from the Account record page rather than navigating to the Inquiry page. Add a button on the Account record page and make it easier for the sales representatives to get a better context of the healthcare professional while creating the inquiry.

Configure Support Process and Record Types for the Medical Inquiry Workflow

Create support process and record types for the objects used in the medical inquiry workflow. Assign profiles and page layouts to the record types to determine which one apply when users create, edit, or view records.

Define Sharing Settings for Medical Inquiries

Promote effective management of medical inquiries by configuring sharing settings for the Inquiry

Question object. This configuration makes sure that the inquiry question and its associated parent case have the same sharing settings.

Create a Custom Field for Medical Inquiries

Set up a formula-derived custom field on the Inquiry object to capture your unique business data for medical inquiries. The field helps to achieve conditional display of action buttons based on the user profile or persona. This configuration promotes a seamless workflow by ensuring that sales representatives can only draft, sign, and submit medical inquiries whereas medical science liaisons can only assign and respond to the inquiries.

Set Up Workflow Actions for Medical Inquiry Management

Define relevant workflow actions for tasks that users must perform in the medical inquiry process, such as inquiry submission, assignment, and more. With the help of workflow actions, you can show contextual action buttons on the Inquiry record detail page depending on the current stage of the inquiry workflow. For example, the Submit button appears when the inquiry is ready to be submitted by the sales representative.

Set Up the Workflow Stages to Manage Medical Inquiries

Enhance efficiency, maintain compliance, and promote data integrity with configurable workflow paths. The workflow outlines the journey of an object through various stages and helps you manage the different statuses, actions, and record permissions. For the medical inquiry process, set up a workflow path based on the Inquiry object and its different stages.

Batch Jobs for Medical Inquiries

Batch jobs are automated processes designed to share and manage multiple medical inquiry records consistently and efficiently. Save time, reduce the risk of manual errors, and maintain the integrity and reliability of inquiry data by using the MIRF Share Management job.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Get Your Org Ready for Medical Inquiries

Before you set up Medical Inquiry in Life Sciences Cloud, make sure you have the required user profiles, licenses, and permission sets.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

- [Enable Admin Console.](#)
- [Create user profiles](#) for sales representatives and medical science liaisons based on the Standard User profile and associate the profiles with the corresponding user records.

- Assign the Life Sciences Core and Life Sciences Field Sales Representative permission sets to sales representatives.
- Assign the Life Sciences Core and Life Sciences Field Medical permission sets to medical science liaisons.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Define Statuses for Medical Inquiries

Medical inquiries move through a series of steps from creation to closure. To get a clear understanding of the progress and assignment of requests, it's critical to track the real-time status of inquiries. Define appropriate status values to help your sales representatives and medical science liaisons use the Medical Inquiry workflow efficiently.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To add case status:	Life Sciences Commercial Admin permission set
---------------------	---

1. From Setup, open the Object Manager, and go to the Case object.
2. Under Fields & Relationships, click **Status**.
3. In the Case Status Picklist Values section, click **New**.
4. Enter these exact inquiry status values, each on it's own line: *Draft*, *Signed*, *Submitted*, *Assigned*, and *Responded*.
5. Save your changes.
6. Set Draft as the default status.
7. Set Responded as the closed status.
8. Save your changes.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Set Up the Inquiry Record Page for Medical Inquiries

Add tabs and Lightning components to the Inquiry record page so that your sales representatives can easily create and submit medical inquiry requests, and medical science liaisons can submit their

response to the inquiry questions.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up the Inquiry record page:

Life Sciences Commercial Admin permission set

Prerequisite: [Create a field set](#) for the Inquiry Question Answer object.

1. From Setup, go to Object Manager, and select **Inquiry**.
2. Under Lightning Record Pages, select the inquiry record page and click **Edit**.
3. Drag the LifeSciStagePathContainer component to an appropriate spot on the page.
4. Save your changes.
5. [Add a tab](#) named Inquiry Question Answer.
6. Drag the Related List - Life Sciences component to the Inquiry Question Answer tab, and then set up these fields.
 - Object Name: InquiryQuestionAnswer
 - Field Set Name: Enter the name of the Inquiry Question Answer field set.
 - Label: Inquiry Question Answer
 - Icon Name: standard: work_plan_rule
 - Handler for update/delete: StandardUpdateDeleteHandler
 - Where Clause: InquiryQuestion.InquiryId = 'recordId'
 - Component name for the New action: StandardNewAction
 - Relationship Field API Name: Inquiry.InquiryQuestionId
 - View All Components: StandardViewAll
 - Show record count: true
7. To view the timeline details for inquiries, drag the Timeline component to the page and configure the component details.
8. Click **Activation**.
9. Click **Assign as Org Default**, and select **Desktop and Phone**.
10. Click **Next** and save your changes.

After you're done setting up Lightning components and tabs, you can [configure action buttons](#) on the Inquiry record page.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Configure Action Buttons on the Inquiry Record Page

Help your users to handle medical inquiries in an efficient and timely manner by customizing the target action of the New and Edit buttons on the Inquiry record page. This setup configures a multi-object Lightning component that enables users to manage both inquiry and case records in one go.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To configure action buttons:

Life Sciences Commercial Admin permission set

1. From Setup, open the Object Manager, and go to the Inquiry object.
2. Click **Buttons, Links, and Actions**.
3. For the New label, click , and then click **Edit**.
4. Under Lightning Experience Override, select **Lightning component**, and then select **Isc4ce:MultiEntityCreateOverride**.
5. If the Inquiry object has multiple record types, select **Skip record type selection page**.
6. Save your changes.
7. On the Buttons, Links, and Actions page, for the Edit label, click , and then click **Edit**.
8. Under Lightning Experience Override, select **Lightning component**, and then select **Isc4ce:MultiEntityEditOverride**.
9. Save your changes.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Set Up the Account Record Page for Medical Inquiries

Add tabs and Lightning components to the Account record page so that your sales representatives and medical science liaisons can easily manage and track all inquiries related to the healthcare professional.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up the Account record page:	Life Sciences Commercial Admin permission set
------------------------------------	---

Prerequisite: [Create a field set](#) for the Inquiry object.

1. From Setup, go to Object Manager, and select **Account**.
2. Under Lightning Record Pages, select the account record page and click **Edit**.
3. [Add a tab](#) named Inquiry.
4. Drag the Related List - Life Sciences component to the Inquiry tab, and then set up these fields.
 - Object Name: Inquiry
 - Field Set Name: Enter the name of the Inquiry field set.
 - Label: Inquiry
 - Icon Name: standard: work_plan_rule
 - Handler for update/delete: StandardUpdateDeleteHandler
 - Where Clause: Case.AccountId = '{recordId}'
 - Component name for the New action: StandardNewAction
 - Relationship Field API Name: Case.AccountId
 - View All Components: StandardViewAll
 - Show record count: True
5. Click **Activation**.
6. Click **Assign as Org Default**, and select **Desktop and Phone**.
7. Click **Next** and save your changes.

After you're done setting up Lightning components and tabs, you can [configure action buttons](#) on the Account record page.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)
[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Configure Action Buttons on the Account Record Page

Let users create medical inquiries directly from the Account record page rather than navigating to the Inquiry page. Add a button on the Account record page and make it easier for the sales representatives to get a better context of the healthcare professional while creating the inquiry.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To configure action buttons: Life Sciences Commercial Admin permission set

1. From Setup, open the Object Manager, and go to the Account object.
2. Click **Buttons, Links, and Actions**.
3. Create the action button.
 - a. Click **New Action**.
 - b. For Action Type, select **Lightning Component**, and then select **lsc4ce:CreateNewInquiry** as the lightning component.
 - c. Enter a label, name, and description for the action. We recommend naming the action button *New Inquiry*.
 - d. Save your changes.
4. Add the action to the layout.
 - a. Go to Page Layouts, and select the appropriate layout for the Account record page.
 - b. Click **Edit**, and select **Mobile and Lightning Experience Actions**.
 - c. Drag the New Inquiry action to the Salesforce Mobile and Lightning Experience Actions section.
 - d. Save your changes.

Depending on your business needs, you can also add a New Inquiry action button to the Visit record page using these steps.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Configure Support Process and Record Types for the Medical Inquiry Workflow

Create support process and record types for the objects used in the medical inquiry workflow. Assign profiles and page layouts to the record types to determine which one apply when users create, edit, or view records.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up record types and support processes: Life Sciences Commercial Admin permission set

1. To configure a tailored workflow with specific stages, create a support process for medical inquiries.
 - a. From Setup, in the Quick Find box, enter and select **Support Processes**.

- b. Click **New**.
- c. From Existing Support Process, select **Master**.
- d. Enter a name and description for the support process, and save your changes.
- e. Select the **Draft**, **Signed**, **Submitted**, **Assigned**, and **Responded** case statuses.
- f. Save your changes.
2. For the Case object, [create a record type](#) based on the support process that you created. We recommend naming the record type *Medical Inquiry*.
3. For the Inquiry object, [create a record type](#). We recommend naming the record type *Medical Inquiry*.
4. [Assign record type to profiles](#).

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Define Sharing Settings for Medical Inquiries

Promote effective management of medical inquiries by configuring sharing settings for the Inquiry Question object. This configuration makes sure that the inquiry question and its associated parent case have the same sharing settings.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create sharing settings:

Life Sciences Commercial Admin permission set

OR

Manage Sharing

1. From Setup, in the Quick Find box, enter and select **Sharing Settings**.
2. In the Organization-Wide Defaults section, click **Edit**.
3. For the Inquiry Question object, set the default internal and external access to **Controlled by Parent**.
4. Save your changes.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Create a Custom Field for Medical Inquiries

Set up a formula-derived custom field on the Inquiry object to capture your unique business data for medical inquiries. The field helps to achieve conditional display of action buttons based on the user profile or persona. This configuration promotes a seamless workflow by ensuring that sales representatives can only draft, sign, and submit medical inquiries whereas medical science liaisons can only assign and respond to the inquiries.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create a custom field:

Life Sciences Commercial Admin permission set

OR

Customize Application

1. From Setup, go to Object Manager, and select **Inquiry**.
2. Go to Fields & Relationships and click **New**.
3. Select **Formula** and click **Next**.
4. Enter a name for the field, such as *IsCreatorOrResponder*.
5. Select **Text** and click **Next**.
6. In the Simple formula section, [enter a formula](#) to assign text to the field based on the user profile. This example shows how to assign text for each profile.

```
IF($Profile.Name = '<Enter the profile name of Medical Science Liaison>',
  '<Text1>', IF($Profile.Name = '<Enter the profile name of Sales representati
ve>', '<Text2>', ''))
```

You can replace “Medical Science Liaison” and “Sales Representative” for “Text1” and “Text2.”

7. Click **Next**.
8. [Complete the custom field setup](#) and save your changes.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Set Up Workflow Actions for Medical Inquiry Management

Define relevant workflow actions for tasks that users must perform in the medical inquiry process, such as inquiry submission, assignment, and more. With the help of workflow actions, you can show contextual action buttons on the Inquiry record detail page depending on the current stage of the inquiry workflow. For example, the Submit button appears when the inquiry is ready to be submitted by the sales representative.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up workflow actions: Life Sciences Commercial Admin permission set

Prerequisite: Create a compliance statement definition record. Select Statement Type as Disclaimer and Module Type as Medical Inquiry. Add the disclaimer text in Statement Text.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Workflow Configuration**, and then select **Workflow Actions**.
3. On the Workflow Actions page, click **New** and select **Update Record**.
4. Create action buttons for submission, assignment, and response using these details.

	Submission Action	Assignment Action	Response Action
Action Name	Submit Medical Inquiry	Assign Medical Inquiry	Respond to Medical Inquiry
Button Label	Submit	Assign to Me	Move Status to Responded
Object	Inquiry	Inquiry	Inquiry
Field	Case ID	Case ID	Case ID
Parent Record Field	Status	Status	Status
New Field Value	Submitted	Assigned	Responded
Parameters	None	None	None

5. Save your changes.
6. On the Workflow Actions page, click **New** and select **Open Component**.
7. Create component actions for signature, response preference, and response using these details.

	Signature Action	Response Preference Action	Response Action
Action Name	Add Signature	Add Response Preference	Add Response
Button Label	Add Signature	Add Response Preference	Add Response
Object	Inquiry	Inquiry	Inquiry
Component Name	Isc4ce:InquirySignatureModal	Isc4ce:responsePreferenceSelector	Isc4ce:inquiryAnswerModal
Component Parameters	"status":"Signed","isTopicEnabled":true,"disclaimerText":"Disclaimer Text "	None	None

8. Save your changes.

9. Click **Deploy**.

The actions are active, and you can add them to a workflow path.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Set Up the Workflow Stages to Manage Medical Inquiries

Enhance efficiency, maintain compliance, and promote data integrity with configurable workflow paths. The workflow outlines the journey of an object through various stages and helps you manage the different statuses, actions, and record permissions. For the medical inquiry process, set up a workflow path based on the Inquiry object and its different stages.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up a workflow path:

Life Sciences Commercial Admin permission set

To create the workflow, add operations for each stage and define the permissions to create, edit, or delete records based on the user's role or context. Associate workflow actions to each operation, and set

up conditions that must be met to grant permissions and enable actions. The validations help control the visibility of responses, records, and fields.

Prerequisite: [Configure the required workflow actions for the medical inquiry process.](#)

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Create a Workflow Path

1. From the App Launcher, find and select **Admin Console**.
2. Select **Workflow Configuration**.
3. On the Workflow Paths screen, click **New**, and enter a name for the medical inquiry workflow.
4. From the Object API Name list, select **Inquiry**
5. From the Field API Name list, select **Status**.
6. Click **Continue**.

Set Up the Draft Status Stage

1. On the workflow screen, from the workflow path, select **Draft**.
2. Under Stage Operations, click  and enter a name for the operation. We recommend using *Medical Inquiry Draft*.
3. Select **Create**, **Edit**, and **Delete**.
4. Set the priority to 1, and save your changes.
5. Add actions to the stage operation.
 - a. Under Stage Operation Actions, click **Add Actions** and select **Open Component**.
 - b. Select the **Add Signature** and **Add Response Preference** actions.
 - c. Save your changes.
6. On the Stage Operation Conditions tab, add a condition with these values, if necessary.
 - a. For Field, enter the name of the [formula field](#) you created earlier.
 - b. For Operator, enter *Equals*.
 - c. For Value, enter the text that you configured as Text2 in the formula field.
 - d. Save your changes.
7. Under Other Permissions, select **Salesforce Files**, and then select **Create**, **Edit**, and **Delete**.
8. Create a child stage operation for managing inquiry questions.
 - a. Next to the Medical Inquiry Draft operation, click , and enter a name for the operation.
 - b. For the object, select **InquiryQuestion**, and select **Create**, **Edit**, and **Delete**.
 - c. Set the priority to 1, and save your changes.
9. Create a child stage operation for managing subject assignments.
 - a. Next to the Medical Inquiry Draft operation, click , and enter a name for the operation.
 - b. For the object, select **SubjectAssignment**, and select **Create**, **Edit**, and **Delete**.
 - c. Set the priority to 2, and save your changes.

Set Up the Signed Status Stage

1. On the workflow screen, from the workflow path, select **Signed**.
2. Under Stage Operations, click  and enter a name for the operation. We recommend using **Medical Inquiry Signed**.
3. Set the priority to 1, and save your changes.
4. Add actions to the stage operation.
 - a. Under Stage Operation Actions, click **Add Actions** and select **Update Record**.
 - b. Select the **Submit Medical Inquiry** action.
 - c. Save your changes.
5. On the Stage Operation Conditions tab, add a condition with these values.
 - a. For Field, enter the name of the **formula field** you created earlier.
 - b. For Operator, enter *Equals*.
 - c. For Value, enter the text that you configured as Text2 in the formula field.
 - d. Save your changes.
6. Under Other Permissions, select **Salesforce Files**.
Don't select **Create**, **Edit**, or **Delete**.
7. Create a child stage operation for managing inquiry questions.
 - a. Next to the Medical Inquiry Signed operation, click , and enter a name for the operation.
 - b. For the object, select **InquiryQuestion**.
Don't select **Create**, **Edit**, or **Delete**.
 - c. Set the priority to 1, and save your changes.
8. Create a child stage operation for managing subject assignments.
 - a. Next to the Medical Inquiry Signed operation, click , and enter a name for the operation.
 - b. For the object, select **SubjectAssignment**.
Don't select **Create**, **Edit**, or **Delete**.
 - c. Set the priority to 2, and save your changes.

Set Up the Submitted Status Stage

1. On the workflow screen, from the workflow path, select **Submitted**.
2. Under Stage Operations, click  and enter a name for the operation. We recommend using **Medical Inquiry Submitted**.
3. Set the priority to 1, and save your changes.
4. Add actions to the stage operation.
 - a. Under Stage Operation Actions, click **Add Actions** and select **Update Record**.
 - b. Select the **Assign Medical Inquiry** action.
 - c. Save your changes.
5. On the Stage Operation Conditions tab, add a condition with these values.
 - a. For Field, enter the name of the **formula field** you created earlier.
 - b. For Operator, enter *Equals*.
 - c. For Value, enter the text that you configured as Text1 in the formula field.
 - d. Save your changes.
6. Under Other Permissions, select **Salesforce Files**.

Don't select **Create**, **Edit**, or **Delete**.

7. Create a child stage operation for managing inquiry questions.
 - a. Next to the Medical Inquiry Submitted operation, click , and enter a name for the operation.
 - b. For the object, select **InquiryQuestion**.
Don't select **Create**, **Edit**, or **Delete**.
 - c. Set the priority to 1, and save your changes.
8. Create a child stage operation for managing subject assignments.
 - a. Next to the Medical Inquiry Submitted operation, click , and enter a name for the operation.
 - b. For the object, select **SubjectAssignment**.
Don't select **Create**, **Edit**, or **Delete**.
 - c. Set the priority to 2, and save your changes.

Set Up the Assigned Status Stage

1. On the workflow screen, from the workflow path, select **Assigned**.
2. Under Stage Operations, click  and enter a name for the operation. We recommend using **Medical Inquiry Assigned**.
3. Set the priority to 1, and save your changes.
4. Add actions to the stage operation.
 - a. Under Stage Operation Actions, click **Add Actions** and select **Update Record**.
 - b. Select the **Respond to Medical Inquiry** action.
 - c. Save your changes.
 - d. Under Stage Operation Actions, click **Add Actions** and select **Open Component**.
 - e. Select the **Add Response** action that you created earlier.
 - f. Save your changes.
5. On the Stage Operation Conditions tab, add a condition with these values.
 - a. For Field, enter the name of the [formula field](#) you created earlier.
 - b. For Operator, enter *Equals*.
 - c. For Value, enter the text that you configured as Text1 in the formula field.
 - d. Save your changes.
6. Under Other Permissions, select **Salesforce Files**.
Don't select **Create**, **Edit**, or **Delete**.
7. Create a child stage operation for managing inquiry questions.
 - a. Next to the Medical Inquiry Assigned operation, click , and enter a name for the operation.
 - b. For the object, select **InquiryQuestion**.
Don't select **Create**, **Edit**, or **Delete**.
 - c. Set the priority to 1, and save your changes.
8. Create a child stage operation for managing subject assignments.
 - a. Next to the Medical Inquiry Assigned operation, click , and enter a name for the operation.
 - b. For the object, select **SubjectAssignment**.
Don't select **Create**, **Edit**, or **Delete**.
 - c. Set the priority to 2, and save your changes.

Set Up the Responded Status Stage

1. On the workflow screen, from the workflow path, select **Responded**.
2. Under Stage Operations, click  and enter a name for the operation. We recommend using **Medical Inquiry Responded**.
3. Set the priority to 1, and save your changes.
4. Create a child stage operation for managing inquiry questions.
 - a. Next to the Medical Inquiry Responded operation, click , and enter a name for the operation.
 - b. For the object, select **InquiryQuestion**.
Don't select **Create**, **Edit**, or **Delete**.
 - c. Set the priority to 1, and save your changes.
5. Create a child stage operation for managing subject assignments.
 - a. Next to the Medical Inquiry Responded operation, click , and enter a name for the operation.
 - b. For the object, select **SubjectAssignment**.
Don't select **Create**, **Edit**, or **Delete**.
 - c. Set the priority to 2, and save your changes.

Activate the Workflow

1. On the workflow screen, click **Activate**.
2. Save your changes.
The medical inquiry workflow is ready for use to manage inquiries.

Depending on your business needs, configure custom scripts and associate the scripts with the workflow.

- [Set up validation scripts](#) to run each time a user performs an action and to prevent incorrect actions or alert users about errors.
- [Set up checklist scripts](#) to show an information icon for users to see the next steps to take.

Batch Jobs for Medical Inquiries

Batch jobs are automated processes designed to share and manage multiple medical inquiry records consistently and efficiently. Save time, reduce the risk of manual errors, and maintain the integrity and reliability of inquiry data by using the MIRF Share Management job.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

You can find the job under Territories in the Admin Console. Depending on your business needs, you can either trigger the job immediately or schedule it for later. For more information on how to run or

schedule a job, see [Run Batch Jobs](#).

Job NAME	Description
MIRF Share Management	Shares all inquiry records within a territory to all sales representatives under that territory. Run this job after the Align Account to Territory job.

See Also

[Salesforce Help: Create and Submit a Medical Inquiry](#)

[Salesforce Help: Review and Respond to a Medical Inquiry](#)

Medical Insights

Use Medical Insights to provide field teams a structured way to capture and share insights from their engagements with HCPs and HCOs. Show relevant insight data for collaboration through customized record pages with specific field sets and related lists. Streamline the user workflow by creating quick actions and defining granular permissions to control how users interact with insights.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud and the Life Sciences Cloud for Customer Engagement Add-On license

[Get Your Org Ready for Medical Insights](#)

Before you set up Medical Insights in the Life Sciences Cloud, make sure that you enable all the necessary system components and data structures.

[Add Medical Insights Tab to App Launcher](#)

Make Medical Insights available to users by adding a tab in the Life Sciences mobile app. This tab enables users to view their insights as well as insights captured by the same profile within their territories.

[Configure Medical Insights Objects](#)

Configure Medical Insight and Medical Insight Accounts objects by customizing the record page layout and creating required field sets. This customization makes sure that users see relevant medical insights data on Account and Visit records.

[Customize Medical Insights Record Page](#)

Customize the Medical Insights record page by changing the template and removing the Activity component to provide a seamless user experience when navigating medical insights.

[Customize Account and Visit Record Pages](#)

Add necessary components to capture insights from these Account and Visit record pages.

[Configure Insights](#)

Configure the settings in Admin Console to enable users to capture insights, add more details and

mandate certain required fields before saving them.

Manage Insights Quick Actions

Configure the quick actions to allow users to capture medical insights directly from the Home, Account, and Visit pages.

Get Your Org Ready for Medical Insights

Before you set up Medical Insights in the Life Sciences Cloud, make sure that you enable all the necessary system components and data structures.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To get your org ready for medical insights:	Life Sciences Commercial Admin permission set
---	---

- Configure database schema for the supported Medical Insights objects.
 - Account
 - User
 - UserReaction
 - MedicalInsight
 - MedicalInsightAccount
 - MedicalInsightProduct
 - Subject
 - SubjectAssignment
- Activate the [Medical Insights trigger handlers](#).
 - PublishMedicalInsightEventHandler
 - RecalculateParentLinkedInsightsHandler
 - MedicalInsightSharingHandler
 - UserReactionMedicalInsightHandler
 - RecalculateInsightTopicNameHandler
 - InsightCascadeDeleteTriggerHandler
 - TopicValidationHandler

See Also

[Salesforce Help: Trigger Handler Administration](#)

[Salesforce Help: Create Object Metadata Cache Configuration](#)

Add Medical Insights Tab to App Launcher

Make Medical Insights available to users by adding a tab in the Life Sciences mobile app. This tab enables users to view their insights as well as insights captured by the same profile within their territories.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To add medical insights tab to App Launcher:	Life Sciences Commercial Admin permission set
--	---

1. From Setup, in the Quick Find box, find and select **App Manager**.
2. Go to Life Sciences Commercial in the list.
3. Click the  icon, and select Edit.
4. Select Navigation Items from the App Settings section.
5. Find and select Medical Insights from Available Items. Move it to Selected Items.
6. Save your changes.

Configure Medical Insights Objects

Configure Medical Insight and Medical Insight Accounts objects by customizing the record page layout and creating required field sets. This customization makes sure that users see relevant medical insights data on Account and Visit records.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To configure medical insights objects:	Life Sciences Commercial Admin permission set
--	---

1. From Setup, go to Object Manager.
2. In the **Medical Insight** object, find and select **Page Layout**.
 - a. Select medical insight layout from the list.
 - b. Select and drag Medical Insight Accounts, Medical Insight Products, Subject Assignments and User

Reactions from the component palette onto the record page's Related Lists section.

3. Select **Field Sets** to [create a field set](#) linking visits and medical insights.
 - a. Enter **VisitInsightsRLFieldSet** as the label.
 - b. Drag and drop Name, Source Type and Content into the field set.
 - c. Save your changes.
4. Repeat the above step for the **Medical Insight Accounts** object to create a field set linking accounts and medical insights. However, enter **AccountInsightsRLFieldSet** as the label and drag Name, Medical Insight and Reason Type into the field set.

Customize Medical Insights Record Page

Customize the Medical Insights record page by changing the template and removing the Activity component to provide a seamless user experience when navigating medical insights.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To customize medical insights record page:	Life Sciences Commercial Admin permission set
--	---

1. From the App Launcher, find and select **Medical Insights**.
2. Select a record from the list.
3. Click the  icon, and then select **Edit Page**.
4. To change the template, select the current page template and click the **Change** button next to the Template value.
 - a. Select **Header and One Region** template.
 - b. Click **Next** and then **Done**.
5. To remove the Activity component, select the component and click the  icon on the component's upper right corner.
6. Save your changes.
7. If prompted, activate the updated record page.
 - a. Assign the page to apps, record types and profiles.
 - b. Select Life Sciences Commercial for app and desktop and phone for the app's form factors.
 - c. Select master record type.
 - d. Select system administrator and medical sales representative profiles.
 - e. Review the assignments and save.

Customize Account and Visit Record Pages

Add necessary components to capture insights from these Account and Visit record pages.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To customize account and visit record pages: Life Sciences Commercial Admin permission set

1. From the App Launcher, find and select **Accounts** tab in the Life Sciences Commercial app.
2. Select a record from the list.
3. Click the  icon, and then select **Edit Page**.
4. Select the **Related** tab on the page canvas.
5. Add the list component to the tab.
 - a. Select **Related List – Life Sciences** in the left component panel.
 - b. Drag and drop it into the Related List tab.
6. Configure the component by selecting it and entering the following values in the right panel.
 - **Object API Name:** MedicalInsightAccount
 - **Field Set API Name:** AccountInsightsRLFieldSet
 - **Label API Name:** Medical Insights
 - **Where Clause:** MedicalInsightAccount.AccountId = '{recordId}'

Clear the value in **New Action Handler API Name** field and select the show record count check box.
7. Save your changes.
8. If prompted, activate the updated record page.
 - a. Assign the page to Life Sciences Commercial App for Desktop and Phone for relevant profiles and record types.
 - b. Review the assignments and save.
9. Repeat the above steps for **Visits** tab. However, enter the following values for configuring the component.
 - **Object API Name:** MedicalInsight
 - **Field Set API Name:** VisitInsightsRLFieldSet
 - **Label API Name:** Medical Insights
 - **Where Clause:** MedicalInsight.VisitId = '{recordId}'

Configure Insights

Configure the settings in Admin Console to enable users to capture insights, add more details and mandate certain required fields before saving them.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To configure medical insights:	Life Sciences Commercial Admin permission set
--------------------------------	---

1. From App Launcher, find and select **Admin Console**.
2. Select **Insights** and then select **Insight Settings**.
3. Apply settings to the required profile selected from the drop down.
4. Configure the required permissions by selecting the check boxes.
 - a. Enable users to capture insights from the account page using a button.
 - b. Add the associated product to an insight. Hide an insight's associated account and tag when displaying the details of an insight.
 - c. Make sure that users can save insights only if they add details like account, product and tag.

Manage Insights Quick Actions

Configure the quick actions to allow users to capture medical insights directly from the Home, Account, and Visit pages.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage insights quick actions:	Life Sciences Commercial Admin permission set
-----------------------------------	---

1. From App Launcher, find and select **Admin Console**.
2. Select **Quick and Custom Action Administration** and then select **Quick Actions**.
3. To create a quick action, click **New**.
 - a. Add details like name and label.
 - b. Select Create Medical insights from the action name drop down.
 - c. For Sort Order, enter a suitable number to manage the order of displaying quick actions.
 - d. For Profiles, select System Administrator and Medical Sales Representative from Available and move them to Chosen.

4. Add the quick action to various touch points.
 - a. To capture insights from the Home page, select it as the location.
Restrict capturing insights to the mobile app by selecting the mobile only check box.
 - b. To capture insights from an Account record page and the custom Visits page, select Search for the location and Account from the SObject drop down.
 - c. To capture insights from the standard Visit Record Page, select Visit for the location and SObject drop down.

Remote Engagement

Remote engagement facilitates virtual meetings by providing tools to start and manage remote visits with healthcare professionals. When users schedule remote visits, healthcare professionals receive invitations with the necessary details such as the meeting link and passcode. During the meeting, users can manage participants, share screens, and end the session, streamlining virtual interactions and eliminating the need for in-person visits.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Remote Engagement Permissions

Discover the permissions used to provide access to remote engagement capabilities within Life Sciences for Customer Engagement.

Set Up Remote Engagement

Configure video call settings, add phone numbers, and define terms and conditions. Set up remote engagement trigger handlers to generate session keys and passcodes and send invitation emails. Update external credential details and add authentication parameters for video call connections. Add Twilio WSS endpoints as trusted URLs and set up Experience Cloud sites for customer access to remote engagement visits.

Mobile Configuration for Remote Engagement

Set up object metadata cache configurations for Life Sciences remote engagement objects. Generate a metadata cache to package the object schema configuration that the Life Sciences Cloud mobile app uses for online and offline access. This configuration defines how the mobile app fetches and stores the necessary metadata when a network connection is unavailable.

Remote Engagement Permissions

Discover the permissions used to provide access to remote engagement capabilities within Life Sciences for Customer Engagement.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Org Permissions

Permission	Type	Description
Life Sciences: Remote engagement	Permission	Makes the Remote Engagement feature and its objects available.

User Permissions

Permission	Type	Purpose
Use Life Sciences Remote Engagement	Permission	Provides access to the Remote Engagement feature and its objects.
Life Sciences Commercial Admin	Permission set	Admin users can create and manage settings for remote engagement.
Access Remote Engagement for Digital Experience	Permission set	Provides access to remote engagement features in digital experiences.

Set Up Remote Engagement

Configure video call settings, add phone numbers, and define terms and conditions. Set up remote engagement trigger handlers to generate session keys and passcodes and send invitation emails. Update external credential details and add authentication parameters for video call connections. Add Twilio WSS endpoints as trusted URLs and set up Experience Cloud sites for customer access to remote engagement visits.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

package.

1. **Create a Remote Engagement Channel Value**

To represent a remote visit conducted via video call, add a new value to the Channel field on the Visit object. This field is a dynamic enum and is used by the application to determine the visit communication type. The new channel value is used to configure video call settings.

2. **Set Up Experience Cloud Sites for Remote Engagement**

Set up a customer portal for your Salesforce org so attendees can join video calls. To support portal access, create a profile and add it as a member to the portal. Grant users access by using the Access Remote Engagement for Digital Experience permission set.

3. **Set Up Twilio for Remote Engagement**

The Life Sciences Customer Engagement managed package includes named and external credentials for the Twilio account. Finish setting up the account by updating the external credential details. Make sure that participants can connect to the video call by adding Twilio WSS endpoints as trusted URLs in your Salesforce org. Use the Admin Console to define video call settings and add phone numbers.

4. **Remote Engagement Admin Console Settings**

Enable remote engagement trigger handlers to generate session keys and passcodes. Set up email templates to send invitation emails to attendees. Add a quick action to support ad hoc remote sessions for accounts.

5. **Configure Video Call Terms and Conditions**

Add terms and conditions that participants see and must accept upon joining a video call.

6. **Add the Video Call Recordings List to the Visit Page**

To make video call recordings for visits available to your users, add a related list to the visit record page.

Create a Remote Engagement Channel Value

To represent a remote visit conducted via video call, add a new value to the Channel field on the Visit object. This field is a dynamic enum and is used by the application to determine the visit communication type. The new channel value is used to configure video call settings.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create field picklist values:

Customize Application

1. In Object Manager, find and select **Visit**.
2. Select **Fields & Relationships**, and then select **Channel**.
3. In the Channel Picklist Values section, select **New**.

4. Enter a value for the option. For example, Video Call or Remote.
5. Save the picklist value.

Set Up Experience Cloud Sites for Remote Engagement

Set up a customer portal for your Salesforce org so attendees can join video calls. To support portal access, create a profile and add it as a member to the portal. Grant users access by using the Access Remote Engagement for Digital Experience permission set.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Create an Experience Cloud Site for Remote Engagement

To support attendees joining a video call remote session via the Experience Cloud site, configure the site.

Grant Accounts Access to Your Experience Cloud Site

To give users access to your customer portal for remote engagement or presentations, create a profile and add it as a member to your Experience Cloud site. If you skip these steps, healthcare professionals (HCPs) can still join remote sessions or view presentations as guest users.

Create an Experience Cloud Site for Remote Engagement

To support attendees joining a video call remote session via the Experience Cloud site, configure the site.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create an Experience Cloud site:

Create and Set Up Experiences

AND

Setup and Configuration

USER PERMISSIONS NEEDED

To customize or publish an Experience Cloud site:

Create and Set Up Experiences AND View Setup and Configuration AND be a member of the site

OR

View Setup and Configuration AND be a member of the site AND have appropriate role-based site access

To assign Permission sets:

Manage Profiles and Permission Sets

Before you create an Experience Cloud site, [configure Twilio credentials](#) and [enable digital experiences](#).

1. [Create an Experience Cloud site](#) by using an Aura Template.
If you already created an [Experience Cloud site for the presentation player](#), you can add new pages to that site instead.
2. From Builder, create a page for the video call.
3. Select **Components** and then drag the **HCP Remote Platform Conference** component onto the page. The HCP Remote Platform Conference component is under Custom Components. You can also find it through the search bar.
4. For language support, select **Components** and drag the **Language Selector** component onto the page.
5. To support viewing video call recordings, create a video call player page.
 - a. Select **Components** and then drag the **recordingPlayer** component onto the page.
 - b. From Setup, in the Quick Find box, enter *Trusted URLs*, and then select **Trusted URLs**.
 - c. Select **New Trusted URL**.
 - d. Enter an API name and in the URL field enter *https://*.amazonaws.com*.
 - e. Select **Active**.
 - f. Set the CSP Context to **All**, and then select **media-src (audio and video)**.
 - g. Save your changes.
6. In Properties, set Page Access to Public.
7. Publish the site.
8. Assign these permission sets to the guest user of the site.
 - Access Remote Engagement for Digital Experience
 - The permission set created in Configure Twilio Credentials
9. Activate the site.



Tip Take note of the video call page URL. You need it when you [configure video call settings](#). You can view the URL of the published page in the Builder's general settings for the page.

See Also

[Customize Sites with Experience Builder](#)

[Manage Your Site's Pages and Their Properties in Experience Builder](#)

Grant Accounts Access to Your Experience Cloud Site

To give users access to your customer portal for remote engagement or presentations, create a profile and add it as a member to your Experience Cloud site. If you skip these steps, healthcare professionals (HCPs) can still join remote sessions or view presentations as guest users.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create or edit profiles:	Manage Profiles and Permission Sets
To create an Experience Cloud Site	Create and Set Up Experiences
	AND
	Setup and Configuration

If you have one Experience Cloud site for remote engagements and for healthcare professionals (HCPs) to view presentations, you only need to perform these steps once.

1. Create a profile.
 - a. Clone a standard external profile like Customer Community Plus User or Customer Community Plus Login User.
 - b. Name the new profile *HCP User*.
 - c. Save the profile.
2. Add the profile to the Experience Cloud site.
 - a. From Setup, in the Quick Find box, enter *Feature Settings*, and then select **Feature Settings**.
 - b. Go to Digital Experiences and select **All Sites**.
 - c. For your site, select **Workspaces**.
 - d. Select the **Administration** tile, then select **Members**.
 - e. In Select Profiles, use Customer in search to narrow results.
 - f. Add the profile that you created earlier to Selected Profiles.
 - g. Save the changes.

Set Up Twilio for Remote Engagement

The Life Sciences Customer Engagement managed package includes named and external credentials for the Twilio account. Finish setting up the account by updating the external credential details. Make sure that participants can connect to the video call by adding Twilio WSS endpoints as trusted URLs in your

Salesforce org. Use the Admin Console to define video call settings and add phone numbers.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Configure Twilio Credentials

Twilio's named and external credentials are delivered in the Life Sciences Cloud for Customer Engagement managed package. To finalize the setup, add authentication parameters such as the Twilio account ID, authorization token, API key, and secrets.

Assign Trusted Twilio URLs

To support attendees connecting to the video call, add Twilio WSS endpoints as trusted URLs in your Salesforce org.

Configure Video Call Settings with Twilio

To support remote sessions with Twilio, configure video call settings in the Admin Console. These settings help you define and manage specific details about how your users access and interact with remote sessions.

Add Video Call Phone Numbers for Twilio

To allow remote users to join meetings from their phones, define dial-in options for Twilio.

Configure Twilio Credentials

Twilio's named and external credentials are delivered in the Life Sciences Cloud for Customer Engagement managed package. To finalize the setup, add authentication parameters such as the Twilio account ID, authorization token, API key, and secrets.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create, edit, or delete external credentials:	Manage Named Credentials or Customize Application
--	---

1. From Setup, in the Quick Find box, enter *Named Credentials*, and then select **Named Credentials**.
2. Select **External Credentials**, and then select **Twilio External Credentials**.

3. In the Principals section, use the dropdown to edit Twilio credentials.
4. In the Authentication Parameters section, add these parameters.

Parameter Name	Parameter Value
<code>accountId</code>	Enter the Twilio account ID (Account SID).
<code>authToken</code>	Enter the Twilio authorization token (Auth Token).
<code>apiKey</code>	Enter the Twilio API key.
<code>secret</code>	Enter the Twilio API secret.
<code>awsAccessKeyId</code>	Enter the aws s3 access key for reading the recording files.
<code>awsSecret</code>	Enter the aws s3 secret for reading the recording files.



Note The `awsAccessKeyId` and `awsSecret` are required only if Twilio compositions are configured to be stored on an external s3 bucket. If you use the s3 bucket, the policy for the access key must have read access to recording files.

5. Save your work.
6. Create a permission set that provides access to Twilio credentials.
 - a. Create a permission set
 - b. Select **External Credential Principal Access**, and then select **Edit**.
 - c. Move **twilioExternalCredential - Twilio Credentials** from Available External Credential Principals to Enabled External Credential Principals, and then select **Save**.
 - d. Select **Permission Set Overview**, and then select **Object Settings**.
 - e. Select **User External Credentials**, and then select **Edit**.
 - f. Enable Read permissions, and then save your work.
 - g. Assign the permission set to users who work with video calls.

See Also

[Named Credentials](#)

[Create Permission Sets](#)

Assign Trusted Twilio URLs

To support attendees connecting to the video call, add Twilio WSS endpoints as trusted URLs in your Salesforce org.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create, read, update, and delete trusted URLs:

Customize Application

AND

Modify All Data

1. From Setup, in the Quick Find box, enter *Trusted URLs*, then select **Trusted URLs**.
2. Select **New Trusted URL**.
3. Enter an API name, set the URL to *wss://global.vss.twilio.com*, and verify that the URL is set to Active.
4. Set the CSP Context to Experience Builder Sites, and set the CSP Directive to **connect-src (scripts)**.
5. Select **Save & New**.
6. Similarly, add *wss://sdkgw.us1.twilio.com* as a trusted URL.
7. Save your work.

See Also

[Manage Trusted URLs](#)

Configure Video Call Settings with Twilio

To support remote sessions with Twilio, configure video call settings in the Admin Console. These settings help you define and manage specific details about how your users access and interact with remote sessions.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage video call settings

Life Sciences Commercial Admin permission set

1. From the App Launcher, find and select *Life Sciences Commercial*, and then select **Admin Console**.
2. Select **Remote Engagement**, and then select **Twilio Settings**.
3. Set the required video call fields.

Field	Value
Remote Visit Channel	Select the value added in Create a Remote Engagement Channel Value .
Video Call Link	Enter the URL of the video call Experience Cloud site page created in Create an Experience Cloud Site for Remote Engagement .

4. To include a link to your organization's general video call scheduling location, enter it in the Customer Video Call Link field.
5. Configure the settings for meeting invitations and messaging to meet your business needs.
 - **Send invitations with WhatsApp:** The host can send invitations through their WhatsApp account from the remote player.
 - **Don't send invitations for ad-hoc visits:** Prevent sending invitations for spontaneous (ad hoc) visits.
 - **Don't send invitations for past visits:** Prevent sending invitations for visits scheduled in the past.
6. Configure the settings for the video call experience based on your business needs.
 -  **Note** You can set these attendee settings only at the org level or guest user profile level.
 - **Attendees can share their screens**
 - **Hosts can record video calls**
 - **Attendees' microphone on by default:** Automatically turn on the participant's microphone when they join the remote session.
 - **Attendees' cameras on by default:** Automatically turn on the participant's camera when they join the remote session.
 - **Use unsupported browsers:** Unsupported browsers can still join remote sessions.
7. Configure the settings to capture signatures or consent from attendees during the session. If needed, [set up confirmation emails](#) to send personalized follow-ups after capturing HCP consent preferences or signatures.
 - **Remote signatures:** Hosts can trigger remote requests during the session to capture signatures for direct-to-practitioner products, samples, or product discussions.
 - **Remote consent:** Capture consent remotely during video calls.
8. Save the video call settings.

See Also

[Configure a Custom Domain for Your Experience Cloud Site](#)

Add Video Call Phone Numbers for Twilio

To allow remote users to join meetings from their phones, define dial-in options for Twilio.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage video call phone numbers: Life Sciences Commercial Admin permission set

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Remote Engagement**, and then select **Twilio Dial-In Settings**.
3. Select **New**.
4. Enter a name, country, and the phone number for dial-in users.



Note Make sure that you enter the phone number exactly as it appears in Twilio, including the country code. For example, for a phone number with the country code "1" format it as: +17775555454.

5. If applicable, select **Toll Free**.
6. If needed, enter messages to show to participants. All messages support speech-to-text.
 - Welcome Message
 - Error Message
 - Timeout Message
 - Room Not Started Message
7. Save your work.
8. Select **Activate** from the dropdown for the dial-in setting.

Remote Engagement Admin Console Settings

Enable remote engagement trigger handlers to generate session keys and passcodes. Set up email templates to send invitation emails to attendees. Add a quick action to support ad hoc remote sessions for accounts.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

[Set Up Remote Engagement Trigger Handlers](#)

To generate session keys and passcodes and send invitation emails to attendees, use remote engagement trigger handlers.

[Set Up Invitation Emails](#)

Automatically send invitation emails to attendees when a planned visit record is created. Send additional emails notifying attendees of any changes to the visit.

[Manage the Start Remote Session Quick Action](#)

To support starting ad-hoc remote sessions from account records, configure the Start Remote Session action.

Set Up Remote Engagement Trigger Handlers

To generate session keys and passcodes and send invitation emails to attendees, use remote engagement trigger handlers.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage trigger handlers:	Life Sciences Commercial Admin permission set
-----------------------------	---

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**
2. Select Trigger Handler Administration.
3. Turn on these trigger handlers:

Trigger Handler Name	Object
RemoteSessionInvitationPVHandler	Provider Visit
RemoteSessionInvitationVisitHandler	Visit

Set Up Invitation Emails

Automatically send invitation emails to attendees when a planned visit record is created. Send additional emails notifying attendees of any changes to the visit.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create, edit, and delete email templates:	Life Sciences Commercial Admin permission set
--	---

Create an email template. You can include information about the video call invitation URL

`{{remotesession.url}}`, the phone access number

`{{remotesession.phoneNumbersForEmail}}` in the email template body. You can also include the phone access number `{{remotesession.phoneNumbersForICS}}` in the iCalendar description.

Here's an example of an invitation email template that includes the URL and phone number:

```
Dear {{recipient.firstname}} {{recipient.lastname}},

    {{sender.name}} scheduled a call with you on {{visit.PlannedVisitStartTime}}.

    You can access it using the link: {{remotesession.url}}

    Alternatively, you can dial in to the call: {{remotesession.phoneNumbersForEmail}}.

    Thank you,
    {{sender.name}}
```

When you attach iCalendar files to email templates, the email invitations use the Life Sciences email address for RSVPs. After recipients accept or reject invitations, responses are sent to the RSVP address, and the response status is updated on the related Life Sciences Email records.

1. Make sure that your org uses the Life Sciences RSVP email address.
 - a. From Setup, in the Quick Find box, find and select **Life Sciences for Customer Engagement Setup**.
 - b. Verify that the RSVP email address is turned on.
2. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
3. Select **Email**, and then **Email Templates**.
4. Select **New Email Template**.
5. Upload a ZIP file of the email template.
6. Enter a subject, name, effective start and end dates, and these additional values.

Field	Value
Automated Email Invitation Context	Provider Visit
Automated Email Invitation Action	Create
Template for automated emails	Selected
Attach iCalendar file	Selected
iCalendar Description	Enter a description to include in the iCalendar attachment.

7. Select **Upload and Save**.
8. In the list view, select the template you created, and then select **Edit**.

9. Align the email template to the territories of the users associated with the template.
10. Save and activate the template.
11. Similarly, create two more templates for the *Update* and *Cancel* automated email invitation action types.

See Also

[Upload and Create Email Templates](#)

Manage the Start Remote Session Quick Action

To support starting ad-hoc remote sessions from account records, configure the Start Remote Session action.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage the start remote session quick action:

Life Sciences Commercial Admin permission set

AND

Customize Application

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Quick and Custom Action Administration**, and then select **Quick Actions**.
3. From the dropdown for the Start Remote Session action, select **Edit**.
4. Enter a label and set the location to *Search*.
5. Enter a value for the sort order and select the profiles and permission sets that can access the quick action.
6. In the SObject field, select **Account**.
7. (Optional) If you use account record types in your org, select the record types that can use the quick action.
8. Save your work.

See Also

[Quick and Custom Action Management](#)

Configure Video Call Terms and Conditions

Add terms and conditions that participants see and must accept upon joining a video call.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage video call settings:	Life Sciences Commercial Admin permission set
--------------------------------	---

To create, edit, or delete library permissions:	Manage Content OR Manage Salesforce CRM Content
---	---

To create libraries:	Create Libraries OR Manage Salesforce CRM Content
----------------------	---

Before you configure the video call terms and conditions, [create a remote engagement Experience Cloud site](#).

1. From Setup, in the Quick Find box, enter *CRM content*, and then select **Salesforce CRM Content**.
 2. Enable Salesforce CRM.
 3. From the App Launcher, find and select **Files**, and then select **Libraries**.
 4. Create a new library called *Terms and Conditions*.
 5. Open the Terms and Conditions library, and then select **Add Files**.
 6. Upload a file that contains your terms and conditions. To make sure that the file is used for the correct user language, make sure the filename has the language appended and saved in the .html format. For example, for US terms and conditions in English, use `Terms_en_us.html`.
-  **Tip** To support terms and conditions in multiple languages, make sure that the Language Selector component is added to the Experience Cloud site and that the additional terms and conditions files are uploaded to the library.
7. On the Terms and Conditions library page, select **Manage Members**.
 8. Grant viewer access to Experience Cloud site users and guest users.
 9. Open your Experience Cloud site in Builder, and then edit the video call page.
 10. Select the **HCP Remote Platform Conference** component and in the Enter the Terms and Conditions Base Name field, enter *Terms*.
 11. Save and activate the page.

Add the Video Call Recordings List to the Visit Page

To make video call recordings for visits available to your users, add a related list to the visit record page.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To edit the visit page layout:

Life Sciences Commercial Admin permission set

AND

Customize Application

1. From the Setup menu on a visit record page, select **Edit Page**.
2. Drag the **Video Call Recording** List component to the related lists section of the page.
3. Configure the page properties.
 - **Enable Play Recording Action:** Makes the Play button available for users.
 - **Enable Refresh Recording Link Action:** Supports generating a new link if the current video call link expires.
 - **Enable Copy Recording Link Action:** Makes the Copy Link button available to users.
 - **Enable Toggle Access Action:** Makes the Change Recording Access button available to users.
4. Save your work.

Mobile Configuration for Remote Engagement

Set up object metadata cache configurations for Life Sciences remote engagement objects. Generate a metadata cache to package the object schema configuration that the Life Sciences Cloud mobile app uses for online and offline access. This configuration defines how the mobile app fetches and stores the necessary metadata when a network connection is unavailable.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up Life Sciences Customer Engagement data: Life Sciences Commercial Admin permission set

To set up offline access for the objects that support remote engagement in the Life Sciences Cloud mobile app, create these object metadata cache configurations. Make sure that you also set up offline access for other areas of the app, such as [visits](#), [presentations](#), [emails](#), and [consent](#).

Object	Type
VideoCall	Data
VideoCallParticipant	Data
VideoCallPtcpSession	Data
VideoCallRecording	Data

 **Important** After you create these configurations, you must generate a metadata cache. This step is important because it makes sure that the mobile app accesses the latest metadata definitions, including any schema changes for supported objects.

See Also

[Create Object Metadata Cache Configuration](#)
[Generate Metadata Cache](#)

Surveys

Surveys enable you to design and distribute questionnaires to gather structured feedback from healthcare professionals. Use this data to analyze behavioral trends, monitor patient-related outcomes, and strengthen provider relationships. These insights support innovation, treatment planning, and strategic decision-making.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Survey Sharing Strategy

Send surveys to a specific account or territory. Create a record of the Survey Subject object that links your survey invitation to relevant users or groups.

The `SurveyInvitationSharingHandler` is a trigger handler on the `Survey Subject` object. It runs automatically whenever a new `Survey Subject` record is created or an existing one is updated. This trigger's purpose is to automatically create `Survey Invitation Share` records based on one of three distinct strategies, which convey the sharing logic.

- - **Account-Based Sharing:** When you link a `Survey Subject` record to an account, the trigger handler automatically creates `Survey Invitation Share` records for users or territories listed in the related account's `Account Share` records. This logic doesn't apply to records where the `rowCause` field is set to `Owner`.
- - **Life Sciences Marketable Product-Based Sharing:** When you link a `Survey Subject` record to a `Life Sciences Marketable Product`, the trigger creates corresponding `Survey Invitation Share` records for accounts or territories. The product availability and the alignment type (such as `Territory Subordinates`, `Territory Inclusion`, or `Territory Exclusion`) is determined based on the `Product Territory Availability` object to create these records.
- - **Territory-Based Sharing:** When a `Survey Subject` record is linked to a territory, the trigger creates `Survey Invitation Share` records for that territory and its subordinates.

The `Survey Engagement Context` and `Survey Response Offline` objects follow a delegate-sharing model, where their sharing is delegated to the `Survey Invitation` object. This behavior is governed by the `LifeSciCustEngmtBase` org preference, which, when enabled, activates the delegate sharing mechanism.

Survey Listing Strategy

The `SurveyListView` Lightning component is used on an account or account plan page to show survey invitations. This component shows all invitations associated with a specific account or account plan, as well as those available within a territory. Survey invitations appear to users in two primary ways.

- **For a Specific Account:** To show invitations for a particular account, create records for the `Survey Invitation`, `Account`, and `Survey Subject` objects. The `Survey Subject` record links the account and the survey invitation.
- **For a Territory:** To show invitations available within a territory, create records for the `Survey Invitation`, `Survey Subject`, and `Survey Engagement Context` objects. The `Survey Engagement Context` record controls where invitations appear. For example, if you set `contextType` to `Account`, invitations show for all accounts within that territory. For an account plan, set `contextType` to `AccountPlan`.

Enable retaking the same survey version, enabling users to retake the survey. The retake link becomes active when you enable this feature; otherwise, it remains inactive. When users retake a survey, a new survey invitation and a new survey subject record are created.

How Data Sync Works

When a sales representative submits a survey from a mobile device, the responses are captured in two objects: `Survey Response Offline` and `Survey Question Response Offline`. To ensure that the data is accessible for reporting and analysis, the responses must sync with the core Salesforce objects: `Survey Response` and `Survey Question Response`.

Set up the sync process by creating a schedule-triggered flow that activates the built-in Sync Survey Response Offline Records batch job. The batch job syncs 50 records at a time.

Create a Survey to Collect Targeted Feedback

Design engaging and easy-to-use surveys for users to collect feedback and information from healthcare professionals. The survey builder provides a simple drag-and-drop interface with eight different question types to suit your data needs. After you add a question, customize its properties, reorder it, and specify the valid responses that users can choose from.

Generate a Survey Invitation

To distribute a survey, either target specific accounts or associate the survey with a territory. Based on your sharing strategy, survey invitation share records are automatically created. You can generate a survey invitation directly from the survey builder.

Association of a Survey Invitation With an Account or Territory

Create a record of the Survey Subject record using Workbench to associate a survey invitation with a specific target, such as an account or territory.

Set up a Scheduled Flow to Sync Survey Responses

Sync survey responses to Salesforce objects by using the built-in Sync Survey Response Offline Records batch job. Create a schedule-triggered flow to invoke this batch job and merge your offline data.

Add a Lightning Component to Show Surveys on a Record Page

Show a list of survey invitations on a record page by adding the built-in SurveyListView Lightning component. Enable users to retake a survey by making the survey link clickable.

Mobile App Configuration for Surveys

Define the database schema for supported Surveys objects in the Life Sciences for Customer Engagement mobile app. Generate a metadata cache to package the database schema configuration into a downloadable metadata cache that the mobile app can use for offline access.

Refresh Survey Sharing Data

Recalculate the survey sharing logic and generate survey invitation records for a specified territory by triggering a batch job. This batch job recursively retrieves all subordinate territories under the selected territory, identifies all associated account records for the provider account territory info object, and then fetches all survey invitation records linked to those accounts.

Create a Survey to Collect Targeted Feedback

Design engaging and easy-to-use surveys for users to collect feedback and information from healthcare professionals. The survey builder provides a simple drag-and-drop interface with eight different question types to suit your data needs. After you add a question, customize its properties, reorder it, and specify the valid responses that users can choose from.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed

package.

USER PERMISSIONS NEEDED

To set up and configure Survey features and objects:

Life Sciences Commercial Admin

1. From the App Launcher, find and select **Admin Console**.
2. In the Admin Console, click **Surveys**.
3. Click **New**.
4. Enter a survey name.
5. Select the survey type as Offline Mobile Survey.
6. If necessary, use the survey as a template, select **Create survey as a template**, and then click **Continue**.
7. Edit the survey's Welcome page.
8. In the survey builder, if you want your survey to have multiple pages, click **+Add Page**.
9. To add a question to the page, click **Add Question**.
There are a total of eight question types for the Offline Mobile Survey type: Date, Long Text, Multiple Selection, Picklist, Rating, Short Text, Single Selection, and Slider.
 - a. Enter your question and, if necessary, a description.
 - b. If you've selected the question type as Multiple Selection, Picklist, or Single Selection, enter a choice, and to add more choices, click **Add Choices**.
 - c. If you've selected the question type as Rating, then select the type of rating.
There are five rating types: Star, Static Emoji, Thumbs Up, Heart, and Dynamic Emoji (define the rating scale).
 - d. If you've selected the question type as Short Text, then select the Response Validation Type: No Validation, Number, or Custom (enter the formula in the custom field).
 - e. If you've selected the question type as Slider, enter a minimum value, interval, and a maximum value.
 - f. To reorder questions on a survey page, use the up arrow and down arrow above the rich text editor of the questions.
 - g. To change the question's properties, click the  icon.
10. If necessary, edit the survey's Thank You page.
11. To pause working on the survey and continue later, click **Save**.
12. To see the survey as you work on it, click **Preview**.
13. Activate the survey, then click **Got It** on the confirmation window.

Create a metadata cache after you create or update a record.

Generate a Survey Invitation

To distribute a survey, either target specific accounts or associate the survey with a territory. Based on your sharing strategy, survey invitation share records are automatically created. You can generate a survey invitation directly from the survey builder.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Survey features and objects:	Life Sciences Commercial Admin
--	--------------------------------

1. From the App Launcher, find and select **Surveys**.
2. Open the survey that you just created or the one that you want to generate an invitation link for.
3. To create an invitation, on the top navigation bar of the survey builder, click **Send**.
4. Click **Get Invitation**.
A survey invitation record is created.

Association of a Survey Invitation With an Account or Territory

Create a record of the Survey Subject record using Workbench to associate a survey invitation with a specific target, such as an account or territory.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Use this sample code to create a Survey Subject record.

```
SurveySubject s = new SurveySubject();
s.ParentId = '0Kixx0000004F5ICAU'; // SurveyInvitationId
s.SubjectId = '001xx000003H8IdAAK'; // accountId
s.Name = 'surveySubject';
insert s;
```

Set up a Scheduled Flow to Sync Survey Responses

Sync survey responses to Salesforce objects by using the built-in Sync Survey Response Offline Records batch job. Create a schedule-triggered flow to invoke this batch job and merge your offline data.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Surveys features and objects:	Life Sciences Commercial Admin
---	--------------------------------

1. From the App Launcher, find and select **Flows**.
2. Click **New**.
3. On the New Automation screen, click **Scheduled**, and then click **Schedule-Triggered Flow**.
4. In the flow builder, set a schedule by selecting the start date and time, and if necessary, the frequency.
5. Add an action element to trigger the batch job.
 - a. In the Search Actions search bar, find and select the **Sync Survey Response Offline Records** batch job.
 - b. Enter a label and an API name.
 - c. If necessary, enter a description.
 - d. Save your changes.
 - e. In the Save the Flow window, enter the name of the flow, and if necessary, add a description.
 - f. Save the flow.
6. Activate the flow.
7. To start the sync process, run the flow.

Verify if sync was successful.

- Check if SurveyResponse and **SurveyQuestionResponse** records are created.
- Verify that the status of the **SurveyResponseOffline** record is **CompletedAndMigrated**.

Add a Lightning Component to Show Surveys on a Record Page

Show a list of survey invitations on a record page by adding the built-in SurveyListView Lightning component. Enable users to retake a survey by making the survey link clickable.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Survey features and objects:	Life Sciences Commercial Admin
--	--------------------------------

To create and save Lightning pages in the Lightning App Builder:	Customize Application
--	-----------------------

1. In the Record page that you want to add a Lightning component to, from the Settings Menu, click **Edit Page**.
2. From the Components pane, in the Search field, enter *SurveyListView* and select it.

 **Note** This SurveyListView Lightning component is restricted to Account and Account Plan record pages.
3. Click and drag the component from the left pane to where you'd like to place it in the right pane.
4. To access the properties pane, click the component that you just added.
 - a. To enable users to retake the survey, select **Let users retake a survey after submitting responses**.
 - b. To auto-populate fields with prior responses when users retake a survey in the Life Sciences Cloud for Customer Engagement app, select **Pre-fill responses from previous survey submission**.
5. Save your changes, and then click **Activation**.
6. In the Activation window, to choose whether you want to Assign or Remove your Salesforce org as default, follow the prompts. You can also leave it as is.
7. Close the window.

Mobile App Configuration for Surveys

Define the database schema for supported Surveys objects in the Life Sciences for Customer Engagement mobile app. Generate a metadata cache to package the database schema configuration into a downloadable metadata cache that the mobile app can use for offline access.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Configure the object schema for the supported Survey objects to work on the mobile app. Select the type as Data.

- Survey
- SurveyVersion
- SurveyPage
- SurveyInvitation
- SurveyQuestion

- SurveyQuestionChoice
- SurveyQstnResponseOffline
- SurveyResponseOffline
- SurveySubject

Configure the database schema for these objects if the user wants to view surveys completed on the web in mobile as well. Select the type as Data.

- SurveyResponse
- SurveyQuestionResponse

Configure the database schema for these objects if surveys are taken on Account Plan or Provider Visits. Select the type as Data.

- SurveyEngagementContext

After you create these configurations, to make sure that the app can access the latest metadata definitions, including any schema changes for supported objects, generate a metadata cache.

Refresh Survey Sharing Data

Recalculate the survey sharing logic and generate survey invitation records for a specified territory by triggering a batch job. This batch job recursively retrieves all subordinate territories under the selected territory, identifies all associated account records for the provider account territory info object, and then fetches all survey invitation records linked to those accounts.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and configure Survey features and objects:	Life Sciences Commercial Admin
--	--------------------------------

1. From the App Launcher, find and select **Admin Console**.
2. From the Admin Console setup page, click **Territory Management**.
3. On the navigation bar, select **Share Survey**.
4. In the Share Survey Setup page, click **Run Now**.
5. In the Run Share Survey Invitation and Responses, in the Hierarchy field, search for and select a territory.
6. Click **Run**.

For each invitation, the batch job determines the relevant territories or accounts associated with the

corresponding accounts, excluding rowCause as owner. It creates survey invitation share records to associate each identified group or user with the appropriate survey invitation, ensuring that survey access is correctly propagated based on the account's territorial hierarchy.

Visit Management

Visit Management optimizes the face-to-face visit experience for your field users and clients by simplifying visit scheduling, planning, visit engagement, and postvisit reporting. Because this reduces administrative tasks, field users can focus on building strong relationships with healthcare providers. Engage seamlessly with accounts across all channels by using intelligent content and remote capabilities. Manage sample distribution and direct-to-practitioner requests confidently with built-in compliance controls.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Use Visit Management to help your users:

- Seamlessly interact with accounts across all channels, leveraging built-in intelligent content and remote capabilities for enhanced field user engagement.
- Quickly access related features such as Field Emails, Medical Inquiries, and Surveys from a central app, streamlining their workflow.
- Confidently manage expense allocations, sample distribution, and shipping requests with built-in rules for compliance, including limits, license validation, and digital signatures.

Visit Lifecycle

The lifecycle of a visit includes three main stages: Plan, Engage, and Report. Let's dive deeper into the activities usually performed in each stage.

Plan	Engage	Report
• Schedule the visit • Add attendees • Confirm visit objectives • Review last visit details • Review account summaries • Review recommended messages and presentations	• Share presentation slides • Launch remote engagement sessions • Share product information and messages • Record sample drops or Direct to Practitioner samples	• Update visit information, product details, discussions, marketing items (leave behinds) • Record next visit objectives • Add expenses and allocate to the attendees

Plan	Engage	Report
• Add details to the visit (such as presentations and samples) • Add visitors (users)	• Capture signatures • Record survey responses • Capture medical inquiries • Schedule next visit	• (KAM only) Update the status of the account plan related assessment tasks • Update ratings • Send follow-up emails • Submit the visit

Visit Pages

Visit pages support users throughout the visit lifecycle. For streamlined user experiences, users interact with two pages throughout the visit lifecycle:

- Visit Engagement Page (Edit Visit)
 - This is the Life Sciences Cloud specific, purpose-built page that helps users plan, engage, and follow-up on the visit within a single page to complete their visit engagements efficiently and compliantly, such as sharing approved content, products and messages, and capturing samples. This page is accessible only for planned visits.
- Visit Record Page (View Visit)
 - This is standard lighting record page to view the visit details and all the relevant activities related to the visit.
 - While the Visit Engagement page focuses on important activities and information you need during a visit, you can only access and manage some previsit or postvisit activities, such as visitors, expenses, ratings, assessment tasks, and file attachments, on the visit record page.

Visit Data Model

Visit management uses a one-to-one relationship between visit and provider visit records. As a result, for each visit record created, a corresponding provider visit record is automatically created. Provider Visit is a Life Sciences Cloud object that is used to extend the standard Visit object. See the Visit Management data model to learn about these objects and how work together to support visit management.

Get Your Org Ready for Visit Management

Before you get started with visits in Life Sciences Cloud for Customer Engagement, complete a few tasks to prepare your org for visit management features.

Visit Management Admin Console

To configure what information fields users can see and how they can interact with and manage visit records, use the Admin Console.

Next Best Message

Next Best Message provides tailored and relevant messages for each product associated with an account. These recommendations are dynamically generated based on real-time data, allowing field sales teams to provide this information during visits with their customers.

Get Your Org Ready for Visit Management

Before you get started with visits in Life Sciences Cloud for Customer Engagement, complete a few tasks to prepare your org for visit management features.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

- Configure the Visit page layout, and then create a metadata cache to push changes to the mobile app. Create a metadata cache any time changes are made to the page layout.
- (Optional) Create record types:
 - Account
 - Visit
 - Provider Visit
 - Provider Visit Product Discussion

If you use record types, you must create matching record types for Visit and Provider Visit with identical API names and labels. Then, add the record type to the Visit page. This links the Visit and Provider Visit objects to support showing standard and custom Provider Visit fields on the Visit page layout.

Use Provider Visit Product Discussion record types to help field users capture product-specific information during interactions with healthcare professionals.

- Configure Next Best Message data. See [Next Best Message](#).
- Configure visit management settings in the Life Sciences Customer Engagement Admin Console. After you've configured the settings, create a metadata cache to make your changes available for users in the mobile app.
- (Optional) [Override record type selection options for visits and provider visits](#). If you use the web version of visit management and you also use record types for Visit and Provider Visit, configure the New button that is shown on the home and list view pages.



Important You must configure the New button for both Visit and Provider Visit.

- Configure the Visit page layout, and then create a metadata cache to push changes to the mobile app. Create a metadata cache any time changes are made to the page layout.

When to Create a Metadata Cache

A metadata cache takes the changes you make, and makes them available for your users. However, not every type of change requires a new metadata cache. Let's take a closer look at what types of changes require a metadata cache:

Type	Visit Engagement Page		Visit Record Page	
	Web	Mobile	Web	Mobile
Page Layout	Yes	Yes	No	Yes
Record Page	Yes	Yes	No	Yes
Admin Console Settings	No	Yes	No	Yes
Object Configuration (Field Sets, Record Types, Picklist Values)	Yes	Yes	No	Yes
Translation (Custom Labels, Object and Field Labels)	Yes	Yes	No	Yes
Data Setup	No	No	No	No

Configure the Visit Engagement Page

To customize visit details and improve user efficiency, configure page layout and sidebar menu options. You control which fields and sidebar options appear, so your team can access the information they need to conduct effective visits.

Mobile App Configuration for Visit Management

Configure the object schema for supported Visit Management objects and generate a metadata cache to make sure your field users can view and update visits on the Life Sciences Cloud mobile app. You must also do this for Visit Management to work for desktop users.

See Also

[Configure Visit Settings](#)

[Create a Metadata Cache](#)

[Tailor Business Processes to Different Record Type Users](#)

Configure the Visit Engagement Page

To customize visit details and improve user efficiency, configure page layout and sidebar menu options. You control which fields and sidebar options appear, so your team can access the information they need to conduct effective visits.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Visit Information

To define the visit information that users can view, configure the Visit and Provider Visit page layouts.

On the Visit page layout, the Account, Place, Planned Start Time, and Planned End Time fields are hard-coded. By default, these fields appear in the same order to users, even if you remove them on the page layout. Add the Channel and Status fields, and any other standard or custom field you need to meet your business requirements. If you use Visit and Provider Visit record types in your org, you must add the Record Type ID field to the Visit page layout.

To support next visit objectives, add a single-column section to the Provider Visit page layout and name it *Next Visit Objectives*. Add one of these fields to the section:

- Provider Visit Next Visit Objective: Supports multiline text input.
- Provider Visit Next Visit Objective Type: Supports multiselect picklist input. If you use this field, you must configure picklist values for it in object manager.

Next, select a value (None, Picklist, Text, or Picklist and Text) for the Next Visit Product Objective Fields Type setting in the Admin Console Visit Settings. If you select Picklist or Picklist and Text, you must also create a Next Visit Objective message record in Product Guidance and align the objective message to applicable territories.

Sidebar Menu

To configure sidebar menu options for the visit engagement screen in the mobile app, add them as related lists to the page layout.

The Recommendations sidebar menu option appears as the first item, but it only appears for users when recommended messages or presentations are available for the account. You can't add or remove it from the sidebar menu.

Additional sidebar menu options appear based on your Visit page layout related list configuration. You can add a maximum of 10 related lists (8 out-of-the-box and up to 2 custom objects), including:

- Presentation Forums
- Provider Visit Product Detailings
- Product Disbursements
- Provider Visit Requested Samples
- Provider Visit Marketing Items
- Attendees
- Custom Objects

If you use Product Messages, you must add the Provider Visit Product Detailing Message related list to the page layout to show the associated product messages to users. Similarly, if you use Product Discussion, you must add the Provider Visit Product Discussion related list to the page layout to show the + Add Discussion link to users. Provider Visit Product Messages and Provider Visit Product Discussions don't appear in the sidebar. Instead, they appear in the product area of the visit engagement page.

The sidebar menu options appear in the same order as the related lists on the Visit page layout. By default, the system shows the related list object names as the sidebar menu option labels. You can override the labels by renaming the object labels in Setup. The sidebar menus are also translatable.

Override Record Type Selection Options for Visits and Provider Visits

If you use the web version of visit management and you also use record types for Visit and Provider Visit, configure the New button that is shown on the home and list view pages.

See Also

[Configure Visit Settings](#)
[Define Messages and Objectives for Product Detailing](#)
[Page Layouts](#)
[Rename Object, Tab, and Field Labels](#)

Override Record Type Selection Options for Visits and Provider Visits

If you use the web version of visit management and you also use record types for Visit and Provider Visit, configure the New button that is shown on the home and list view pages.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage buttons, links, and actions:	Customize Application
--	-----------------------

1. From the management settings for the Visit object, go to **Buttons, Links, and Actions**.
2. From the dropdown for New, select **Edit**.
3. For Lightning Experience Override, select **Lightning component**, and then, from the dropdown, select **lsc4ce:LogAVisitAction**.
4. Select **Skip record type selection page**.
5. Save your work.
6. Repeat these steps for the Provider Visit object.

Mobile App Configuration for Visit Management

Configure the object schema for supported Visit Management objects and generate a metadata cache to make sure your field users can view and update visits on the Life Sciences Cloud mobile app. You must also do this for Visit Management to work for desktop users.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up and manage visits: Life Sciences Commercial Admin

To enable offline access for the objects that support Visit Management in the Life Sciences Cloud mobile app, create these object metadata cache configurations.

To limit the data that's downloaded to the mobile device, make sure to specify the SOQL Filter Condition.

Object	Type	Notes
LifeSciMetadataRecord	Configuration	Set the category to AccountProviderVisitRecordType Mapping .
LifeSciMetadataRecord	Configuration	Set the category to ProviderVisitSettings.
LifeSciMetadataRecord	Configuration	Set the category to StateLicenseNumberSettings.
BusinessLicense	Data	None
BusinessLicenseProduct	Data	None
ComplianceStatementDef	Data	None
ContentDocument	Data	Required for file attachments.
ContentDocumentLink	Data	Required for file attachments.
ContentDocumentLinkVersion	Data	Required for file attachments.
DigitalSignature	Data	None
Expense	Data	None

Object	Type	Notes
ExpenseParticipant	Data	None
ExpenseType	Data	None
InventoryCountAssessment	Data	Not required if Sample Inventory isn't managed.
InventoryOperation	Data	Not required if Sample Inventory isn't managed.
LifeSciCustomScript	Data	None
LifeSciMarketableProduct	Data	None
LifeSciProductAcctRstrc	Data	None
Location	Data	None
PresentationClickStrmEntry	Data	None
PresentationForum	Data	None
Product2	Data	None
ProductBatchItem	Data	- Not required if Sample Inventory isn't managed. - Select Web-to-Mobile Sync.
ProductDisbursement	Data	None
ProductGuidance	Data	None
ProductionBatch	Data	Not required if Sample Inventory isn't managed.
ProductItem	Data	None
ProductTerrDtIAvailability	Data	None
ProductTerritoryAvailability	Data	None
ProviderAcctTerritoryInfo	Data	None
ProviderSampleLimit	Data	Select Web-to-Mobile Sync.
ProviderSampleLimitTemplate	Data	Select Web-to-Mobile Sync.
ProviderSmpILmtTplAssignment	Data	Select Web-to-Mobile Sync.
PrvdVstSmpILmtDiscrepancy	Data	None

Object	Type	Notes
PrvdVstSmplLmtTransaction	Data	None
ProviderVisit	Data	None
ProviderVisitDtIProductMsg	Data	None
ProviderVisitMarketingItem	Data	None
ProviderVisitProdDetailing	Data	None
ProviderVisitProdDiscussion	Data	None
ProviderVisitRqstSample	Data	None
TerritoryAcctProdMsgScore	Data	None
TerritoryProdtQtyAllocation	Data	Select Web-to-Mobile Sync.
Time Period	Data	None
Visit	Data	If a related list is configured, set the attachment download method to Cache.
Visitor	Data	None

 **Important** After you create these configurations, make sure to generate a metadata cache. This step is important because it makes sure that the mobile app accesses the latest metadata definitions, including any schema changes for supported objects.

See Also

[Create Object Metadata Cache Configuration](#)

[Generate Metadata Cache](#)

Visit Management Admin Console

To configure what information fields users can see and how they can interact with and manage visit records, use the Admin Console.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

[Configure Visit Settings](#)

To customize the visit user experience at the org, user profile, or individual user level, configure the

visit settings in the Admin Console.

Map Visit Types to Accounts

If you use record types to tailor visit management processes for your users, create maps that define the associations between account record types and visit record types.

Configure Product Discussion Settings

To help field users capture product-specific information during interactions with healthcare professionals, create provider visit product discussion record types. Then, define the provider visit product discussion record types to use for specific marketable products and conditions.

Update Provider Account Territory Information

To calculate year-to-date visits, next visit, and last visit values for Provider Account Territory Information records, run the Provider Account Territory Information job.

Run Visit Share Management Jobs

To share historical account visit records after territory realignments, run the visit share management job. This provides field users with continued access to account visit data in their updated territories.

Configure Visit Settings

To customize the visit user experience at the org, user profile, or individual user level, configure the visit settings in the Admin Console.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage visit settings:	Life Sciences Commercial Admin permission set
---------------------------	---

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Visit Administration**, and then select **Visit Settings**.
3. From the **Select Type** dropdown, select the type of settings to configure. You can configure visit settings for the org default, specific profiles, or users.
4. Select **Visit Settings** options and enter values to meet your business needs.

These settings put you in command of how users plan, manage, and submit visits. They govern the entire scheduling process, from skipping the visit preview screen and setting a default duration to enforcing future visit limits and managing visit conflicts. You can also use these settings to configure submission-related details, manage late submissions, and even unlock submitted visits.

5. Select **Geolocation Settings** options and enter values to meet your business needs.

These settings give you control over geolocation capture for compliance and data integrity. Define

when the system captures a user's location—specifically, at the point of signature and at the moment of submission. To make sure that the user's recorded location remains within a valid range of the visit's location, you can set a maximum allowed distance.

6. Select **Product Detailing Settings**.

These settings help you to customize the product details your users see. You can choose whether to show recent details and a product selector, and you can define whether users can discuss off-label products. You can also specify the field type for next visit product objectives.

7. Select **Samples and Items Settings**.

These settings give you control over sample management. You can specify which healthcare organization types can receive samples and items, and determine whether users must enter a batch number, or whether they can show expired batches. To make sure that users stay within defined limits and inventory counts for both samples and territory quantity allocations, you can also govern how the system validates samples.

8. Select **Signature Settings**.

These settings help you to customize the signature and document experience. You can choose whether to show the document ID and whether the request receipt appears on the signature page.

9. Select profiles in the User Profiles Available in Visitor Search field in Visitor Settings.

10. Save your work.

Map Visit Types to Accounts

If you use record types to tailor visit management processes for your users, create maps that define the associations between account record types and visit record types.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage visit record type mappings:	Life Sciences Commercial Admin permission set
---------------------------------------	---

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Visit Administration**, and then select **Visit Record Type Mappings**.
3. Select **New**.
4. Enter a name, and then select an account record type and a visit record type.
5. Save your work.

Configure Product Discussion Settings

To help field users capture product-specific information during interactions with healthcare professionals, create provider visit product discussion record types. Then, define the provider visit product discussion record types to use for specific marketable products and conditions.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage product discussion settings:	Life Sciences Commercial Admin permission set
--	---

Before you can define product discussion settings, you must configure products and product types and create provider visit product discussion record types.

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Visit Administration**, and then select **Product Discussion Settings**.
3. Select a product from the product list.
4. Move record types from Available Record Types to Selected Record Types.
5. Save your work.

See Also

[Configure Products and Product Types](#)

[Get Your Org Ready for Visit Management](#)

Update Provider Account Territory Information

To calculate year-to-date visits, next visit, and last visit values for Provider Account Territory Information records, run the Provider Account Territory Information job.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To run the Provider Account Territory Information	Life Sciences Commercial Admin permission set
---	---

USER PERMISSIONS NEEDED

job:

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Visit Administration**, and then select **Visit Jobs**.
3. Select **Run Now** or **Schedule**.

Run Visit Share Management Jobs

To share historical account visit records after territory realignments, run the visit share management job. This provides field users with continued access to account visit data in their updated territories.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To start the Visit Share Management job:	Life Sciences Commercial Admin permission set
--	---



Tip Run this job after running the Update Provider Account Territory Information job.

1. From the App Launcher, find and select **Life Sciences Commercial**, and then select **Admin Console**.
2. Select **Territory Management**, and then select **Visit Share Management**.
3. Select **Run Now** or **Schedule**.

After the job is run, visits are shared with territories based on account territory alignment.

See Also

[Territory Management Batch Jobs](#)

Next Best Message

Next Best Message provides tailored and relevant messages for each product associated with an account. These recommendations are dynamically generated based on real-time data, allowing field sales teams to provide this information during visits with their customers.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Configure Next Best Message data by using your own predictive model and loading the data into the Territory Account Product Message Score object.

Alternatively, you can create the records manually.

- Create a Territory Account Product Message Score record. Enter an Account, Product Guidance, Territory, Total Score, and Rank.
- For rationale, enter the Score Explainability Information in this format: {"metric": value}. Integer and String are the only accepted values. Here's an example of Score Explainability Information in the correct format:

```
{ "Message Priority": "Top for this quarter",  
  "HCP Interest Level": "High interest shown",  
  "Recent Reaction": "Asked for clinical data",  
  "Messages sent this month": 4,  
  "Last Discussed": "Discussed on 08/10" }.
```

To make sure that users can see the recommended product messages in their territories, grant access to Territory Account Product Message Score records in one of these ways.

- Share Territory Account Product Message Score records with users manually.
- Create owner-based sharing rules for Territory Account Product Message Score. To specify which users' records are shared and the users who get access to the data, select Territories.

See Also

[Next Best Data Model](#)

Intelligent Content

Equip field teams with a comprehensive content library so they can deliver impactful presentations and monitor engagement. Enable personalized communications with healthcare professionals and organizations by providing your field team with preapproved, customizable email templates.

Emails and Templates

Configure email templates and fragments that streamline email communication between sales reps and healthcare professionals (HCPs). Manage and capture consent to help ensure that your organization meets relevant compliance requirements, and monitor email analytics to optimize campaign performance. Sales reps can send emails to HCPs by using preapproved templates throughout Life Sciences Cloud for Customer Engagement and the Life Sciences Cloud mobile app.

Presentations

With Intelligent Content, you can streamline content management and empower commercial teams to deliver tailored presentations to healthcare professionals (HCPs). Create and manage presentations