
Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Configure Next Best Message data by using your own predictive model and loading the data into the Territory Account Product Message Score object.

Alternatively, you can create the records manually.

- Create a Territory Account Product Message Score record. Enter an Account, Product Guidance, Territory, Total Score, and Rank.
- For rationale, enter the Score Explainability Information in this format: {"metric": value}. Integer and String are the only accepted values. Here's an example of Score Explainability Information in the correct format:

```
{ "Message Priority": "Top for this quarter",  
  "HCP Interest Level": "High interest shown",  
  "Recent Reaction": "Asked for clinical data",  
  "Messages sent this month": 4,  
  "Last Discussed": "Discussed on 08/10" }.
```

To make sure that users can see the recommended product messages in their territories, grant access to Territory Account Product Message Score records in one of these ways.

- Share Territory Account Product Message Score records with users manually.
- Create owner-based sharing rules for Territory Account Product Message Score. To specify which users' records are shared and the users who get access to the data, select Territories.

See Also

[Next Best Data Model](#)

Intelligent Content

Equip field teams with a comprehensive content library so they can deliver impactful presentations and monitor engagement. Enable personalized communications with healthcare professionals and organizations by providing your field team with preapproved, customizable email templates.

Emails and Templates

Configure email templates and fragments that streamline email communication between sales reps and healthcare professionals (HCPs). Manage and capture consent to help ensure that your organization meets relevant compliance requirements, and monitor email analytics to optimize campaign performance. Sales reps can send emails to HCPs by using preapproved templates throughout Life Sciences Cloud for Customer Engagement and the Life Sciences Cloud mobile app.

Presentations

With Intelligent Content, you can streamline content management and empower commercial teams to deliver tailored presentations to healthcare professionals (HCPs). Create and manage presentations

that foster personalized, effective engagements. Distribute relevant content to the right users by creating and managing presentations with the most current materials, and linking presentations to specific products, key messages, and territories. Use feedback and engagement metrics from every interaction with HCPs to improve marketing strategies and make content more relevant.

Intelligent Content Reference

Create the content and source files for Life Sciences Customer Engagement presentations and email templates.

Emails and Templates

Configure email templates and fragments that streamline email communication between sales reps and healthcare professionals (HCPs). Manage and capture consent to help ensure that your organization meets relevant compliance requirements, and monitor email analytics to optimize campaign performance. Sales reps can send emails to HCPs by using preapproved templates throughout Life Sciences Cloud for Customer Engagement and the Life Sciences Cloud mobile app.

Unlike standard Salesforce email templates, Life Sciences email templates and reusable fragments provide a controlled framework for sales reps to send emails that are personalized, adherent to industry standards, and aligned with brand strategy.

Get Your Org Ready for Emails

Before you get started with email administration in Life Sciences Customer Engagement, complete a few tasks to prepare your org for email features.

Mobile Configuration for Emails

Set up object metadata cache configurations for the supported Life Sciences email objects. Generate a metadata cache to package the object schema configuration that the Life Sciences Cloud mobile app uses for online and offline access. This configuration defines how the mobile app fetches and stores the necessary metadata when a network connection is unavailable.

Configure Email Settings

Customize the behavior of email templates and the email queue, and define how sales reps can use email templates in the field. Optimize email delivery, tracking, and consent management. For granular control, apply settings for the entire org, for certain profiles, or for specific users.

Manage Email Templates

Create and manage the email templates that you want your sales reps to use in the field. Link email templates and their fragments to specific products or align them with specific territories so that they're available to the right users.

Schedule Email Jobs

Email jobs enable efficient and timely large-scale communication with healthcare professionals (HCPs) and healthcare organizations (HCOs). Schedule jobs to send emails at specific times or intervals. Track email status and collect engagement metrics for sent emails.

Monitor and Manage the Email Queue

Get an administrative view into the flow of emails. Monitor and manage emails that were sent recently or are awaiting delivery.

Use a Third-Party Email Service

The Life Sciences Cloud for Customer Engagement managed package includes the EmailQueueProcessor Apex interface to integrate with a third-party email service provider and handle email operations. Create an Apex class that implements the EmailQueueProcessor interface.

Get Your Org Ready for Emails

Before you get started with email administration in Life Sciences Customer Engagement, complete a few tasks to prepare your org for email features.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up Life Sciences Customer Engagement data: Life Sciences Commercial Admin permission set

To update page layouts and add picklist values: Customize Application

1. Make sure that your org uses the Life Sciences RSVP email address.
 - a. From Setup, in the Quick Find box, find and select **Life Sciences for Customer Engagement Setup**.
 - b. Verify that the RSVP email address is turned on.
2. To control what content can be attached to emails, [add a picklist value](#) to this Life Science Email Template field.

Field	Picklist Values
AttachmentObjectType	Add Account as a picklist value so that users can attach account records to emails.

3. To enable users to send emails from the home page, accounts, presentations, and more, [configure Email quick actions](#).
4. Enable users to send emails to multiple accounts at once.
 - a. Enable [bulk actions on account lists](#).
 - b. [Create a quick action](#) with these values, and assign the action to the correct permission sets and profiles.

Field	Value
Action Name	Email
Location	Search

Field	Value
Object	Account

- To enable users to sort and filter email templates by theme, [configure topics](#) for the Life Science Email Template object.
- To honor communication preferences across different subscription types and channels, set up [Consent Management](#).
- To track sent emails, set up the [Activity Timeline](#) for accounts.
- To enable admins to upload email templates by using the content management Connect API, make sure that admin users have the System Administrator profile or a profile that's cloned from it. Or, [enable field level security](#) for the correct profiles on all fields on these objects.
 - LifeSciEmailTemplate
 - LifeSciEmailTmpSnapshot
 - LifeSciEmailTmpFragment
 - LifeSciEmailTmpRelaFrgmt

Mobile Configuration for Emails

Set up object metadata cache configurations for the supported Life Sciences email objects. Generate a metadata cache to package the object schema configuration that the Life Sciences Cloud mobile app uses for online and offline access. This configuration defines how the mobile app fetches and stores the necessary metadata when a network connection is unavailable.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up Life Sciences Customer Engagement Life Sciences Commercial Admin permission set data:

To enable offline access for the objects that support emails in the Life Sciences Cloud mobile app, create these object metadata cache configurations.

Object	Type	Notes
CommSubscription	Data	None
CommSubscriptionChannelType	Data	None
CommSubscriptionConsent	Data	None

Object	Type	Notes
ContentDocument	Data	None
ContentDocumentLink	Data	None
ContentVersion	Data	None
DataUsePurpose	Data	None
LifeSciEmailTemplate	Data	None
LifeSciEmailTmplFragment	Data	None
LifeSciEmailTmplRelaFrgmt	Data	None
LifeSciEmailTmplSnapshot	Data	Set the attachment download method to Cache.
LifeScienceEmail	Data	None
LifeSciMarketableProduct	Data	None
Survey	Data	None
Topic	Data	None
TopicAssignment	Data	None

 **Important** After you create these configurations, you must generate a metadata cache. This step is important because it makes sure that the mobile app accesses the latest metadata definitions, including any schema changes for supported objects.

See Also

[Create Object Metadata Cache Configuration](#)
[Generate Metadata Cache](#)

Configure Email Settings

Customize the behavior of email templates and the email queue, and define how sales reps can use email templates in the field. Optimize email delivery, tracking, and consent management. For granular control, apply settings for the entire org, for certain profiles, or for specific users.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To adjust email settings: Life Sciences Commercial Admin permission set

1. From App Launcher, find and select **Admin Console**.
2. Select **Email**, and then select **Email Settings**.
3. Choose whether to apply settings at the organization level, or select the user profile or the individual user to apply settings for.
4. Under General Settings, configure these settings as needed.

Setting	Description
Edit subject before sending	Sales reps can edit the subject line defined in the email template.
Add CC recipients	Sales reps can add colleagues as CC recipients when sending emails.
Schedule emails to send later	Sales reps can choose whether to send an email immediately or schedule it to send at a later date and time. Scheduled emails still adhere to template availability, start and end dates, and subscription settings.
Sort templates by last modified	Sort templates by the Last Modified Date in Life Sciences Cloud for Customer Engagement.

5. Under Delivery Settings, configure these settings as needed.

Setting	Description
Send to healthcare organizations (HCOs)	Sales reps can send emails directly to an HCO account in addition to individual healthcare professionals (HCPs).
Send unless recipient opted out	Sales reps can send emails to all addresses that didn't specifically opt out or unsubscribe from a communication subscription.
Show additional addresses when primary contact opts out	If the main contact for an account chooses not to receive emails, sales reps can see other email addresses linked to that HCO account.
Email Service	The name of the Apex class for a third-party email service. See Use a Third-Party Email Service .

6. Under Language Settings, configure these settings as needed.

Setting	Description
Account Language Filter	The field to use to match the account's language to the email template's language. Email templates are filtered automatically to match the HCP or HCO account's preferred language so that recipients receive content in their chosen language.

Setting	Description
User Language Filter	The field to use to filter email templates automatically to match the user's preferred language so it's easier to find and use relevant templates.
Filter templates by language	Sales reps can filter templates by language when sending an email.

7. Under Email Limits, configure these settings as needed.

Setting	Description
Email Send Limit Warning	Show a warning on the Email Queue page when there are this many emails left before the org email sending limit.
Email Batch Size	The number of emails to send in each email queue batch. Configure email queue jobs on the Email Jobs page. See Schedule Email Jobs .
Retry Attempts	The number of times to retry when an email fails.

8. Under Tracking Settings, configure these settings as needed.

Setting	Description
Days to Track Status	The number of days to monitor email and delivery status, such as when emails are opened.
Days to Keep Sent Emails	The number of days to store sent emails.
Days to Check History	The number of days to check sent history to prevent sending duplicate emails to the same account.
Status Tracking Batch Size	The number of emails to process each time the status tracking job runs.

9. Under Consent Settings, configure these settings as needed.

Setting	Description
Turn off Add Email Addresses	Prevent sales reps from entering additional email addresses manually when sending emails. Sales reps can select only existing addresses.
Ignore consent verification	Send emails without checking the account's opt-in status for a channel or topic.

10. Save your changes.

Manage Email Templates

Create and manage the email templates that you want your sales reps to use in the field. Link email templates and their fragments to specific products or align them with specific territories so that they're available to the right users.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Open the Email Templates page from the Email tile in the Admin Console. See all available templates, or filter to see only the templates for a certain product or territory. Activate, deactivate, or delete templates directly from the list.

[Upload and Create Email Templates](#)

Upload ZIP files to create email templates that help users draft emails faster.

[Distribute Email Templates to Territories](#)

Assign relevant territories to email templates so that only the sales reps for those territories can access the templates.

[Manage Email Template Attachments](#)

Work with email template attachments and upload new versions.

[Manage Email Template Versions](#)

Rather than creating a new email template, you can upload new versions to make smaller changes such as updating email text or images.

[Manage and Share Email Fragments](#)

Fragments are reusable HTML content blocks that sales reps can insert into the body of an email template to customize email content. For example, a fragment can contain a preapproved product blurb, such as key benefits or usage instructions. When the user with access to that fragment uses the related email template, they can select that blurb to quickly include product details.

Upload and Create Email Templates

Upload ZIP files to create email templates that help users draft emails faster.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

package.

USER PERMISSIONS NEEDED

To upload and create email templates:

Life Sciences Commercial Admin permission set

Before you create email templates in Salesforce, [create the email template ZIP files](#). In each ZIP file, include:

- An `index.html` file for each supported language
- A `thumbnail.jpg` file
- (Optional) An `attachments` folder with attachments in supported formats (documents, images, audio, video, and archives) and required attachments marked with a `required__` prefix
- (Optional) A `fragments` folder with individual fragments, which are HTML content blocks that users can combine in the email body text to customize the email

1. From the App Launcher, find and select **Admin Console**, and then select **Email**.
2. Select **Email Templates**, and then click **New**.
3. Upload the email template ZIP file.
4. Enter general information for the email template, such as:
 - Email subject
 - Template name
 - Start and end dates
5. If needed, enter more details about the email template.
 - The type of email address to use as the email sender and for replies
 - The topics to categorize the template under, so sales reps can find it when they search or filter
 - The product to apply so the template shows up when sales reps send an email related to that product
 - The survey to include in emails sent from the template
 - Whether sales reps can edit the email subject line or email content
 - The email addresses to include in the BCC list by default
 - Whether sales reps can share presentations as unique links in the email content
6. If the ZIP file includes `index.html` files for multiple languages, select the languages to use for this template.
7. Set up the email template for automated use cases or for remote sessions. For more information, see [Set Up Invitation Emails](#).
 - a. In the Automated Email Invitation Context field, select the type of visit to use this email template for.
 - b. In the Automated Email Invitation Action, select the visit action that triggers Salesforce to send an email automatically.
 - c. To use this template as the default template for emails sent automatically for this context and action, select **Template for automated emails**.
 - d. To generate and attach iCalendar invitations to emails sent from the template, select **Attach iCalendar file**.
 - e. In the iCalendar Invitation field, enter the information to include in the iCalendar attachment.

8. Manage subscriptions and consent for the template.
 - a. In the Communication Subscription field, select the communication subscription record that stores opt-in and opt-out preferences for email communications.
 - b. To use this template to send a customized email when consent is captured, select **Template for consent acknowledgment**.
This template isn't visible to users.
 - c. To ignore email consent preferences for this template and send emails to recipients who haven't subscribed, select **Ignore opt-out preferences**.
9. Save your changes.
10. To make the template available to users, activate the template.

After you upload and activate your email template, edit it or deactivate it so that it's no longer available for use. Share the template's fragments with sales reps so they can customize email content.

See Also

[Manage and Share Email Fragments](#)

Distribute Email Templates to Territories

Assign relevant territories to email templates so that only the sales reps for those territories can access the templates.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To distribute email templates:	Life Sciences Commercial Admin permission set
--------------------------------	---

Before you distribute email templates to territories, configure account territories and the territory hierarchy.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Email**, and then select **Email Templates**.
3. Open a template, and then click **Edit**.
4. Under Territory Search, search for the territory name, or expand the territory alignment tree to find the right territory.
5. To assign the template to individual territories, select the checkboxes.
6. To assign the template to a parent territory and all child territories, double-click the parent checkbox.
If you assign a template to a parent territory all existing and future child territories under the parent territory are also aligned to that template.
7. Save your changes.

See Also

[Set Up Sales Territories for Life Sciences Cloud](#)

Manage Email Template Attachments

Work with email template attachments and upload new versions.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage email template attachments:	Life Sciences Commercial Admin permission set
---------------------------------------	---

When you create an email template, you can upload attachments as part of the template ZIP file. These steps open the attachment's file page so that you can work with existing email template attachments.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Email**, and then select **Email Templates**.
3. Open a template, and then open the file from the Attachments section.
4. Use the file to perform the necessary action.
 - Preview the content.
 - Download the current version.
 - Upload a new version.
 - Edit file details.
 - Share the file with users and choose whether to allow those users to share it.
 - Create a public link to share a file publicly, select the file's expiration date, and choose whether it requires a password.

Manage Email Template Versions

Rather than creating a new email template, you can upload new versions to make smaller changes such as updating email text or images.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage email template versions:	Life Sciences Commercial Admin permission set
------------------------------------	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Email**, and then select **Email Templates**.
3. Open a template, and then scroll to Email Template Version History.
4. To see details about a previous version of the template, click the version number.
5. To upload a new version of the template, click **New Version**.
6. In the New Email Template window, upload the new ZIP file and update the template's details.
Fragments and email attachments in the ZIP file are also updated. If the new ZIP file version doesn't contain fragments, the previous fragments are deleted.
7. Save your changes.
If the template is already active, the new version is available for use.
8. To share new or updated fragments from the new template version so the right sales reps see them when they send emails, click **Update Fragments**.

See Also

[Manage and Share Email Fragments](#)

Manage and Share Email Fragments

Fragments are reusable HTML content blocks that sales reps can insert into the body of an email template to customize email content. For example, a fragment can contain a preapproved product blurb, such as key benefits or usage instructions. When the user with access to that fragment uses the related email template, they can select that blurb to quickly include product details.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To manage and share fragments and run email fragment jobs:	Life Sciences Commercial Admin permission set
--	---

When you upload an email template ZIP file that contains a Fragments folder, Life Science Email Template Fragments records are created automatically. You can also create or update Life Science Email Template Fragments records manually or by using Data Loader. To create a fragment manually, upload the fragment's HTML file and associate its related Content Document record with the Life Science Email Template Fragment record. When you create fragments manually, include:

- Record names that match the file names in the email template ZIP file, excluding the file extensions.

Record names are case-sensitive and must be less than 80 characters.

- Descriptions to show to sales reps when they select fragments.

After you create or update fragments, there are two ways to share fragments so that sales reps can access them when they send emails.

Share Fragments for One Template

Update fragments sharing for one template from the template's details.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Email**, and then select **Email Templates**.
3. Open a template.
4. To share the fragments for the template, click **Update Fragments Sharing**.

Share Fragments for All Templates

Run or schedule an email fragment job to recalculate sharing rules for fragments across all email templates.

You can run the job manually, or you can schedule the job to run later or at a regular interval. For example, to make sure that new sales reps have access to the right fragments, schedule an email fragment job that runs daily.

1. From the Email tile in the Admin Console, open the Email Fragment Jobs page.
2. [Run or schedule](#) the email fragment batch job.
In the table, you can see the status of the email fragment jobs and who initiated them.

See Also

[Data Loader Guide](#)

Schedule Email Jobs

Email jobs enable efficient and timely large-scale communication with healthcare professionals (HCPs) and healthcare organizations (HCOs). Schedule jobs to send emails at specific times or intervals. Track email status and collect engagement metrics for sent emails.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To schedule email jobs:	Life Sciences Commercial Admin permission set
-------------------------	---

You can use two types of email jobs.

- Send Email jobs send emails in the queue at a determined time and cadence.
- Track Email Status jobs track information such as when emails are sent, delivered, opened, clicked, or bounced.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Email**, and then select **Email Jobs**.
3. To schedule an email job, click **Schedule**.
For each email job type, there are three slots so that you can customize the cadence.
4. Choose whether to run the job once or on a regular schedule, and then select the schedule.
You can change the schedule later.
5. Save your changes.



Example To send emails in the queue every 20 minutes, schedule all three time slots for the Send Email job. For each slot, select the Hourly frequency. For the first slot, select an offset of 00 minutes. For the next slot, select an offset of 20 minutes. For the final slot, select an offset of 40 minutes.

Monitor and Manage the Email Queue

Get an administrative view into the flow of emails. Monitor and manage emails that were sent recently or are awaiting delivery.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To monitor the email queue:	Life Sciences Commercial Admin permission set
-----------------------------	---

Use the email queue to monitor email transactions. For example, you can monitor failed email attempts and troubleshoot by adjusting the batch size or editing attachments that exceed file size limits directly from the email queue. You can also see notifications when your org has exceeded or is close to exceeding the daily email limit.

1. From App Launcher, find and select **Admin Console**.
2. Select **Email**, and then select **Email Queue**.

3. Sort or filter to find the emails you want to see in the queue.
4. Review details for each email in the queue, such as the sender, the recipient, email addresses in the CC and BCC lists, job failures, and job status. Emails can have these statuses.

Status	Description
Preparing	The email is saved but not sent.
New	The email is scheduled to be sent.
Retry	The email failed to send, but there are still retries left to send the email again automatically. This is an intermediate status before the transaction is processed or fails.
Success	The email was sent successfully.
Failed	The email failed to send.
Canceled	The email was canceled and won't be sent.

5. You can work with emails in the queue in these ways.
 - Download the email's body content.
 - Open and download email attachments.
 - Edit the email job record and update the template, attachments, recipients, CC and BCC addresses, consent, related presentation, tracking and status information, and more.
 - Send emails immediately or retry sending them by adding them to the next scheduled job queue.
 - Cancel emails that haven't been sent.

Use a Third-Party Email Service

The Life Sciences Cloud for Customer Engagement managed package includes the EmailQueueProcessor Apex interface to integrate with a third-party email service provider and handle email operations. Create an Apex class that implements the EmailQueueProcessor interface.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To access the EmailQueueProcessor Apex interface:	Life Sciences Commercial Admin permission set
---	---

To define an Apex class:	Author Apex
--------------------------	-------------

1. Open the Setup menu, and then select **Developer Console**.
2. Create a global Apex class that implements the `Lsc4ce.EmailQueueProcessor` interface.
3. In the Apex class, include all methods and match the method signatures. If you don't need to implement a method's logic, leave the method body blank.

Method	Description
initialize(List<LifeScienceEmail> records)	Initializes resources and setup for the third-party email service and prepares to process Life Science Email records.
setParameters(Map<String, Object> parameters)	We recommend leaving this method empty.
addMessage(LifeScienceEmail lscEmail)	Converts a Life Science Email record to the third-party service's format and validates the email before adding it to the queue. Returns <code>true</code> if successful.
exceededLimits()	Checks if the current email batch size will exceed limits for the third-party service. Returns <code>true</code> if the batch size will exceed limits.
canExceedLimits(Integer emails)	Checks if sending the specified number of emails will exceed email sending limits. Returns <code>true</code> if sending will exceed limits.
sendEmail()	Send the queued emails through the third-party service and return a list of error messages. Returns a null value if the email is sent successfully.
cleanUp(List<LifeScienceEmail> emails)	Updates the status of processed Life Science Email records.
updateAttemptStatus(List<LifeScienceEmail> emailAttemptsToProcess)	Updates Life Science Email records with the status of email attempts from the third-party service.
finish()	Closes the connection to the third-party email service.

4. Save your changes.
5. If needed, create a named credential and external credential to securely store API keys.
See [Named Credentials as Callout Endpoints](#).
6. From the Email tile in the Admin Console, update email settings so that Life Sciences Cloud for Customer Engagement uses your Apex class to send emails and track status.
See [Configure Email Settings](#).

EmailQueueProcessor Interface

The EmailQueueProcessor interface handles email operations for a third-party email service, including sending emails and updating the tracking status in Salesforce. You can add additional implementations for different email service providers.

EmailQueueProcessor Example

This example creates an Apex class that implements the EmailQueueProcessor interface to integrate a third-party email service with Life Sciences Cloud for Customer Engagement.

See Also

[Apex Developer Guide](#)

EmailQueueProcessor Interface

The EmailQueueProcessor interface handles email operations for a third-party email service, including sending emails and updating the tracking status in Salesforce. You can add additional implementations for different email service providers.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Namespace

Isc4ce

Typed

Strongly typed

Signature

Access	Signature
global	<pre>void initialize(List<LifeScienceEmail> records);</pre>
global	<pre>void setParameters(Map<String, Object> params);</pre>

Access	Signature
global	<pre>Boolean addMessage(LifeScienceEmail lScEmail);</pre>
global	<pre>Boolean exceededLimits();</pre>
global	<pre>Boolean canExceedLimits(Integer emails);</pre>
global	<pre>List<String> sendEmail();</pre>
global	<pre>void cleanUp(List<LifeScienceEmail> records);</pre>
global	<pre>List<LifeScienceEmail> updateAttemptStatus(List<LifeScienceEmail> emailAttemptsToProcess);</pre>
global	<pre>void finish();</pre>

Methods

Method	Description
initialize(List<LifeScienceEmail> records)	Initializes resources and setup for the third-party email service and prepares to process Life Science Email records.
setParameters(Map<String, Object> parameters)	Configures required parameters for the email processor, and stores API credentials, configuration, and connection parameters.
addMessage(LifeScienceEmail lScEmail)	Converts a Life Science Email record to the third-party service's format and validates the email before adding it to the queue. Returns <code>true</code> if successful.

Method	Description
exceededLimits()	Checks if the current email batch size will exceed limits for the third-party service. Returns <code>true</code> if the batch size will exceed limits.
canExceedLimits(Integer emails)	Checks if sending the specified number of emails will exceed email sending limits. Returns <code>true</code> if sending will exceed limits.
sendEmail()	Send the queued emails through the third-party service and return a list of error messages. Returns a null value if the email is sent successfully.
cleanUp(List<LifeScienceEmail> emails)	Updates the status of processed Life Science Email records.
updateAttemptStatus(List<LifeScienceEmail> emailAttemptsToProcess)	Updates Life Science Email records with the status of email attempts from the third-party service.
finish()	Closes the connection to the third-party email service.

Example Implementation

See [EmailQueueProcessor Example](#).

EmailQueueProcessor Example

This example creates an Apex class that implements the EmailQueueProcessor interface to integrate a third-party email service with Life Sciences Cloud for Customer Engagement.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Example EmailQueueProcessor Interface Implementation

This example implementation of the EmailQueueProcessor interface uses example helper classes.

```
public without sharing class SampleEmailQueueProcessor implements EmailQueueProcessor {
```

```

private Map<Id, Attachment> bodyAttachments;
private Map<Id, ContentVersion> bodyContentVersions;
private final List<SampleEmailMessage> emailMessages = new List<SampleEmailMessage>();

public void initialize(List<LifeScienceEmail> records) {
    Set<Id> attachmentIds = new Set<Id>();

    for(LifeScienceEmail record : records) {
        if (!String.isBlank(String.valueOf(record.BodyAttachmentIdentifier)) && (record.BodyAttachmentIdentifier instanceof Id)) {
            attachmentIds.add((Id)record.BodyAttachmentIdentifier);
        }
    }

    bodyAttachments = new Map<Id, Attachment>();
    bodyContentVersions = new Map<Id, ContentVersion>();

    if (!attachmentIds.isEmpty()) {
        List<Attachment> attachments = [SELECT Id, Body, ContentType, Name
FROM Attachment WHERE Id IN :attachmentIds];
        bodyAttachments = new Map<Id, Attachment>(attachments);

        List<ContentVersion> contentVersions = [SELECT Id, VersionData FROM ContentVersion WHERE Id IN :attachmentIds];
        bodyContentVersions = new Map<Id, ContentVersion>(contentVersions);
    }

}

public Boolean addMessage(LifeScienceEmail lscEmailRecord) {
    SampleEmailMessage email = new SampleEmailMessage();
    email.setSenderAddress(String.valueOf(lscEmailRecord.SenderEmailAddress));

    email.setSenderName(String.valueOf(lscEmailRecord.SenderUserName));
    email.addRecipient(String.valueOf(lscEmailRecord.SentToEmailAddress));
    email.setCCAddress(String.valueOf(lscEmailRecord.CcEmailAddressList).split(','));
    email.setBCCAddress(String.valueOf(lscEmailRecord.BccEmailAddressList).split(','));
    email.setSubject(String.valueOf(lscEmailRecord.SubjectText));
}

```

```

        String body = null;

        if (!String.isBlank(String.valueOf(lscEmailRecord.BodyAttachmentIdentifier))) {
            Attachment bodyAsAttachment = bodyAttachments.get(lscEmailRecord.BodyAttachmentIdentifier);
            if (bodyAsAttachment == null) {
                ContentVersion bodyAsContentVersion = bodyContentVersions.get(lscEmailRecord.BodyAttachmentIdentifier);

                if (bodyAsContentVersion == null) {
                    // Exception - No Body Found
                } else {
                    body = bodyAsContentVersion.VersionData.toString();
                }

            } else {
                body = bodyAsAttachment.Body.toString();
            }

        }

        email.setBody(body);
        emailMessages.add(email);
        return true;
    }

    public Boolean exceededLimits() {
        Integer remainingEmails = SampleEmailAPI.getRemainingEmails();
        Integer numberEmailsToBeSent = 0;
        for (SampleEmailMessage email : emailMessages) {
            numberEmailsToBeSent += email.getRecipients().size();
            numberEmailsToBeSent += email.getCCs().size();
            numberEmailsToBeSent += email.getBCCs().size();
        }
        return remainingEmails >= numberEmailsToBeSent;
    }

    public Boolean canExceedLimits(Integer numEmails) {
        Integer remainingEmails = SampleEmailAPI.getRemainingEmails();
        return remainingEmails >= numEmails;
    }

    public List<String> sendEmail() {

```

```

        List<String> errorMessages = SampleEmailAPI.sendEmails(emailMessages);
        return errorMessages;
    }

    public void cleanUp(List<LifeScienceEmail> records) {
        update records;
    }

    public List<LifeScienceEmail> updateAttemptStatus(List<LifeScienceEmail> emailAttemptsToProcess) {
        List<LifeScienceEmail> emailRecordsToUpdate = new List<LifeScienceEmail>();
        for (LifeScienceEmail email : emailAttemptsToProcess) {
            SampleEmailStatus status = SampleEmailAPI.getEmailStatus(email);
            if (status != null) {
                email.IsBounced = status.getIsBounced();
                email.BouncedReason = status.getBouncedReason();
                email.BouncedDate = status.getBouncedDate();
                email.LastOpenedDate = status.getLastOpenedDate();
                email.FirstOpenedDate = status.getFirstOpenedDate();
                email.LastEventDateTime = System.now();
            }
        }
        return emailAttemptsToProcess;
    }

    public void finish() {
        SampleEmailAPI.someMethod();
    }

    public void setParameters(Map<String, Object> params) {
        // Nothing - Not called yet, reserved for future use
    }
}

```

Example Helper Classes

This example helper class stores an email.

```

public class SampleEmailMessage {

    private String senderAddress;
    private String senderName;
}

```

```
private List<String> recipientAddress;
private List<String> ccAddress;
private List<String> bccAddress;
private String subject;
private String body;

public String getSenderAddress() {
    return senderAddress;
}
public void setSenderAddress(String senderAddress) {
    this.senderAddress = senderAddress;
}

public String getSenderName() {
    return senderName;
}
public void setSenderName(String senderName) {
    this.senderName = senderName;
}

public List<String> getRecipients() {
    return recipientAddress;
}
public void setRecipientAddress(List<String> recipientAddress) {
    this.recipientAddress = recipientAddress;
}
public void addRecipient(String recipientEmailAddress) {
    this.recipientAddress.add(recipientEmailAddress);
}

public List<String> getCCs() {
    return ccAddress;
}
public void setCCAddress(List<String> ccAddress) {
    this.ccAddress = ccAddress;
}
public void addCC(String recipientCC) {
    this.ccAddress.add(recipientCC);
}

public List<String> getBCCs() {
    return bccAddress;
}
public void setBCCAddress(List<String> bccAddress) {
```

```
        this.bccAddress = bccAddress;
    }
    public void addBCC(String recipientBCC) {
        this.bccAddress.add(recipientBCC);
    }

    public String getSubject() {
        return subject;
    }
    public void setSubject(String subject) {
        this.subject = subject;
    }

    public String getBody() {
        return body;
    }
    public void setBody(String body) {
        this.body = body;
    }
}
```

This example helper class stores an email's status.

```
public class SampleEmailStatus {

    private Datetime SentDateTime;
    private Datetime BouncedDate;
    private String BouncedReason;
    private Boolean IsBounced;
    private Datetime FirstOpenedDate;
    private Datetime LastOpenedDate;

    public Datetime getSentDateTime() {
        return SentDateTime;
    }
    public void setSentDateTime(Datetime SentDateTime) {
        this.SentDateTime = SentDateTime;
    }

    public Datetime getBouncedDate() {
        return BouncedDate;
    }
    public void setBouncedDate(Datetime BouncedDate) {
        this.BouncedDate = BouncedDate;
    }
}
```



```
}

public String getBouncedReason() {
    return BouncedReason;
}

public void setBouncedReason(String BouncedReason) {
    this.BouncedReason = BouncedReason;
}

public Boolean getIsBounced() {
    return IsBounced;
}

public void setIsBounced(Boolean IsBounced) {
    this.IsBounced = IsBounced;
}

public Datetime getFirstOpenedDate() {
    return FirstOpenedDate;
}

public void setFirstOpenedDate(Datetime FirstOpenedDate) {
    this.FirstOpenedDate = FirstOpenedDate;
}

public Datetime getLastOpenedDate() {
    return LastOpenedDate;
}

public void setLastOpenedDate(Datetime LastOpenedDate) {
    this.LastOpenedDate = LastOpenedDate;
}
}
```

This is an example helper class to make external API calls to the third-party email system. To make valid API calls, update the endpoints.

```
public class SampleEmailAPI {

    public static Integer getRemainingEmails() {
        // Replace with valid request
        HttpRequest req = new HttpRequest();
        req.setEndpoint('https://www.examplesite.com/some/api/endpoint');
        req.setHeader('Authorization', 'someauth');
        req.setHeader('Content-Type', 'application/json');
        req.setMethod('GET');
        req.setBody('Request Body');
```

```

    Http httpReq = new Http();
    HttpResponse response;

    try {
        response = httpReq.send(req);
    } catch (Exception ex) {
        // Handle
    }

    String body = response.getBody();
    Map<String, Object> results = parseBody(body);

    // Assumes this value will be returned from the API
    return Integer.valueOf(results.get('emails_remaining'));
}

public static List<String> sendEmails(List<SampleEmailMessage> emails) {
    // Replace with valid request
    List<String> errorMessages = new List<String>();
    for (Integer i = 0; i < emails.size(); i++) {
        try {
            // Send Message - Replace with valid request
            HttpRequest req = new HttpRequest();
            req.setEndpoint('https://www.examplesite.com/some/api/endpoin
t');

            req.setHeader('Authorization', 'someauth');
            req.setHeader('Content-Type', 'application/json');
            req.setMethod('POST');
            req.setBody('Request Body');

            Http httpReq = new Http();
            HttpResponse response;

            try {
                response = httpReq.send(req);
            } catch (Exception ex) {
                // Handle
            }

            String body = response.getBody();
            Map<String, Object> results = parseBody(body);

            // Check results if needed

```

```

        } catch (Exception x) {
            errorMessages.add(i, x.getMessage());
        }
    }
    return errorMessages;
}

public static SampleEmailStatus getEmailStatus(LifeScienceEmail email) {
    // Replace with valid request
    HttpRequest req = new HttpRequest();
    req.setEndpoint('https://www.somesite.com/some/api/endpoint');
    req.setHeader('Authorization', 'someauth');
    req.setHeader('Content-Type', 'application/json');
    req.setMethod('GET');
    req.setBody('Request Body');

    Http httpReq = new Http();
    HttpResponse response;

    try {
        response = httpReq.send(req);
    } catch (Exception ex) {
        // Handle
    }

    String body = response.getBody();
    Map<String, Object> results = parseBody(body);

    SampleEmailStatus status = new SampleEmailStatus();
    // Assumes these values will be returned from the API
    status.setSentDateTime(Datetime.parse(String.valueOf(results.get('sent_time'))));
    status.setIsBounced(Boolean.valueOf(results.get('is_bounced')));
    status.setBouncedReason(String.valueOf(results.get('bounced_reason')));
    status.setBouncedDate(Datetime.parse(String.valueOf(results.get('bounce_date'))));
    status.setLastOpenedDate(Datetime.parse(String.valueOf(results.get('last_opened'))));
    status.setFirstOpenedDate(Datetime.parse(String.valueOf(results.get('first_opened'))));

    return status;
}

```

```

public static void someMethod() {
    // Replace with valid request
    HttpRequest req = new HttpRequest();
    req.setEndpoint('https://www.somesite.com/some/api/endpoint');
    req.setHeader('Authorization', 'someauth');
    req.setHeader('Content-Type', 'application/json');
    req.setMethod('GET');
    req.setBody('Request Body');

    Http httpReq = new Http();
    HttpResponse response;

    try {
        response = httpReq.send(req);
    } catch (Exception ex) {
        // Handle
    }

    String body = response.getBody();
    Map<String, Object> results = parseBody(body);
}

private static Map<String, Object> parseBody(String body){
    Map<String, Object> m = (Map<String, Object>)JSON.deserializeUntyped(b
ody);
    return m;
}
}

```

Presentations

With Intelligent Content, you can streamline content management and empower commercial teams to deliver tailored presentations to healthcare professionals (HCPs). Create and manage presentations that foster personalized, effective engagements. Distribute relevant content to the right users by creating and managing presentations with the most current materials, and linking presentations to specific products, key messages, and territories. Use feedback and engagement metrics from every interaction with HCPs to improve marketing strategies and make content more relevant.

Get Your Org Ready for Presentations

Before you get started with Intelligent Content, complete a few tasks to prepare your org for presentations.

Mobile Configuration for Presentations

Set up object metadata cache configurations for Life Sciences presentation objects. Generate a

metadata cache to package the object schema configuration that the Life Sciences Cloud mobile app uses for online and offline access. This configuration defines how the mobile app fetches and stores the necessary metadata when a network connection is unavailable.

Configure Presentation Settings

Manage data tracking, feedback capture, and how users can find, share, and work with presentations in the content library. For granular control, apply settings for the entire org, for certain profiles, or for specific users.

Create and Manage Presentations

Use a centralized content management hub where you can upload, create, and manage presentations. To make sure that the right sales teams can access relevant content, link presentations to specific products and distribute presentations to specific territories.

Set Up Smart Content Search

Expand your search beyond just presentation names and metadata properties. Use Data 360 to create a vector search index for processing raw presentation file text, extracting its meaning, and converting it into searchable strings. In the content library, your field users can find presentations by searching within presentation content and see why presentations match their search terms.

Set Up Presentation Targeting

To help field reps see the right materials and show content to the right audiences, target presentations to specific accounts and territories. Show warnings if sales reps add accounts that aren't targeted to a presentation, or prevent reps from adding accounts that aren't targeted.

Set Up Recommended Presentations

Define recommended presentations so that users can find and present the most relevant content during interactions. When users open the content library or the presentation player from an account, they can filter by recommended presentations to help them select the best content for the account and territory.

Send Presentations as Links

Help field users improve engagement with healthcare professionals (HCPs) by sending presentations as links in preapproved email templates. Field users can select multiple presentations and embed links automatically into emails, and HCPs can review presentations in a dedicated portal without downloading email attachments. Links reflect the latest version of the presentation and expire after a defined amount of time, so HCPs know they're seeing the most up-to-date content. Track presentation metrics to optimize content for future engagements.

Monitor the Presentation API Job Queue

Monitor the status of presentations that are uploaded to Life Sciences Customer Engagement via the content management Connect API.

Understand Presentation Metrics

When sales reps deliver presentations, metrics are tracked during the interaction so that you can get detailed insights into usage and performance. Engagement data is captured in presentation click stream entry records. To analyze engagement and improve presentation strategy, build custom reports and dashboards by using presentation click stream entry data.

See Also

[Compare the Life Sciences Cloud Mobile App and Desktop Site](#)

Get Your Org Ready for Presentations

Before you get started with Intelligent Content, complete a few tasks to prepare your org for presentations.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up Life Sciences Customer Engagement data:	Life Sciences Commercial Admin permission set
---	---

To work with field sets and topics:	Customize Application
-------------------------------------	-----------------------

1. To report on more presentation fields, [add fields to these field sets](#).

Object	Field Set
Presentation	Presentation Reporting
Presentation Page	Presentation Page Reporting

2. To enable users to sort and filter presentations and pages by theme in the content library, [configure topics](#) for these objects.
 - Presentation
 - Presentation Page
3. To set up the presentation player so that users can capture medical inquiries, [create a quick action](#) with these values. Assign the action to the correct permission sets and profiles.

Field	Value
Action Name	Inquiry
Location	Intelligent Content
Object	Account

4. To set up the presentation player so that users can start or resume surveys, [create a quick action](#) with these values. Assign the action to the correct permission sets and profiles.

Field	Value
Action Name	Survey

Field	Value
Location	Intelligent Content
Object	Account

5. Enable users to create custom presentations in the Life Sciences Cloud mobile app.
 - a. [Enable these object permissions](#) on the right permission sets or profiles.

Object	Permissions
Presentation	Create, Edit
Presentation Linked Page	Create, Edit
Topic Assignment	Create

- b. From the Presentations tile in the Admin Console, open the Presentation Settings page and enable **Create custom presentations** for the same permission sets or profiles.
6. To enable admins to upload presentations by using the content management Connect API, make sure that admin users have the System Administrator profile or a profile that's cloned from it. Or, [enable field level security](#) for the correct profiles on all fields on these objects.
 - LifeSciMarketableProduct
 - Presentation
 - PresentationPage
 - PresentationLinkedPage
 - PresentationPageProduct
 - ProductGuidance
7. Because record sharing is based on territory assignments, make sure that your Salesforce org uses the default sharing settings.
 - a. In the [sharing settings](#) for the Presentation and Presentation Page objects, verify that default internal access is set to **Private**.
 - b. On each user profile, verify that the **View All Records** permission is disabled for the Presentation object.

Mobile Configuration for Presentations

Set up object metadata cache configurations for Life Sciences presentation objects. Generate a metadata cache to package the object schema configuration that the Life Sciences Cloud mobile app uses for online and offline access. This configuration defines how the mobile app fetches and stores the necessary metadata when a network connection is unavailable.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up Life Sciences Customer Engagement Life Sciences Commercial Admin permission set data:

To enable offline access for the objects that support presentations in the Life Sciences Cloud mobile app, create these object metadata cache configurations.

Object	Type
ContentDocument	Data
ContentDocumentLink	Data
ContentVersion	Data
LifeSciMarketableProduct	Data
Presentation	Data
PresentationPage	Data
PresentationLinkedPage	Data
PresentationPageProduct	Data
ProductGuidance	Data
Survey	Data
Topic	Data
TopicAssignment	Data

 **Important** After you create these configurations, you must generate a metadata cache. This step is important because it makes sure that the mobile app accesses the latest metadata definitions, including any schema changes for supported objects.

See Also

[Create Object Metadata Cache Configuration](#)
[Generate Metadata Cache](#)

Configure Presentation Settings

Manage data tracking, feedback capture, and how users can find, share, and work with presentations in the content library. For granular control, apply settings for the entire org, for certain profiles, or for specific users.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To adjust presentation settings: Life Sciences Commercial Admin permission set

1. From App Launcher, find and select **Admin Console**.
2. Select **Intelligent Content**, and then select **Presentation Settings**.
3. Choose whether to apply settings at the organization level, or select the user profile or the individual user to apply settings for.
4. Under Search Settings, configure these settings as needed to enable advanced search criteria in the content library.

Setting	Description
Use advanced search for accounts	When Advanced Search is configured, show more filters to help users find accounts based on presentation details. See Account Search .
Presentation Search Field	The Presentation object field that users search on to find presentations. Select a standard field or custom text field, or a formula field that combines multiple values such as name and language into a single searchable string.
Presentation Page Product Search Field	The Presentation Page Product object field that users search on to find presentations. Select a standard field, custom text field, or formula field that combines multiple values such as name and language into a single searchable string.
Use Data Cloud to search presentation content	Use a Data 360 search index so that users can find relevant presentations by using phrases and related concepts to search presentation content.
Search Index API Name	Enter the API name of the Data 360 search index that you created for presentation content. See Set Up Smart Content Search .
File Types to Index	Select the file types to index for presentation content searches. PDFs are indexed automatically, and each additional type consumes extra storage. To maximize search potential, we recommend indexing HTML.

5. Under Targeted Presentation Settings, configure these settings as needed.

Setting	Description
Show Next Best Message	Shows suggested presentations in the content library based on the Next Best Messages suggested for an account. Users see other presentations that have the same assigned product messages.
Targeting Context	If you use presentation targeting, show a warning if reps add accounts that aren't targeted to the presentation or prevent reps from adding accounts that aren't targeted. See Set Up Presentation Targeting .

- Under Presentation Player Settings, select or deselect the options to determine how sales reps can see and interact with content in the presentation player.
To make sure that sales reps can easily access the menu, we recommend enabling these settings at the org level.
 - Show page name in presentation player
 - Use drawing tools in presentation player
 - Use laser pointer in presentation player
 - Show icon to open player menu
- Under Content Library Settings, configure these settings as needed to determine how sales reps can work with presentations in the content library.

Setting	Description
Create custom presentations	In the Life Sciences Cloud mobile app, users with create and edit access on the Presentation and Presentation Linked Page objects can create custom presentations from the content library by using approved slides.
Collapse content categories	Users can expand or collapse content categories in the content library.

- Under Tracking Settings, configure these settings as needed.

Setting	Description
Use geolocation tracking	Capture the GPS location where the sales rep delivered the presentation.
Pause tracking when player launches	Pause tracking automatically when a presentation starts so that you don't capture metrics during training sessions. Sales reps can start tracking metrics again from the presentation player.
Turn off participant tracking	To help make sure that your organization meets relevant compliance requirements or for use cases where there aren't specific participants, don't capture participant metrics such as the content viewed, the time spent on each page, and the products or messages presented.

Setting	Description
Turn off presenter tracking	To help make sure that your organization meets relevant privacy requirements or for training or internal use cases, don't capture presenter metrics such as the content presented, the time spent on each page, and the pages shown.

9. Under Access Control Settings, configure these settings as needed.

Setting	Description
Lock presentation	Prevent other admins from editing or deactivating presentations and their pages from the Admin Console.
Lock player on mobile	Automatically lock the presentation player on mobile devices during face-to-face visits. This allows healthcare professionals (HCPs) to handle sales reps' devices so they can view the presentation securely without accessing other parts of the app.

10. Under Share Settings, configure these settings as needed.

Setting	Description
Send presentations as email attachments	Users can share presentations as email attachments. The presentation files must include a PDF version of the presentation.
Send presentations as email links	Users can share presentations as unique links in email content. HCPs can see the latest version of the presentation content in the Digital Experience site that you specify without downloading email attachments.
Days Until Link Expires	The number of days that presentation links are valid for. Access to presentations is also controlled by the presentation's activation and expiration date, status, and any other visibility rules.
Digital Experience Site URL	The URL of the Digital Experience site where HCPs can view presentations. See Create an Experience Cloud Site for Presentations

11. Under Feedback Settings, select or deselect these options to configure HCP feedback and survey features during or after presentations.
- Capture feedback in player menu
 - Capture feedback on presentation screen
 - Retake survey
 - Retake survey and copy last response
12. Save your changes.

Create and Manage Presentations

Use a centralized content management hub where you can upload, create, and manage presentations. To make sure that the right sales teams can access relevant content, link presentations to specific products and distribute presentations to specific territories.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

From the Presentations page in the Intelligent Content tile, you can:

- Filter the list of presentations to find the one you need.
- Remove filters to see all presentations.
- Get details about presentations, such as the presentation's name, whether it's active, the products that are linked to it, and when it was last updated.
- See the custom presentations that sales reps created in the content library, and activate or deactivate custom presentations.
- Open presentations to manage settings, product distribution, territory alignment, and other options.
- Edit presentation pages in bulk.
- Upload new pages to update existing presentations.
- Activate presentations to show them in the content library, or deactivate presentations so they no longer show up.
- Remove presentations.

Upload Pages and Create Presentations

Upload source files and create presentations. Salesforce supports PDFs and HTML content packaged in ZIP files.

Create Presentations from Existing Pages

Create new Intelligent Content presentations from existing pages.

Distribute Presentations to Territories

Assign relevant territories to presentations so that only the sales reps for those territories can access them in the content library.

Edit Individual Presentation Pages

Individual pages can be used across presentations. View page details and file versions, and modify page properties that apply to the page across presentations.

Edit Presentation Pages in Bulk

Easily update multiple pages in a presentation. For example, assign new products and messages to all presentation pages, or make several pages mandatory at once.

Update and Manage Presentation Versions

Create new versions of existing presentations. Upload new presentation files, remove old content, or reorder the pages.

Upload Pages and Create Presentations

Upload source files and create presentations. Salesforce supports PDFs and HTML content packaged in ZIP files.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To upload pages and create presentations:	Life Sciences Commercial Admin permission set
---	---

Before you can upload a presentation, create the presentation's source ZIP files or PDF. See [Guidelines for Life Sciences Presentations](#).

Upload Presentation Files

1. From the App Launcher, find and select **Admin Console**.
2. Select **Intelligent Content**, and then select **Presentations**.
3. Click **Upload New Pages**.
4. On the Presentation Files page, select the presentation ZIP files or a single PDF, and then click **Upload Files**.
5. After Salesforce validates the presentation files, click **Next**.

Configure Presentation Pages

On the Presentation Pages screen, add products and messages to each page and configure page settings.

1. To select the messages and products that you want to link to presentation pages, click **Add**.
2. Under Products, search for and select the products to assign to presentation pages, and then select the related product messages.
3. Save your changes.
4. To update pages with the selected products and messages, select the pages, and then click **Apply Products and Messages**.
You can link each presentation page to multiple products or messages. You can also assign a specific product message to each page.
5. Update each page's name.

For uploaded ZIP files, the default name for each page is based on the file name. For PDFs, the default name is based on the sequential number of the page, starting at 1.

6. Select whether the pages are mandatory in the presentation.
7. If custom fields are configured, populate them for each page as needed.
8. If you uploaded presentation ZIP files, reorder the pages as needed.
9. Click **Next**.

Configure Presentation Settings

On the Presentation Settings page, finalize the presentation.

1. Give the presentation a name.
2. To determine when the presentation is available in the content library, select dates for activation and deactivation.
3. To categorize the presentation, create topics.
Sales reps can use these topics to search and filter presentations in the content library.
4. To determine how sales reps and healthcare professionals (HCPs) can interact with content in the presentation player, customize presentation settings.
 - a. Select the gesture that opens the presentation player and the side of the screen where it appears.
Choose a location and gesture that doesn't interfere with dynamic content in your presentations.
 - b. Select the side of the presentation player screen where sales reps can capture feedback from HCPs.
Choose a location that doesn't overlap with the presentation content.
 - c. Choose whether sales reps can double-tap to magnify content, which can enhance engagement and improve interactions during visits.
 - d. Enter the name for public content that appears during remote engagements.
The name that you enter helps HCPs understand the content that they're opening. For example, Legal Disclaimer.
 - e. Enter the URL of the public content.
This is the direct link that opens the resource for HCPs, such as product or legal information.
 - f. Choose whether sales reps can email presentations to HCPs.
For sales reps to be able to email a presentation, the presentation's files must include a PDF version of the presentation.
5. Save your changes.
6. To make the presentation available in the content library, click **Activate**.
Active presentations are available in the content library within the activation and deactivation dates. If you don't set activation and deactivation dates, the presentation is available until you deactivate it.

After you create the presentation, you can open it from the presentation list view to edit its settings and add or reorder pages. You can also upload new pages, distribute the presentation to specific territories, or deactivate it so that it's no longer available for use.

Create Presentations from Existing Pages

Create new Intelligent Content presentations from existing pages.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create presentations:	Life Sciences Commercial Admin permission set
--------------------------	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Intelligent Content**, and then select **Presentations**.
3. Click **Use Existing Pages**.
4. Enter a presentation name.
5. Enter details about the presentation as needed.
 - To categorize the presentation, create topics.
 - Select how sales reps and healthcare professionals (HCPs) can open the menu, capture feedback, and zoom in on content in the presentation player.
 - To make the presentation available in the content library only within a certain period, select dates for activation and deactivation.
 - To include links to product or legal information that HCPs can access during remote sessions, enter the name and URL for the public content.
6. Under Presentation Pages, click **Add**.
7. Search for and select the pages that you want to use.
You can select only active presentation pages.
8. Select the territories to distribute the presentation to.
See [Distribute Presentations to Territories](#)
9. Save your changes and activate the presentation.
Activating the presentation makes it available in the content library within the activation and deactivation dates. If you don't set these dates, the presentation is available until you deactivate it.

After you create the presentation, you can open it from the presentation list view to edit its settings and add or reorder pages. You can also upload new pages, or deactivate the presentation so that it's no longer available for use.

Distribute Presentations to Territories

Assign relevant territories to presentations so that only the sales reps for those territories can access them in the content library.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To distribute presentations:	Life Sciences Commercial Admin permission set
------------------------------	---

Before you distribute email templates to territories, configure account territories and the territory hierarchy.

1. From the App Launcher, find and select **Admin Console**.
2. Select **Intelligent Content**, and then select **Presentations**.
3. Open a presentation, and then click **Edit**.
4. Under Territory Distribution, search for the territory name, or expand the territory alignment tree to find the right territory.
5. To select territories that aren't aligned with the products assigned to the presentation pages, turn on **Select unassigned territories**.
6. To select individual territories to distribute the presentation to, select the checkboxes.
7. To assign the presentation to a parent territory and all child territories, double-click the parent checkbox.
If you assign a presentation to a parent territory, all existing and new child territories are also aligned to that presentation.
8. Save your changes.

See Also

[Set Up Sales Territories for Life Sciences Cloud](#)

Edit Individual Presentation Pages

Individual pages can be used across presentations. View page details and file versions, and modify page properties that apply to the page across presentations.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To update presentation pages:	Life Sciences Commercial Admin permission set
-------------------------------	---

1. From the App Launcher, find and select **Admin Console**.

2. Select **Intelligent Content**, and then select **Pages**.
3. Sort or filter the list to find the page that you want.
The Active column shows whether the page is currently active and available to use in presentations.
You can also see details such as the file type, linked products, and the version number.
4. Open a page, and then click **Edit**.
5. Edit the page's details. These properties are editable.
 - Whether the page is mandatory for sales reps to present.
 - The email template associated with this presentation page. If you configure the template in the presentation file's HTML, and if sales reps start an email from this presentation page, the email uses this template by default.
 - The products and messages associated with the page.
 - Any custom field values in the Reporting section.
6. Save your changes.
The previous page version is deactivated. If the page was already active, the new page version is active automatically.

After you save your changes, you can activate or deactivate the page. If you deactivate the page, you can't activate it again.

Edit Presentation Pages in Bulk

Easily update multiple pages in a presentation. For example, assign new products and messages to all presentation pages, or make several pages mandatory at once.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To update presentation pages in bulk:	Life Sciences Commercial Admin permission set
---------------------------------------	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Intelligent Content**, and then select **Presentations**.
3. Sort or filter to find the presentation that you want to update in the list, and then click **Bulk Edit**.
4. On the Presentation Pages page, select additional products and messages, and then apply them to the presentation's pages.
5. Update each page's attributes such as its name, whether it's a mandatory page in presentations, and custom field values.
6. Click **Next**.
7. Adjust the presentation settings, if necessary.
8. Save your changes.

Update and Manage Presentation Versions

Create new versions of existing presentations. Upload new presentation files, remove old content, or reorder the pages.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To upload new pages and manage presentation versions:	Life Sciences Commercial Admin permission set
---	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Intelligent Content**, and then select **Presentations**.
3. Sort or filter the list to find the presentation that you want to update, and then click **Bulk Update**.
4. Select the new presentation ZIP files or PDF to upload.
5. After Salesforce validates your selected files, click **Next**.
6. Under Presentation Pages, in the Page to Update column, select the existing presentation page to map the new file to.
If the page names match, the new file is mapped to the existing presentation page automatically.
7. If needed, apply products and messages, reorder the pages, update page names, and update which pages are mandatory.
8. Click **Next**.
9. Adjust the presentation settings, if necessary.
10. Save your changes.
Uploading new presentation files increases the number of presentation and page versions automatically and deactivates the previous versions.

Set Up Smart Content Search

Expand your search beyond just presentation names and metadata properties. Use Data 360 to create a vector search index for processing raw presentation file text, extracting its meaning, and converting it into searchable strings. In the content library, your field users can find presentations by searching within presentation content and see why presentations match their search terms.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up Data Cloud:	Data Cloud Architect permission set
To configure presentations and settings:	Life Sciences Commercial Admin permission set

Before you set up smart content search, make sure that Data 360 is set up for your Salesforce org. See [Set Up Data 360 for Life Sciences Cloud for Customer Engagement](#).

1. [Deploy the Life Sciences Data Kit](#).

The Life Sciences Data Kit sets up the presentation data streams, data model objects (DMOs), and data lake objects (DLOs) that support smart content search.

2. In Data 360, verify that these presentation data streams were created as part of the Life Sciences Data Kit installation. If you don't see these data streams, [create them manually](#).

- Presentation_Home
- PresentationPage_Home
- PresentationLinkedPage_Home

3. [Set up file attachment ingestion](#) so that Data 360 can ingest the files that are attached to presentation page records and include the file content in your search index.

This configuration sets up data streams for and maps DLOs and DMOs to these Salesforce objects.

- Content Document
- Content Document Link
- Content Version Home

4. [Create a vector search index](#) by using the advanced setup option and these values.

When you save your search index, take note of the search index configuration's API name. You need it when you configure presentation settings.

Page	Section, Field, or Button	Value
Search Type and Source Object	Select Search Type	Vector Search
Search Type and Source Object	Select Source Object	Presentation Page
Chunking	Select Fields to Chunk	Select at least one field to use for chunking.
Chunking	Include File Attachments	Select Include File Attachments, and then select Content Document Version. This setting makes sure that the presentation page file attachments are included in the search index.

Page	Section, Field, or Button	Value
Vectorization	Select embedding Model	Select any model.

5. Assign and update Data 360 permission sets.
 - a. To enable users to search within presentation content in the content library, assign them the Data Cloud User permission set.
 - b. In the App Permissions for the Data Cloud Salesforce Connector permission set, make sure that the **Query Non Vetoed Files** permission is enabled.
6. In the Life Sciences Commercial app, configure presentation settings.
 - a. From the Admin Console, select **Intelligent Content**, and then select **Presentation Settings**.
 - b. Under Search Settings, select **Use Data Cloud to search presentation content**.
 - c. Enter the API name of the Data 360 search index that you created for presentations and presentation pages.
 - d. Select the file types to include in your search index for presentation content.
We recommend indexing HTML files. PDF files are indexed automatically.
 - e. Save your changes.

See Also

[Billing Considerations for Unstructured Data and Search Index](#)

Set Up Presentation Targeting

To help field reps see the right materials and show content to the right audiences, target presentations to specific accounts and territories. Show warnings if sales reps add accounts that aren't targeted to a presentation, or prevent reps from adding accounts that aren't targeted.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up presentation targeting:	Life Sciences Commercial Admin permission set
-----------------------------------	---

Before you set up presentation targeting, find the Source System IDs of the presentations from the App Launcher or from the Intelligent Content tile in the Admin Console. Source System IDs are unique, customer-provided IDs on presentation records.

1. To populate Provider Account Territory Info records and permissions, [run the Align Account to Territory batch job](#).
2. On each Provider Account Territory Info record, update the Targeted Presentation Information field.

Enter a semicolon-delimited list of the presentation Source System IDs to target to that account and territory.

- From the Intelligent Content tile in the Admin Console, open the Presentations Settings page.
- Under Targeted Presentation Settings, set the targeting context to determine the presentations users can see and the accounts they can add.

Warn	Sales reps can add accounts that aren't targeted to a presentation, but they see a warning. Sales reps can also see which presentations are targeted for a healthcare professional (HCP) during a visit.
Restrict	Sales reps can see only presentations that are targeted for an HCP. during a visit, and they can add only targeted accounts to a presentation.

- Save your changes.

Set Up Recommended Presentations

Define recommended presentations so that users can find and present the most relevant content during interactions. When users open the content library or the presentation player from an account, they can filter by recommended presentations to help them select the best content for the account and territory.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up recommended presentations: Life Sciences Commercial Admin permission set

Before you set up recommended presentations, find the presentation record IDs from the App Launcher. When you create and save presentations, Salesforce automatically creates unique Presentation IDs .

- To populate Provider Account Territory Info records and permissions, [run the Align Account to Territory batch job](#).
- On each Provider Account Territory Info record, update the Recommended Presentation Information field. In JSON format, enter the IDs of the presentations to recommend and their order.

```
{
  "Data": [
    { "Id": <presentation id>, "Order": 1 },
```

```
{ "Id": <presentation id>, "Order": 2 }  
]  
}
```

3. Save your changes.

Send Presentations as Links

Help field users improve engagement with healthcare professionals (HCPs) by sending presentations as links in preapproved email templates. Field users can select multiple presentations and embed links automatically into emails, and HCPs can review presentations in a dedicated portal without downloading email attachments. Links reflect the latest version of the presentation and expire after a defined amount of time, so HCPs know they're seeing the most up-to-date content. Track presentation metrics to optimize content for future engagements.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

1. [Create an Experience Cloud Site for Presentations](#)

Configure an Experience Cloud site so that healthcare professionals (HCPs) can open presentation links in emails and review presentation content in a dedicated portal.

2. [Configure Email Templates and Presentation Settings](#)

Update the email templates that support sharing presentations with healthcare professionals (HCPs). Configure presentation settings so that field users can share presentations as unique links in the email content.

Create an Experience Cloud Site for Presentations

Configure an Experience Cloud site so that healthcare professionals (HCPs) can open presentation links in emails and review presentation content in a dedicated portal.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To create an Experience Cloud site:

Create and Set Up Experiences

AND

Setup and Configuration

To customize or publish an Experience Cloud site:

Create and Set Up Experiences AND View Setup and Configuration AND be a member of the site

OR

View Setup and Configuration AND be a member of the site AND have appropriate role-based site access

To assign Permission sets:

Manage Profiles and Permission Sets

Before you create an Experience Cloud site, [enable digital experiences](#).

1. [Create an Experience Cloud site](#) by using an Aura Template.
If you created an Experience Cloud site for remote engagement sessions, you can add a new page to that site instead.
2. From Builder, create a page for viewing presentations.
3. Select **Components** and then drag the **Presentation Player Digital Experience component** to the page.
The Presentation Player Digital Experience component is under Custom Components. You can also find it through the search bar.
4. For language support, select **Components** and drag the **Language Selector** component to the page.
5. In Properties, set Page Access to Public.
6. Publish the site.
7. Assign the Access Presentation Player for Digital Experience permission sets to guest users of the site.
8. Activate the site.
9. [Grant accounts access to your Experience Cloud site](#).
If you have an Experience Cloud site for remote engagement sessions and you've granted access to the site, skip this step.



Tip Take note of the presentation page URL. You need it when you configure presentation settings. You can view the URL of the published page in the Builder's general settings for the page.

See Also

[Customize Sites with Experience Builder](#)

[Manage Your Site's Pages and Their Properties in Experience Builder](#)

Configure Email Templates and Presentation Settings

Update the email templates that support sharing presentations with healthcare professionals (HCPs). Configure presentation settings so that field users can share presentations as unique links in the email content.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up email templates and configure presentation settings:

Life Sciences Commercial Admin permission set

Before you configure email templates and presentation settings, create or update the Digital Experience site where HCPs can view presentations. Take note of the presentation page URL.

1. In the email template ZIP file, update the index.html file. Include this placeholder where you want presentation links to appear in the email.

```
<div class="LSC_PresentationLinks" ></div>
```

When field users select presentations to share, links are generated automatically and inserted into the email content.

2. Upload and configure email templates in Life Sciences Commercial.
 - a. From the Admin Console, find and select **Email**, and then select **Email Templates**.
 - b. Create an email template or upload a new version of an existing template.
 - c. In the email template details, select **Send presentations as links**.
3. Configure sharing settings for presentations in Life Sciences Commercial.
 - a. From the Admin Console, find and select **Intelligent Content**.
 - b. Select Presentation Settings, and then scroll to Sharing Settings.
 - c. Select **Send presentations as links**.
You can also select **Send presentations as attachments** so that users can share presentations in both ways.
 - d. Enter how many days the links are valid for.
The presentation's activation and expiration dates, status, and any other visibility rules also control access to presentations.
 - e. Enter the URL of the Digital Experience site where HCPs can view presentations.
 - f. Save your changes.

See Also

[Create an Experience Cloud Site for Presentations](#)
[Upload Pages and Create Presentations](#)
[Guidelines for Life Sciences Email Templates](#)

Monitor the Presentation API Job Queue

Monitor the status of presentations that are uploaded to Life Sciences Customer Engagement via the content management Connect API.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To see the API job queue:	Life Sciences Commercial Admin permission set
---------------------------	---

1. From the App Launcher, find and select **Admin Console**.
2. Select **Intelligent Content**, and then select **API Job Queue**.
3. In the job queue, view the status of presentations uploaded through the content management Connect API.

You can see each job's name, type, status, who initiated the job, and when the job started.

Understand Presentation Metrics

When sales reps deliver presentations, metrics are tracked during the interaction so that you can get detailed insights into usage and performance. Engagement data is captured in presentation click stream entry records. To analyze engagement and improve presentation strategy, build custom reports and dashboards by using presentation click stream entry data.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

When Metrics Are Tracked

When and how metrics are tracked can vary.

- The metrics that are tracked depend on whether settings such as participant tracking or presenter tracking are enabled.
- When sales reps present content during a visit, records are synced to Salesforce after the visit is saved or submitted.
- When you cancel a presentation, metrics aren't tracked.
- When session tracking is paused, metrics aren't tracked or associated with the related visit. Users see a reminder on each presentation and page so that they can start or resume tracking when it's appropriate.

What Metrics Are Tracked

Each page in the presentation can contain multiple slides, and one record is created for each slide presented. Metrics are tracked when users spend at least 3 seconds on a slide.

Tracked metrics for each slide can include:

- Presentation details, including pages and content versions.
- Products, messages, and guidance related to presentation pages.
- Information about the related healthcare professional (HCP) account and the visit or remote engagement during which metrics were captured.
- Details about how the participant accessed the presentation, including their browser, device type, and operating system.
- Timestamps for when the user opened and left a page, and the total time spent on the page.
- Content feedback from the participant during or after the presentation.

For details about all metrics collected, see [PresentationClickStrmEntry](#) in the Life Sciences Cloud Developer Guide.

See Also

[Reports and Dashboards](#)

Intelligent Content Reference

Create the content and source files for Life Sciences Customer Engagement presentations and email templates.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

[Guidelines for Life Sciences Email Templates](#)

Create predefined email templates with dynamic variables, rich text, content fragments, and advanced