

Add Healthcare Provider Credentials

Create records to store healthcare provider credentials such as accreditations, awards, board certifications, business licenses, and education.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Health Cloud or Life Sciences Cloud, and Einstein GPT Platform and Einstein GPT Prompt Builder Add-On licenses

USER PERMISSIONS NEEDED

To use Provider Relationship Management:	Health Cloud Provider Relationship Management
--	---

1. From the App Launcher, find and select **Accreditations** to create records for the professional accreditations of a facility. For example, a joint commission accredits a facility as a general acute care hospital.
2. From the App Launcher, find and select **Awards** to create records for a practitioner or a provider organization's professional awards.
3. From the App Launcher, find and select **Board Certifications** to create records for a practitioner's board certifications, which demonstrate the practitioner has undergone extra training to become a specialist or learn the latest advancements in their speciality.
4. From the App Launcher, find and select **Business Licenses** to create records for a practitioner or a provider organization's professional licenses.
5. From the App Launcher, find and select **Person Educations** to create records for a person's professional education in a provider role.

Set Up Life Sciences Cloud for Customer Engagement Basics

Complete tasks that impact your entire org before you install the Life Sciences Cloud for Customer Engagement managed package. Then install the managed package and complete post-installation tasks prior to setting up specific features.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Package pre-installation tasks include turning on Life Sciences Customer Engagement Setup settings,

turning on org preferences such as inventory counts and territories, and enabling person accounts. You must also set up territory types and create a hierarchy of territories in a territory model record.

After you install the managed package, turn on the Admin Console for your admin users, add tabs to the Life Sciences Commercial app, and run territory alignment jobs. You can also create record types and page layouts for your healthcare professional (HCP) and healthcare organization (HCO) accounts.

Get Your Org Ready for the Life Sciences Cloud for Customer Engagement Package

Complete these tasks before you install the Life Sciences Cloud for Customer Engagement managed package in your org. The package installation process fails if you don't complete these prerequisite tasks.

Set Up Sales Territories for Life Sciences Cloud

Create a territory type, create a territory model, then create a hierarchy of territories as you build the territory model. Activate the territory model, and then assign users to territories.

Install the Life Sciences Cloud for Customer Engagement Package for Admin Users

Install the Life Sciences Cloud for Customer Engagement managed package in your org before you set up Life Sciences Customer Engagement features. The package contains the Life Sciences Commercial app, which includes an Admin Console from where you can configure Customer Engagement features in one place.

Create Custom Admin Profiles for Life Sciences Cloud Customer Engagement

Create custom profiles for business admins and mobile admins by cloning the system administrator profile. Then create users and assign them to the relevant profiles.

Create Custom Standard User Profiles for Life Sciences Customer Engagement

Create custom profiles for personas such as Customer Facing Colleague and Field Sales Representative by cloning the Standard User profile.

Assign Life Sciences Cloud for Customer Engagement Permission Sets

To work with Life Sciences Cloud for Customer Engagement, users need the appropriate permission sets and permission set licenses. The Permission Sets page in Setup describes each permission set and shows the permission set license related to each permission set.

Create Account Page Layouts and Record Types for Healthcare Organizations (HCOs)

Create a page layout and a record type for the healthcare organization records that you create and maintain in Life Sciences Cloud.

Create Person Account Page Layouts and Record Types for Healthcare Professionals (HCPs)

Create a page layout and a record type for the healthcare professional records that you create and maintain in Life Sciences Cloud. Person Accounts represent people in Life Sciences Cloud.

Enable Multi-Entity Layouts

Improve user experience by using the LSC multi-entity layout to add fields from two Life Sciences Cloud objects onto a single page layout. Life Sciences Cloud supports three object combinations: Account and Healthcare Provider, Visit and Provider Visit, and Case and Inquiry.

The Life Sciences Customer Engagement Admin Console

Use the Admin Console to configure Life Sciences Customer Engagement features from a single place. The Admin Console is a tab in the Life Sciences Commercial app, which is only available when you install the Life Sciences Cloud for Customer Engagement managed package.

turning on org preferences such as inventory counts and territories, and enabling person accounts. You must also set up territory types and create a hierarchy of territories in a territory model record.

After you install the managed package, turn on the Admin Console for your admin users, add tabs to the Life Sciences Commercial app, and run territory alignment jobs. You can also create record types and page layouts for your healthcare professional (HCP) and healthcare organization (HCO) accounts.

Get Your Org Ready for the Life Sciences Cloud for Customer Engagement Package

Complete these tasks before you install the Life Sciences Cloud for Customer Engagement managed package in your org. The package installation process fails if you don't complete these prerequisite tasks.

Set Up Sales Territories for Life Sciences Cloud

Create a territory type, create a territory model, then create a hierarchy of territories as you build the territory model. Activate the territory model, and then assign users to territories.

Install the Life Sciences Cloud for Customer Engagement Package for Admin Users

Install the Life Sciences Cloud for Customer Engagement managed package in your org before you set up Life Sciences Customer Engagement features. The package contains the Life Sciences Commercial app, which includes an Admin Console from where you can configure Customer Engagement features in one place.

Create Custom Admin Profiles for Life Sciences Cloud Customer Engagement

Create custom profiles for business admins and mobile admins by cloning the system administrator profile. Then create users and assign them to the relevant profiles.

Create Custom Standard User Profiles for Life Sciences Customer Engagement

Create custom profiles for personas such as Customer Facing Colleague and Field Sales Representative by cloning the Standard User profile.

Assign Life Sciences Cloud for Customer Engagement Permission Sets

To work with Life Sciences Cloud for Customer Engagement, users need the appropriate permission sets and permission set licenses. The Permission Sets page in Setup describes each permission set and shows the permission set license related to each permission set.

Create Account Page Layouts and Record Types for Healthcare Organizations (HCOs)

Create a page layout and a record type for the healthcare organization records that you create and maintain in Life Sciences Cloud.

Create Person Account Page Layouts and Record Types for Healthcare Professionals (HCPs)

Create a page layout and a record type for the healthcare professional records that you create and maintain in Life Sciences Cloud. Person Accounts represent people in Life Sciences Cloud.

Enable Multi-Entity Layouts

Improve user experience by using the LSC multi-entity layout to add fields from two Life Sciences Cloud objects onto a single page layout. Life Sciences Cloud supports three object combinations: Account and Healthcare Provider, Visit and Provider Visit, and Case and Inquiry.

The Life Sciences Customer Engagement Admin Console

Use the Admin Console to configure Life Sciences Customer Engagement features from a single place. The Admin Console is a tab in the Life Sciences Commercial app, which is only available when you install the Life Sciences Cloud for Customer Engagement managed package.

Create Life Science Metadata Object Sharing Rules

Support access to Life Sciences for Customer Engagement features by creating object sharing rules for Life Science Metadata Categories and Life Science Metadata Records.

Supported Languages in Life Sciences Cloud for Customer Engagement

Life Sciences Cloud for Customer Engagement is localized in over 30 languages that are either fully supported or provide end-user support. For fully supported languages, Life Sciences Cloud features and user interface (UI) text appear in the chosen language. End-user languages allow individual users to select a language other than their company's default language for end-user facing UI.

Set Up the Life Sciences Customer Engagement Home Page

The home page in Life Sciences Cloud for Customer Engagement provides a centralized view of critical information and tasks so your users can prioritize their work. Customize the home page to show announcements, upcoming activities, visits to submit, prioritized accounts, and more. To show each user what matters most to them, tailor the home page for different profiles.

Get Your Org Ready for the Life Sciences Cloud for Customer Engagement Package

Complete these tasks before you install the Life Sciences Cloud for Customer Engagement managed package in your org. The package installation process fails if you don't complete these prerequisite tasks.

REQUIRED EDITIONS

USER PERMISSIONS NEEDED

To complete package pre-installation:	Life Sciences Commercial Admin and Health Cloud Starter permission sets
---------------------------------------	---

1. Assign the Life Sciences Commercial Admin and Health Cloud Starter permission sets to your admin user account.
 - a. From Setup, use the Quick Find box to search for and select **Users**, and then select your admin user account.
 - b. Scroll to Permission Set Assignments and click **Edit Assignments**.
 - c. From the Available Permission Sets list, move **Health Cloud Starter** and **Life Sciences Commercial Admin** to the Enabled Permission Sets list.
 - d. Save your changes.
 - e. Scroll to Permission Set Assignment Licenses and verify that Health Cloud Starter and Life Sciences Commercial are listed. These licenses are automatically added when you assign the permission sets.
2. Turn on Life Sciences for Customer Engagement Setup.
 - a. From Setup, use the Quick Find box to search for and select **Life Sciences for Customer Engagement Setup**.
 - b. Turn on **Life Sciences Customer Engagement**. The Life Sciences for Customer Engagement Setup page shows additional settings.
 - c. Turn on **RSVP Email Address** to create the email address that receives and handles responses from iCalendar invitations.

-  **Note** The setting **Filter Admin Console Tiles Based On User Permissions** filters the tiles that are displayed in the Admin Console based on user permissions in addition to org permissions (which is the default). Before activating this setting, be sure users have the permissions to see the tiles they need. See [Filter Admin Console Tiles by User Permissions](#).

3. Enable Surveys and configure survey settings.
 - a. Expand the Get Your Org Ready to Use Life Sciences Cloud for Customer Engagement section, then click **Configure Surveys**.
 - b. From the Surveys page, turn on **Surveys**. You can now access the Survey Invitation and Survey Subject objects in Object Manager.
 - c. Turn on **Survey Owners Can Manage Responses**.
 - d. Leave the other settings blank, and return to the Life Sciences for Customer Engagement Setup page.

-  **Note** Configure territories later in this task.

4. Enable settings for package installation.
 - a. From the Get Your Org Ready to Use Life Sciences Cloud for Customer Engagement section, click **Verify and Enable Settings** to open the list of settings.
 - b. Click **Enable All**.
 - c. Click **Close** after all settings are enabled.

-  **Note** Don't disable any of these prerequisite settings or feature preferences via metadata APIs. Doing so causes future upgrades of the package to fail.

5. Configure organization-wide default sharing settings.
 - a. From the Get Your Org Ready to Use Life Sciences Cloud for Customer Engagement section, click **Configure Sharing**.
 - b. Click **Edit**.
 - c. For the Account and Contract object, change the default internal and external access to Private. Acknowledge the UI messages that appear.
 - d. Verify the default internal and external access for the Case and Opportunity objects is Private. If it isn't, update the access.
 - e. For the Provider Affiliation and Provider Affiliation Product objects, change the default internal access to Public Read/Write.
 - f. Save your changes and return to the Life Sciences for Customer Engagement Setup page.
6. Enable Life Sciences Cloud for Customer Engagement Features.
 - a. Expand the Life Sciences Cloud for Customer Engagement Features section.
 - b. Turn on **Account-Based Sharing**, **Best Contact Time Custom Sharing**, **Contact Point Social Custom Sharing**, **Parent Territory Product Alignment**, and **Product Hierarchy Business Group Filter**.

-  **Note** Complete the Account Summarization for Customer Engagement and the Configure Provider Cards for Customer Engagement sections after you install the managed package.

7. Enable Inventory Count Settings.
 - a. From Setup, use the Quick Find box to search for and select **Inventory Count Settings**.
 - b. Verify Inventory Count is enabled. If not, turn on **Inventory Count**.
 - c. From Setup, use the Quick Find box to search for and select **Sales Account Plans**.
 - d. Verify Sales Account Plans are enabled. If not, turn on **Sales Account Plans**.

- e. From Setup, use the Quick Find box to search for and select **Care Plan Settings**.
 - f. Verify Care Plans are enabled. If not, turn on **Care Plans**.
8. Verify that Chatter is enabled in your org.
 - a. From Setup, use the Quick Find box to search for and select **Chatter Settings**.
 - b. Under Chatter Settings, if Enable is selected, you don't need to take any further action. If this option isn't selected, click **Edit**, select **Enable**, and then save your changes.
9. Verify data protection details are available in records.
 - a. From Setup, use the Quick Find box to search for and select **Data Protection and Privacy**.
 - b. If the Make data protection details available in records setting is selected, you don't need to take any further action. If this option isn't selected, click **Edit**, select **Make data protection details available in records**, and then save your changes.
10. Enable Translation Workbench.
 - a. From Setup, use the Quick Find box to search for and select **Translation Language Settings**.
 - b. Click **Enable** to turn on Translation Workbench.
 - c. For Language, click **Add**, and then select **English**.
 - d. Move the Admin User to the selected list of translators for English.
 - e. Save your changes.
11. Enable Multi-Currency. Follow the steps in [Enable Multiple Currencies](#).
12. Enable State and Country/Territory Picklists. Life Sciences Cloud uses State and Country fields such as ContactPointAddress.
 - a. Follow the steps in [Convert State and Country/TerritoryData](#).
 - b. Follow the steps in [Enable and Disable State and Country/Territory Picklists](#).
13. Enable contacts to relate to multiple accounts, and then enable Person Accounts.
 - a. Follow the steps in [Enable Contacts to Relate to Multiple Accounts](#).
 - b. Follow the steps in [Enable Person Accounts for Use in Life Sciences Cloud](#).
14. Set up Sales Territories. Follow the steps in [Set Up Sales Territories for Life Sciences Cloud](#). After you set up sales territories, you are ready to install the package.

Set Up Sales Territories for Life Sciences Cloud

Create a territory type, create a territory model, then create a hierarchy of territories as you build the territory model. Activate the territory model, and then assign users to territories.

REQUIRED EDITIONS

USER PERMISSIONS NEEDED	
To work with sales territories:	Customize Application

You can create up to 1000 territories. This limit applies if your org expands to new business units or countries. You can request an increase from Salesforce if necessary. However, an extension to the limit affects system performance.

Prerequisite: Complete the steps in [Get Your Org Ready for the Life Sciences Cloud for Customer Engagement Package](#).

1. Enable Territories. Follow the steps in [Enable Sales Territories](#).
2. Create a territory type. Follow the steps in [Create Territory Types](#).
3. Create a territory model. Follow the steps in [Create a Territory Model Record](#).
4. Create a hierarchy of territories. Follow the steps in [Create Territories](#).
5. Activate the territory model. Follow the steps in [Activate a Territory Model](#).

Your Customer Engagement users must always be assigned to a territory. Otherwise, they have limited access to the Life Sciences Cloud for Customer Engagement mobile application. After you create users, assign them to territories. Follow the steps in [Assign Users to Territories](#).

Install the Life Sciences Cloud for Customer Engagement Package for Admin Users

Install the Life Sciences Cloud for Customer Engagement managed package in your org before you set up Life Sciences Customer Engagement features. The package contains the Life Sciences Commercial app, which includes an Admin Console from where you can configure Customer Engagement features in one place.

REQUIRED EDITIONS

USER PERMISSIONS NEEDED	
To instal the package:	Life Sciences Commercial Admin and Health Cloud Starter permission sets

1. Log into the Salesforce org where you want to install the package.
2. Paste the package installation URL into your org's browser address. Replace the text after **force.com** with the package installation url.
3. Select **Install for Admin Users only**.
4. Acknowledge the message and click **Install**.
5. Click **Done**. You receive an email when your package installation is successful. In Setup, you can also open the Installed Packages page to verify if the package has installed successfully.

Patch Releases Winter `26

We release patches periodically. Check back here for information on each Winter `26 patch release for the Life Sciences Cloud for Customer Engagement package.

Patch Releases Winter `26

We release patches periodically. Check back here for information on each Winter `26 patch release for the Life Sciences Cloud for Customer Engagement package.

Patch 258.15.0.0

This patch contains fixes to ensure that the Life Sciences Cloud for Customer Engagement features work correctly.

Feature	Issue	Description
Visit Management	When a Direct to Practitioner sample quantity exceeds the Max per Visit quantity, the validation was not triggered when Document ID is captured.	A validation error or warning message is correctly displayed whenever the Direct to Practitioner sample quantity exceeds the defined Max per Visit limit.
	Picklists were showing values that are not available for the selected Record Type.	Picklists now correctly display only the values assigned to the Record Type.
	Provider Visit Product Discussion records weren't created when saving or submitting a visit if different discussions are configured by record type.	Provider Visit Product Discussion records are now created as expected.
Account Search	In the SBC Create Account flow, newly created Provider Affiliation records didn't have the IsActive flag set to true.	The IsActive flag is now automatically set to true for Provider Affiliation records created during the flow.
	In the Account Picker component, a query limit error occurred when attempting to fetch only accounts associated with an HCP.	The query logic has been optimized to prevent limit errors when fetching associated accounts.
	An error occurred when a boolean field was configured as a Provider Account Territory Info searchable field in the Account Search Preference settings.	Account search preferences now correctly handle all data types, allowing boolean fields to be used as searchable fields without error.
Object Metadata Cache Configuration	The validation status of the Object Metadata Cache Configuration records isn't accurately shown.	The validation status is now correctly reflecting.
Calendar	Available visits weren't shown in Calendar even when filters are	The display logic is corrected to ensure that all available visits are

Feature	Issue	Description
	set to show all visits.	now properly shown according to the applied filter settings.
	An unknown error occurs when previewing a newly created visit in Calendar.	Visit previews now load as expected after creation.
Ratings	PrvdAccountUserGroupInfo entity were not visible in the Ratings layout.	The Ratings layout now correctly shows all the PrvdAccountUserGroupInfo fields.
Sample Limits	Users encountered an error (gack) when trying to view or save sample limit templates in the Admin Console.	Fixed the issue that caused users to see an error (gack).
	The NewAccountSampleLimitInitHandler and NewAccountSampleLimitInitHandlerforHCO trigger handlers created Apex jobs of type Batch, exceeding the limit for the maximum number of batch Apex jobs in the Apex flex queue.	To avoid hitting Apex limits, the NewAccountSampleLimitInitHandler and NewAccountSampleLimitInitHandlerforHCO trigger handlers now create Apex jobs of type Queueable.
My Team	All Day events were incorrectly displayed on the previous day's calendar due to a time zone or date conversion error during the creation process.	All Day events are correctly shown for the intended date.
Affiliations	An error occurred when inserting a provider affiliation record from MuleSoft because the system found multiple Provider Affiliation records with the same Source System Identifier. This was caused by a trigger handler incorrectly cloning the identifier onto the automatically generated reverse affiliation record.	Updated the trigger handler logic to stop cloning the Source System Identifier to the reverse affiliation record, ensuring uniqueness for the external ID field.

Feature	Issue	Description
Inventory Management	Users couldn't submit inventory count assessments for samples that were disbursed for visits which were still in planned state, but for which signatures were already captured.	Users can now submit inventory count assessments for samples disbursed for planned visits, but with warnings or error messages that indicate the specific record or records that need an update.
Time Off Territory	The Admin Console displayed a "cannot dereference a null object" error on the Time Off Territory settings page when any default time slot interval is saved with blank values.	Resolved the error by adding validations to handle empty or missing time slot interval values.

Patch 258.13.0.0

This patch contains fixes to ensure that the Life Sciences Cloud for Customer Engagement features work correctly.

Feature	Issue	Description
Visit Management	When a default channel was set, the Channel field could be empty causing an error that the visit is already signed and locked when trying to submit the visit.	If a default channel is set, the Channel field now retains that setting.
	Even if a sample limit template wasn't assigned to a product, limit validation would still be performed, resulting in an error.	Sample limits are no longer checked if a sample limit template isn't assigned to a product.
	It was possible to submit a Visit with a child visit that contained a restricted product.	Attempting to submit a Visit that has a child visit with a restricted product displays an error.
	In certain circumstances it was possible for a Reaction Type Value to be changed from blank to Positive automatically, preventing the visit from being saved.	A blank Reaction Type Value is no longer changed by the app automatically.
	A rep could delete an attendee using a quick action after the	Deleting an attendee after a visit is signed now displays a message

Feature	Issue	Description
	visit was signed. Also, there was no warning this happened.	that the record is signed and locked.
	Searching for accounts was too slow.	Searching for accounts is now significantly faster. However, as a result of a logic change to improve performance, account search now returns accounts that match the Account name and not the Written and Phonetic name.
Home Page	In the Up Next agenda on the home page, the event date didn't match the event's start and end times when the user's timezone changed, and the same date sometimes appeared in multiple sections. On desktop, multi-day events weren't split into multiple events in the agenda.	Event dates now match the corresponding start and end times, duplicate date sections are removed, and multi-day events are split into multiple entries. Additionally, the event time format no longer includes seconds.
	In the Up Next agenda, Time Off Territory events show the record name instead of the type of event.	Time Off Territory events now show the type of event, for example, Personal Absence or Training.
	In the Up Next component on the home page, all day general events didn't appear on the correct date.	All day general events now show up on the correct date in the Up Next agenda on the home page.
Calendar	The Visit preview fails to load and returns an unexpected error even when attendee records are correctly associated with the visit.	Fixed the underlying logic to show the preview for valid visit records.
Medical Inquiry	When the MultiEntityCreateOverride component was configured for the New button on the Inquiry object and users tried to create a new inquiry, an error occurred.	Users can now create a new inquiry when the MultiEntityCreateOverride component is configured.

Feature	Issue	Description
	Searching for response delivery preferences took longer than expected and required multiple clicks. On clicking the Contact Point Address, Contact Point Email, and Contact Point Phone column headers, the results couldn't be sorted.	After the fix, the search and the sort functionalities are working as expected.
Email	Email consent checks didn't check the EffectiveFromDate and EffectiveToDate fields on Communication Subscription Consent records, meaning that emails could be sent to people whose consent had expired or hadn't yet started.	Now emails are sent only when valid consent is present, respecting the Effective From Date and Effective To Date on Communication Subscription Consent records.
Inventory Management	The creation of inventory operation records would fail if the related User Additional Info record didn't have a product return address.	Now inventory operation records can be created irrespective of whether the product return address field is populated or not.

Patch 258.12.0.0

This patch contains fixes to ensure that the Life Sciences Cloud for Customer Engagement features work correctly.

Feature	Issue	Description
Visit Management	The Visit page didn't load for Life Sciences Field Medical users.	The Visit page now loads correctly for Life Sciences Field Medical users.
	A Product Item without a Production Batch ID wouldn't display in Samples.	Product Items with Production Batch IDs are now displayed correctly in Samples.
	Setting a Document ID on a Visit would cause the Place ID and Shipping Address to display incorrectly and submitting the Visit would fail with the message "We couldn't perform the action"	You can now submit a Visit with a Document ID and the Place ID and Shipping Address display correctly.

Feature	Issue	Description
	because this visit is signed and locked."	
	When the "Show recent details and product selector" setting is enabled, some products that were displayed in the Product Details sidebar for mobile wouldn't be displayed in the web app. Also, recent products that were displayed in the sidebar weren't displayed in the Product Selector in Visit.	Products are correctly displayed in the Product Details sidebar and in Product Selector for Visit in the web app.
	The Place ID on the Visit would change to a different ID after submission.	The Place ID displays correctly after the Visit is submitted.
	A Visit could be saved without a shipping address if the account was changed.	A Visit can no longer be saved without a shipping address.
Inventory Management	On the Sample Inventory Management dashboard, users were unable to submit inventory count assessments due to high volume of Inventory Operation records.	The issue has been fixed and users can now submit inventory count assessments even when the volume of Inventory Operation records is high.
	On the Sample Inventory Management dashboard, in the Inventory Operations section, when users would try to create product requests, the product types displayed would be the API names of the product specification types, instead of the labels.	After the fix, when users try to create product requests, the product types displayed are the labels of the product specification types.
General	The Life Sciences Commercial Lightning App didn't have an icon in the App Launcher.	The Life Sciences Commercial Lightning App now has the same icon as the Life Sciences Cloud Mobile app.

Feature	Issue	Description
Email	Users saw an unhelpful error when the RSVP email address isn't enabled on the Life Sciences for Customer Engagement Setup page.	Users now see a helpful error informing them that the email RSVP email address isn't set up yet.
	Issues occurred when sending emails via the LifeScienceApi global Apex class. For example, attachments weren't included in emails, and some emails that were marked as canceled were still sent.	Emails that are sent via the LifeScienceApi global Apex class are now sent correctly.
Activity Timeline	Clicking Resend Email on the activity timeline incorrectly displayed an error and an incorrect label is shown for the associated action.	Fixed the logic to correctly process attachment IDs during the resend action, allowing the email to be resent without an error. The timeline entry now displays the correct label.
Mobile App Setup	The object metadata cache configuration validation incorrectly requires a profile when the Type field is set to Data or Configuration.	Fixed the validation logic to show relevant errors.
	Additionally, an incorrect validation error is shown requiring an Subject even when it is selected.	
	The View Assignments action didn't show the assigned profiles for records on the UI Settings page in the mobile app setup. Additionally, the label of the custom UI component wasn't populated when a user edits the record.	The profile assignments are now shown when a user clicks the View Assignments action. The custom UI component label is populated in the edit view.
	When a profile was assigned to an Object Metadata Cache configuration record in the list view, the record was incorrectly	Fixed the underlying issue to ensure that the object metadata cache configurations remain active when profiles are assigned

Feature	Issue	Description
	being deactivated.	from the list view.
	When metadata cache is generated after the Community User profile is assigned to all object metadata cache configuration records, the LifeSciMobileMetadataRecord persists indefinitely in the Validating status.	The status of the LifeSciMobileMetadataRecord is now correctly updated to Inactive, resolving the indefinite Validating status issue.
Product Management	The LSCAdditionalProductDetails custom field on the Life Science Marketable Product object was not visible in the complete Product Hierarchy view.	The issue has been fixed and the LSCAdditionalProductDetails custom field on the Life Science Marketable Product object is now visible in both the complete and partial Product Hierarchy views.
Activity Plan	The Calculate Provider Activity Goal Measures batch job couldn't be run more than once.	Users can now run the Calculate Provider Activity Goal Measures batch job multiple times.
Inventory Management	On the Sample Inventory Management dashboard, users were unable to submit inventory count assessments due to high volume of Inventory Operation records.	The issue has been fixed and users can now submit inventory count assessments even when the volume of Inventory Operation records is high.
	On the Sample Inventory Management dashboard, in the Inventory Operations section, when users would try to create product requests, the product types displayed would be the API names of the product specification types, instead of the labels.	After the fix, when users try to create product requests, the product types displayed are the labels of the product specification types.
Account Address	The Accounts list view fails to load when the Contact Point Address formula in Address Setup contains special characters.	The Accounts list view now loads correctly, displaying accounts and their addresses, even when the Contact Point Address formula in setup contains special characters.

Feature	Issue	Description
Medical Inquiry	After a user submits an inquiry record in the mobile and the app syncs, the status of the record incorrectly changes to “Signed”.	The issue is fixed and now the status of a submitted inquiry record doesn’t change after a sync.
Calendar	An unexpected error is shown when the user clicks Cancel on the Delete Events window.	Removed the incorrect validation check that was preventing the window from closing. The Delete Events dialog now closes correctly without an error.
	The Delete Events window prevents users from selecting and deleting multiple event types simultaneously, restricting the selection to only one type at a time.	Modified the underlying logic to correctly support multi-selection of event types. Users can now select and delete multiple event types in a single operation.

Patch 258.11.0.0

This patch contains fixes to ensure that the Life Sciences Cloud for Customer Engagement features work correctly.

Feature	Issue	Description
Visit Management	From an Attendee Visit, Account Card quick actions (such as Inquiry, Last Visit, Survey , Attendee Visit, and Send Email) didn't work.	Account Card quick actions now work.
	The Visits to Submit page would sometimes display visits that had already been submitted.	The Visits to Submit page now displays only visits that have not yet been submitted.
	The Provider Account Territory information job would fail to process some records.	The Provider Account Territory information job now correctly processes all records.
	Users who didn't manage sample inventory in Life Sciences Cloud would see a warning when signing and submitting a Visit with Samples.	Inventory validation is now performed only for users who manage inventory in Life Sciences Cloud.

Feature	Issue	Description
	Use of custom objects and fields would prevent the Visits page from loading.	The Visits page now works correctly with custom objects and fields.
	The list of products shown in the Samples and Direct to Practitioner sections of Visit Management pages would be different between the web and mobile interfaces.	The list of products shown on web and mobile Visit Management pages is now identical.
	Users were unable to allocate expenses.	Expenses can now be allocated.
	The Edit Visitors window would throw a null-pointer exception when no profiles were selected in Visitor Settings.	The Edit Visitors window now works correctly regardless of whether any profiles have been selected in Visitor Settings.
Inventory Management	The audit-related user perms, Request audits of multiple Inventory Count Assessment records and Perform audits of Inventory Count Assessment records, were not accessible to the user.	The issue has been resolved and the Request audits of multiple Inventory Count Assessment records and Perform audits of Inventory Count Assessment records user perms are accessible to the user.
	While acknowledging a product transfer, the Quantity on Hand field in the Product Item record and the Remaining Quantity field in the Product Batch Item record were being updated when users clicked on the Save button.	The issue has been fixed, and the Quantity on Hand field in the Product Item record and the Remaining Quantity field in the Product Batch Item record are updated when users click Submit during the acknowledgment of a product transfer.
	Users weren't able to add comments in Inventory Operation records.	The issue has been resolved and users can now add comments in Inventory Operation records.
	The page layout for Product Disbursement wasn't visible in the Object Manager.	The page layout for Product Disbursement is now visible in the Object Manager.
	After a visit is submitted, users couldn't update the Inventory	The issue is now resolved and users can update the Inventory

Feature	Issue	Description
	Count Reference field in the related Product Disbursement record.	Count Reference field in the related Product Disbursement record after a visit is submitted.
Consent Management	Opening the Consent wizard and attempting to add a new email on the recipient page throws a component execution error when the Communication Subscription record isn't in the expected status.	The Consent wizard now handles Communication Subscription status changes correctly, and adding a new email no longer triggers the component execution error.
Time Off Territory	A visit could be created during a Time Off Territory (TOT) event, bypassing the overlapping rule which should have prevented the creation.	Visit creation is now correctly blocked during a Time Off Territory event.
Data change request	A DCR record was not getting created when creating an HCP account or an HCO account using this combination: Update Type = Don't apply changes immediately and Record Creation Approval = Yes.	The DCR record is now created when using this combination.
	When users approve or reject data change requests from the internal DCR tab, the status for Healthcare Provider records and Provider Affiliations doesn't change to active or inactive.	The status of the rejected Healthcare Provider records now update to inactive, and approved Provider Affiliation records now update to active when processed from the internal DCR tab.
	The HealthcareProviderRefetchingBatch job fails with Too many SOQL queries:201 error because the getRecordTypeNameFromSOBJECT method is being called inside a loop in the DCR service handler.	The SOQL query was moved outside the loop to prevent multiple executions, making sure the HealthcareProviderReferencingBatch job runs without exceeding the query limit.
Lists and Filters	When users select an account from the Accounts tab and click Select and Add, the selected account isn't shown on the	Users can now select and add an account to a new list or an existing list.

Feature	Issue	Description
	resulting window.	
	Some quick actions are missing in the More Actions menu for individual accounts.	The issue was resolved by making sure the quick actions are properly configured and displayed in the More Actions menu for all accounts.
Activity Plan	The deprecated Account Activity Goal and Activity Plan Lightning App Builder components were appearing in the Home Page and Account record pages, without being flagged as “Deprecated”.	The deprecated components, Account Activity Goal and Activity Plan, are now flagged as “Deprecated” in the Lightning App Builder.
Account Search	The HealthcareProviderFlatteningBatchJob failed due to Salesforce governor limits, specifically the "Too many SOQL rows: 50001" error.	The job was optimized by refining the database queries to fetch only necessary records. Unnecessary queries were further eliminated by skipping the DCR logic, as DCR processing was not required for this job.
Account Merge	Merging of accounts was failing because CommSubConsentCmplSnpsht fields were not accessible.	Made the CommSubConsentCmplSnpsht fields accessible and now accounts can be merged.
Activity Timeline	Incorrect labels were shown for the values in the Type dropdown on the Activity Timeline tab.	Correct labels are now shown for the values in the Type dropdown.
Territory Management Jobs	Duplicate entries of the Territory Management job unexpectedly appeared when a job is run or scheduled.	The child records of the job were filtered out. This ensures that duplicate entries are not shown and only one entry per parent batch job appears.
Provider Account Territory Info	The Provider Account Territory Info component's title showed an inaccurate name.	The component's title is updated to the correct name, Provider Account Territory Information, to ensure accuracy across the user interface.
Calendar	When a visit is created by	The territory name is now

Feature	Issue	Description
	dragging an account or address to the calendar grid, the territory name isn't populated.	populated when a visit is created by dragging an account or address to the calendar.
	When creating a visit from the Calendar, the visit duration incorrectly defaults to 30 minutes even though a specific default duration has been defined.	The visit now correctly uses the defined default visit durations when creating a visit from the Calendar. • If a default duration is defined, the defined duration is used. • If no default duration is defined, the visit duration defaults to 30 minutes.

Patch 258.9.0.0

This patch contains fixes to ensure that the Life Sciences Cloud for Customer Engagement features work correctly.

Feature	Issue	Description
Inventory Management	A random inventory storage address is shown for sales reps without an address in the Inventory Management screen.	Corrected the address mapping logic to ensure accurate user association.
Account Summarization	Scratch org definitions included unnecessary summarization and agent preferences.	Removed these components to streamline the configuration.
Object Metadata Cache Configuration	Users are unable to save records containing SOQL filter conditions with the variable {STI.OBJ.IDS} in the Object Metadata Cache Configuration window.	Added support for the {STI.OBJ.IDS} SOQL variable. Users can now save records with SOQL filter conditions containing this variable.
	The Web-to-Mobile Sync checkbox in the Object Metadata Cache Configuration window incorrectly shows its	The display error has been fixed and the checkbox now accurately reflects the status when it's selected.

Feature	Issue	Description
	status even when it was selected.	
	Permission set assignments were incorrectly shown when viewing assignments for an object metadata cache configuration.	The display error has been fixed to show only profile assignments.
External Search	Searching externally for business license records using the isActive field resulted in the invalid conversion of data type from Boolean to String.	The underlying issue is resolved. In case of a failure due to unsupported fields in the external search criteria, an error message specifying the field appears.
Surveys	Users encountered an error when attempting to view Surveys during a visit due to missing Apex class access in the LifeSciencesCore permission set.	Added the VisitInvitationFetchStrategy class to the LifeSciencesCore permission set and included the Survey quick action to the Account page layout to make sure users have error-free access.
Visit	A validation error is occurring on the visit creation screen requiring a production batch even when the settings were configured to not require it.	Fixed the validation logic to align with the configured settings.
	The mobile app's Visit Engagement screens incorrectly show a sample limits error for sample products, even though a sample limit template isn't assigned to a sample product.	Fixed the validation to show the sample limits error only for sample products that are assigned to a sample template.
Error Log Management	Clicking an error log hyperlink in the Error Log Management tile is causing a gack.	Removed the hyperlink for error log numbers.
Affiliations	The Affiliation List View isn't displayed due to field-level security for the Phone and ParentId fields on the account object.	Removed these two fields from the underlying query as they were unused.

Create Custom Admin Profiles for Life Sciences Cloud Customer Engagement

Create custom profiles for business admins and mobile admins by cloning the system administrator profile. Then create users and assign them to the relevant profiles.

REQUIRED EDITIONS

USER PERMISSIONS NEEDED	
To create custom profiles:	Life Sciences Commercial Admin and Health Cloud Starter permission sets

1. From Setup, search for and select **Profiles**.
2. Click **Clone** next to the System Administrator profile.
3. In Profile Name, enter Business Admin. Do not include underscores in profile names.
4. Save your changes.
5. Repeat the above steps to create a Mobile Admin profile.
6. To add users, see [Add Life Sciences Cloud Users](#).

Create Custom Standard User Profiles for Life Sciences Customer Engagement

Create custom profiles for personas such as Customer Facing Colleague and Field Sales Representative by cloning the Standard User profile.

REQUIRED EDITIONS

USER PERMISSIONS NEEDED	
To create custom profiles:	Life Sciences Commercial Admin and Health Cloud Starter permission sets

1. From Setup, search for and select **Profiles**.
2. Click **Clone** next to the Standard User profile.
3. In Profile Name, enter Field Sales Representative. Do not include underscores in profile names.
4. Click **Edit**, and then scroll to the Administrative Permissions section.
5. Turn off the View Setup and Configuration permission.
6. Save your changes.
7. To add users, see [Add Life Sciences Cloud Users](#).
8. Repeat the steps to create additional profiles for your users.

Assign Life Sciences Cloud for Customer Engagement Permission Sets

To work with Life Sciences Cloud for Customer Engagement, users need the appropriate permission sets and permission set licenses. The Permission Sets page in Setup describes each permission set and shows the permission set license related to each permission set.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To assign permission sets

Manage Users

Prerequisite: [Add Life Sciences Cloud Users](#)

In Setup, you can assign permission sets to users in a few ways. When you assign a permission set to a user, the permission set license is automatically assigned to the user.

- From the Company Information page, you can select a permission set license to view its details and assign it to multiple users.
- From the Permission Sets page, you can select a permission set to view its details and assign it to multiple users.
- From the Users page, you can select a user to view his or her details and assign multiple permission set licenses and permission sets to the user.

These permission sets are available by default in Life Sciences Cloud for Customer Engagement.

Permission Set Label (API Name)	Description
Life Sciences Commercial Admin (LifeSciencesCommercialAdmin)	Provides access to Customer Engagement features, data model objects, and metadata objects.
Life Sciences Field Sales Representative (LifeSciencesFieldSalesRepresentative)	Provides Field Sales Representatives access to the Customer Engagement features and objects they require for their role.
Life Sciences Field Medical (LifeSciencesFieldMedical)	Provides Field Medical Users access to the Customer Engagement features and objects they require for their role.

Permission Set Label (API Name)	Description
Life Sciences Key Account Management (LifeSciencesKeyAccountManagement)	Provides Key Account Managers access to the Customer Engagement features and objects they require for their role.
Life Sciences Core (LifeSciencesCore)	Provides access to Apex classes in the Life Sciences Cloud for Customer Engagement package that are required to use Customer Engagement. Assign this permission set to all Life Sciences Customer Engagement users, including admins, field sales representatives, key account managers, and field medical users.
Access Remote Engagement Twilio Credentials (AccessRemoteEngagementTwilio)	Provides access to Twilio external credentials for Remote Engagement.
Access Remote Engagement Twilio for Digital Experiences (AccessRemoteEngagementTwilioDigitalExperience)	Provides access to specific Apex classes and Twilio external credentials for Digital Experience users.

1. Assign the appropriate permission sets to your users via the Permission Sets or Users pages. Make sure to add the Life Sciences Core permission set for all users.
2. Add additional permission sets depending on the features you want to make available to each user.
3. Save your changes.

Create Account Page Layouts and Record Types for Healthcare Organizations (HCOs)

Create a page layout and a record type for the healthcare organization records that you create and maintain in Life Sciences Cloud.

REQUIRED EDITIONS

USER PERMISSIONS NEEDED	
To create page layouts and record types:	Life Sciences Commercial Admin and Health Cloud Starter permission sets

1. Create a page layout for a healthcare organization.
 - a. From Setup, go to **Object Manager**.
 - b. Search for and select **Account**, and then select **Page Layouts**.
 - c. Click **New**.
 - d. Select an existing page layout from the dropdown. The first time you do this, select **Account Layout**, which is the default layout.

- e. Enter a name for the new layout, and then click **Save**. For example, enter HCO Account Layout.
 - f. Configure the layout to show the fields that your organization uses for business records.
 - g. Add the **Contact Point Addresses, Contact Point Emails, Contact Point Phones, and Business Licenses** related lists to the layout.
 - h. Save your changes.
2. Create a record type for a healthcare organization.
 - a. In the Account object, select **Record Types**.
 - b. Click **New**.
 - c. Select the existing Business record type from the dropdown. You were previously required to create a business record type when you enabled person accounts.
 - d. Enter a label for the new record type. For example, enter Healthcare Organization.
 - e. Select **Active**.
 - f. Select the profiles for which you want to make this record type available, and then make this the default record type for profiles as needed.
 - g. Click **Next**.
 - h. Select a page layout to assign to all the profiles you selected or assign a different page layout for each profile.
 - i. Save your changes.

Create Person Account Page Layouts and Record Types for Healthcare Professionals (HCPs)

Create a page layout and a record type for the healthcare professional records that you create and maintain in Life Sciences Cloud. Person Accounts represent people in Life Sciences Cloud.

REQUIRED EDITIONS

USER PERMISSIONS NEEDED	
To create page layouts and record types:	Life Sciences Commercial Admin and Health Cloud Starter permission sets

Prerequisite: [Enable Person Accounts](#).

1. Create a page layout for a person.
 - a. From Setup, go to **Object Manager**.
 - b. Search for and select **Person Account**, and then select **Page Layouts**.
 - c. Click **New**.
 - d. Select an existing page layout from the dropdown.
 - e. Enter a name for the new layout, and then click **Save**. For example, enter HCP Person Account Layout.
 - f. Configure the layout to show the fields that your organization uses for people records.
 - g. Add the **Contact Point Addresses, Contact Point Emails, Contact Point Phones, and Business Licenses** related lists to the layout.
 - h. Save your changes.

2. Create a record type for a healthcare professional.
 - a. In the Person Account object, select **Record Types**.
 - b. Click **New**.
 - c. Select the existing Person record type from the dropdown.
 - d. Enter a label for the new record type. For example, enter Healthcare Professional.
 - e. Select **Active**.
 - f. Select the profiles for which you want to make this record type available, and then make this the default record type for profiles as needed.
 - g. Click **Next**.
 - h. Select a page layout to assign to all the profiles you selected or assign a different page layout for each profile.
 - i. Save your changes.

Enable Multi-Entity Layouts

Improve user experience by using the LSC multi-entity layout to add fields from two Life Sciences Cloud objects onto a single page layout. Life Sciences Cloud supports three object combinations: Account and Healthcare Provider, Visit and Provider Visit, and Case and Inquiry.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To enable multi-entity layouts:	Life Sciences Commercial Admin permission set
---------------------------------	---

The Visit and Case objects don't require the MultiEntityCreateOverride, rather this is required by the Provider Visit and Inquiry associated objects.



Note We recommend using Search Before Create to create accounts. This prevents the creation of duplicate account records. If you use the Account page to create accounts, then override the New button on Account with MultiEntityCreateOverride so both the Account and Healthcare Provider records are created appropriately.

MultiEntityCreateOverride is not required for Account and Provider Visit. It is required for Inquiry. Similarly, MultiEntityEditOverride is not required for Provider Visit. It is required for Account and Inquiry.

1. From Setup, go to **Object Manager**.
2. In the Account object, select **Buttons, Links and Actions**.
3. Search for the New action, and then click **Edit**.

4. In Lightning Experience Override, select **Lightning Component**, and then select **Isc4ce:MultiEntityCreateOverride**.
5. Save your changes.
6. Repeat the above steps for the Inquiry object. In Lightning Experience Override, select **Lightning Component**, and then select **MultiEntityCreateOverride**, which is required for Inquiry.
7. Repeat the above steps for the Provider Visit object. However, select **Isc4ce:LogAVisitAction** as the lightning component.

The Life Sciences Customer Engagement Admin Console

Use the Admin Console to configure Life Sciences Customer Engagement features from a single place. The Admin Console is a tab in the Life Sciences Commercial app, which is only available when you install the Life Sciences Cloud for Customer Engagement managed package.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Turn On the Admin Console for Admin Users

Before admin users can configure Customer Engagement features in Life Sciences Cloud, they must have access to the Admin Console. The tab is hidden by default for custom admin profiles such as a Business Admin or a Mobile Admin profile. The tab is available for system administrators by default.

Add Tabs to the Life Sciences Commercial App

The app shows the Home, Admin Console, and Account tabs by default. Add tabs such as Calendar, Visits, and Intelligent Content to the Life Sciences Commercial app.

Turn On the Admin Console for Admin Users

Before admin users can configure Customer Engagement features in Life Sciences Cloud, they must have access to the Admin Console. The tab is hidden by default for custom admin profiles such as a Business Admin or a Mobile Admin profile. The tab is available for system administrators by default.

REQUIRED EDITIONS

USER PERMISSIONS NEEDED

To configure the Admin Console:	Life Sciences Commercial Admin permission set
---------------------------------	---

Prerequisite: Create custom admin profiles such as Business Admin and Mobile Admin.

1. From Setup, use the Quick Find box to search for and select **Profiles**.

2. Select an admin profile, and then click **Edit**.
3. Scroll to the Custom Tab Settings section, and then verify the setting for Admin Console is Default On. If it isn't set to Default On, select **Default On** and save your changes.
4. Repeat these steps for all admin profiles that require access to the Admin Console, such as the Business Admin or Mobile Admin profile. The tab is hidden by default for custom admin profiles.

Add Tabs to the Life Sciences Commercial App

The app shows the Home, Admin Console, and Account tabs by default. Add tabs such as Calendar, Visits, and Intelligent Content to the Life Sciences Commercial app.

1. From Setup, use the Quick Find box to search for and select **App Manager**.
2. Click **Edit** next to Life Sciences Commercial.
3. Select **Navigation Items**.
4. From the list of Available Items, move the tabs you want to show in the app to the list of Selected Items.
5. Save your changes.
6. From App Launcher, go to the Life Sciences Commercial app to view the tabs.

Create Life Science Metadata Object Sharing Rules

Support access to Life Sciences for Customer Engagement features by creating object sharing rules for Life Science Metadata Categories and Life Science Metadata Records.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

User Permissions Needed	
To create sharing rules:	Manage Sharing

1. From Setup, in the Quick Find box, find and select **Sharing Settings**.
2. From the **Manage sharing settings for:** dropdown, select **Life Science Metadata Categories**.
3. In the Life Science Metadata Category Sharing Rules section, select **New**.
4. Enter the label name and rule name.
5. For the rule type, select **Based on record owner**.
6. For owned by members of, select **Public Groups** from the first dropdown and **All Internal Users** from the second dropdown.
7. For Share with, select **Public Groups** from the first dropdown list, and select **All Internal Users** from the second dropdown.

8. For Access Level, select **Read Only**.
9. Save your work.
10. Similarly, create a sharing rule for Life Science Metadata Records.
11. To push your changes to the Life Sciences Cloud mobile app, create a metadata cache.

Supported Languages in Life Sciences Cloud for Customer Engagement

Life Sciences Cloud for Customer Engagement is localized in over 30 languages that are either fully supported or provide end-user support. For fully supported languages, Life Sciences Cloud features and user interface (UI) text appear in the chosen language. End-user languages allow individual users to select a language other than their company's default language for end-user facing UI.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

Fully Supported Languages

These languages have full support across Life Sciences Cloud for Customer Engagement features, including standard objects, Setup, and Help content.

- Chinese (Simplified): zh_CN
- Chinese (Traditional): zh_TW
- Danish: da
- Dutch (Netherlands): nl_NL
- English (US): en_US
- Finnish: fi
- French (France): fr
- German (Germany): de
- Italian: it
- Japanese: ja
- Korean: ko
- Norwegian: no
- Portuguese (Brazil): pt_BR
- Russian: ru
- Spanish (Spain): es
- Spanish (Mexico): es_MX
- Swedish: sv
- Thai: th

End-User Languages

These languages provide translations for Life Sciences Cloud for Customer Engagement standard objects and pages, but may not cover all Setup pages or Help content.

- Arabic: ar
- Bulgarian: bg
- Czech: cs
- English (UK): en_GB
- Greek: el
- Hebrew: iw
- Hungarian: hu
- Polish: pl
- Portuguese (Portugal): pt_PT
- Romanian (Romania): ro
- Slovak: sk
- Slovene: sl
- Turkish: tr
- Ukrainian: uk
- Vietnamese: vi

Select End User Languages for Your Life Sciences Cloud Org

Select and enable languages for your users using the Language Settings and Translation Languages Pages in Setup. While end-user languages display within the Salesforce application, Help and Setup are not translated into these languages.

See Also

[User Interface Language Support](#)
[Supported Languages](#)

Select End User Languages for Your Life Sciences Cloud Org

Select and enable languages for your users using the Language Settings and Translation Languages Pages in Setup. While end-user languages display within the Salesforce application, Help and Setup are not translated into these languages.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To view Language Settings:	View Setup and Configuration
To change Language Settings:	Customize Application

1. From Setup, find and select **Language Settings**.
2. Select **Enable end-user languages**. All end-user languages are populated into the Available Languages list.
3. To make a language available to your end users, move the language from the Available Languages list to the Displayed Language list.
4. Save your changes.
5. From Setup, find and select **Translation Language Settings**.
6. Click **Add**, and then select a language.
7. Select translators for the language from your list of users.
8. Select **Active** when the translations are ready for your users.
9. Save your changes.

See Also

[Select Languages for Your Org](#)

Set Up the Life Sciences Customer Engagement Home Page

The home page in Life Sciences Cloud for Customer Engagement provides a centralized view of critical information and tasks so your users can prioritize their work. Customize the home page to show announcements, upcoming activities, visits to submit, prioritized accounts, and more. To show each user what matters most to them, tailor the home page for different profiles.

[Customize the Home Page](#)

To customize the components on the home page in Life Sciences Customer Engagement, use Lightning App Builder.

[Home Page Components](#)

The Life Sciences Cloud for Customer Engagement home page supports various Lightning components that help your users through their daily work.

Customize the Home Page

To customize the components on the home page in Life Sciences Customer Engagement, use Lightning App Builder.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for

Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.

USER PERMISSIONS NEEDED

To set up the home page:	Life Sciences Commercial Admin permission set
To create and save Lightning pages in Lightning App Builder:	Customize Application

1. From Setup, in the Quick Find box, enter *Lightning App Builder*, and then select it.
2. Edit a home page, or create one.
The Life Sciences Cloud mobile app supports a single-column layout.
3. Search for the component you want to add, and then drag the component onto the page.
See [Home Page Components](#).
4. To add visibility rules based on the record field, device type, or other filters, click **Add Filter**.
An eye icon on the component indicates that visibility rules are applied.
5. Save your changes to the record page, and activate the page to share it with your users.
When you activate the page, choose whether to make it the default home page for all users, or assign it to specific profiles.
6. For each profile that you want to create a customized home page for, clone the default home page and customize it.

After you customize the home page, create a metadata cache to sync the changes to the Life Sciences Cloud mobile app.

Home Page Components

The Life Sciences Cloud for Customer Engagement home page supports various Lightning components that help your users through their daily work.

REQUIRED EDITIONS

Available in: Lightning Experience

Available in: **Enterprise** and **Unlimited** Editions with Life Sciences Cloud, Life Sciences Cloud for Customer Engagement Add-on license, and the Life Sciences Customer Engagement managed package.



Note The Life Sciences Cloud mobile app supports a single-column layout for the home page. Most components fill the entire page, but some components take up only 50% of the page in the mobile app.

Activity Plan

To show each user's specific goals so that they can align their work with the overall company strategy, use the ActivityPlan component. Choose how to filter activities, including whether to show or hide the cumulative value of activities. See [Add the Activity Plan Lightning Components to the Home Page](#).

In the Life Sciences Cloud mobile app, the ActivityPlan component fills only 50 percent of the page.

Agentforce Welcome

To show an Agentforce search bar and up to 5 predefined utterances, use the IsAgentforceWelcome component. For example, to help your users work efficiently, define utterances such as "Show me declining prescribers" and "HCPs to meet with next." When users select an utterance, it's entered as an Agentforce prompt. See [Agentforce and Einstein Generative AI](#).

Home Office Announcements

To show important communications from headquarters or the home office so that users are up to date on the latest news, use the LSC Home Announcements component.

To populate the announcements in the component, create app alerts that use the Announcement type. If needed, customize the app alert with extra HTML. We recommend that you add a trusted image URL to each announcement. Expired alerts are removed from the Home Announcements component automatically. See [Create an App Alert](#) and [Additional Message Field for App Alerts](#).

Next Best Customer

To show a ranked list of the top 5 prioritized accounts in the territory each day so that users can maximize the impact of each interaction, use the NbcTopResults component. When you configure quick actions, users can also create visits, see the last visit, open the content library, or raise inquiries for the top accounts. See [Next Best Customer](#).

Notifications and Recommendations

To show users important alerts, notifications, and recommendations directly on the home page, use the Notifications List component. To populate the alerts in the component, create App Alerts that use the Notification and Recommendation types. See [Create an App Alert](#).

In the Life Sciences Cloud mobile app, notifications appear in the message pane.

Reports and Dashboards

To help users visualize important data, use the standard Dashboard and Report Charts Lightning components. To show reports and dashboards on the home page in the Life Sciences Cloud mobile app,

turn on report settings from the Admin Console. See [Reports and Dashboards Administration](#).

Up Next Agenda

On the desktop site, use the UpcomingAgenda component to show users a list of their upcoming visits, times off territory, and general events.

Up Next Map

In the Life Sciences Cloud mobile app, use the UpNextMapDisplay component to show users a list of their upcoming visits, times off territory, and general events. Users also see their upcoming visits on a map. In the component's properties, configure when users get reminders on their device's lock screen.

Users who turn on location services can also see their distance from the upcoming visits on the map. To calculate distances to upcoming visits accurately, [activate data integration rules](#) on the Contact Point Address object. Data integration rules use Google Maps API to calculate the address's geolocation data: latitude, longitude, and location accuracy. Salesforce calculates the distance from an account's preferred contact point address to the visit's location. If there's no preferred address, the distance is calculated by using the account's primary contact point address instead.

Visits to Submit

Use the UnsubmittedVisits component to show users the visits that remain in the Planned state after their planned start time has passed. Visits are ordered by date so that users can quickly identify the visits that they must submit to stay compliant. Users can also see details about each visit, including the planned start and end times, the primary account, the place ID, the channel, and whether it was a group visit. For more information, see [Visit Management](#).

In the Life Sciences Cloud mobile app, the UnsubmittedVisits component fills only 50 percent of the page.

Other Standard Salesforce Components

The Life Sciences Cloud for Customer Engagement home page also supports other standard Lightning components.

- To show lists of important records directly on the home page, add a List View Reports component.
- To add other relevant content or messages to the home page, use a Rich Text component.

For information about these and other components, see [Standard Lightning Page Components](#).