

Meet Zana

**A command center
for AI coding agents**


Run your tools across your projects.
Keep decisions and results in view.

zana-ide.com



Multiple agents create coordination work

Each session can produce progress, questions, and results.



Your existing coding tools

Choose a structured Thread or a native CLI Agent session.


Claude Code

Codex

Cursor

OpenCode


Pi



Choose the agent for the task

Projects across your machines

Keep the repository, agent session, and files in context.



The everyday workflow

A task stays connected to its progress and its outcome.

01

Set the task

Choose a project and describe the work.

02

Run the agents

Start a Thread, CLI Agent, or Team.

03


Answer and review

Resolve questions and inspect the result.

04

Keep the result


Save the findings for future work.



Progress and a diff,
side by side

One view of the fleet

Find the sessions that need attention across your projects.



Needs you

Answer a question or unblock a decision.

Working

Let the task run while you focus.

Idle or done

Review the outcome. Choose the next step.

Decisions arrive in your Inbox

Questions and reports stay connected to the relevant session.

EXAMPLE AGENT QUESTION

**“Should I isolate the test
or change the shared mock?”**

YOUR REPLY

“Isolate the test. Keep production behavior unchanged.”



Findings that stay in the Library

Keep useful context after the original session ends.

EXAMPLE SAVED FINDING

Checkout test findings

Cause

Shared mock state affected the test.

Change

Isolate the test fixture.

Verification

Rerun the checkout suite.

A starting point for the next task

Keep reports and diagrams
with the project.

Give the next agent
findings it can reuse.

Reusable ways of working

Turn a useful approach into something you can run again.

Personas

Reuse a role and its instructions.

Teams

Combine complementary agent roles.

Goals

Define an objective and success criteria.

Schedules

Run recurring work and receive reports.

How Zana works

Product services authorize. Execution hosts run the work.

02 / AUTHORIZE & COORDINATE

Product server

Policy · project identity · path confinement

Durable state · SQLite + files · thread events

INSTALLED PLUGINS

Full-trust server code + UI contributions

package.json → zcc · trust granted at install / enable

Electron desktop

Windows & native APIs

Local runtime supervision

IPC / MCP compatibility

Supervises the local server
and host daemon.

Threads


Signed host commands, agent runtime,
and provider bridges.

CLI Agents

Desktop launch path, host harnesses,
and real terminal sessions.

Plugins extend Zana

Add views, tools, and workflows through one package.



Skills

Reusable instructions

Thread tools

Registered by server code

CLI MCP

Declared in the manifest

Get started with Zana

- 1** Download the macOS app
- 2** Add your first project
- 3** Start a Thread



zana-ide.com

github.com/salesforce/zana

Node.js 20+ and Git, with your coding-agent CLI installed and authenticated.