

Community

- Overview
- Hattrick Press
- Mentoring
- Testimonials
- Football teams
- Officials
- Match kit search
- Logo rating
- CHPP products
- Hattrick Creators Club

Social

- Federations
- Chat Portal
- Network
- Local Circles

Recruitment

- Recruitment centre
- Recruitment status
- Top recruiters

External

- Twitch
- Wiki
- Blog
- Links
- Stage

Community » CHPP » CHPP Files help » Match Details

# Match Details

Detailed match information

Changelog [\(show\)](#)

Input

The following input parameters exist:

|        |          |
|--------|----------|
| Simple | Detailed |
|--------|----------|

Only available inputs in this file version are shown.

**required** file = matchdetails

**optional** version = 3.1 ▼

**optional** matchEvents = false {default} ▼  
Whether match events shall be shown or not

**false** {default}  
Show no match events.

**true**  
Show match events.

**required** matchID : [unsigned Integer](#)  
Which match to show details for.

**required** sourceSystem : [sourceSystem](#)  
Specifies which source system the match belongs to, this replace the old isYouth param

Output

Here you can see the output, based on the values of the input parameters and selected action type.

|        |          |     |         |
|--------|----------|-----|---------|
| Simple | Detailed | XML | Example |
|--------|----------|-----|---------|

All containers/elements for the selected version and action type are shown.

```
<?xml version="1.0" encoding="utf-8"?>
<HattrickData>
  <SourceSystem> : sourceSystem
    Which sourceSystem the request was made for.
  </SourceSystem>
  <UserSupporterTier> : supporterTier
    Indicates which Supporter package the fetching user has, or empty if not a Supporter.
  </UserSupporterTier>
  <Match>
    <MatchID> : unsigned Integer
      The globally unique identifier of the match.
    </MatchID>
    <MatchType> : MatchTypeID
      Integer defining the type of match.
    </MatchType>
    <MatchContextId> : unsigned Integer
      This will be either LeagueLevelUnitId (for League), CupId (Cup, Hattrick Masters, World Cup and U-20 World Cup), LadderId, TournamentId, or 0 for friendly, qualification, single matches and preparation matches.
    </MatchContextId>
    <MatchRuleId> : MatchRuleID
      This will contain the rules that's in place for the ladder or tournament in question. It's provided for all matchtypes and defaults to 0 = No rules
    </MatchRuleId>
    <CupLevel> : unsigned Integer
      1 = National/Divisional cup, 2 = Challenger cup, 3 = Consolation cup. 0 if MatchType is not 3.
    </CupLevel>
    <CupLevelIndex> : unsigned Integer
      In Challenger cups: 1 = Emerald (start week 2), 2 = Ruby (start week 3), 3 = Sapphire (start week 4). Always 1 for National/Divisional (main cups) a Consolation cups. 0 if MatchType is not 3.
    </CupLevelIndex>
    <MatchDate> : DateTime
```

*The start date and time (kick-off) of the match.*

</MatchDate>

<FinishedDate> : [DateTime\\*](#)

*The date and time when the match was finished. Not supplied until it is finished.*

</FinishedDate>

<AddedMinutes> : [Integer](#)

*How many minutes of added time the match had. Not supplied until it is finished.*

</AddedMinutes>

- <HomeTeam>

<HomeTeamID> : [Integer](#)

*The teamID of the Home team in the match. (Negative for street teams.)*

</HomeTeamID>

<HomeTeamName> : [String](#)

*The team name of the Home team in the match.*

</HomeTeamName>

<DressURI> : [URI](#)

*URI to an image representing the dress of the team. FOR SENIORS ONLY*

</DressURI>

<Formation> : [String](#)

*Character string (x-x-x) representing the formation the team started with.*

</Formation>

<HomeGoals> : [unsigned Integer](#)

*The current number of goals in the match for the home team.*

</HomeGoals>

<TacticType> : [MatchTacticType](#)

*Integer value representing the the team tactic type specified for the match.*

</TacticType>

<TacticSkill> : [SkillLevel](#)

*Integer value representing the tactic skill of the team.*

</TacticSkill>

<RatingMidfield> : [MatchRating](#)

*Integer value representing the midfield rating of the team.*

</RatingMidfield>

<RatingRightDef> : [MatchRating](#)

*Integer value representing the right defence rating of the team.*

</RatingRightDef>

<RatingMidDef> : [MatchRating](#)

*Integer value representing the middle defence rating of the team.*

</RatingMidDef>

<RatingLeftDef> : [MatchRating](#)

*Integer value representing the left defence rating of the team.*

</RatingLeftDef>

<RatingRightAtt> : [MatchRating](#)

*Integer value representing the right attack rating of the team.*

</RatingRightAtt>

<RatingMidAtt> : [MatchRating](#)

*Integer value representing the middle attack rating of the team.*

</RatingMidAtt>

<RatingLeftAtt> : [MatchRating](#)

*Integer value representing the left attack rating of the team.*

</RatingLeftAtt>

<TeamAttitude> : [MatchTeamAttitude](#)

*Integer value representing the the team attitude specified for the match. Only shown to the owner of the team - otherwise omitted.*

</TeamAttitude>

<RatingIndirectSetPiecesDef> : [MatchRating](#)

*Integer value representing the defensive indirect set pieces rating of the team.*

</RatingIndirectSetPiecesDef>

<RatingIndirectSetPiecesAtt> : [MatchRating](#)

*Integer value representing the attacking indirect set pieces rating of the team.*

</RatingIndirectSetPiecesAtt>

<NrOfChancesLeft> : [unsigned Integer](#)

*Number of chances the team had on the left side.*

</NrOfChancesLeft>

<NrOfChancesCenter> : [unsigned Integer](#)

*Number of chances the team had in the middle.*

</NrOfChancesCenter>

<NrOfChancesRight> : [unsigned Integer](#)

*Number of chances the team had on the right side.*

</NrOfChancesRight>

<NrOfChancesSpecialEvents> : [unsigned Integer](#)

*Number of special event chances.*

</NrOfChancesSpecialEvents>

<NrOfChancesOther> : [unsigned Integer](#)

*Number of chances of other types that doesn't fit into any of the above categories.*

</NrOfChancesOther>

</HomeTeam>

- <AwayTeam>

<AwayTeamID> : [Integer](#)

*The teamID of the Away team in the match. (Negative for street teams.)*

</AwayTeamID>

```

<AwayTeamName> : String
    The team name of the Away team in the match.
</AwayTeamName>
<DressURI> : URI
    URI to an image representing the dress of the team. FOR SENIORS ONLY
</DressURI>
<Formation> : String
    Character string (x-x-x) representing the formation the team started with.
</Formation>
<AwayGoals> : unsigned Integer
    The current number of goals in the match for the away team.
</AwayGoals>
<TacticType> : MatchTacticType
    Integer value representing the the team tactic type specified for the match.
</TacticType>
<TacticSkill> : SkillLevel
    Integer value representing the tactic skill of the team.
</TacticSkill>
<RatingMidfield> : MatchRating
    Integer value representing the midfield rating of the team.
</RatingMidfield>
<RatingRightDef> : MatchRating
    Integer value representing the right defence rating of the team.
</RatingRightDef>
<RatingMidDef> : MatchRating
    Integer value representing the middle defence rating of the team.
</RatingMidDef>
<RatingLeftDef> : MatchRating
    Integer value representing the left defence rating of the team.
</RatingLeftDef>
<RatingRightAtt> : MatchRating
    Integer value representing the right attack rating of the team.
</RatingRightAtt>
<RatingMidAtt> : MatchRating
    Integer value representing the middle attack rating of the team.
</RatingMidAtt>
<RatingLeftAtt> : MatchRating
    Integer value representing the left attack rating of the team.
</RatingLeftAtt>
<TeamAttitude> : MatchTeamAttitude
    Integer value representing the the team attitude specified for the match. Only shown to the owner of the team - otherwise omitted.
</TeamAttitude>
<RatingIndirectSetPiecesDef> : MatchRating
    Integer value representing the defensive indirect set pieces rating of the team.
</RatingIndirectSetPiecesDef>
<RatingIndirectSetPiecesAtt> : MatchRating
    Integer value representing the attacking indirect set pieces rating of the team.
</RatingIndirectSetPiecesAtt>
<NrOfChancesLeft> : unsigned Integer
    Number of chances the team had on the left side.
</NrOfChancesLeft>
<NrOfChancesCenter> : unsigned Integer
    Number of chances the team had in the middle.
</NrOfChancesCenter>
<NrOfChancesRight> : unsigned Integer
    Number of chances the team had on the right side.
</NrOfChancesRight>
<NrOfChancesSpecialEvents> : unsigned Integer
    Number of special event chances.
</NrOfChancesSpecialEvents>
<NrOfChancesOther> : unsigned Integer
    Number of chances of other types that doesn't fit into any of the above categories.
</NrOfChancesOther>
</AwayTeam>
<Arena>
  <ArenaID> : unsigned Integer
    The globally unique arenaID.
  </ArenaID>
  <ArenaName> : String
    The name of the arena.
  </ArenaName>
  <WeatherID> : WeatherID
    Integer defining the weather during the match.
  </WeatherID>
  <SoldTotal> : unsigned Integer
    The total number of sold tickets (number of spectators).
  </SoldTotal>
  <SoldTerraces> : unsigned Integer
    The number of sold tickets for the teraces section.
  </SoldTerraces>

```

```

<SoldBasic> : unsigned Integer
    The number of sold tickets for the basic seating section.
</SoldBasic>
<SoldRoof> : unsigned Integer
    The number of sold tickets for the seating under roof section.
</SoldRoof>
<SoldVIP> : unsigned Integer
    The number of sold tickets for the VIP section.
</SoldVIP>
</Arena>
- <MatchOfficials>
- <Referee>
    <RefereId> : unsigned Integer
        The globally unique PlayerID for the referee.
    </RefereId>
    <RefereeName> : String
        The name of the referee.
    </RefereeName>
    <RefereeCountryId> : unsigned Integer
        The countryID of the country the referee is from.
    </RefereeCountryId>
    <RefereeCountryName> : String
        The name of the country the referee is from.
    </RefereeCountryName>
    <RefereeTeamId> : unsigned Integer
        The teamId of the team that the referee is a Hall of Fame member of.
    </RefereeTeamId>
    <RefereeTeamname> : String
        The name of the team that the referee is a Hall of Fame member of.
    </RefereeTeamname>
</Referee>
- <RefereeAssistant1>
    <RefereId> : unsigned Integer
        The globally unique PlayerID for the referee.
    </RefereId>
    <RefereeName> : String
        The name of the referee.
    </RefereeName>
    <RefereeCountryId> : unsigned Integer
        The countryID of the country the referee is from.
    </RefereeCountryId>
    <RefereeCountryName> : String
        The name of the country the referee is from.
    </RefereeCountryName>
    <RefereeTeamId> : unsigned Integer
        The teamId of the team that the referee is a Hall of Fame member of.
    </RefereeTeamId>
    <RefereeTeamname> : String
        The name of the team that the referee is a Hall of Fame member of.
    </RefereeTeamname>
</RefereeAssistant1>
- <RefereeAssistant2>
    <RefereId> : unsigned Integer
        The globally unique PlayerID for the referee.
    </RefereId>
    <RefereeName> : String
        The name of the referee.
    </RefereeName>
    <RefereeCountryId> : unsigned Integer
        The countryID of the country the referee is from.
    </RefereeCountryId>
    <RefereeCountryName> : String
        The name of the country the referee is from.
    </RefereeCountryName>
    <RefereeTeamId> : unsigned Integer
        The teamId of the team that the referee is a Hall of Fame member of.
    </RefereeTeamId>
    <RefereeTeamname> : String
        The name of the team that the referee is a Hall of Fame member of.
    </RefereeTeamname>
</RefereeAssistant2>
</MatchOfficials>
- <Scorers>
- <Goal Index='unsigned Integer'>
    <ScorerPlayerID> : unsigned Integer
        The globally unique PlayerID for the scorer.
    </ScorerPlayerID>
    <ScorerPlayerName> : String
        The name of the scorer.
    </ScorerPlayerName>

```

```

<ScorerTeamID> : Integer
    The teamID of the team that scored.
</ScorerTeamID>
<ScorerHomeGoals> : unsigned Integer
    The number of goals for the home team after the goal.
</ScorerHomeGoals>
<ScorerAwayGoals> : unsigned Integer
    The number of goals for the away team after the goal.
</ScorerAwayGoals>
<ScorerMinute> : unsigned Integer
    The minute that the goal was scored in.
</ScorerMinute>
<MatchPart> : matchPart
    Which part of the match the goal was scored in.
</MatchPart>
</Goal>
</Scorers>
- <Bookings>
  - <Booking Index='unsigned Integer'>
    <BookingPlayerID> : unsigned Integer
        The globally unique PlayerID for the booked player.
    </BookingPlayerID>
    <BookingPlayerName> : String
        The name of the booked player.
    </BookingPlayerName>
    <BookingTeamID> : Integer
        The teamID of the team that suffered the booking.
    </BookingTeamID>
    <BookingType> : unsigned Integer
        Specifies whether it was a warning (BookingType=1) or red card (BookingType=2).
    </BookingType>
    <BookingMinute> : unsigned Integer
        The minute that the booking happened.
    </BookingMinute>
    <MatchPart> : matchPart
        Which part of the match the booking happened.
    </MatchPart>
  </Booking>
</Bookings>
- <Injuries>
  - <Injury Index='unsigned Integer'>
    <InjuryPlayerID> : unsigned Integer
        The globally unique PlayerID for the injured player.
    </InjuryPlayerID>
    <InjuryPlayerName> : String
        The name of the injured player.
    </InjuryPlayerName>
    <InjuryTeamID> : Integer
        The teamID of the team that suffered the injury.
    </InjuryTeamID>
    <InjuryType> : unsigned Integer
        Specifies whether it was a bruise (InjuryType=1) or an injury (InjuryType=2).
    </InjuryType>
    <InjuryMinute> : unsigned Integer
        The minute that the injury happened.
    </InjuryMinute>
    <MatchPart> : matchPart
        Which part of the match the booking happened.
    </MatchPart>
  </Injury>
</Injuries>
<PossessionFirstHalfHome> : unsigned Integer
    Home team's ball possession in % for first half.
</PossessionFirstHalfHome>
<PossessionFirstHalfAway> : unsigned Integer
    Away team's ball possession in % for first half.
</PossessionFirstHalfAway>
<PossessionSecondHalfHome> : unsigned Integer
    Home team's ball possession in % for second half.
</PossessionSecondHalfHome>
<PossessionSecondHalfAway> : unsigned Integer
    Away team's ball possession in % for second half.
</PossessionSecondHalfAway>
</Match>
</HattrickData>

```

## References

#MatchEventTypes

Documentation of the match events in Hatrick [here!](#)

[Rate this page](#) S

[About Hatrick](#) [Fantasy football games](#) [Hattrick Supporter](#) [Help](#) [Contact Us](#) [Privacy](#) [Hattrick Wiki](#)

