

23:08 hon3stus has logged in
23:20 -Geisi- has logged in
23:24 ciuffo-fisc has logged in



Panormus 2024 VII.755 Italia

10 417 online, week 13 28/06/2026 23

My Clubs World Community ³ Forum

Help Shop TotoNovi

Community

Community » CHPP » CHPP Files help » Team Details

- Overview
- Hatrick Press
- Mentoring
- Testimonials
- Football teams
- Officials
- Match kit search
- Logo rating
- CHPP products
- Hatrick Creators
- Club

Social

- Federations
- Chat Portal
- Network
- Local Circles

Recruitment

- Recruitment centre
- Recruitment status
- Top recruiters

External

- Twitch
- Wiki
- Blog
- Links
- Stage

Team Details

Team information

Changelog [\(show\)](#)

Input

The following input parameters exist:

Simple	Detailed
--------	----------

Only available inputs in this file version are shown.

required file = teamdetails

optional version = 3.9 ▼

required_1 teamID : [unsigned Integer](#) {Default:Your senior teamID}
What team/user to show the data for. teamID and userID generates the same result, except that ownerless teams can only be accessed if submitting a teamID and that users without a team can only be accessed if userID is submitted.

required_1 userID : [unsigned Integer](#) {Default:Your userID, if teamID is also not set}
What team/user to show the data for. teamID and userID generates the same result, except that ownerless teams can only be accessed if submitting a teamID and that users without a team can only be accessed if userID is submitted. If neither userID or teamID is supplied, userID defaults to the logged on user's userID.

optional includeDomesticFlags : [Boolean](#) {Default:false}
Whether or not the teams own country should be included in the flag collections (provided games against domestic opponents have been played). If not specified then domestic flags won't be included.

optional includeFlags : [Boolean](#) {Default:false}
Whether or not the flag collection should be provided. If not specified then flags won't be included.

optional includeSupporters : [Boolean](#) {Default:false}
Whether or not the supported teams and the teams supporters should be included. If not specified they won't be included.

required_1: teamID or userID is required!

Output

Here you can see the output, based on the values of the input parameters and selected action type.

Simple	Detailed	XML	Example
--------	----------	-----	---------

All containers/elements for the selected version and action type are shown.

```
<?xml version="1.0" encoding="utf-8"?>
<HatrickData>
  <User>
    <UserID> : unsigned Integer
      The globally unique UserID for the owner of the team. Teams without an owner have UserID = 0.
    </UserID>
  </User>
  <Language>
    <LanguageID> : unsigned Integer
      The globally unique LanguageID.
    </LanguageID>
    <LanguageName> : String
      The language name
    </LanguageName>
  </Language>
  <SupporterTier> : supporterTier
    The current level of Hatrick Supporter that the user has (including Diamond). Empty if not a Supporter.
  </SupporterTier>
  <Loginname> : String
    The 'username' or 'nickname' used in Forums and around the site. Not supplied if the team is ownerless.
  </Loginname>
  <Name> : String
    The user's personal name or the value 'HIDDEN' to indicate that the user has chosen to hide it. Not supplied if the team is ownerless.
  </Name>
  <ICQ> : unsigned Integer
```

```

    The user's ICQ number (if any). Not supplied if the team is ownerless.
</ICQ>
<SignupDate> : DateTime
    The date and time when the user signed up for Hatrick. Not supplied if the team is ownerless.
</SignupDate>
<ActivationDate> : DateTime
    The date and time when the user gained control of this team. Not supplied if the team is ownerless.
</ActivationDate>
<LastLoginDate> : DateTime
    The date and time when the user last logged on. Not supplied if the team is ownerless.
</LastLoginDate>
<HasManagerLicense> : Boolean
    Whether or not the user has received the manager license
</HasManagerLicense>
- <NationalTeams>
  - <NationalTeam>
    <NationalTeamStaffType> : NationalTeamStaffType
      The staff type id from the position the user has in the national team
    </NationalTeamStaffType>
    <NationalTeamID> : unsigned Integer
      The globally unique identifier of the national team.
    </NationalTeamID>
    <NationalTeamName> : String
      The name of the national team.
    </NationalTeamName>
  </NationalTeam>
</NationalTeams>
</User>
- <Teams>
  - <Team>
    <TeamID> : unsigned Integer
      The globally unique TeamID.
    </TeamID>
    <TeamName> : String
      The full team name.
    </TeamName>
    <ShortTeamName> : String
      The short team name.
    </ShortTeamName>
    <IsPrimaryClub> : Boolean
      True/false indicating if this team is the user's primary team.
    </IsPrimaryClub>
    <FoundedDate> : DateTime
      Date when club was founded.
    </FoundedDate>
    <IsDeactivated> : Boolean
      Whether or not the team is deactivated and not part of the league system
    </IsDeactivated>
    <GenderID> : GenderID
      The gender of the team.
    </GenderID>
    <LeagueSystemID> : LeagueSystemID
      The system type of the league for this team.
    </LeagueSystemID>
  - <Arena>
    <ArenaID> : unsigned Integer
      The globally unique ArenaID.
    </ArenaID>
    <ArenaName> : String
      The arena name.
    </ArenaName>
  </Arena>
  - <League>
    <LeagueID> : unsigned Integer
      The globally unique LeagueID.
    </LeagueID>
    <LeagueName> : String
      The League name.
    </LeagueName>
  </League>
  - <Country>
    <CountryID> : unsigned Integer
      The globally unique CountryID.
    </CountryID>
    <CountryName> : String
      The Country name.
    </CountryName>
  </Country>
  - <Region>
    <RegionID> : unsigned Integer

```

```

    The globally unique RegionID.
</RegionID>
<RegionName> : String
    The Region name.
</RegionName>
</Region>
- <Trainer>
    <PlayerID> : unsigned Integer
        The globally unique PlayerID of the player that has the job as trainer of the team.
    </PlayerID>
</Trainer>
<HomePage> : URI
    The home page URL that the team has specified.
</HomePage>
- <Cup>
    <StillInCup> : Boolean
        Boolean value stating if the team is still in the cup.
    </StillInCup>
    <CupID> : unsigned Integer
        The globally unique CupID of the cup that the team is still in. Only provided if team is still in cup.
    </CupID>
    <CupName> : String
        The name of the cup that the team is still in. Only provided if team is still in cup.
    </CupName>
    <CupLeagueLevel> : unsigned Integer
        LeagueLevel for the cup. 0 = National (LeagueLevel 1-6), 7-9 = Divisional. Only provided if team is still in cup.
    </CupLeagueLevel>
    <CupLevel> : unsigned Integer
        Level of the cup. 1 = National/Divisional, 2 = Challenger, 3 = Consolation. Only provided if team is still in cup.
    </CupLevel>
    <CupLevelIndex> : unsigned Integer
        Index of the cup. Always 1 for National and Consolation cups, for Challenger cup: 1 = Emerald, 2 = Ruby, 3 = Sapphire. Only provided if team is :
        in cup.
    </CupLevelIndex>
    <MatchRound> : unsigned Integer
        Next round (or current if matches are ongoing). (Note that this is different from WorldDetails!). Only provided if team is still in cup.
    </MatchRound>
    <MatchRoundsLeft> : unsigned Integer
        How many rounds are left of this cup. Only provided if team is still in cup.
    </MatchRoundsLeft>
</Cup>
- <PowerRating>
    <GlobalRanking> : unsigned Integer
        The Power Rating team ranking in Global.
    </GlobalRanking>
    <LeagueRanking> : unsigned Integer
        The Power Rating team ranking in the same league.
    </LeagueRanking>
    <RegionRanking> : unsigned Integer
        The Power Rating team ranking in the same region.
    </RegionRanking>
    <PowerRating> : unsigned Integer
        The Power Rating value of the team.
    </PowerRating>
</PowerRating>
<FriendlyTeamID> : unsigned Integer
    The team's status about if a friendly is booked. The value is the opponents globally unique teamID if the team has booked a friendly, 0 if not. If th
    team is playing a match the tag will be empty.
</FriendlyTeamID>
- <LeagueLevelUnit>
    <LeagueLevelUnitID> : unsigned Integer
        The globally unique LeagueLevelUnitID.
    </LeagueLevelUnitID>
    <LeagueLevelUnitName> : String
        The name of the LeagueLevelUnit.
    </LeagueLevelUnitName>
    <LeagueLevel> : unsigned Integer
        Integer value stating the relative level of the LeagueLevelUnit, with 1 indicating the league's top series.
    </LeagueLevel>
</LeagueLevelUnit>
    <NumberOfVictories> : unsigned Integer
        If the team is in a winning streak of at least 2 matches, this integer indicates how many victories in a row it currently has. If the team is playing a
        match the tag will be empty.
    </NumberOfVictories>
    <NumberOfUndeclared> : unsigned Integer
        If the team is in a streak of at least 2 matches as undeclared, this integer indicates how many matches in a row it is undeclared. If the team is
        playing a match the tag will be empty.
    </NumberOfUndeclared>
- <Fanclub>
    <FanclubID> : unsigned Integer

```

```

    The globally unique FanclubID.
</FanclubID>
<FanclubName> : String
    The name of the fanclub.
</FanclubName>
<FanclubSize> : unsigned Integer
    The amount of members in the fanclub.
</FanclubSize>
</Fanclub>
<LogoURL> : URI
    The logo URL that the team has specified.
</LogoURL>
- <Guestbook>
    <!-- This container and its elements is only shown if the user has supporter -->
    <NumberOfGuestbookItems> : unsigned Integer
        The number of postings in the team's guestbook.
    </NumberOfGuestbookItems>
</Guestbook>
- <PressAnnouncement>
    <!-- This container and its elements is only shown if the user has supporter -->
    <Subject> : String
        The subject text specified for the PressAnnouncement.
    </Subject>
    <Body> : String
        The body of the PressAnnouncement.
    </Body>
    <SendDate> : DateTime
        The time and date when the PressAnnouncement was submitted.
    </SendDate>
</PressAnnouncement>
- <TeamColors>
    <!-- This container and its elements is only shown if the user has supporter -->
    <BackgroundColor> : String
        The defined background color from the club theme.
    </BackgroundColor>
    <Color> : String
        The matching text color to the defined background color.
    </Color>
</TeamColors>
<DressURI> : URI
    URI to an image representing the dress of the team.
</DressURI>
<DressAlternateURI> : URI
    Same as DressURI, except that it shows the alternate dress.
</DressAlternateURI>
- <BotStatus>
    <IsBot> : Boolean
        Specifies whether a team is currently a bot or not.
    </IsBot>
    <BotSince> : DateTime
        The date when the team was made a bot, only available if team is a bot.
    </BotSince>
</BotStatus>
<TeamRank> : unsigned Integer
    If the team has an owner, last is the League Rank, a number based on LeagueLevel, postion etc, only counting teams with an owner. If the team is
    playing a match the tag will be empty.
</TeamRank>
<YouthTeamID> : unsigned Integer
    If the Team has a Youth academy the ID is represented here. If not it will be 0.
</YouthTeamID>
<YouthTeamName> : String\*
    If the Team has a Youth academy the team name is represented here. If not it will be an empty string.
</YouthTeamName>
<NumberOfVisits> : unsigned Integer
    The number of visits the team had in the latest day with at least one visit.
</NumberOfVisits>
- <Flags>
    - <HomeFlags>
        - <Flag>
            <LeagueID> : unsigned Integer
                The LeagueID for the league a flag belongs to.
            </LeagueID>
            <LeagueName> : String
                The LeagueName for the league a flag belongs to.
            </LeagueName>
            <CountryCode> : String
                The CountryCode for the league a flag belongs to.
            </CountryCode>
        </Flag>
    </HomeFlags>

```

```

- <AwayFlags>
- <Flag>
  <LeagueID> : unsigned Integer
    The LeagueID for the league a flag belongs to.
  </LeagueID>
  <LeagueName> : String
    The LeagueName for the league a flag belongs to.
  </LeagueName>
  <CountryCode> : String
    The CountryCode for the league a flag belongs to.
  </CountryCode>
</Flag>
</AwayFlags>
</Flags>
- <TrophyList>
- <Trophy>
  <TrophyTypeld> : trophyID
    Typeld for the trophy
  </TrophyTypeld>
  <TrophySeason> : unsigned Integer
    The season the trophy was won.
  </TrophySeason>
  <LeagueLevel> : unsigned Integer
    The level the league the user won. For tournament trophies, this act as a "type".
  </LeagueLevel>
  <LeagueLevelUnitId> : String
    The LeagueLevelUnitId of the leaguelevelunit that the user won. For tournaments this is the id of the tournament.
  </LeagueLevelUnitId>
  <LeagueLevelUnitName> : String
    The name of the leaguelevelunit that the user won. For tournaments this is the name of the tournament.
  </LeagueLevelUnitName>
  <GainedDate> : DateTime
    The date when the user gained the trophy.
  </GainedDate>
  <ImageUrl> : URL
    The url to the trophy image.
  </ImageUrl>
  <CupLeagueLevel> : unsigned Integer
    The league level of the cup. 0 for the main cups, division 1-6. Empty when not a cup trophy (16).
  </CupLeagueLevel>
  <CupLevel> : CupLevel
    The level of the cup. Empty when not a cup trophy (16).
  </CupLevel>
  <CupLevelIndex> : CupLevelIndex
    Which type of challenger cup. Always 1 for national and consolation cups. Empty when not a cup trophy (16).
  </CupLevelIndex>
</Trophy>
</TrophyList>
- <SupportedTeams TotalItems='unsigned Integer' MaxItems='unsigned Integer'>
- <SupportedTeam>
  <UserId> : unsigned Integer
    The globally unique UserID for the owner of the supported team.
  </UserId>
  <LoginName> : String
    The 'username' or 'nickname' used in Forums and around the site.
  </LoginName>
  <TeamId> : unsigned Integer
    The globally unique TeamID for the supported team.
  </TeamId>
  <TeamName> : String
    The teamname of the supported team.
  </TeamName>
  <LeagueID> : unsigned Integer
    The globally unique LeagueID for the supported team.
  </LeagueID>
  <LeagueName> : String
    The League name.
  </LeagueName>
  <LeagueLevelUnitID> : unsigned Integer
    The globally unique LeagueLevelUnitID for the supported team.
  </LeagueLevelUnitID>
  <LeagueLevelUnitName> : String
    The name of the LeagueLevelUnit.
  </LeagueLevelUnitName>
- <LastMatch>
  <LastMatchId> : unsigned Integer
    The globally unique matchID.
  </LastMatchId>
  <LastMatchDate> : DateTime
    The matchdate of the last match.

```

```

</LastMatchDate>
<LastMatchHomeTeamId> : unsigned Integer
    The globally unique TeamID for the home team.
</LastMatchHomeTeamId>
<LastMatchHomeTeamName> : String
    The team name of the home team in the match.
</LastMatchHomeTeamName>
<LastMatchHomeGoals> : unsigned Integer
    The number of goals scored in the match by the hometeam.
</LastMatchHomeGoals>
<LastMatchAwayTeamId> : unsigned Integer
    The globally unique TeamID for the away team.
</LastMatchAwayTeamId>
<LastMatchAwayTeamName> : String
    The team name of the away team in the match.
</LastMatchAwayTeamName>
<LastMatchAwayGoals> : unsigned Integer
    The number of goals scored in the match by the awayteam.
</LastMatchAwayGoals>
</LastMatch>
- <NextMatch>
    <NextMatchId> : unsigned Integer
        The globally unique matchID.
    </NextMatchId>
    <NextMatchDate> : DateTime
        The matchdate of the next match.
    </NextMatchDate>
    <NextMatchHomeTeamId> : unsigned Integer
        The globally unique TeamID for the home team.
    </NextMatchHomeTeamId>
    <NextMatchHomeTeamName> : String
        The team name of the home team in the match.
    </NextMatchHomeTeamName>
    <NextMatchAwayTeamId> : unsigned Integer
        The globally unique TeamID for the away team.
    </NextMatchAwayTeamId>
    <NextMatchAwayTeamName> : String
        The team name of the away team in the match.
    </NextMatchAwayTeamName>
</NextMatch>
- <PressAnnouncement>
    <PressAnnouncementSendDate> : DateTime
        The time and date when the PressAnnouncement was submitted.
    </PressAnnouncementSendDate>
    <PressAnnouncementSubject> : String
        The subject text specified for the PressAnnouncement.
    </PressAnnouncementSubject>
    <PressAnnouncementBody> : String
        The body of the PressAnnouncement.
    </PressAnnouncementBody>
</PressAnnouncement>
</SupportedTeam>
</SupportedTeams>
- <MySupporters TotalItems='unsigned Integer' MaxItems='unsigned Integer'>
    - <SupporterTeam>
        <UserId> : unsigned Integer
            The globally unique UserID for the owner of the supporter team.
        </UserId>
        <LoginName> : String
            The 'username' or 'nickname' used in Forums and around the site.
        </LoginName>
        <TeamId> : unsigned Integer
            The globally unique TeamID for the supporter team.
        </TeamId>
        <TeamName> : String
            The teamname of the supporter team.
        </TeamName>
        <LeagueId> : unsigned Integer
            The globally unique LeagueID for the supporter team.
        </LeagueId>
        <LeagueName> : String
            The League name.
        </LeagueName>
        <LeagueLevelUnitId> : unsigned Integer
            The globally unique LeagueLevelUnitID for the supported team.
        </LeagueLevelUnitId>
        <LeagueLevelUnitName> : String
            The name of the LeagueLevelUnit.
        </LeagueLevelUnitName>
    </SupporterTeam>

```

```
</MySupporters>
<PossibleToChallengeMidweek> : Boolean
    Whether or not the team is possible to challenge for a mid-week friendly
</PossibleToChallengeMidweek>
<PossibleToChallengeWeekend> : Boolean
    Whether or not the team is possible to challenge for a weekend friendly
</PossibleToChallengeWeekend>
</Team>
</Teams>
</HattrickData>
```

[Rate this page](#) [S](#)

[About Hatrick](#) [Fantasy football games](#) [Hattrick Supporter](#) [Help](#) [Contact Us](#) [Privacy](#) [Hattrick Wiki](#)

