

Community

- Overview
- Hatrick Press
- Mentoring
- Testimonials
- Football teams
- Officials
- Match kit search
- Logo rating
- CHPP products
- Hatrick Creators
- Club

Social

- Federations
- Chat Portal
- Network
- Local Circles

Recruitment

- Recruitment centre
- Recruitment status
- Top recruiters

External

- Twitch
- Wiki
- Blog
- Links
- Stage

Community » CHPP » CHPP Files help » Youth Team Details

Youth Team Details

Youth team information.

Changelog (show)

Input

The following input parameters exist:

Simple	Detailed
--------	----------

Only available inputs in this file version are shown.

required

file = youthteamdetails

optional

version = 1.4

optional

youthTeamId : unsigned Integer {Default:Your YouthTeamID}

What team/user to show the data for.

optional

showScouts : Boolean {Default:false}

Set it to 'true' to get ScoutList container.

Output

Here you can see the output, based on the values of the input parameters and selected action type.

Simple	Detailed	XML	Example
--------	----------	-----	---------

All containers/elements for the selected version and action type are shown.

```
<?xml version="1.0" encoding="utf-8"?>
<HatrickData>
  <YouthTeam>
    <YouthTeamID> : unsigned Integer
      The globally unique YouthTeamID.
    </YouthTeamID>
    <YouthTeamName> : String
      The full team name.
    </YouthTeamName>
    <ShortTeamName> : String
      The short team name.
    </ShortTeamName>
    <CreatedDate> : DateTime
      The date when the youth team was created.
    </CreatedDate>
    <UserID> : unsigned Integer
      The globally unique UserID for the owner of the team.
    </UserID>
    <GenderID> : GenderID
      The gender of the youth team.
    </GenderID>
    <LeagueSystemID> : LeagueSystemID
      The system type of the league for this team.
    </LeagueSystemID>
  </Country>
    <CountryID> : unsigned Integer
      The globally unique CountryID.
    </CountryID>
    <CountryName> : String
      The name of the country.
    </CountryName>
  </Country>
  <Region>
    <RegionID> : unsigned Integer
      The globally unique RegionID.
    </RegionID>
    <RegionName> : String
      The name of the region.
    </RegionName>
```

```

</Region>
- <YouthArena>
  <YouthArenaID> : unsigned Integer
    The globally unique YouthArenaID.
  </YouthArenaID>
  <YouthArenaName> : String
    The arena name.
  </YouthArenaName>
</YouthArena>
- <YouthLeague>
  <YouthLeagueID> : unsigned Integer
    The globally unique YouthLeagueID.
  </YouthLeagueID>
  <YouthLeagueName> : String
    The name of the youth league
  </YouthLeagueName>
  <YouthLeagueStatus> : YouthLeagueStatusID
    The status of the youth league
  </YouthLeagueStatus>
</YouthLeague>
- <OwningTeam>
  <MotherTeamID> : unsigned Integer
    The globally unique TeamID of the motherteam.
  </MotherTeamID>
  <MotherTeamName> : String
    The name of the motherteam
  </MotherTeamName>
</OwningTeam>
- <YouthTrainer>
  <YouthPlayerID> : unsigned Integer
    The globally unique YouthPlayerID of the trainer.
  </YouthPlayerID>
</YouthTrainer>
<NextTrainingMatchDate> : DateTime
  The date that the next friendly match can be booked. (Will be less than today if it can be booked now. If a friendly is already booked it will be more than 3 weeks into the future.)
</NextTrainingMatchDate>
- <ScoutList>
  - <Scout>
    <YouthScoutID> : unsigned Integer
      The globally unique YouthScoutID.
    </YouthScoutID>
    <ScoutName> : String
      The name of the scout.
    </ScoutName>
    <Age> : unsigned Integer
      The age of the scout.
    </Age>
  - <Country>
    <CountryID> : unsigned Integer
      The globally unique CountryID.
    </CountryID>
    <CountryName> : String
      The name of the country.
    </CountryName>
  </Country>
  - <Region>
    <RegionID> : unsigned Integer
      The globally unique RegionID.
    </RegionID>
    <RegionName> : String
      The name of the region.
    </RegionName>
  </Region>
  - <InCountry>
    <CountryID> : unsigned Integer
      The globally unique CountryID.
    </CountryID>
    <CountryName> : String
      The name of the country.
    </CountryName>
  </InCountry>
  - <InRegion>
    <RegionID> : unsigned Integer
      The globally unique RegionID.
    </RegionID>
    <RegionName> : String
      The name of the region.
    </RegionName>
  </InRegion>

```

```
<HiredDate> : DateTime
    The date the team hired the scout.
</HiredDate>
<LastCalled> : DateTime
    The date of when the scout was last called by the team.
</LastCalled>
<PlayerTypeSearch> : ScoutSearchTypeId
    Specifies which type of player the scout is currently searching for.
</PlayerTypeSearch>
<HofPlayerId> : unsigned Integer
    The id of the hall of fame player associated with this scout. 0 if none.
</HofPlayerId>
- <Travel>
    <TravelStartDate> : DateTime
        The date the scout started his travel.
    </TravelStartDate>
    <TravelLength> : unsigned Integer
        How far the travel is in kilometers.
    </TravelLength>
    <TravelType> : ScoutTravelTypeId
        By which mean the scout is traveling.
    </TravelType>
</Travel>
</Scout>
</ScoutList>
</YouthTeam>
</HatrickData>
```

[Rate this page](#) [S](#)

[About Hattrick](#) [Fantasy football games](#) [Hattrick Supporter](#) [Help](#) [Contact Us](#) [Privacy](#) [Hattrick Wiki](#)

