
# 05 - Cabecalhos saneados do inicio do login com Google

Laboratorio: login em um site estatico no Cloudflare Pages

Autoria: trabalho individual — Joao Vitor do Nascimento Martins, RA 2016108385

> Documento de evidencia saneado. A captura do DevTools mostra a resposta real da implantacao de producao; os valores transitorios (cookie __Host-oauth-tx, state, nonce e code_challenge) foram ocultados com tarja preta. O Client ID aparece apenas por ser publico por definicao OAuth; o Client Secret e o code_verifier nao existem nesta rota e nao constam aqui.

## Captura 1: resposta 302 de /oauth/login/google



| | |
|---|---|
| Request URL | https://oauth-pages-lab-9cz.pages.dev/oauth/login/google |
| Request Method | GET |
| Status Code | 302 Found |
| Remote Address | [2606:4700:310c::ac42:2f99]:443 |
| Referrer Policy | strict-origin-when-cross-origin |

**Response headers**

| | |
|---|---|
| Alt-Svc | h3=":443"; ma=86400 |
| Cache-Control | no-store |
| Cf-Ray | a42f782ccb825c03-MIA |
| Content-Length | 0 |
| Date | Wed, 30 Sep 2026 01:31:41 GMT |
| Location | https://accounts.google.com/o/oauth2/v2/auth?client_id=1065730709157-mqg3167513c6bc314275oum211g00q8d.apps.googleusercontent.com&redirect_uri=https%3A%2F%2Foauth-pages-lab-9cz.pages.dev%2Foauth%2Fcallback%2Fgoogle&response_type=code&[redacted]code_challenge_method=S256&scope=openid+email+profil[redacted] |
| Nel | {"report_to":"cf-nel","success_fraction":0.0,"max_age":604800} |
| Priority | u=0,i |
| Report-To | {"group":"cf-nel","max_age":604800,"endpoints":[{"url":"https://a.nel.cloudflare.com/report/v4?s=GLutEUpDE%2FJtaerzKdnWLb66HqJPv26FubNDTnWWFBQBeincvNbj4Rwm5XwdI7aO2F7TbqpsourzXRG5sHbZaYwyXar6uRpd8fxZeu4zURraC2Jd05J32ca71jw0fQEYfPd69zAT7DqVW%2BwjJSCD%2Bg3Zr6oHLfzSsUnFjw%3D%3D"}]} |
| Server | cloudflare |
| Server-Timing | cfExtPri |
| Set-Cookie | __Host-oauth-tx[redacted]; Path=/; HttpOnly; Secure; SameSite=Lax; Max-Age=600 |

*Response headers com Location apontando para accounts.google.com, Set-Cookie __Host-oauth-tx (Path=/, HttpOnly, Secure, SameSite=Lax, Max-Age=600) e Cache-Control: no-store. Valores de state, code_challenge, nonce e do cookie ocultados com tarja.*

## Parametros do pedido de autorizacao (visiveis na captura)

| Parametro | Valor / conferencia |
|---|---|
| client_id | 1065730709157-...apps.googleusercontent.com (publico) |
| redirect_uri | https://oauth-pages-lab-9cz.pages.dev/oauth/callback/google (exata, HTTPS) |

| | |
|---|---|
| response_type | code |
| state | [REMOVIDO] (43 caracteres Base64URL) |
| code_challenge | [REMOVIDO] (43 caracteres Base64URL) |
| code_challenge_method | S256 (visivel) |
| scope | openid email profile (visivel) |
| nonce | [REMOVIDO] (presente somente no fluxo do Google) |

### Conferencias da Etapa 8 (15.2)

- OK - Estado HTTP 302.
- OK - A resposta cria o cookie __Host-oauth-tx (Path=/, HttpOnly, Secure, SameSite=Lax, Max-Age=600).
- OK - Location aponta para o Google (accounts.google.com).
- OK - response_type=code presente.
- OK - code_challenge_method=S256 presente.
- OK - A URL de retorno e a URL pages.dev exata.
- OK - Client Secret e code_verifier ausentes na URL e nos cabecalhos.
- OK - Cache-Control: no-store na resposta.