

Add Two Numbers - LeetCode

2. Add Two Numbers

Solved 

Medium

 Topics

 Companies

You are given two **non-empty** linked lists representing two non-negative integers. The digits are stored in **reverse order**, and each of their nodes contains a single digit. Add the two numbers and return the sum as a linked list.

You may assume the two numbers do not contain any leading zero, except the number 0 itself.

class Solution:

```
def addTwoNumbers(self, l1: Optional[ListNode], l2: Optional[ListNode])  
-> Optional[ListNode]:
```

```
    digits1 = []  
    curr1 = l1  
    while curr1:  
        digits1.append(str(curr1.val))  
        curr1 = curr1.next  
    num1 = int("".join(reversed(digits1)))
```

```
    digits2 = []  
    curr2 = l2  
    while curr2:  
        digits2.append(str(curr2.val))  
        curr2 = curr2.next  
    num2 = int("".join(reversed(digits2)))
```

```
res = num1 + num2
ans = [int(digit) for digit in str(res)]
ans.reverse()
dummy = ListNode()
curr = dummy
```

```
for digit in ans:
    curr.next = ListNode(digit)
    curr = curr.next
```


```
return dummy.next
```

Accepted 1569 / 1569 testcases passed Time taken: 51m 11s

 **salifshk** submitted at Jul 23, 2026 18:45

 **Analysis**

 **Solution**



 **Unlock the Full LeetCode Experience**

Company problems, Ask Leet, and expert editorials — all in one plan.




 **Runtime**

0 ms | Beats **100.00%** 

 **Memory**

19.42 MB | Beats **10.47%**



Pow(x, n)

50. Pow(x, n)

Solved ✓

Medium

Topics

Companies

Implement `pow(x, n)`, which calculates `x` raised to the power `n` (i.e., x^n).

class Solution:


```
def myPow(self, x: float, n: int) -> float:  
    return x**n
```

Accepted 307 / 307 testcases passed

salifshk submitted at Jul 23, 2026 18:56

Analysis

Solution



Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.




Runtime

2 ms | Beats 20.23%

Memory

19.56 MB | Beats 18.56%



Multiply Strings

43. Multiply Strings

Solved ✓

Medium

Topics

Companies

Given two non-negative integers `num1` and `num2` represented as strings, return the product of `num1` and `num2`, also represented as a string.

class Solution:


```
def multiply(self, num1: str, num2: str) -> str:
    int1 = int(num1)
    int2 = int(num2)
    res = int1*int2
    return str(res)
```

Accepted 311 / 311 testcases passed

salifshk submitted at Jul 23, 2026 19:15

Analysis

Solution



Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.



Runtime

0 ms | Beats 100.00% 🌟

Memory

19.31 MB | Beats 29.60%

