```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
  <title>Project A NGO - Website & Deployment Guide</title>
  k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0"
/css/all.min.css">
  <style>
    :root {
      --primary: #2a7f62;
      --secondary: #3aafa9;
      --accent: #e63946;
      --light: #f1faee;
      --dark: #1d3557;
    }
   * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    }
    body {
      background-color: #f8f9fa;
      color: #333;
      line-height: 1.6;
    }
    .container {
      width: 90%;
      max-width: 1200px;
      margin: 0 auto;
```

```
padding: 20px;
header {
  background-color: white;
  box-shadow: 0 2px 10px rgba(0,0,0,0.1);
  position: sticky;
  top: 0;
  z-index: 100;
.header-container {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 1rem 0;
.logo {
  display: flex;
  align-items: center;
.logo-icon {
  background-color: var(--primary);
  color: white;
  width: 50px;
  height: 50px;
  border-radius: 50%;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 1.5rem;
  margin-right: 15px;
}
.logo-text {
```

```
font-size: 1.8rem;
      font-weight: 700;
      color: var(--primary);
    .logo-text span {
      color: var(--accent);
    nav ul {
      display: flex;
      list-style: none;
    }
    nav ul li {
      margin-left: 1.5rem;
    }
    nav ul li a {
      text-decoration: none;
      color: var(--dark);
      font-weight: 500;
      padding: 0.5rem 1rem;
      border-radius: 4px;
      transition: all 0.3s ease;
    }
    nav ul li a:hover, nav ul li a.active {
      background-color: var(--primary);
      color: white;
    }
    .hero {
      background: linear-gradient(rgba(42, 127, 98, 0.8), rgba(42,
127, 98, 0.8)),
url('https://images.unsplash.com/photo-1504384308090
-c894fdcc538d?ixlib=rb-4.0.3') center/cover no-repeat;
```

```
height: 80vh;
  display: flex;
  align-items: center;
  color: white;
 text-align: center;
.hero-content {
  max-width: 800px;
  margin: 0 auto;
  padding: 2rem;
.hero h1 {
  font-size: 3.5rem;
  margin-bottom: 1rem;
  text-shadow: 0 2px 4px rgba(0,0,0,0.3);
}
.hero p {
  font-size: 1.3rem;
  margin-bottom: 2rem;
}
.btn {
  display: inline-block;
  background-color: var(--accent);
  color: white;
  padding: 0.8rem 2rem;
  border-radius: 50px;
  text-decoration: none;
  font-weight: 600;
  transition: all 0.3s ease;
  border: none;
  cursor: pointer;
  font-size: 1rem;
  text-transform: uppercase;
```

```
letter-spacing: 1px;
.btn:hover {
  background-color: #c1121f;
  transform: translateY(-3px);
  box-shadow: 0 5px 15px rgba(0,0,0,0.2);
}
.btn-outline {
  background: transparent;
  border: 2px solid white;
  margin-left: 15px;
.btn-outline:hover {
  background-color: white;
  color: var(--primary);
}
.section {
  padding: 5rem 0;
.section-title {
  text-align: center;
  margin-bottom: 3rem;
}
.section-title h2 {
  font-size: 2.5rem;
  color: var(--primary);
  position: relative;
  display: inline-block;
  margin-bottom: 1rem;
}
```

```
.section-title h2::after {
  content: "";
  position: absolute;
  bottom: -10px;
  left: 50%;
  transform: translateX(-50%);
  width: 80px;
  height: 4px;
  background-color: var(--accent);
}
.deployment-steps {
  background-color: white;
  border-radius: 10px;
  padding: 2rem;
  box-shadow: 0 5px 15px rgba(0,0,0,0.05);
  margin-top: 2rem;
}
.step {
  display: flex;
  margin-bottom: 2rem;
  padding-bottom: 2rem;
  border-bottom: 1px solid #eee;
}
.step-number {
  background-color: var(--primary);
  color: white;
  width: 40px;
  height: 40px;
  border-radius: 50%;
  display: flex;
  align-items: center;
  justify-content: center;
  font-weight: bold;
  font-size: 1.2rem;
```

```
margin-right: 20px;
 flex-shrink: 0;
.step-content h3 {
 font-size: 1.5rem;
  color: var(--dark);
 margin-bottom: 0.5rem;
}
.platform-cards {
 display: grid;
  grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));
  gap: 2rem;
 margin-top: 2rem;
}
.platform-card {
  background-color: white;
  border-radius: 10px;
 padding: 2rem;
 text-align: center;
  box-shadow: 0 5px 15px rgba(0,0,0,0.05);
  border-top: 4px solid var(--primary);
 transition: transform 0.3s ease;
}
.platform-card:hover {
 transform: translateY(-10px);
.platform-card i {
 font-size: 3rem;
 color: var(--primary);
 margin-bottom: 1.5rem;
}
```

```
.platform-card h3 {
  font-size: 1.5rem;
  margin-bottom: 1rem;
  color: var(--dark);
}
.platform-card p {
  margin-bottom: 1.5rem;
  color: #666;
}
.platform-card .btn {
  width: 100%;
  text-align: center;
  margin-top: 10px;
}
.code-block {
  background-color: #2d2d2d;
  color: #f8f8f2;
  padding: 1rem;
  border-radius: 5px;
  margin: 1rem 0;
  font-family: 'Courier New', monospace;
  overflow-x: auto;
}
.code-comment {
  color: #75715e;
.code-keyword {
  color: #f92672;
}
.code-string {
  color: #e6db74;
```

```
}
.code-function {
  color: #66d9ef;
.deployment-section {
  background-color: var(--light);
footer {
  background-color: var(--dark);
  color: white;
  padding: 3rem 0 1rem;
.footer-container {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
  gap: 2rem;
  margin-bottom: 2rem;
.footer-col h4 {
  font-size: 1.3rem;
  margin-bottom: 1.5rem;
  position: relative;
.footer-col h4::after {
  content: "";
  position: absolute;
  left: 0;
  bottom: -10px;
  width: 50px;
  height: 2px;
  background-color: var(--accent);
```

```
}
.footer-col p {
  margin-bottom: 1rem;
}
.social-links {
  display: flex;
  gap: 1rem;
.social-links a {
  display: inline-flex;
  align-items: center;
  justify-content: center;
  width: 40px;
  height: 40px;
  background-color: rgba(255,255,255,0.1);
  border-radius: 50%;
  color: white;
  transition: all 0.3s ease;
.social-links a:hover {
  background-color: var(--accent);
  transform: translateY(-3px);
}
.footer-links {
  list-style: none;
}
.footer-links li {
  margin-bottom: 0.8rem;
}
.footer-links li a {
```

```
color: #ddd;
  text-decoration: none;
  transition: color 0.3s ease;
}
.footer-links li a:hover {
  color: var(--accent);
  padding-left: 5px;
.copyright {
  text-align: center;
  padding-top: 2rem;
  border-top: 1px solid rgba(255,255,255,0.1);
  font-size: 0.9rem;
  color: #aaa;
}
@media (max-width: 768px) {
  .header-container {
    flex-direction: column;
    text-align: center;
  .logo {
    margin-bottom: 1rem;
  }
  nav ul {
    flex-wrap: wrap;
    justify-content: center;
  nav ul li {
    margin: 0.5rem;
  }
```

```
.hero h1 {
        font-size: 2.2rem;
      }
      .hero p {
        font-size: 1.1rem;
      .btn {
        display: block;
        width: 100%;
        margin-bottom: 10px;
      .btn-outline {
        margin-left: 0;
      }
      .step {
        flex-direction: column;
      }
      .step-number {
        margin-right: 0;
        margin-bottom: 15px;
  </style>
</head>
<body>
  <!-- Header -->
  <header>
    <div class="container header-container">
      <div class="logo">
        <div class="logo-icon">
          <i class="fas fa-hands-helping"></i>
        </div>
```

```
<div class="logo-text">Project <span>A</span></div>
     </div>
     <nav>
       ul>
         <a href="#website" class="active">Website</a>
         <a href="#deploy">Deploy Guide</a>
         <a href="#platforms">Hosting Platforms</a>
         <a href="#contact">Contact</a>
       </nav>
   </div>
 </header>
 <!-- Hero Section -->
 <section class="hero">
   <div class="hero-content">
     <h1>Project A NGO Website & Deployment Guide</h1>
     Your complete solution for launching Project A online.
This file contains both your website and step-by-step deployment
instructions.
     <div class="hero-buttons">
       <a href="#website" class="btn">View Website</a>
       <a href="#deploy" class="btn btn-outline">Deployment
Guide</a>
     </div>
   </div>
 </section>
 <!-- Website Preview Section -->
 <section id="website" class="section">
   <div class="container">
     <div class="section-title">
       <h2>Your Project A Website</h2>
       Below is a preview of your NGO website
     </div>
     <div style="background-color: white; border-radius: 10px;</pre>
```

```
padding: 2rem; box-shadow: 0 5px 15px rgba(0,0,0,0.05);">
                   <a href="text-align: center; margin-bottom: 1.5rem; color: "text-align: center; margin-bottom: 1.5rem; ce
var(--primary);">Website Preview</h3>
                   <div style="position: relative; width: 100%; height: 500px;</pre>
background: linear-gradient(rgba(42, 127, 98, 0.1), rgba(42, 127, 98,
0.1)),
url('https://images.unsplash.com/photo-1523281409334-ef8724fd
4c01?ixlib=rb-4.0.3&auto=format&fit=crop&w=600&h=400&q=80')
center/cover; border-radius: 10px; display: flex; align-items: center;
justify-content: center;">
                       <div style="text-align: center; color: white; padding:</pre>
2rem;">
                            <h2 style="font-size: 2.5rem; margin-bottom:
1rem;">Project A NGO</h2>
                            0 auto;">Creating sustainable change through community-driven
initiatives and global partnerships.
                            <a href="#" class="btn" style="margin-top:</pre>
20px;">Explore Our Work</a>
                       </div>
                   </div>
                   <div style="display: grid; grid-template-columns:</pre>
repeat(auto-fit, minmax(200px, 1fr)); gap: 20px; margin-top: 30px;">
                       <div style="background-color: #f8f9fa; border-radius: 8px;</pre>
padding: 1.5rem; text-align: center;">
                            <i class="fas fa-users" style="font-size: 2rem; color:</pre>
var(--primary); margin-bottom: 1rem; ></i>
                            <h4>About Us</h4>
                       </div>
                       <div style="background-color: #f8f9fa; border-radius: 8px;</pre>
padding: 1.5rem; text-align: center;">
                            <i class="fas fa-hands-helping" style="font-size: 2rem;</pre>
color: var(--primary); margin-bottom: 1rem;"></i>
                            <h4>Our Mission</h4>
                       </div>
                       <div style="background-color: #f8f9fa; border-radius: 8px;</pre>
```

```
padding: 1.5rem; text-align: center;">
                                <i class="fas fa-seedling" style="font-size: 2rem; color:</pre>
var(--primary); margin-bottom: 1rem;"></i>
                                <h4>Projects</h4>
                           </div>
                           <div style="background-color: #f8f9fa; border-radius: 8px;</pre>
padding: 1.5rem; text-align: center;">
                                <i class="fas fa-donate" style="font-size: 2rem; color:</pre>
var(--primary); margin-bottom: 1rem;"></i>
                                <h4>Get Involved</h4>
                           </div>
                      </div>
                </div>
                <div class="deployment-steps">
                      <a href="text-align: center; margin-bottom: 1.5rem; color: "text-align: center; margin-bottom: 1.5rem; ce
var(--primary);">How to Use This File</h3>
                      This HTML file contains your complete website. To
deploy it:
                      margin-bottom: 20px;">
                           Save this file to your computer (File > Save As...)
                           Name it <code>index.html</code> (this is important
for hosting)
                           Follow the deployment steps below
                      </0|>
                      For customization: You can edit the file with any text
editor (VS Code, Notepad++, Sublime Text) to change text, colors,
and images.
                </div>
           </div>
     </section>
     <!-- Deployment Guide -->
     <section id="deploy" class="section deployment-section">
           <div class="container">
                <div class="section-title">
```

```
<h2>Deployment Guide</h2>
       Step-by-step instructions to get your website online
p>
     </div>
     <div class="deployment-steps">
       <div class="step">
         <div class="step-number">1</div>
        <div class="step-content">
          <h3>Save the HTML File</h3>
          First, save this file to your computer:
          margin-bottom: 15px;">
            Right-click anywhere on this page and select
"Save As..."
            Name the file: <code>index.html</code>
            Choose a location on your computer to save it
li>
          This file contains your complete website - HTML,
CSS, JavaScript, and all necessary resources.
        </div>
       </div>
       <div class="step">
         <div class="step-number">2</div>
         <div class="step-content">
          <h3>Choose a Hosting Platform</h3>
          Select a platform to host your website. I
recommend these options:
          <div style="display: grid; grid-template-columns:</pre>
repeat(auto-fit, minmax(200px, 1fr)); gap: 15px; margin-top: 20px;">
            <div style="background-color: #f0f7ff; padding: 15px;</pre>
border-radius: 8px; border-left: 4px solid #1e88e5;">
              <h4>Free Options</h4>
```

```
GitHub Pages
               Netlify
               Vercel
             </div>
            <div style="background-color: #f0f7ff; padding: 15px;</pre>
border-radius: 8px; border-left: 4px solid #43a047;">
             <h4>Paid Options</h4>
             Shared Hosting
               VPS Hosting
               AWS/Azure
             </div>
          </div>
          For most NGOs, free
options are perfectly sufficient and offer excellent performance.</
p>
        </div>
      </div>
      <div class="step">
        <div class="step-number">3</div>
        <div class="step-content">
          <h3>Upload to Your Hosting Provider</h3>
          Upload your <code>index.html</code> file to your
chosen hosting platform:
          <div class="code-block">
            <span class="code-comment"># For GitHub Pages:
span><br>
            1. Create a new repository named <span
class="code-string">yourusername.github.io</span><br>
            2. Upload <span class="code-string">index.html</
span> to the repository<br>
            3. Go to Settings > Pages > Select branch < span
```

```
class="code-string">main</span><br>
            4. Your site will be at <span
class="code-string">https://yourusername.github.io</span>
           </div>
           <div class="code-block">
             <span class="code-comment"># For Netlify:
span><br>
             1. Go to <span class="code-string">app.netlify.com</
span><br>
            2. Drag and drop your <span
class="code-string">index.html</span> file<br>
            3. Netlify will deploy your site instantly<br>
            4. You'll get a free subdomain like <span
class="code-string">project-a-ngo.netlify.app</span>
           </div>
           Most hosting providers have a file manager where
you can upload your HTML file.
         </div>
       </div>
       <div class="step">
         <div class="step-number">4</div>
         <div class="step-content">
           <h3>Set Up a Custom Domain (Optional)</h3>
           To use your own domain name (e.g.,
www.projecta-ngo.org):
           margin-bottom: 15px;">
             Purchase a domain from a registrar like
Namecheap or Google Domains
             In your hosting provider's dashboard, find the
domain settings
             Add your domain and configure DNS settings
             Set up SSL/HTTPS for security (most providers)
```

```
do this automatically)
          </0|>
          This step is optional but recommended for a
professional online presence.
        </div>
       </div>
     </div>
   </div>
 </section>
 <!-- Hosting Platforms -->
 <section id="platforms" class="section">
   <div class="container">
     <div class="section-title">
       <h2>Recommended Hosting Platforms</h2>
       Free and reliable options for your NGO website
     </div>
     <div class="platform-cards">
       <div class="platform-card">
         <i class="fab fa-github"></i>
         <h3>GitHub Pages</h3>
        Free hosting for static websites directly from your
GitHub repository.
         padding-left: 20px;">
          Completely free
          Easy setup
          Custom domain support
          SSL included
        <a href="https://pages.github.com/" target="_blank"
class="btn">Get Started</a>
       </div>
       <div class="platform-card">
        <i class="fas fa-cloud"></i>
```

```
<h3>Netlify</h3>
        Powerful hosting platform with continuous
deployment and free tier.
        padding-left: 20px;">
         Free starter plan
         Drag-and-drop deployment
         Automatic SSL
         Global CDN
        <a href="https://www.netlify.com/" target="_blank"
class="btn">Get Started</a>
      </div>
      <div class="platform-card">
        <i class="fab fa-google"></i>
        <h3>Firebase Hosting</h3>
        Google's hosting solution with generous free tier for
static sites.
        padding-left: 20px;">
         10GB free hosting
         Global CDN
         Free SSL certificate
         Easy deployment tools
        <a href="https://firebase.google.com/products/hosting"
target="_blank" class="btn">Get Started</a>
      </div>
    </div>
   </div>
 </section>
 <!-- Contact Section -->
 <section id="contact" class="section deployment-section">
   <div class="container">
     <div class="section-title">
```

```
<h2>Need Help?</h2>
       Contact us for deployment assistance
      </div>
      <div style="background-color: white; border-radius: 10px;</pre>
padding: 2rem; text-align: center; max-width: 700px; margin: 0 auto;
box-shadow: 0 5px 15px rgba(0,0,0,0.05);">
        <i class="fas fa-life-ring" style="font-size: 3rem; color:</pre>
var(--primary); margin-bottom: 1.5rem;"></i>
       <h3>Deployment Support</h3>
       If you encounter any
issues deploying your website, I'm here to help.
       <div style="display: flex; justify-content: center; gap: 20px;</pre>
flex-wrap: wrap; margin-top: 2rem;">
         <div style="background-color: #f0f7ff; padding: 1.5rem;</pre>
border-radius: 8px; width: 250px;">
           <i class="fas fa-code" style="font-size: 2rem; color:</pre>
var(--primary); margin-bottom: 1rem;"></i>
           <h4>Customization Help</h4>
           Need help customizing your website?
         </div>
         <div style="background-color: #f0f7ff; padding: 1.5rem;</pre>
border-radius: 8px; width: 250px;">
           <i class="fas fa-server" style="font-size: 2rem; color:</pre>
var(--primary); margin-bottom: 1rem;"></i>
            <h4>Hosting Setup</h4>
           Assistance with domain and hosting setup
         </div>
       </div>
       <div style="margin-top: 2rem;">
         Email for support:
<strong>support@projecta-ngo.org</strong>
        </div>
     </div>
```

```
</div>
 </section>
 <!-- Footer -->
 <footer>
   <div class="container">
     <div class="footer-container">
       <div class="footer-col">
         <h4>Project A NGO</h4>
         Creating sustainable change through
community-driven initiatives and global partnerships.
         <div class="social-links">
           <a href="#"><i class="fab fa-facebook-f"></i></a>
           <a href="#"><i class="fab fa-twitter"></i></a>
           <a href="#"><i class="fab fa-instagram"></i></a>
           <a href="#"><i class="fab fa-linkedin-in"></i>
         </div>
       </div>
       <div class="footer-col">
         <h4>Quick Links</h4>
         <a href="#website">Website</a>
           <a href="#deploy">Deployment Guide</a>
           <a href="#platforms">Hosting Platforms</a>
           <a href="#contact">Contact</a>
         </div>
       <div class="footer-col">
         <h4>Hosting Resources</h4>
         ul class="footer-links">
           <a href="https://pages.github.com/"</a>
target="_blank">GitHub Pages</a>
           <a href="https://www.netlify.com/"</pre>
target="_blank">Netlify</a>
           <a href="https://firebase.google.com/"</pre>
target="_blank">Firebase</a>
           <a href="https://vercel.com/"</pre>
```

```
target="_blank">Vercel</a>
         </div>
       <div class="footer-col">
          <h4>Newsletter</h4>
         Subscribe for website maintenance tips and NGO
resources.
         <form style="margin-top: 15px;">
           <div style="margin-bottom: 10px;">
              <input type="email" placeholder="Your Email"</pre>
required style="width: 100%; padding: 10px; border-radius: 4px;
border: 1px solid #ddd;">
           </div>
           <button type="submit" class="btn">Subscribe</button>
         </form>
       </div>
      </div>
     <div class="copyright">
        © 2023 Project A NGO. This file contains a
complete website and deployment guide.
      </div>
   </div>
  </footer>
  <script>
   // Smooth scrolling for navigation
   document.querySelectorAll('a[href^="#"]').forEach(anchor => {
      anchor.addEventListener('click', function (e) {
       e.preventDefault();
document.querySelector(this.getAttribute('href')).scrollIntoView({
         behavior: 'smooth'
       });
```

```
// Simple form validation
    document.querySelectorAll('form').forEach(form => {
      form.addEventListener('submit', function(e) {
        e.preventDefault();
        alert('Thank you for your submission! In a real
implementation, this would send your data.');
        form.reset();
      });
    });
    // Set active navigation based on scroll position
    window.addEventListener('scroll', function() {
      const sections = document.querySelectorAll('section');
      const navLinks = document.querySelectorAll('nav ul li a');
      let current = ";
      sections.forEach(section => {
        const sectionTop = section.offsetTop;
        if (pageYOffset >= sectionTop - 100) {
          current = section.getAttribute('id');
      });
      navLinks.forEach(link => {
        link.classList.remove('active');
        if (link.getAttribute('href').substring(1) === current) {
          link.classList.add('active');
  </script>
</body>
</html>
```